THE LONGITUDINAL INVESTIGATION OF GENDER, HEALTH, AND TRAUMA SURVEY (LIGHT Survey)

Time 4 Male

Welcome to the final follow-up survey! Thank you in advance for completing this survey. If you have any questions, you may contact our helpdesk at 1-855-462-7577.

INSTRUCTIONS

- · Choose one answer for each question unless the instructions say otherwise.
- · Read each question carefully. Different questions ask about different timeframes.

This number preserves your confidentiality and allows us to mail you the incentive as a thank you for your time.

Q1 What is the highest degree or level of education you have completed?

- Some high school but no diploma or GED
- High school diploma / GED
- Post-high school vocational or technical training
- Some college credit, no degree
- Associate's degree (for example, AA, AS)
- Bachelor's degree (for example, BA, BS)
- Master's, Doctorate or professional degree (for example, MA, MSW, MBA, PhD, MD, JD)

Q2 How many children do you have (both your biological children and other children for whom you have parenting responsibilities)?

- Number of children:
- I do not have any children → Go to question 3

Q2a If you have children, what are their ages in years? If you have an infant, write 00.

- Child 1:
- Child 2:
- Child 3:
- Child 4:
- Child 5:
- Child 6:
- Child 7:
- Child 8:
- Child 9:
- Child 10:

Q2b Would you consider yourself the or one of the primary caregivers for your child/children?

- Yes
- No

Q3 What is your current living situation?

- Rent an apartment, house, or room
- Own my house or apartment
- Live with a relative or friend and not paying rent
- Live in a car, on the street, or in a homeless shelter
- Other (Please describe)

Q4 Have you been homeless in the past 4 months?

- Yes
- No

Q5 What is your current employment status? Select all that apply.

- Working for pay full-time (≥30 hours/week)
- Working for pay part-time (<30 hours/week)
- Not working for pay but actively looking for paid work
- Full-time care of children under the age of 18 or adult (for example, disabled adult child/parent/spouse)
- Full-time homemaker without full-time child or elder care responsibilities
- Retired
- Disabled

Q6 Please provide an estimate of your HOUSEHOLD'S yearly income before taxes are taken out. Include all sources of income from **all earners** in your household. If you do not know the answer, please make your best guess.

- No income
- Less than \$15,000 per year
- \$15,000 \$24,999
- \$25,000 \$34,999
- \$35,000 \$44,999
- \$45,000 \$54,999
- \$55,000 \$74,999
- \$75,000 \$99,999
- \$100,000 \$149,999
- \$150,000 or more per year

Q7 How many people are supported by this HOUSEHOLD income, including yourself, your significant other (if you have one), and anyone else partially or fully supported by this income whether or not they live with you?

Q8 Have you ever been incarcerated for longer than 24 hours within the past 4 months?

- Yes
- No

In past surveys you told us about exposures to traumatic events across your lifespan. The next set of questions ask about experiences you may have had in the last 4 months (since the last survey). If the event does not apply to you, mark "Not at all."

Q9 In the past 4 months...

	Not at all	Once of Twice	Several Times	Many Times
a. Serious accident (example, car / boat				
accident, accident at				
work)				
b. Exposure to toxic				
substance (for example,				
dangerous chemicals,				
radiation)				
c. Witnessed sudden, violent death or				
aftermath (for example,				
homicide, suicide)				
d. Sudden, unexpected				

death of someone close to you		
e. Serious injury, harm, or death you		
caused to someone else's partner		
f. Captivity (for example, being		
kidnapped, held hostage, prisoner of		
war)		
g. Community violence (for example,		
terrorist attack, bombing, riots)		
h. Natural disaster (for example, flood,		
hurricane, tornado, earthquake		

This section is about violent attacks against you by someone who is NOT a romantic partner or spouse. In the past 4 months...

	Not at all	Once or Twice	Several Times	Many Times
i. Sexual assault by				
anyone who is NOT an				
intimate partner (rape,				
attempted rape, made to				
perform any sexual act				
through force or threat of				
harm)				
j. Serious physical				
assault by anyone who				
is NOT an intimate				
partner (attacked with or				
without a weapon,				
threatened with a				
weapon)				

This section is about violence against you by someone who WAS/IS a romantic partner or spouse. In the past 4 months...

	Not at all	Once or Twice	Several Times	Many Times
k. Physical assault (pushed, grabbed,				
shaken, hit, beat up) by a significant				
other/spouse)				
I. Unwanted sexual experience by a				
significant other/spouse (pressured or				
forced to do sexual things you didn't				
want to do)				
m. Emotional mistreatment by significant				
other/spouse (name-calling, criticized,				
not allowed to see				
friends/family, humiliated, or denied				
money)				
n. Other traumatic event: please				
specify. Please describe the event				
below.				

Q90 We are interested in other natural disasters you have experienced in your life. Please tell us the number of times you've experienced a natural disaster across each time in your life.

	Not at all	Once or twice	Several times	Many Times
Childhood (birth – age 17)				

Age 18 to enlistment (if Applicable)		
During military service		
After military service until		
April 2019		

Q10 Of all the traumatic events that you have ever experienced across your life, please select the **ONE** experience that causes you the **MOST** distress. If you have never had an experience like these, please select "I did not have an experience like this" and proceed to question 15. *Check one only.*

- Combat/ exposure to warzone
- Physical assault
- Sexual assault
- Accident
- Natural disaster
- Seen someone killed or seriously injured
- Death of loved one through homicide or suicide
- I did not have an experience like this → Go to question 15
- Other: (Please describe)

Q11 How old were you when this most distressing trauma (the trauma selected from Q10) occurred?

Q12 How long ago did this trauma (from Q10) occur?

- Within the past month
- Within the past 4 months
- Over 4 months ago

Below is a list of problems that people sometimes have in response to a very stressful experience. Please read each problem carefully and then choose one of the responses to the right to indicate how much you have been bothered by that problem in the past month. Please base your answers on problems related to the experience you named as the worst in question 10.

Q13 Thinking about the experience you named in question 10, in the past month, how much were you bothered by:

	Not at all	A little bit	Moderately	Quite a bit	Extremely
a. Repeated, disturbing, and unwanted memories of the stressful experience?					
b. Repeated, disturbing dreams of the stressful experience?					
c. Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?					
d. Feeling very upset when something reminded you of the stressful experience?					
e. Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?					

f. Avoiding memories, thoughts, or feelings related to the stressful experience? g. Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)? h. Trouble remembering important parts of the stressful experience? i. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? j. Blaming yourself or someone else for the stressful experience or what happened after it? k. Having strong negative feelings such as fear, horror, anger, guilt, or shame? I. Loss of interest in activities that you used to enjoy? m. Feeling distant or cut off from other people? n. Trouble experiencing positive feelings (for example, being unable to feel happinees on have loving feelings for people close to you? o. Irritable behavior, angry outbursts, or acting aggressively? p. Taking too many risks or doing things that could cause you harm? q. Being "superalert" or watchful or on guard? r. Feeling jimpy or easily startled? s. Having difficulty concentrating?				1
experience? Image: set of the stressful experience (for example, people, places, conversations, activities, objects, or situations)? Image: set of the stressful experience? h. Trouble remembering important parts of the stressful experience? Image: set of the stressful experience? Image: set of the stressful experience? i. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? Image: set of the stressful experience or what happened after it? k. Having strong negative beliefs such as fear, horror, anger, guilt, or shame? Image: set of the stressful experience or what happened after it? n. Touble experiencing positive feelings such set of enjoy? Image: set of the stressful experience or what happened after it? m. Feeling distant or cut off from other people? Image: set of the stressful experiencing positive feelings such as fear, horror, anger, guilt, or shame? n. Trouble experiencing positive feelings such as fear, horror, anger, guilt, or shame? Image: set of the stressful experiencing positive feelings (for example, being unable to feel happiness or have loving feelings or have loving feelings for people close to you)? Image: set of the set of the stress or have loving feelings for people close to you)? Image: set of the set of the stressful experience set of the stressful experience set of the stressful experience set of the set of the stressful experience set of the set of				
g. Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)? h. Trouble remembering important parts of the stressful experience? i. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? j. Blaming yourself or someone else for the stressful experience or what has fear, horror, anger, guilt, or shame? l. Loss of interest in activities that you used to enjoy? m. Feeling distant or cut off from other people/els appress or have loving feelings of repeiple? n. Trouble experiencing positive feelings (for example, being unable to feelings (for example, being unable to feeling aggressively? p. Taking too many risks or doing things that could cause you harm? q. Being "superalert" or watchful or on guard? r. Feeling jumpy or easily startled? s. Having difficulty concentrating?<				
stressful experience (for example, people, places, conversations, activities, objects, or situations)?				
people, places, conversations, activities, objects, or situations)? Image: conversations, activities, objects, or situations)? h. Trouble remembering important parts of the stressful experience? Image: conversations, activities, objects, or situations)? i. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? Image: conversations, activities, and bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? j. Blaming yourself or someone else for the stressful experience or what happened after it? Image: conversations, activities, and activities, andities, anditities, and activities, and activities, and				
activities, objects, or situations)? Image: solution of the stressful experience? h. Trouble remembering important parts of the stressful experience? Image: solution of the stressful experience? i. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? Image: solution of the stressful experience or what happened after it? k. Having strong negative feelings such as fear, horror, anger, guilt, or shame? Image: solution of the stressful experience or what happened after it? k. Having strong negative feelings such as fear, horror, anger, guilt, or shame? Image: solution of the stressful experience or what happened after it? m. Feeling distant or cut off from other people? Image: solution of the stressful experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)? Image: solution of the stressful experises or have loving feelings for people close to you)? 0. Iritable behavior, angry outbursts, or acting aggressively? Image: solution on guard? Image: solution on guard? 1. Feeling itom any risks or doing things that could cause you harm? Image: solution on guard? Image: solution on guard? 1. Feeling jumpy or easily startled? Image: solution on guard? Image: solution on guard? Image: solution on guard? 1. Taking difficulty concentrating? <				
h. Trouble remembering important parts of the stressful experience? Image: Constraint of the stressful experience of the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? Image: Constraint of the stressful experience of the stressful experience or what happened after it? I. Loss of interest in activities that you used to enjoy? Image: Constraint of the stress of the str				
of the stressful experience?Image: Constraint of the stressful experience?i. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?Image: Constraint of the stressful experience or what happened after it?j. Blaming yourself or someone else for the stressful experience or what happened after it?Image: Constraint of the stressful experience or what happened after it?k. Having strong negative feelings such as fear, horror, anger, guilt, or shame?Image: Constraint of the stressful experience or what happened after it?k. Having strong negative feelings such as fear, horror, anger, guilt, or shame?Image: Constraint of the stressful experience or what happened after it?n. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?Image: Constraint of the stress or have loving feelings for people close to you)?o. Initiable behavior, angry outbursts, or acting aggressively?Image: Constraint of the stress or doing things that could cause you harm?g. Being "superalert" or watchful or on guard?Image: Constraint of the stress or doing things that could cause you harm?g. Being "superalert" or watchful or on guard?Image: Constraint of the stress or doing things that could cause you harm?g. Being "superalert" or watchful or on guard?Image: Constraint of the stress or doing things that could cause you harm?g. Being "superalert" or watchful or on guard?Image: Constraint of the stress or doing thing				
i. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? j. Blaming yourself or someone else for the stressful experience or what happened after it? k. Having strong negative feelings such as fear, horror, anger, guilt, or shame? l. Loss of interest in activities that you used to enjoy? m. Feeling distant or cut off from other people? n. Trouble experiencing positive feel happiness or have loving feelings for people close to you)? o. Irritable behavior, angry outbursts, or acting aggressively? p. Taking too many risks or doing things that could cause you harm? q. Being "superalert" or watchful or on guard? r. Feeling jumpy or easily startled? s. Having difficulty concentrating?				
yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? j. Blaming yourself or someone else for the stressful experience or what happened after it? k. Having strong negative feelings such as fear, horror, anger, guilt, or shame? 1. Loss of interest in activities that you used to enjoy? m. Feeling distant or cut off from other people? n. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)? 0. Irritable behavior, angry outbursts, or acting aggressively? p. Taking too many risks or doing things that could cause you harm? q. Being "superalert" or watchful or on guard? r. Feeling jumpy or easily startled? s. Having difficulty concentrating?				
example, having thoughts such as: i am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)? islaming yourself or someone else for the stressful experience or what happened after it? j. Blaming yourself or someone else for the stressful experience or what happened after it? islaming yourself or someone else for the stressful experience or what happened after it? k. Having strong negative feelings such as fear, horror, anger, guilt, or shame? islaming yourself or cut off from other people? n. Feeling distant or cut off from other people? islaming yourself or some people to feelings or have loving feelings for example, being unable to feel happiness or have loving feelings for people close to you)? islaming youtbursts, or acting aggressively? p. Taking too many risks or doing things that could cause you harm? islaming youtbursts, or agurd? islaming youtburster q. Being "superalert" or watchful or on guard? islaming youtburster islaming youtburster islaming youtburster s. Having difficulty concentrating? islaming youtburster islaming youtburster islaming youtburster				
bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?j. Blaming yourself or someone else for the stressful experience or what happened after it?k. Having strong negative feelings such as fear, horror, anger, guilt, or shame?l. Loss of interest in activities that you used to enjoy?m. Feeling distant or cut off from other people?n. Trouble experiencing positive feelings (for example, being unable to feelings (for example, being unable to feelings for people close to you)?o. Irritable behavior, angry outbursts, or acting aggressively?p. Taking too many risks or doing things that could cause you harm?q. Being "superalert" or watchful or on guard?r. Feeling jumpy or easily startled?s. Having difficulty concentrating?				
with me, no one can be trusted, the world is completely dangerous)?j. Blaming yourself or someone else for the stressful experience or what happened after it?k. Having strong negative feelings such as fear, horror, anger, guilt, or shame?l. Loss of interest in activities that you used to enjoy?m. Feeling distant or cut off from other people?n. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?o. Irritable behavior, angry outbursts, or acting aggressively?p. Taking too many risks or doing things that could cause you harm?q. Being "superalert" or watchful or on guard?r. Feeling jumpy or easily startled?s. Having difficulty concentrating?				
world is completely dangerous)?Image: completely dangerous)?j. Blaming yourself or someone else for the stressful experience or what happened after it?Image: completely dangerous)?k. Having strong negative feelings such as fear, horror, anger, guilt, or shame?Image: completely dangerous)?l. Loss of interest in activities that you used to enjoy?Image: completely dangerous)?m. Feeling distant or cut off from other people?Image: completely dangerous)?n. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?Image: completely dangerous)?0. Irritable behavior, angry outbursts, or acting aggressively?Image: completely dangerous)?p. Taking too many risks or doing things that could cause you harm?Image: completely dangerous)?g. Being "superalert" or watchful or on guard?Image: completely dangerous)?r. Feeling jumpy or easily startled?Image: completely dangerous)?s. Having difficulty concentrating?Image: completely dangerous)?				
j. Blaming yourself or someone else for the stressful experience or what happened after it?Image: Constraint of the stressful experience or what happened after it?k. Having strong negative feelings such as fear, horror, anger, guilt, or shame?Image: Constraint of the stressful experience the stressful experience or what stressful experience or what stressful experience or what outsed to enjoy?Image: Constraint of the stressful experience the stressful experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?Image: Constraint of the stressful experience the stressful experience 				
the stressful experience or what happened after it?Image: stressful experience or what happened after it?k. Having strong negative feelings such as fear, horror, anger, guilt, or shame?Image: stressful experience stressful experiencing that you used to enjoy?I. Loss of interest in activities that you used to enjoy?Image: stressful experience stressful experiencing positive feelings (for example, being unable to feel happiness or have lowing feelings for people close to you)?Image: stressful experiencing positive stressful experiencing positive feelings (for example, being unable to feel happiness or have lowing feelings for people close to you)?Image: stressful experiencing positive feelings for people close to you)?0. Irritable behavior, angry outbursts, or acting aggressively?Image: stressful experiencing positive feel experiencing things that could cause you harm?q. Being "superalert" or watchful or on guard?Image: stressful experiencing?s. Having difficulty concentrating?Image: stressful experiencing?				
happened after it?Image: second s				
k. Having strong negative feelings such as fear, horror, anger, guilt, or shame?Image: Constraint of the strength	· · · · · · · · · · · · · · · · · · ·			
as fear, horror, anger, guilt, or shame?	· · ·			
I. Loss of interest in activities that you used to enjoy?Image: Constraint of the constrain				
used to enjoy?Image: second secon				
m. Feeling distant or cut off from other people?Image: Construct off from other people?n. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?Image: Construct off from other on the second	I. Loss of interest in activities that you			
people?Image: construct of the second se				
n. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)? o. Irritable behavior, angry outbursts, or acting aggressively? p. Taking too many risks or doing things that could cause you harm? q. Being "superalert" or watchful or on guard? r. Feeling jumpy or easily startled? s. Having difficulty concentrating?	m. Feeling distant or cut off from other			
feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?Image: Constant of the second seco	- · · ·			
feel happiness or have loving feelings for people close to you)?Image: close to you image: close				
for people close to you)?Image: close to you)?0. Irritable behavior, angry outbursts, or acting aggressively?Image: close to youp. Taking too many risks or doing things that could cause you harm?Image: close to youq. Being "superalert" or watchful or on guard?Image: close to your. Feeling jumpy or easily startled?Image: close to yous. Having difficulty concentrating?Image: close to you				
o. Irritable behavior, angry outbursts, or acting aggressively?p. Taking too many risks or doing things that could cause you harm?q. Being "superalert" or watchful or on guard?r. Feeling jumpy or easily startled?s. Having difficulty concentrating?				
acting aggressively? Image: Constraint of the second s				
p. Taking too many risks or doing things that could cause you harm?Image: Court of the second secon				
that could cause you harm? Image: Course of the course				
q. Being "superalert" or watchful or on guard? Image: Constraint of the second sec				
guard?				
r. Feeling jumpy or easily startled?				
s. Having difficulty concentrating?	guard?		 	
	r. Feeling jumpy or easily startled?			
t. Trouble falling or staying asleep?	s. Having difficulty concentrating?			
	t. Trouble falling or staying asleep?			

Q14 For these questions, please continue to think of the traumatic event that bothers you most (from Q10). What do you do when memories of the traumatic event pop into your mind? Please mark the answer that applied best to you during the past week.

	·······	Never	Sometimes	Often	Always
a.	I think about how life would have been				
	different if the event had not occurred.				
b.	I dwell on how the event could have				
	been prevented.				
C.	I think about why the event happened				
	to me.				
d.	I dwell on how I used to be before the				
	event.				
e.	I dwell on what other people have done				
	to me.				
f.	I dwell on what I should have done				
	differently.				
g.	I go over what happened again and				
	again.				
h.	I worry that something similar will				
	happen to me or my family.				

Q15 The next set of items ask about potentially stressful situations you may be currently experiencing. Think about whether or not the stressful situation described happened within the past 4 months. If the situation IS NOT occurring for you, choose "N/A" and go to the next item. If the situation IS occurring, please rate the extent to which it is NOW stressful/distressing to you on a scale from 1-10.

Not at all dis	Not at all distressing		ome	what	Distre	essin	g	Extre	emely	/ Dis	tressing
	N/	1	2	3	4	5	6	7	8	9	10
	А										
a. Laid off or fired from work											
b. At risk for losing your home/lost your home											
c. Caring of seriously ill and/or disabled dependents (e.g.,											
children, elders)											
d. Divorce or separation from romantic partner											
e. Legal problems, court proceedings, ongoing litigation											
f. Major negative change in financial status											
g. Major problems at school/At risk of losing spot at											
school or Veteran subsidies											
h. Major health problem											
i. Major problem with your significant other or child(ren)											
j. Moved to a new home											

Q16 Over <u>the past two weeks</u> how often have you been bothered by any of the following problems?

	Not at all	Several Days	More than half the days	Nearly every day
a. Little interest or pleasure in doing things				
b. Feeling down, depressed, or hopeless				
c. Trouble falling or staying asleep, or sleeping				
too much.				
d. Feeling tired or having little energy				
e. Poor appetite or overeating				
f. Feeling bad about yourself – or that you are a				
failure or have let yourself or your family down				
g. Trouble concentrating on things, such as				
reading the newspaper or watching television				
h. Moving or speaking so slowly that other				
people could have noticed. Or the opposite –				
being so fidgety or restless that you have been				
moving around a lot more than usual				
i. Thoughts that you would be better off dead, or				
of hurting yourself				
j. Feeling nervous, anxious, or on edge				
k. Not being able to stop or control worrying				
I. Worrying too much about different things				
m. Trouble relaxing				
n. Being so restless that it's hard to sit still				
o. Becoming easily annoyed or irritable				
p. Feeling afraid as if something awful might				
happen				

Q17 Have you been diagnosed with any of the following emotional/mental health conditions within the **past 4 months**? Select all that apply.

- Post-traumatic Stress Disorder (PTSD)
- Depression
- Anxiety Disorder (for example, panic disorder, generalized anxiety disorder)
- Other mental health problem (please specify):

Please check the one box beside the statement or phrase that best applies to you.

Q18a Have you ever thought about or attempted to kill yourself *in the past 4 months?* Check one only.

- Never
- It was just a brief passing thought
- I have had a plan at least once to kill myself but did not try to do it
- I have had a plan at least once to kill myself and really wanted to die
- I have attempted to kill myself, but did not want to die
- I have attempted to kill myself, and really hoped to die

Q18b How often have you thought about killing yourself in the past 4 months? Check one only.

- Never
- Rarely (1 time)
- Sometimes (2 times)
- Often (3-4 times)
- Very often (5 or more times)

Q18c Have you ever told someone in the past 4 months that you were going to commit suicide, or that you might do it? *Check one only.*

- No
- Yes, at one time, but did not really want to die
- Yes, at one time, and really wanted to die
- Yes, more than once, but did not want to do it
- Yes, more than once, and really wanted to do it

Q18d How likely is it that you will attempt suicide someday? Check one only.

- Never
- No chance at all
- Rather unlikely
- Unlikely
- Likely
- Rather likely
- Very likely

Having thoughts of hurting yourself can be a common response to feeling distressed. We want you to know that help is available. We recommend that you contact your primary care provider or call the Veterans Crisis Hotline (1-800-273-8255) if you are experiencing suicidal thoughts.

Q19 Thinking <u>over the past month</u>, check the option that best describes the amount of time you felt that way.

	None or almost none of the time	A little of the time	Some of the time	Most of the time	All or almost all of the time
a. I found myself getting angry at people					
or situations.					
b. When I got angry, I got really angry.					

c. When I got angry, I stayed angry.			
d. When I got angry at someone I			
wanted to hit them.			
e. My anger prevented me from getting			
along with people as well as I'd have			
liked to.			

Q20 What is your current marital status?

- Never married
- Married first and only marriage \rightarrow Go to question 22
- Married second or later marriage \rightarrow Go to question 22
- Separated
- Divorced
- Widowed

Q21 Are you currently in a romantic relationship?

- Currently in a relationship and living as a couple
- Currently in a relationship but not living as a couple
- Not currently in a relationship

If you are married or currently in a romantic relationship, please answer the following questions. If you are not married or in a romantic relationship, please skip to question 23.

Q22 Over the last month, how often have you done the following in your romantic relationship:

		Never	Rarely	Sometimes	Often	Most or all of the time
a.	Provided your significant other with the emotional support they sought					
b.	Shared your intimate thoughts and feelings					
C.	Done your fair share of day-to- day tasks, (for example, grocery shopping, errands, planning activities)					
d.	Initiated leisure time activities that both you and your significant other enjoy					
e.	Made effort to work through disagreements respectfully.					
f.	Expressed interest and/or willingness to engage in regular sexual or physical intimacy.					

If you currently have parenting responsibilities for any children 18 or under, please answer the following questions. If not, please skip to question 24.

Q23 All parents have strengths and weaknesses. Over the last month, how often have you:

	Never	Rarely	Sometimes	Often	Most or all of the time
--	-------	--------	-----------	-------	-------------------------

a.	Provided a healthy environment for your children, (for example, preparing healthy meals, caring for their health, keeping them safe).			
b.	Been a good example for your children, (for example, being respectful during disagreements with others, taking good care of your own health).			
C.	Been actively involved in your child(ren)'s activities, (for example, regularly attending sporting and school events, giving your full attention during time together).			
d.	Met your children's needs for physical affection, and emotional support, (for example, giving them hugs, being sympathetic to their problems).			
e.	Been able to successfully manage your child(ren)'s unique challenges, (for example, effectively disciplining children).			

The following questions ask about your neighborhood and community.

Q24 We are interested in how you feel about the following statements. Read each statement carefully Indicate how you feel about each statement.

	Strongly Disagree	Disagree	Agree	Strongly Agree
a. There is a lot of graffiti in my neighborhood.	Disagree			Ayree
b. My neighborhood is noisy.				
c. Vandalism is common in my neighborhood.				
d. There are a lot of abandoned buildings in my				
neighborhood.				
e. My neighborhood is clean.				
f. People in my neighborhood take good care of their houses				
and apartments.				
g. There are too many people hanging around on the streets				
near my home.				
h. There is a lot of crime in my neighborhood.				
i. There is too much drug use in my neighborhood.				
j. There is too much alcohol use in my neighborhood.				
k. I'm always having trouble with my neighbors.				
I. In my neighborhood, people watch out for each other.				
m. My neighborhood is safe.				

Q25 In the past 4 months, how often have you heard gunshots associated with crime or violence in your neighborhood?

- Never
- Once or twice
- Three to five times
- More than five times

Q26 How common would you say it is for people to belong to street gangs in your neighborhood?

Very common

- Somewhat common
- Somewhat uncommon
- Very uncommon

Q27 How common do you think it is for people to carry guns in the neighborhood?

- Very common
- Somewhat common
- Somewhat uncommon
- Very uncommon

Q28 Have you ever seen someone threatened with a gun in the neighborhood <u>within the last 4</u> <u>months</u>?

- Yes
- No

Q29 Have you ever seen someone shot with a gun in the neighborhood within the last 4 months?

- Yes
- No

Q30 If a fight were to break out near your home, how likely is it that your neighbors would attempt to break it up?

- Very likely
- Somewhat likely
- Somewhat unlikely
- Very unlikely

Q31 If a fight were to break out near your home, how likely is it that the police would be called?

- Very likely
- Somewhat likely
- Somewhat unlikely
- Very unlikely

Q32 How safe do you feel...

	Very Safe	Somewha t Safe	Somewhat Unsafe	Very Unsafe
a. Alone inside your house?				
b. Outside in your neighborhood during the day?				
c. Outside in your neighborhood at night?				
d. Walking alone toward a group of people that you don't				
know?				

Q33 In your neighborhood, it is sometimes necessary for people to carry guns to protect themselves or their family.

- Strongly agree
- Agree
- Disagree
- Strongly Disagree

Q34 In this neighborhood, it is sometimes necessary for people to join a gang to protect themselves or their family.

- Strongly agree
- Agree
- Disagree
- Strongly disagree

The following questions ask about your health.

Q35 During the past month, what time have you usually gone to bed at night (hh:mm)?

Q36 During the past month, how long has it usually taken you to fall asleep each night?

- Number of Hours:
- Number of minutes:

Q37 During the past month, what time have you usually gotten up in the morning (hh:mm)?

Q38 During **the past month**, how many hours of actual sleep did you get on average each night? (This may be different from the number of hours you spent in bed.)

• Hours of sleep per night:

Q39 How often do you exercise for 30 minutes or more?

- Daily or almost daily
- 3 to 4 times per week
- 2 to 3 times per week
- 1 to 2 times per week
- Fewer than once per week

Please answer the following questions related to your current substance use.

Q40 How many cigarettes did you smoke on an average day in the last month (if you do not smoke write 0)?

For alcohol, one drink equals:

- · 4 oz. wine
- \cdot 1 wine cooler
- · 12 oz. beer
- · 1 cocktail with 1 oz. hard liquor

Q41 How often do you currently have a drink containing alcohol?

- Never → Go to question 45
- Monthly or less
- 2-4 times a month
- 2-3 times a week
- 4 or more times a week

Q42 How many standard drinks containing alcohol do you have on a typical day?

- 1 or 2
- 3 or 4
- 5 or 6
- 7 to 9
- 10 or more

Q43 On average, how often do you have 5 or more drinks on one occasion?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

Q44 Have you been diagnosed with alcohol abuse or dependence in the past 4 months?

- No
- Yes

Q45 In the past month, did you use marijuana? If YES, how many times in a typical week?

- No \rightarrow Go to question 46
- Yes
- Times in a week:

Q45a Does your marijuana use cause any problems?

- Yes
- No
- N/A, I do not use marijuana

Q45b Did anyone else think your marijuana use caused a problem?

- Yes
- No
- N/A, I do not use marijuana

Q46 In the past month, did you use other drugs, other than alcohol or marijuana? If **YES**, how many times in a typical week did you use, if at all? This includes cocaine, crack, heroin, acid, speed, ecstasy, methamphetamines, steroids, and medicines prescribed for someone else.

- No → Go to question 47
- Yes
- Times in a week:

Q46a Does your use of drugs other than alcohol or marijuana cause any problems?

- Yes
- No
- N/A, I do not use drugs, not including alcohol or marijuana

Q46b Did anyone else think your use of drugs other than alcohol or marijuana cause a problem?

- Yes
- No
- N/A, I do not use drugs, not including alcohol or marijuana

Q47 Have you been diagnosed with drug (including prescription drugs) abuse or dependence in the past 4 months?

- No
- Yes

If you are prescribed pain medication please answer the following questions, otherwise skip to item 49.

Q48 In the past 4 months...

	Never	Rarely	Sometimes	Often	Almost Always
a. I abused prescription pain medication.					
b. I ran out of my prescription pain medication early.					
c. I got prescription pain medication from someone					
other than my healthcare provider.					
d. I used more of my prescription pain medication					
than I was supposed to.					
e. I experienced cravings for pain medication.					
f. I used more pain medication before the effects					

wore off.

Q48a In the past 4 months...

	Not at all	A little bit	Somewhat	Quite a bit	Very much
a. When my prescription for pain medication ran out, I felt anxious					

Q49 Over the past 4 months...

0	1	2	3	4	5	6
	0	0 1	0 1 2	0 1 2 3	0 1 2 3 4	0 1 2 3 4 5

*note to altarum -

- 0 = not at all
- 2 = slightly
- 4 = moderately
- 6 = extremely

Q50 During the past 4 months, have there been times when you felt you have eaten what other people would regard as an unusually large amount of food (e.g., a pint of ice cream) given the circumstances?

- Yes
- No skip to xx

Q51 During the times when you ate an unusually large amount of food, did you experience a loss of control (e.g., felt you couldn't stop eating or control what or how much you were eating)?

- Yes
- No
- N/A

Q52 How many **times per month** on average over the past **3 months** have you eaten an unusually large amount of food and experienced a loss of control?

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16+

Q53 During these episodes of overeating and loss of control, did you...

	Yes	No	N/A
a. Eat much more rapidly than normal?			
b. Eat until you felt uncomfortably full?			
c. Eat large amounts of food when you didn't feel physically hungry?			
d. Eat alone because you were embarrassed by how much you were			
eating?			
e. Feel disgusted with yourself, depressed, or very guilty after			
overeating?			
f. If you have episodes of uncontrollable overeating does it make you			
very upset?			

In order to prevent weight gain or counteract the effects of eating, how many <u>times per</u><u>month</u>, on average over the <u>past 3 months</u>, have you:

Q54 Made yourself vomit? 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16+

Q55 Used laxatives or diuretics? 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16+

Q56 Fasted (skipped at least 2 meals in a row)? 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16+

Q57 Engaged in more intense exercise **specifically** to counteract the effects of overeating? 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16+

Q58 How many times per month on average over the past 3 months have you eaten after awakening from sleep or eaten an unusually large amount of food after your evening meal and felt distressed by the night eating? 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16+

Q59	-	-	-	-	_		
	0	1	2	3	4	5	6
a. How much do eating or body problems impact your relationships with friends and family, work performance, and school performance?							

*note to altarum -

0 = not at all

- 2 = slightly
- 4 = moderately
- 6 = extremely

Q60 What is your current weight (if you are currently pregnant please put your pre-pregnancy weight)?

Q61 What is your highest weight at your current height (not including pregnancy)?

____lbs

Q60 Have you experienced any of the following events in the past 4 months? Select all that apply.

- Blast or explosion (IED, RPG, Landmine, Grenade, etc)
- Vehicular accident/crash (any vehicle including aircraft)
- Fragment wound or bullet wound above the shoulders
- Fall
- Blow to the head (head hit by falling/flying object, head hit by another person, head hit against something, etc)
- Strangulation
- Shaken violently
- None of the above → Go to question 61

Q60a Did you have any of these immediately after any of the events in Q60? Select all that apply.

- Losing consciousness/"knocked out"
- Being dazed, confused, or "seeing stars"
- Not remembering the event
- Concussion
- Head injury that resulted in broken bones in head, neck, face, damaged teeth, or ruptured eardrum

• None of the above

Q60b Did any of the following problems begin or get worse afterwards? Select all that apply.

- Memory problems or lapses
- Balance problems or dizziness
- Sensitivity to bright light
- Irritability
- Headaches
- Sleep problems
- None of the above

Q60c In the past week, have you had any of the symptoms from question 60? Select all that apply.

- Memory problems or lapses
- Balance problems or dizziness
- Sensitivity to bright light
- Irritability
- Headaches
- Sleep problems
- None of the above

Q61 Have you been diagnosed with any new medical conditions in the past 4 months?

- Yes
- No
- If yes, please specify the condition(s):

The following questions ask about your use of healthcare and thoughts about mental health treatment.

Q62 Do you get any healthcare (physical and/or mental health) at Veterans' Administration (VA) hospitals or clinics within the past 4 months?

- Yes → Go to question 63
- No

Q62a If NO, why not?

- Not eligible
- Distance to VA facilities/transportation concerns
- My VA does not provide the services I need.
- I don't feel comfortable seeking services at the VA.
- Preference for my current healthcare providers
- Other (please specify):

Q63 I think that I am suffering from mental health problems (*for example, feeling anxious depressed, or too angry*).

- True
- False

Q64 I think that I might benefit from mental health treatment.

- True
- False

Q65 Are you currently receiving mental health services (for example, seeing a therapist, counselor, or medications) to help with distress?

- Yes → Go to question 66
- No

Q65a If NO, what prevents you from seeking mental health treatment? Select all that apply.

- Concern for job security
- Judgment from others
- Distance/transportation to mental healthcare providers
- Don't think it will help me
- No insurance coverage
- I don't need mental health treatment
- Other (please specify):

Q66 If I thought that I were suffering from serious depression, anxiety, anger, or fear, I would seek assistance from (*Select all that apply*):

- Good female friends
- Good male friends
- Spouse or intimate partner
- Family member (brother, sister, mother, father, etc.)
- Coworker
- Religious leader (e.g. pastor, priest, rabbi)
- Medical doctor (primary care doctor)
- Therapist or counselor
- Information on the internet
- Self-help books or magazine articles
- Other (please specify):

Q67 We are interested in your use of mental health services in the <u>past 4 months</u>. If you received any help (even if it was only once or for a little while), please mark where you received this help. Mark the no column only if you did not receive any of that type of help in the past 4 months.

	No, I did not get this kind of help	Yes, form a VA provider	Yes, from a community (Non- VA) provider	Yes, form both a VA and a community provider
a. Medication for a mental health problem (e.g., an antidepressant)				
b. Individual counseling or therapy for a mental health				
program				
c. Group counseling or therapy for a mental health problem				
d. Family therapy				
e. Inpatient or partial				
hospitalization program for a				
mental health problem				
f. Another type of mental health treatment (please specify):				

Q68 If you felt as though you needed mental health treatment, do you feel your health care provider could get it for you?

- Yes
- No
- N/A

Q69 If you have received any mental health treatments **within the past 4 months**, how satisfied were you with the care you received?

- Not at all satisfied
- Slightly satisfied

- Moderately satisfied
- Very satisfied
- Extremely satisfied
- N/A

Q70 If you have received any mental health treatments <u>within the past 4 months</u>, how helpful was this care in reducing your distress?

- Not at all helpful
- Slightly helpful
- Moderately helpful
- Very helpful
- Extremely helpful
- N/A

Q71 If you have received any mental health treatments <u>within the past 4 months</u>, how difficult was it to find a therapist and schedule your mental health appointments?

- Very difficult
- Difficult
- Moderately difficult
- Neutral
- Easy
- Very easy
- N/A

Q72 The next set of items refer to how people in your life such as friends, family and coworkers would react *if* you were to have a mental health problem. PLEASE NOTE THAT YOU DO NOT NEED TO HAVE A CURRENT MENTAL HEALTH PROBLEM TO COMPLETE THESE QUESTIONS. Please rate the extent to which you agree or disagree with the following statements.

	Strongly	Somewhat	Neutral	Somewhat	Strongly
a. A problem would have to be really bad for me to be willing to seek mental health care.	disagree 1	disagree 2	3	agree 4	agree 5
b. I would feel uncomfortable talking about my problems with a mental health provider.	1	2	3	4	5
c. If I had a mental health problem, I would prefer to deal with it myself rather than to seek treatment.	1	2	3	4	5
d. Most mental health problems can be dealt with without seeking professional help.	1	2	3	4	5
e. Seeing a mental health provider would make me feel weak.	1	2	3	4	5
f. I would think less of myself if I were to seek mental health treatment.	1	2	3	4	5
g. If I were to seek mental health	1	2	3	4	5

treatment, I would feel stupid for not being able to fix the problem on my					
own.					
h. I wouldn't want to share personal	1	2	3	4	5
information with a mental health					
provider.					

Q73 If I had a mental health problem and friends and family knew about it, they would...

					oanann
	Strongly	Somewhat	Neutral	Somewhat	Strongly
	disagree	disagree		agree	agree
athink less of me.	1	2	3	4	5
bsee me as weak.	1	2	3	4	5
cfeel uncomfortable around me.	1	2	3	4	5
dnot want to be around me.	1	2	3	4	5
ethink I was faking.	1	2	3	4	5
fbe afraid that I might be violent or	1	2	3	4	5
dangerous.					
gthink that I could not be trusted.	1	2	3	4	5
havoid talking to me.	1	2	3	4	5

Q74 Please indicate how many times you have done each of these things to someone else <u>in the past 4 months</u>.

	Once	Twice	3-5 Times	6-10 Times	11-20 Times	More than 20 times	Not in the past 4 months, but it did happen before	This has never happened
a. I insulted, swore, shouted or yelled at someone.								
b. I pushed, shoved, or slapped someone.								
c. I punched, kicked, or beat-up someone.								
d. I destroyed something belonging to someone else or threatened to hit someone.								

Q75 You will be asked to describe how you *typically* think about negative experiences or problems. Please read the following statements and rate the extent to which they apply to you when you think about negative experiences or problems.

	Never	Rarely	Sometimes	Often	Almost Always
a. The same thoughts keep going through my mind again and again.	0	1	2	3	4
b. Thoughts intrude into my mind.	0	1	2	3	4

C.	I can't stop dwelling on them.	0	1	2	3	4
		0	1	2	3	4
a.	d. I think about many problems without			2	3	4
	solving any of them.					
e.	I can't do anything else while thinking	0	1	2	3	4
	about my problems.					
f.	My thoughts repeat themselves.	0	1	2	3	4
g.	Thoughts come to my mind without	0	1	2	3	4
J	me wanting them to.					
h.	I get stuck on certain issues and can't	0	1	2	3	4
	move on.					
i.	I keep asking myself questions without	0	1	2	3	4
	finding an answer.					
j.	My thoughts prevent me from focusing	0	1	2	3	4
, ,,	on other things.					
k	I keep thinking about the same issue	0	1	2	3	4
	all the time.		_	-		
		0	1	2	3	4
I.	Thoughts just pop into my mind.	•	_		-	4
m.	I feel driven to continue dwelling on	0	1	2	3	4
	the same issue.					
n.	My thoughts are not much help to me.	0	1	2	3	4
0.		0	1	2	3	4

Q76 Below are ten statements about yourself which may or may not be true. Using the 1-4 scale below, please circle the appropriate number following each item.

	Not at all True	Barel y True	Moderately True	Exactly True
a. I can always manage to solve difficult problems if I try hard enough.	1	2	3	4
b. If someone opposes me, I can find means and ways to get what I want.	1	2	3	4
c. It is easy for me to stick to my aims and accomplish my goals.	1	2	3	4
d. I am confident that I could deal efficiently with unexpected events.	1	2	3	4
e. Thanks to my resourcefulness, I know how to handle unforeseen situations.	1	2	3	4
f. I can solve most problems if I invest the necessary effort.	1	2	3	4
g. I can remain calm when facing difficulties because I can rely on my coping abilities.	1	2	3	4
h. When I am confronted with a problem, I can usually find several solutions.	1	2	3	4
i. If I am in a bind, I can usually think of something to do.	1	2	3	4
j. No matter what comes my way, I'm usually able to handle it.	1	2	3	4

Q77 People think and do many different things when they feel depressed. Please read each of the items below and indicate whether you almost never, sometimes, often or always think or do each one when you feel down, sad, or depressed. Please indicate what you *generally* do, not what you think you should do.

Almost	Sometimes	Often	Almost
Never			Always

				1	
a.	Think about how alone you feel.	1	2	3	4
b.	Think "I won't be able to do my job if I don't snap out of this."	1	2	3	4
c.	Think about your feelings of fatigue and achiness.	1	2	3	4
d.	Think about how hard it is to concentrate.	1	2	3	4
e.	Think "What am I doing to deserve this?"	1	2	3	4
f.	Think about how passive and unmotivated you feel.	1	2	3	4
g.	Analyze recent events to try to understand why you are depressed.	1	2	3	4
h.	Think about how you don't seem to feel anything anymore.	1	2	3	4
i.	Think "Why can't I get going?"	1	2	3	4
j.	Think "Why do I always react this way?"	1	2	3	4
k.	Go away by yourself and think about why you feel this way.	1	2	3	4
I.	Write down what you are thinking and analyze it.	1	2	3	4
m.	Think about a recent situation, wishing it had gone better.	1	2	3	4
n.	Think "I won't be able to concentrate if I keep feeling this way."	1	2	3	4
0.	Think "Why do I have problems other people don't have?"	1	2	3	4
p.	Think "Why can't I handle things better?"	1	2	3	4
q.	Think about how sad you feel.	1	2	3	4
r.	Think about all your shortcomings, failings, faults, mistakes.	1	2	3	4
s.	Think about how you don't feel up to doing anything.	1	2	3	4
t.	Analyze your personality to try to understand why you are depressed.	1	2	3	4
u.	Go someplace alone to think about your feelings.	1	2	3	4
۷.	Think about how angry you are with yourself.	1	2	3	4

Q78 Indicate how much you agree or disagree with each of the following statements regarding your experiences at any time since joining the military.

	Strongly Agree	Moderatel v Agree	Slightly Aaree	Slightly Disagree	Moderately Disagree	Strongly Agree
a. I saw things that were morally wrong	1	2	3	4	5	6
b. I am troubled by having witnessed others' immoral acts	1	2	3	4	5	6

c. I acted in ways that violated my own moral code or values	1	2	3	4	5	6
d. I am troubled by having acted in ways that violated my own morals or values	1	2	3	4	5	6
e. I violated my own morals by failing to do something that I felt I should have done	1	2	3	4	5	6
f. I am troubled because I violated my morals by failing to do something that I felt I should have done	1	2	3	4	5	6
g. I feel betrayed by leaders who I once trusted	1	2	3	4	5	6
h. I feel betrayed by fellow service members who I once trusted	1	2	3	4	5	6
i. I feel betrayed by others outside the U.S. military who I once trusted	1	2	3	4	5	6
j. I trust my leaders and fellow service members to always live up to their core values	1	2	3	4	5	6
k. I trust myself to always live up to my own moral code	1	2	3	4	5	6

The next set of questions asks you about your current support system and coping strategies.

Q79 We are interested in how you feel about the following statements. Read each statement carefully. Indicate how you feel about each statement.

	Very strongly disagree	Strongly disagree	Mildly disagree	Neutra I	Mildly Agree	Strongly agree	Very strongly agree
a. There is a special person who is around when I am in need.							
b. There is a special person with whom I can share my joys and sorrows.							
c. My family really tries to help me.							
d. I get the emotional help and support I need from my family.							
e. I have a special person who is a real source of comfort to me.							
f. My friends really try to help me.							
g. I can count on my friends when things go wrong.							
h. I can talk about my problems with my family.							
i. I have friends with whom I can share my joys and sorrows.							
j. There is a special person in							

my life who cares about my feelings.				
k. My family is willing to help me make decisions.				
I. I can talk about my problems with my friends.				

Q80 The following questions ask you about how you generally cope with daily events.

Q80 The following questions ask you about now you generally cope with daily events. I usually don't I usually do this a I usually do this a I usually do							
	do this at all	little bit	medium amount	this a			
				lot			
a liturp to work as other							
a. I turn to work or other activities to take my							
mind off things.							
b. I concentrate my efforts on							
doing something about the							
situation I'm in.							
c. I say to myself "this isn't real."							
d. I use alcohol or other drugs to							
make myself feel better.							
e. I get emotional support from							
others.							
f. I give up trying to deal with it.							
g. I take action to try to make the							
situation better.							
h. I refuse to believe that it has							
happened.							
i. I say things to let my							
unpleasant feelings escape.							
j. I get help and advice from							
other people.							
k. I use alcohol or other drugs to							
help me get through it.							
I. I try to see it in a different light, to make it seem more positive.							
m. I criticize myself.							
n. I try to come up with a							
strategy about what to do.							
o. I get comfort and							
understanding from someone.							
p. I give up the attempt to cope.							
q. I look for something good in							
what is happening.							
r. I make jokes about it.							
s. I do something to think about							
it less, such as going to movies,							
watching TV, reading,							
daydreaming, sleeping, or							
shopping.							
t. I accept the reality of the fact							
that it has happened							
u. I express my negative							
feelings.							
v. I try to find comfort in my							
religion or spiritual beliefs. w. I try to get advice or help from							
other people about what to do.							

x. I learn to live with it.		
y. I think hard about what steps		
to take.		
z. I blame myself for things that		
happened.		
aa. I pray or meditate.		
bb. I make fun of the situation.		

THANK YOU FOR YOUR CONTINUED PARTICIPATION IN THIS SURVEY. PLEASE RETURN YOUR SURVEY IN THE ENCLOSED ENVELOPE. ONCE WE RECEIVE THE SURVEY, \$20 WILL BE MAILED TO YOU.

PAPERWORK REDUCTION ACT INFORMATION: This information is collected according to the clearance requirements of section 3507 of the Paperwork Reduction Act of 1995. No persons are required to respond to a collection of information unless it displays a valid Office of Management and Budget (OMB) control number. The valid OMB control number for this information collection is 2900-XXXX. The time required to complete this information collection is estimated to average 45 minutes per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. The information requested will be used to help VA better understand how Veterans' experiences throughout the course of their lives impact their health. A response to this information collection is voluntary.