Form Approved OMB No. 0920-XXXX Exp. Date xx/xx/20xx

Pre-Training Survey

You are invited to take part in a survey for health professionals. This survey is being conducted on behalf of the Centers for Disease Control and Prevention (CDC). The purpose of this survey is to understand the opinions and practices of health professionals around their patients'/clients' alcohol use and on the prevention, identification, and treatment of fetal alcohol spectrum disorders. Your feedback is important as it will help assess the efficacy of trainings and identify the needs of health professionals to better address the services they provide to patients/clients around alcohol consumption and/or the effects of alcohol use during pregnancy.

This survey will take approximately 9 minutes to complete and your responses will be kept secure. You will be assigned a unique identity code which will be used to invite you to take a similar survey after six months to assess how useful this training has been in your practice with your patients/clients regarding their alcohol use. ICF International and Westat are the contractors hired by CDC to conduct and analyze the surveys, respectively. Any information you provide will be presented in aggregate in a report and no individual identifying information will be included.

Risks to participating in this survey are minimal and include the risk of your information becoming known to individuals outside the CDC, ICF International, and Westat. There will be no costs for participating, nor will you benefit from participating. Your participation in this survey is voluntary. You may decline to answer any question and you have the right to stop the survey at any time.

If you have any comments or questions about the survey, you can contact Melanie Chansky at melaniechansky@westat.com or at 301-517-4019.

Thank you.

CDC estimates the average public reporting burden for this collection of information as 9 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-XXXX).

1.	A professional organization>CONTINUE TO Q2 A recognized leader in my field>GO TO Q4 A colleague at my practice setting>GO TO Q4 Other, please specify
2.	Please provide name of the professional organization from which you found out about this training
3.	How did you find out about this training from the professional organization? (Check all that apply.)
	 □ Website □ Email □ At a conference □ Other, please specify
4.	Fetal alcohol spectrum disorders are: (Check only one response.) Disorders a pregnant woman experiences when she drinks alcohol. Disorders that affect the ability of a pregnant woman who drinks alcohol to go full term. Physical disorders that affect a fetus when a pregnant woman drinks alcohol. The range of effects that can occur in an individual who was exposed prenatally to alcohol.
5.	The effects of FASDs are always visible. (Check only one response.) True False Don't know
6.	FASDs are certain to be prevented when: (Check only one response.) a woman quits drinking as soon as she knows she is pregnant. a woman who is pregnant or may become pregnant does not consume alcohol. a woman does not take drugs other than alcohol during her pregnancy. a woman stops drinking once she starts breastfeeding her baby.
7.	Which of the following are the primary facial dysmorphic features associated with Fetal Alcohol Syndrome? (Check all that apply.) Wide inner canthal distance Short palpebral fissures Full lips Smooth philtrum Thin upper lip Flaring nares Don't know/unsure
8.	What advice would you give your patient/client about how much alcohol is safe to drink during pregnancy? (Check only one response.) One glass of wine per day One light beer per day One shot of hard alcohol per day There is no known safe amount of alcohol consumption during pregnancy.

9.		it safe to drink alcohol during pregnancy? (Check only one response.) During the first three months During the last three months Once in a while Never
10.	only one	the most effective strategy to reduce fetal alcohol spectrum disorders (FASDs)? (Check response.) Enact laws and other policy strategies that punish pregnant women for drinking alcohol Screen all women of child bearing age for alcohol use and provide intervention as appropriate. Tell women who you think may have a drinking problem to get help. Conduct health fairs and other educational events for new mothers that focus on binge drinking.
11.		currently a/an (Check only one response): Student > GO TO Q28 Resident > CONTINUE TO Q12 Medical or Allied Health Professional (e.g., medical assistant, nurse, physician, social worker) > CONTINUE TO Q12 Other Professional > GO TO Q19
12.	about th	do you (or someone in your practice) ask your patients/clients or their parents/caregivers neir alcohol use? (Check only one response.) Never Annually At each visit When indicated (please describe:) Other, please specify
13.	about th	ctice has a consistent process to screen or obtain information from all patients/clients neir alcohol use. (Check only one response.) Yes> CONTINUE TO Q14 No> GO TO Q19 Don't Know> GO TO Q19 Not applicable to the patients/clients in my practice setting>GO TO Q19

	1.6 1 1.7 (5) 1.1011 (6.7 1.1 1.10.1)
	Informal questions (Do you drink? How often/much do you drink?, etc.). Formal screening tool or evidence-based/ validated screening instrument (AUDIT, AUDIT-C, DAST, CAGE, CRAFFT, NIAAA Youth Alcohol Screen, etc.). I don't know.
	enerally conducts the initial screening for alcohol? (Check all that apply.)
_ _ _ _	Nurse (including nurse practitioner) Social worker Behavioral health specialist (coach) Psychologist Physician Physician's Assistant Medical Assistant Other, please specify
	· · · · · · · · · · · · · · · · · · ·
	ening for alcohol use followed by some type of intervention in your practice setting? (Check apply.)
	No, there is no patient/client education or intervention done following the initial screening>GO TO Q19
	Yes, all patients/clients are given educational materials/information on "safe" levels of alcohol and health risks associated with consuming too much alcohol> CONTINUE TO Q17
	Yes, patients/clients who screen positive for risky alcohol use are asked follow-up questions and provided brief counseling> CONTINUE TO Q17
_	Yes, patients/clients who screen positive for risky alcohol use are asked follow-up questions and provided with additional resources (e.g., a list of treatment and/or counseling services in the community)> CONTINUE TO Q17 Not sure if there is an intervention following the initial screeningGO TO Q19
Who ge	enerally does the intervention in your practice setting? (Check all that apply.)
	Nurse (including nurse practitioner) Social worker
	Behavioral health specialist (coach)
	Psychologist Physician
	Physician's Assistant
	Medical Assistant Other, please specify
á	our practice bill for screening and brief intervention services? (Check only one response.) Yes No Not sure
spectru	current position, do you provide services to individuals who may have fetal alcohol m disorders (FASDs)? (Check only one response.) Yes No Not sure
	Who get all that that the properties of the prop

20. On a scale from 1 to 5 where 1 means you strongly disagree with the statement and 5 means you strongly agree, to what extent do you disagree or agree with the following statements. (Select one number per row).

number per row).					
	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
a. It is important to routinely screen all patients/clients for alcohol use	1	2	3	4	5
b. Screening a person for alcohol use confers a stigma to the person being screened	1	2	3	4	5
c. It is important to screen all pregnant women for alcohol use	1	2	3	4	5
d. It is important to screen all women of reproductive age for alcohol use	1	2	3	4	5
e. It is important to educate women of reproductive age, including those who are pregnant, about the effects of alcohol on a developing fetus	1	2	3	4	5
f. It is important to inquire about and document potential prenatal exposure for all pediatric patients	1	2	3	4	5
g. Diagnosis of one of the FASDs may confer a stigma to a child and/or his or her family	1	2	3	4	5

21.	Are you a Resident or Medical/Allied Health Professional (e.g., medical assistant, nurse, physician, social worker)?
	☐ Yes> CONTINUE TO Q22

□ No.....> GO TO Q24

22. On a scale from 1 to 5 where 1 means you are not confident in your skills and 5 means you are totally confident in your skills, how confident are you in your skills to do the following? (Select one number per row).

	Not at all confident in my skills	Slightly confident in my skills	Moderately confident in my skills	Very confident in my skills	Totally confident in my skills
Asking women, including pregnant women, about their alcohol use	1	2	3	4	5
b. Having a conversation with patients/clients who indicate risky alcohol use	1	2	3	4	5
c. Educating women of childbearing age, including those who are pregnant, about the effects of alcohol on a developing fetus	1	2	3	4	5
d. Conducting brief interventions for reducing alcohol use	1	2	3	4	5
e. Utilizing resources to refer patients/clients who need formal treatment for alcohol abuse	1	2	3	4	5
f. Inquiring about potential prenatal alcohol exposure for my patients/clients	1	2	3	4	5
g. Identifying persons who may have one of the FASDs	1	2	3	4	5
h. Diagnosing persons who may have one of the FASDs	1	2	3	4	5
i. Referring patients/clients for diagnosis and/or treatment services for an FASD or alcohol use disorder	1	2	3	4	5
j. Managing/coordinating the treatment and care of persons who have one of the FASDs	1	2	3	4	5

Ĺ	u a Resident? Yes> GO TO Q27 No> CONTINUE TO Q24
PHYSI	check the response that best represents your current position: CIAN OB/GYN Geneticist Pediatrician/pediatric sub-specialist

		Psychiatrist Family Physician Internist Preventive Medicine Occupational Medicine Addiction Medicine Physician, other, please specify
		Properties Physician Assistant Medical Assistant Nurse (NP, RN, LPN) Other Medical, please specify
		Psychologist (unspecified) Rehabilitation Psychologist Clinical Psychologist Community Psychologist Counselor (including AODA Counselor) Social worker OT/PT/SLP Medical Technologist Other allied health professional, please specify
		Public Health Specialist Special Educator Other Educator Administrator Corrections Lawyer/Judge Scientist Prevention Specialist Other, please specify
25.	In what	year did you complete your professional training (e.g., medical residency, internship)?
26.	Are you □ □	u interested in receiving CEUs/CMEs? Yes No
GO	TO Q2	9
27.	Please	check the response that best represents your current residency training.
		Pediatric

_ _ _	Internal Medicine Preventive Medicine Occupational Medicine Addiction Medicine Dental Other resident, please specify			
GO TO Q2	9			
28. Please	tell us about yourself. (Check a	all that apply.)		
	CAL AND NURSING STUDENTS Med 1 Med 2 Med 3 Med 4 Clerkship Preceptorship Nursing Dental Medical Assistant	S		
	D HEALTH STUDENTS Allied Health (e.g., OT/PT SLF	P/Social Work, Couns	eling, etc.)	
_ _ _	R STUDENT Pre-doctoral student Graduate Student Undergraduate Student Other, please specify	_		
	u (check one): Male Female			
30. In which	ch State(s) do you provide servid ES AND TERRITORIES]	ces or go to school? [INSERT DROP-DOWN	MENU FOR
□ AL □ AK □ AZ □ AR □ CA □ CO □ CT □ DE □ DC □ FL □ FM □ GA	GU HI ID ID IL IN IA KS KY LA ME MD MA	□ MH □ MI □ MN □ MP □ MS □ MO □ MT □ NE □ NV □ NH □ NJ □ NM	□ NY □ NC □ ND □ OH □ OK □ OR □ PA □ PR □ PW □ RI □ SC □ SD	□ TN □ TX □ UT □ VT □ VI □ WA □ WA □ WV □ WY □ Not applic able

31.	Are you	u Hispanic/Latino(a)? Yes No
32.	How we	Black of American
33.	Are you	the parent/caregiver of a child with FAS/FASD? Yes No
34.	The ag	1 month to < 9 years 9 years to < 18 years 18 years to < 65 years

Thank you for completing this survey.