

Form Approved

OMB No. 0920-1129

Exp. Date 08/31/2019

Brief Questionnaire for Nursing Organization Memberships (Online)

You are invited to participate in this survey for members of nursing organizations. The purpose of the survey is to gather information about nurses' practice behaviors related to FASD prevention and alcohol screening and brief intervention. Your participation is important in order to understand effects of the CDC FASD Project as well as to inform future activities of the Project.

This survey will take approximately 10 minutes to complete. Your participation is voluntary and responses will be kept secure. There are no costs associated with participating nor will you directly benefit from participation.

CDC estimates the average public reporting burden for this collection of information as 10 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-1129).

>>

Are you currently in clinical practice?

Yes

No

How often do you talk to your patients about their alcohol use?

My practice has a protocol in place to screen all patients for their alcohol use.

Yes

Don't know

No

Not applicable

<<

>>

What does initial patient screening for alcohol use consist of in your practice?

Informal questions (e.g., "Do you drink?" "How often/much do you drink?")

Formal screening tool or evidence-based/ validated screening instrument (AUDIT, AUDIT-C, DAST, CAGE, CRAFFT, NIAAA Youth Alcohol Screen, etc.)

Don't know

Who generally conducts the screen for alcohol use?

Nurse (including nurse practitioner)

Physician

Social worker

Medical assistant

Behavioral health specialist

Other, please specify:

Psychologist

<<

>>

In your practice, is screening for alcohol use followed by some type of intervention?

No, there is no education or intervention done with the initial screening.

Yes, all patients are given educational materials/information on "safe" levels of alcohol and health risks associated with consuming too much alcohol.

Yes, patients who screen positive for risky alcohol use are asked follow-up questions and provided brief counseling.

Yes, patients who screen positive for risky alcohol use are asked follow-up questions and provided with additional resource (e.g., a list of treatment and/or counseling services in the community).

<<

>>

Who generally conducts intervention?

Physician

Behavioral health specialist

Physician's assistant

Nurse (including nurse practitioner)

Psychologist

Other, please specify:

Social worker

<<

>>

On a scale from 1 to 5 where 1 means you strongly disagree with the statement and 5 means you strongly agree, to what extent do you disagree or agree with the following statements. (Select one answer per row.)

a. It is important to routinely screen all patients for alcohol use.

b. Screening for alcohol use confers a negative stigma to the women being screened.



c. It is important to screen all pregnant women for alcohol use.

d. It is important to screen all women of reproductive age for alcohol use.

e. It is important to educate women of reproductive age, including those who are pregnant, about the effects of alcohol on a developing fetus.

f. It is important to inquire about and document potential prenatal exposure for all pediatric patients.

g. Diagnosis of one of the FASDs may confer a stigma to a child and/or his or her family.



On a scale from 1 to 5, where 1 means "Not confident in my skills" and 5 means "Totally confident in my skills", how confident are you in your skills to do the following? (Select one number per row.)

Not confident in my skills 1	2	Moderately confident in my skills 3	4	Totally confident in my skills 5
------------------------------------	---	---	---	--



Asking women, including pregnant women, about their alcohol use

Having a conversation with patients/clients who indicate risky alcohol use

Educating women of childbearing age, including those who are pregnant, about the effects of alcohol on a developing fetus

Conducting brief interventions for reducing alcohol use

Utilize resources to refer patients who need formal treatment for alcohol abuse



On a scale from 1 to 5, where 1 means "Not confident in my skills" and 5 means "Totally confident in my skills", how confident are you in your skills to do the following? (Select one number per row.)

Not confident
in my skills
1

2

Moderately confident
in my skills
3

4

Totally confident
in my skills
5

Inquiring about potential prenatal alcohol exposure for my patients/clients

Identifying persons who may have one of the FASDs

Diagnosing persons who may have one of the FASDs

Referring patients/clients for diagnosis and/or treatment services for an FASD or alcohol use disorder

Managing/coordinating the treatment and care of persons who have one of the FASDs

<<

>>

Which of the following best describes you?

Nurse

Nudrse Midwife

Midwife

Student

Other, please specify:

<<

>>

Thank you for completing the survey.

