

CDC estimates the average public reporting burden for this collection of information as 5 minutes per survey, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-XXXX).

OBGYN Telecom Training Satisfaction Survey (TTS)

Please indicate the extent to which you agree with each of the following statements.

| | Strongly Disagree | Disagree | Neutral | Agree | Strongly Agree |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| This training mode provided a realistic provider-patient interaction. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Experiencing the standardized patient's voice and facial expressions were helpful in this interaction. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| It was just as easy to talk with the patient about substance use in this interactive environment as it would be in real-world training. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| This mode of interacting was distracting from the content of the conversation. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I noticed a delay in response time while using this method of communicating. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| The standardized patient was skillful and natural in the patient role. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Feedback from the standardized patient was informative and useful to me. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I prefer this method of training to real life role plays or simulations. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Getting set up and started with this technology for training was easy enough. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| This mode of experiential training is an expedient method for learning how to conduct a good intervention. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I plan to utilize what I've learned from this training in my clinical practice. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Overall, the training met or exceeded my expectations. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

What did you like best about this training?

What suggestions do you have for improving the training?