



Confirmation of HLA Typing

Registry Use Only

Sequence Number: _____

Date Received: _____

OMB No: 0915-0310
Expiration Date: 1/31/2017

Public Burden Statement: An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number for this project is 0915-0310. Public reporting burden for this collection of information, in combination with the IDM Form 2004 and HCT Infusion Form 2006, is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to HRSA Reports Clearance Officer, 5600 Fishers Lane, Room 10-33, Rockville, Maryland, 20857.

CIBMTR Center Number: _____

CIBMTR Research ID: _____

Event date: _____
 YYYY MM DD

HCT type: *(check all that apply)*

- Autologous
- Allogeneic, unrelated
- Allogeneic, related

Product type: *(check all that apply)*

- Bone marrow
- PBSC
- Single cord blood unit
- Multiple cord blood units
- Other product

Specify: _____

Donor / Cord Blood Unit Identification

This form must be completed for all non-NMDP allogeneic or syngeneic donors or recipients, or non-NMDP cord blood units. If the donor, recipient, or cord blood unit was secured through the NMDP, then report HLA typing on the appropriate NMDP forms.

A separate copy of this form should be completed for each non-NMDP donor, recipient, or cord blood unit. Parental typing (maternal and paternal) should be submitted for all mismatched related donor transplants (CRF track only), if available. Cord blood maternal typing should be submitted for all unrelated cord blood transplants (CRF track only), if available.

1. Specify the person for whom this typing is being done:

- Recipient — final typing – **Go to question 13**
- Recipient's biological relative– **Go to question 5**
- Unrelated donor — confirmatory typing – **Go to question 2**
- Cord blood unit — confirmatory typing – **Go to question 3**
- Cord blood unit maternal HLA typing – **Go to question 3**

2. Non-NMDP unrelated donor ID: (not applicable for related donor)

_____ - **Go to question 7**

3. Non-NMDP cord blood unit ID: (include related and autologous CBUs)

_____ - **If reporting Maternal HLA typing, go to question 12. If reporting Cord blood unit – confirmatory typing, go to question 4.**

4. Is cord blood unit maternal HLA typing available?

- Yes – **Go to question 7 Also complete form 2005 to report cord blood unit maternal HLA typing**
- No – **Go to question 7**

5. Specify recipient's biological relative and typing:

- Recipient's mother — confirmatory typing – **Go to question 7**
- Recipient's father — confirmatory typing – **Go to question 7**
- Recipient's sibling – confirmatory typing – **Go to question 7**
- Recipient's syngeneic (identical) twin– confirmatory typing – **Go to question 7**
- Recipient's fraternal twin– confirmatory typing – **Go to question 7**
- Recipient's child – confirmatory typing – **Go to question 7**
- Recipient's aunt – confirmatory typing – **Go to question 7**
- Recipient's uncle – confirmatory typing – **Go to question 7**
- Recipient's cousin – confirmatory typing – **Go to question 7**

CIBMTR Center Number: _____ CIBMTR Research ID: _____

Other biological relative – **Go to question 6**

6. Specify other biological relative and typing: _____

7. Date of birth: (donor / infant)

Known – **Go to question 8**

Unknown – **Go to question 9**

8. Date of birth: (donor / infant) _____ - **Go to question 11**

YYYY

MM

DD

9. Age: (donor / infant)

Known – **Go to question 10**

Unknown – **Go to question 11**

10. Age: (donor / infant) _____ Months (use only if less than 1 year old)

Years

11. Sex: (donor / infant)

Male

Female

12. _____ Was the person for whom this typing is being done used as the donor?

Yes

No

HLA Typing by DNA Technology

13. Was documentation submitted to the CIBMTR? (e.g. lab report)

Yes

No

HLA Alleles Defined by DNA Technology (e.g., Sequence Specific Oligonucleotide Probe (SSOP) typing, Sequence Specific Primer (SSP) typing or Sequence Based (SBT) typing.)

DNA technology can be used to type for a single allele, combinations of alleles (allele strings) or a "generic" allele designation which is similar to a serologic typing result. For this reason, the number of digits, as well as the number of alleles, for reporting will vary.

Laboratories may use "/", "-", or a combination of numbers and letters on the typing report as a shorthand notation for the results. Transcribe the information onto the form as directly as possible. The letters are called allele codes, and will

CIBMTR Center Number: _____ CIBMTR Research ID: _____

be 1 or more characters in length which represent a combination of possible alleles at a locus. The same allele combination may be reported several different ways (e.g., DRB1*01:01 or 01:02, DRB1*01:01/01:02, DRB1*01:01/02, or DRB1*01:AB).

There will be two alleles reported for each locus, unless the individual is presumed homozygous (i.e., carries two copies of the same allele) at a locus. Transcribe the first allele designation in the first box, and the second allele designation in the second box. If the person is homozygous, leave the second box blank.

Class I

14. Locus A

- Known – **Go to question 15**
- Unknown – **Go to question 16**

15. First A* allele designations

Second A* allele designations

16. Locus B

- Known – **Go to question 17**
- Unknown – **Go to question 18**

17. First B* allele designations

Second B* allele designations

18. Locus C

- Known – **Go to question 19**
- Unknown – **Go to question 20**

CIBMTR Center Number: _____

CIBMTR Research ID: _____

19. First C* allele designations

Second C* allele designations

Class II

20. Locus DRB1

Known – **Go to question 21**

Unknown – **Go to question 22**

21. First DRB1* allele designations

Second DRB1* allele designations

Class II (Optional)

Please provide the optional allele information if it is available from your laboratory.

22. Locus DRB3

Known – **Go to question 23**

Unknown – **Go to question 24**

23. First DRB3* allele designations

CIBMTR Center Number: _____

CIBMTR Research ID: _____

Second DRB3* allele designations

24. Locus DRB4

Known – **Go to question 25**

Unknown – **Go to question 26**

25. First DRB4* allele designations

Second DRB4* allele designations

26. Locus DRB5

Known – **Go to question 27**

Unknown – **Go to question 28**

27. First DRB5* allele designations

Second DRB5* allele designations

28. Locus DQB1

Known – **Go to question 29**

CIBMTR Center Number: _____

CIBMTR Research ID: _____

Unknown – **Go to question 30**

29. First DQB1* allele designations

Second DQB1* allele designations

30. Locus DPB1

Known – **Go to question 31**

Unknown – **Go to question 32**

31. First DPB1* allele designations

Second DPB1* allele designations

32. Locus DQA1

Known – **Go to question 33**

Unknown – **Go to question 34**

33. First DQA1* allele designations

Second DQA1* allele designations

CIBMTR Center Number: _____

CIBMTR Research ID: _____

34. Locus DPA1

Known – **Go to question 35**

Unknown – **Go to question 36**

35. First DPA1* allele designations

Second DPA1* allele designations

Antigens Defined by Serologic Typing

Use the following lists when reporting HLA-A and B antigens. Report broad antigens only when your laboratory was not able to confirm typing for a known split antigen.

Instructions for the use of the “X” Antigen Specificity for Typing By Serology

Each HLA locus has a serologically defined “X” antigen specificity: AX, BX, CX, DRX, DPX, and DQX. At this time an “X” specificity is defined as “unknown but known to be different from the other antigen at that locus.” This is different from a blank specificity, which is defined as “unknown but assumed to be the same as the other antigen at that locus.” When comparisons between recipient and donor antigens involve an “X” or “blank” specificity, the “X” or “blank” is assumed to be homozygous for the antigen reported at the locus. In other words, the search algorithm treats typings containing “blank” or “X” antigens in the same manner as known homozygous typings.

CIBMTR Center Number: _____

CIBMTR Research ID: _____

A Antigens

36. Number of antigens provided:

- One – **Go to question 37, then continue with question 39**
- Two – **Go to questions 37-38**

37. _____ Specificity – 1st antigen

- A1
- A2
- A203
- A210
- A3
- A9
- A10
- A11
- A19
- A23(9)
- A24(9)
- A2403
- A25(10)
- A26(10)
- A28
- A29(19)
- A30(19)
- A31(19)
- A32(19)
- A33(19)
- A34(10)
- A36
- A43
- A66(10)
- A68(28)
- A69(28)
- A74(19)
- A80
- AX

CIBMTR Center Number: _____

CIBMTR Research ID: _____

38. _____ Specificity – 2nd antigen

- A1
- A2
- A203
- A210
- A3
- A9
- A10
- A11
- A19
- A23(9)
- A24(9)
- A2403
- A25(10)
- A26(10)
- A28
- A29(19)
- A30(19)
- A31(19)
- A32(19)
- A33(19)
- A34(10)
- A36
- A43
- A66(10)
- A68(28)
- A69(28)
- A74(19)
- A80
- AX

CIBMTR Center Number: _____

CIBMTR Research ID: _____

B Antigens

39. Number of antigens provided:

- One – **Go to question 40, then continue with question 42**
- Two – **Go to questions 40-41**

40. _____ Specificity – 1st antigen

- B5
- B7
- B703
- B8
- B12
- B13
- B14
- B15
- B16
- B17
- B18
- B21
- B22
- B27
- B2708
- B35
- B37
- B38(16)
- B39(16)
- B3901
- B3902
- B40
- B4005
- B41
- B42
- B44(12)
- B45(12)
- B46

CIBMTR Center Number: _____

CIBMTR Research ID: _____

- B47
- B48
- B49(21)
- B50(21)
- B51(5)
- B5102
- B5103
- B52(5)
- B53
- B54(22)
- B55(22)
- B56(22)
- B57(17)
- B58(17)
- B59
- B60(40)
- B61(40)
- B62(15)
- B63(15)
- B64(14)
- B65(14)
- B67
- B70
- B71(70)
- B72(70)
- B73
- B75(15)
- B76(15)
- B77(15)
- B78
- B81
- B82
- BX

CIBMTR Center Number: _____

CIBMTR Research ID: _____

41. _____ Specificity – 2nd antigen

- B5
- B7
- B703
- B8
- B12
- B13
- B14
- B15
- B16
- B17
- B18
- B21
- B22
- B27
- B2708
- B35
- B37
- B38(16)
- B39(16)
- B3901
- B3902
- B40
- B4005
- B41
- B42
- B44(12)
- B45(12)
- B46
- B47
- B48
- B49(21)
- B50(21)
- B51(5)
- B5102

CIBMTR Center Number: _____

CIBMTR Research ID: _____

- B5103
- B52(5)
- B53
- B54(22)
- B55(22)
- B56(22)
- B57(17)
- B58(17)
- B59
- B60(40)
- B61(40)
- B62(15)
- B63(15)
- B64(14)
- B65(14)
- B67
- B70
- B71(70)
- B72(70)
- B73
- B75(15)
- B76(15)
- B77(15)
- B78
- B81
- B82
- BX

CIBMTR Center Number: _____

CIBMTR Research ID: _____

Optional Antigen Reporting

Please provide the following optional antigen information if it is available from your laboratory.

Antigens Defined by Serologic Typing

C Antigens

42. Number of antigens provided:

- One – **Go to question 43, then continue with question 45**
- Two – **Go to questions 43-44**

43. _____ Specificity – 1st antigen

- Cw1
- Cw2
- Cw3
- Cw4
- Cw5
- Cw6
- Cw7
- Cw8
- Cw9(w3)
- Cw10(w3)
- CX

44. _____ Specificity – 2nd antigen

- Cw1
- Cw2
- Cw3
- Cw4
- Cw5
- Cw6
- Cw7
- Cw8
- Cw9(w3)
- Cw10(w3)
- CX

CIBMTR Center Number: _____

CIBMTR Research ID: _____

Bw Specificity

45. Specificity Bw4 present?

Yes

No

46. Specificity Bw6 present?

Yes

No

DR Antigens

47. Number of antigens provided:

One – **Go to question 48, then continue with question 50**

Two – **Go to questions 48-49**

48. _____ Specificity – 1st antigen

DR1

DR103

DR2

DR3

DR4

DR5

DR6

DR7

DR8

DR9

DR10

DR11(5)

DR12(5)

DR13(6)

DR14(6)

DR1403

DR1404

DR15(2)

DR16(2)

CIBMTR Center Number: _____

CIBMTR Research ID: _____

DR17(3)

DR18(3)

DRX

49. _____ Specificity – 2nd antigen

DR1

DR103

DR2

DR3

DR4

DR5

DR6

DR7

DR8

DR9

DR10

DR11(5)

DR12(5)

DR13(6)

DR14(6)

DR1403

DR1404

DR15(2)

DR16(2)

DR17(3)

DR18(3)

DRX

DR51 Antigen

50. Specificity DR51 present?

Yes

No

CIBMTR Center Number: _____

CIBMTR Research ID: _____

DR52 Antigen

51. Specificity DR52 present?

Yes

No

DR53 Antigen

52. Specificity DR53 present?

Yes

No

DQ Antigens

53. Number of antigens provided:

One – **Go to question 54, then continue with question 56**

Two – **Go to questions 54-55**

54. _____ Specificity – 1st antigen

DQ1

DQ2

DQ3

DQ4

DQ5(1)

DQ6(1)

DQ7(3)

DQ8(3)

DQ9(3)

DQX

CIBMTR Center Number: _____

CIBMTR Research ID: _____

55. _____ Specificity – 2nd antigen

- DQ1
- DQ2
- DQ3
- DQ4
- DQ5(1)
- DQ6(1)
- DQ7(3)
- DQ8(3)
- DQ9(3)
- DQX

DP Antigens

56. Number of antigens provided:

- One – **Go to question 57, then continue with signature line**
- Two – **Go to questions 57-58**

57. _____ Specificity – 1st antigen

- DPw1
- DPw2
- DPw3
- DPw4
- DPw5
- DPw6
- DPX

58. _____ Specificity – 2nd antigen

- DPw1
- DPw2
- DPw3
- DPw4
- DPw5
- DPw6
- DPX

CIBMTR Center Number: _____ CIBMTR Research ID: _____

First Name: _____
Person completing form

Last Name: _____

E-mail address: _____

Date: _____
 YYYY MM DD