## National ART Surveillance System NASS 2.0

	INITIAL REPORTING: PATIENT PROFILE	(PROSPECTIVE)	
Quex ID	LEAD QUESTION		
1	Date of cycle reporting (mm/dd/yyyy):    -    -     _		
2	NASS Patient ID:      -     -		
3	Patient Optional Identifiers         Optional Identifier 1   _ _ _ _           maximum 7 digits or characters		
	Optional Identifier 2        maximum 7 digits or characters		
4	Patient Date of Birth (mm/dd/yyyy):   _  -   _  -   _ _ _ _		
5	Sex of patient: O Male O Female		
6	Cycle Start Date  _  -   _  -		
	RESIDENCY		
7	At the start of the cycle, is patient residency primarily in U.S.? OYes No Refused		
7A	U.S. state of primary residence: City of primary residence U.S. zip code at primary residence    _		
	Country of primary residence:		
	INTENT Intended type of ART? Select all that apply:		
8	INF: Transcervical         GIFT: Gametes to tubes         ZIFT: Zygotes to tubes or TET: tubal embryo transfer         Oocyte or embryo banking		
	If cycle is for banking only, specify banking type (sele	ct all that apply):	
9	Embryo banking 🗌 Autologous oocyte banking	Donor oocyte banking	
9A	Indicate anticipated duration of oocyte banking SKIP         Short term (<12 months)         Long term (≥12 months) banking for fertility prese         [SKIP IF NOT A         BANKING ONLY         CYCLE]         Short term (<12 months)         Delay of transfer to obtain genetic informati	ervation prior to gonadotoxic medical treatments s P IF OOCYTE BANKING ONLY	
9B	□       Delay of transfer for other reasons         □       Long term (≥12 months) banking for fertility prese         □       Long term (≥12 months) banking for other reason		
10	Intended embryo source (select all that apply): [IF ONLY DONOR EMBRYC Patient embryos Donor embryos Fresh embryos Frozen embryos	DS SELECTED, SKIP TO #12]	
10A	If intent is to use FRESH EMBRYOS, specify intended oocyte source.       Select         Fresh patient oocytes       Frozen patient oocytes         Fresh donor oocytes       Frozen donor oocytes         If intent is to use FROZEN EMBRYOS, specify intended oocyte source.       Select		

	Fresh patient oocytes Frozen patient oocytes			
	Fresh donor oocytes Frozen donor oocytes Unknown (select only If intend is to use donor embryos (select all that apply):	if oocyte source is unknown)		
10B	Fresh embryos Frozen embryos			
	Specify intended sperm source. Select all that apply. [SKIP IF DONOR EMBRYO IS	INTENDED SOURCE]		
	Partner			
11				
	Patient, if male			
	Unknown (select only if all sperm sources unknown for frozen)           Pregnancy carrier			
12	Patient			
12	Gestational carrier			
	None (oocyte or embryo banking cycle only)			
		RE FORWARD)		
Quex ID				
	Type of ART performed? Select all that apply:			
10	IVF: Transcervical GIFT: Gametes to tubes			
13	ZIFT: Zygotes to tubes or TET: tubal embryo transfer			
	Oocyte or embryo banking			
	Embryo source (select all that apply): [IF ONLY DONOR EMBRYOS SELECTED, SKIP	TO #15]		
	Patient embryos	10 # 15]		
14				
	Fresh embryos Frozen embryos			
	If FRESH EMBRYOS were used, specify intended oocyte source. Select all that ap	oly:		
	Fresh patient oocytes Frozen patient oocytes			
	Fresh donor oocytes Frozen donor oocytes			
14A	If FROZEN EMBRYOS were used, specify intended oocyte source. Select all that apply:			
	Fresh patient oocytes Frozen patient oocytes			
	Fresh donor oocytes Frozen donor oocytes Unknown (select only	r if oocyte source is unknown)		
	PATIENT MEDICAL EVALUATION			
	REASON FOR ART			
Quex I				
	Reason for ART (Select all that apply):			
	Male infertility (select all that apply)			
	<ul> <li>Medical condition</li> <li>Genetic or chromosomal abnormality Speci</li> </ul>	£,		
	□ Abnormal sperm parameters (select all that			
	Azoospermia, obstructive			
	[SKIP IF MALE Azoospermia, non-obstructiv	2		
	INFERTILITY NOT Oligospermia, severe (<5 mill	ion/mL)		
15	15 SELECTED] Oligospermia, moderate (5-1	5 million/mL)		
	Low motility (<40%)			
	Low morphology (4%)			
	Other male factor (not included above) Spe	cify		
	History of endometriosis			
	Tubal ligation for contraception Current or prior hydrosalpinx			

	[SKIP IF HYDROSALPINX NOT SELECTED]	Communicating Occluded Unknown	
	Other tubal dise	ase (not current or historic hydrosalpinx) ders	
	[SKIP IF OVULATORY DISORDER NOT	PCO Other ovulatory disorders	
	SELECTED]		
	Diminished ova	irian reserve	
	Uterine factor		
		n Genetic Diagnosis as primary reason for ART	
		ryo Banking as reason for ART	
	Indication for u	ise of gestational carrier	
	[SKIP IF	<ul> <li>Absence of uterus</li> <li>Significant uterine anomaly</li> </ul>	
	GESTATIONAL CARRIER NOT	Medical contraindication to pregnancy	
	INDICATED]	Recurrent pregnancy loss	
		Unknown	
	Recurrent pregr	-	
		elated to infertility (specify)	
		iot related to infertility (specify)	
	Unexplained in		
	FEMALE PATIENT HIS		
	[IF SEX OF PATIENT =	MALE (FROM QUESTION #5) THEN SKIP #16-23]	
16	Height:    Feet and/or or Height unknown	Inches or      Centimeters	
	Weight at the start o		
17	or	nds or      Kilograms	
	Weight unknown		
	History of cigarette s Did the patient smok	<b>moking:</b> e during the 3 months before the cycle started?	
18	Yes		
	No		
	Unknown		
19	Any prior pregnancie	es?	
19A		REGNANCIES] reported and couple is not surgically sterile, enter months or years attempting pregnancy since last _  _  months and/or   _  years	
		PREGNANCIES] es reported and couple is not surgically sterile, enter months attempting pregnancy and/or    years	
19B		If prior pregnancies reported, how many	
19C		Number of prior full term births	
19D	SKIP IF NO PRIOR PREGNANCIES	Number of prior preterm births	
19E	FILEGINAINCIES	Number of prior stillbirths	
19F	19F	Number of prior spontaneous abortions   _	

19G		Number of ectopic pregnancies		
20	Number of prior stim	Number of prior stimulations for ART:  _ _		
21	Number of prior froz	Number of prior frozen ART cycles:		
21A	SKIP IF NO PRIOR ART CYCLES	Did any of the prior ART cycles result in a live birth? ()Yes () No		
22		Patient maximum FSH level (MIU/mls):   _ _ _ _  Or FSH unknown:		
23	Or AMH unknown:	rel (ng/mL):        ] AMH level     -     -		
		SOURCE AND CARRIER PROFILES		
	OOCYTE SOURCE PRO	OFILE		
Quex ID	LEAD QUESTION			
24A	[IF OOCYTE SOURCE         Youngest oocyte sou         Patient [SKIP TO         Donor [CONTIN	D Q25]		
24B	- - - -	OOCYTE SOURCE Date of Birth (mm/dd/yyyy): [FIELD PRE-FILLED IF OOCYTE SOURCE=PATIENT]           _  -   _  -             OR age at earliest time oocytes were retrieved		
25	Select one:	NOT Hispanic or Latino         Hispanic or Latino         Refused		
26	Select all that apply: White Black or African Asian Native Hawaiian			
26A	Select reason race not reported: O Refused O Unknown			
	PREGNANCY CARRIER PROF	ILE		
27	Pregnancy carrier Patient Gestational carrier None (oocyte or embry			
	Pregnancy carrier	KIP 28-31] or OOCYTE SOURCE=PATIENT THEN SKIP 28-31] y):   _  -   _  -		
	OR age at time of transfer			

29	Pregnancy carrier Ethnicity:         Select one:         O       NOT Hispanic or Latino         O       Hispanic or Latino         O       Refused         O       Unknown		
30	Pregnancy carrier Race (based on gestational carrier self report)         Select all that apply:         White         Black or African American         Asian         Native Hawaiian or other Pacific Islander         American Indian or Alaska Native		
30A	Yes Select reason race not reported: O Refused O Unknown		
Quex ID	LEAD QUESTION		
	SPERM SOURCE PROFILE		
31	Specify sperm source. Select all that apply.         Partner         Donor         Patient, if male         Unknown (select only if all sperm sources unknown for frozen)		
32	SPERM source Date of Birth (mm/dd/yyyy):   _  -   _  -   _  [FIELD PRE-FILLED IF SPERM SOURCE=MALE PATIENT] Or Unknown		
33	SPERM source Ethnicity:         Select one:         O       NOT Hispanic or Latino         O       Hispanic or Latino         O       Refused         O       Unknown		
34	SPERM source Race (based on patient self report)         Select all that apply:         White         Black or African American         Asian         Native Hawaiian or other Pacific Islander         American Indian or Alaska Native		
34A	Select reason race not reported: O Refused O Unknown		
	STIMULATION AND RETRIEVAL		
Quex ID	LEAD QUESTION		
	OVARIAN STIMULATION AND MEDICATIONS		
35	Was there stimulation for follicular development? [IF NO STIMULATION OR FROZEN CYCLE, SKIP #36-39]         Yes       No         Was this a minimal stimulation cycle?         Yes       No		
36	Oral medication such as aromatase inhibitor or selective estrogen receptor modulator? OYes O No		

36A	[SKIP IF NO ORAL MEDS]	Clomiphene dosage (Total mgs):      _ _ _ _  Letrozole dosage (Total mgs)      _ _ _ _  Other (specify) dosage      _ _ _ _	
37	Medication(s) containing FSH? OYes O No		
37A	[SKIP IF NO FSH	Short-acting FSH (Total IUs):   _ _ _ _ _ _	
37B	MEDS]	Long-acting FSH (Total mgs):	
38	Medication(s) with LI ○Yes ○ No	H/HCG activity?	
Quex ID	LEAD QUESTION		
39	GnRH Protocol         Select the one primary protocol:         O       No GnRH protocol         O       GnRH Agonist Suppression         O       GnRH Agonist Flare         O       GnRH Antagonist Suppression		
		open only for fresh cycles) SOURCE = FROZEN THEN SKIP 40-45]	
	[IF OUCT IE/EMBRID	SOURCE = FROZEN THEN SKIP 40-45]	
40	Was this ART cycle car ○Yes ○ No	nceled prior to retrieval?	
40A		Date cycle canceled (mm/dd/yyyy):   _  -   _  -   _	
40B	[SKIP IF CYCLE <u>NOT</u> CANCELLED]	Select one primary reason cycle was canceled:         Low ovarian response         High ovarian response         Inadequate endometrial response         Concurrent illness         Withdrawal only for personal reasons         OTHER - specify	
	[IF CYCLE CANCELLED, STOP HERE]		
	FRESH OOCYTE RETRIE	EVAL	
41	Date retrieval perform	ned (mm/dd/yyyy):   _  -   _  -	
42	Total number of patie	nt oocytes retrieved:	
43	Total number of dono		
		tes Select all that apply:	
	Used for this cycle		
44	Oocytes frozen fo Oocytes shared w		
	Embryos frozen fo		
44A		Number of FRESH oocytes frozen for future use:	
		VARIAN STIMULATION OR OOCYTE RETRIEVAL	
45	Were there any comp ○Yes ○ No	lications of ovarian stimulation or oocyte retrieval?	
45A		Select all complications that apply:	
	COMPLICATIONS	Infection         Hemorrhage requiring transfusion         Ovarian hyperstimulation requiring intervention or hospitalization         Medication side effect         Anesthetic complication         Thrombosis         Death of patient	

	Othe	er – specify
45B	SKIP IF NO COMPLICATIONS	Did the complication(s) require hospitalization? ○Yes ○ No
	[IF OOCYTE BANKING CYCLE <u>ONLY</u> , S	STOP HERE]

	SPERM RETRIEVAL	
46	Sperm status: Fresh Thawed Mix of fresh and	l thawed
47	Sperm source utilized: <ul> <li>Ejaculated</li> <li>Epididymal</li> <li>Testis</li> <li>Electroejaculation</li> <li>Retrograde urine</li> <li>Donor</li> <li>Unknown</li> </ul>	
		LABORATORY INFORMATION
Quex ID	LEAD QUESTION	
48	MANIPULATION Intracytoplasmic spe O All oocytes O Some oocytes O No oocytes O Unknown	erm injection (ICSI) performed on oocytes?
48A	SKIP IF NO ICSI	Indication for ICSI (select all that apply) <ul> <li>Prior failed fertilization</li> <li>Poor fertilization</li> <li>PGD</li> <li>Abnormal semen parameters on day of fertilization</li> <li>Low oocyte yield</li> <li>Laboratory routine</li> <li>Frozen cycle</li> <li>Rescue ICSI</li> <li>Other - specify</li> </ul>
	In vitro maturation	(IVM) performed on oocytes?
49	<ul> <li>All oocytes</li> <li>Some oocytes</li> <li>No oocytes</li> <li>Unknown</li> </ul>	
50		netic diagnosis or screening performed on embryos?
50A		Total number of 2PN:
50B	SKIP IF PGD/PGS NOT PERFORMED	Reason(s) for pre-implantation genetic diagnosis or screening (Select all that apply):         Either genetic parent is a known carrier of a gene mutation or a chromosomal abnormality         Aneuploidy screening of the embryos         Elective Gender Determination         Other screening of the embryos
50C	OR UNKNOWN	Technique(s) used for pre-implantation genetic diagnosis or screening (Select all that apply):         Polar Body Biopsy         Blastomere Biopsy         Blastocyst Biopsy         Unknown
51	Assisted hatching pe O All embryos O Some embryos O No embryos O Unknown	erformed on embryos?

52	Was this a research cycle?         O       Yes         Enter SART approval code         O       No		
52A	SKIP IF NOT RESEARCH CYCLE	Study type:         Device study         Protocol study         Pharmaceutical study         Laboratory technique         Other research	
		If 'Other', please specify	
	[IF EMBRYO BANKIN	G CYCLE <u>ONLY</u> , SKIP TO #59, THEN STOP]	
		TRANSFER	
Quex ID	LEAD QUESTION		
53	CANCELLATION-II Was a transfer atte	mpted?	
	⊖Yes ⊖ No		
53A		Select one primary reason no transfer was attempted:         Low ovarian response         High ovarian response         Failure to survive oocyte thaw         Inadequate endometrial response         Concurrent illness         Withdrawal only for personal reasons         Unable to obtain sperm specimen         Insufficient embryos         OTHER - specify	
	[IF TRANSFER NOT	ATTEMPTED, STOP HERE]	
	GENERAL TRANSFER	R DETAILS	
54	Date of embryo tra	nsfer (mm/dd/yyyy):   _  -   _  -	
55	Endometrial thickn	Endometrial thickness at trigger:   _mm	
	FRESH EMBRYO TRANSFER DETAILS		
56	[IF NO FRESH EMBRYOS TRANSFERRED, SKIP #57-58] Number of FRESH embryos transferred to uterus:		
	Number of FRESH embryos transferred to uterus:             [SKIP #57 FOR MIXED CYCLE]		
57	If only <u>one</u> fresh embryo was transferred to the uterus, was this an <u>elective</u> single embryo transfer? OYes O No		
58A-X	Quality of embryo f         Good         Fair         Poor         Unknown		
		Date of oocyte retrieval for embryo #1-X   _  -    -     _	
59		mbryos cryopreserved:     [STOP HERE FOR EMBRYO BANKING ONLY CYCLE]	
	THAWED EMBRYO	TRANSFER DETAILS	
60	Number of FROZEN	or THAWED embryos available on day of transfer:	
61	Number of THAWE	Number of THAWED embryos transferred to uterus:   _  [IF NO THAWED EMBRYOS TRANSFERRED, SKIP #62]	
62	[SKIP #63 FOR MIXED CYCLE]		

		nbryo was transferred to the uterus, was this an <u>elective</u> single embryo transfer?		
○○Yes ○ No       Quality of embryo #1-X				
		-X		
	Good			
62A-X	Fair			
	Poor			
	Unknown			
		Date of oocyte retrieval for embryo #1-X   _  -    -    -		
63	Number of THAWED	embryos cryopreserved (re-frozen):		
	GIFT/ZIFT/TET TRANS	FER DETAILS		
64	[SKIP IF IVF CYCLE]			
	Number of oocytes o	r embryos transferred to the FALLOPIAN TUBE:    TREATMENT OUTCOME (only opens if transfer >0)		
Quex ID	LEAD QUESTION	TREATMENT OUTCOME (only opens if transfer >0)		
QUENTE	OUTCOME OF TRANS	FER		
	Outcome of treatmen	nt cycle:		
	Not pregna	nt		
	Biochemica	l only		
	Clinical intra	auterine gestation		
65	Ectopic			
	Heterotopic			
	Unknown			
	[IF NOT PREGNANT, E	BIOCHEMICAL ONLY, ECTOPIC, OR HETEROTOPIC, STOP HERE]		
66		Maximum fetal hearts on ultrasound performed before 7 weeks or prior to reduction:   _		
		No ultrasound performed before 7 weeks gestation		
66A	[SKIP IF NO U/S]	Date ultrasound with max. number of fetal hearts observed before 7 weeks (mm/dd/yyyy):		
66B	[SKIP IF NO U/S]	If 2 or more fetal hearts, any monochorionic twins or multiples? OYes ONO OUnknown		
		PREGNANCY OUTCOME (only opens if pregnancy = yes)		
Quex ID	LEAD QUESTION			
	OUTCOME OF PREGN Outcome of pregnan			
	Live birth			
	Spontaneou	is abortion		
67	Stillbirth			
0,	Induced abortion			
	Maternal death prior to birth			
	Outcome u	-		
	Date of pregnancy of	itcome (mm/dd/yyyy):		
68	-    -			
		hs cover more than one date, enter date of first born.		
	Method of delivery			
68A	Vaginal			
	Cesarean se			
	(Select all that apply)	n confirming pregnancy outcome:		
		irmation from patient		
69				
	Written confirmation from patient           Verbal confirmation from physician or hospital			
	BIRTH INFORMATION	firmation from physician or hospital		
	DIKTITINFORMATION			

70	Number of infants born:		
71A-X	Birth Status infant #1-X         Live birth         Stillbirth         Unknown		
72A-X	Gender infant #1-X Male Female Unknown		
73A-X	Weight in pounds and ounces, or grams infant #1-X		
74A-X	Birth defects (select all that apply) infant #1-X         None         Cleft lip/palate         Genetic defect/chromosomal abnormality         Neural tube defect         Cardiac defect         Limb defect         Other (specify)         OR		