	Report Abuse	
Page 1/2		

FREE ONLINE SURVEY

Family Medicine FASD Survey Addendum

Form Approved

OMB No. 0920-XXXX

Exp. Date xx/xx/20xx

CDC estimates the average public reporting burden for this collection of information as 8 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-XXXX).

Instructions: Please answer the questions below. Your responses will be kept secure, and will be summarized only in aggregate with those of other respondents. Individual, identifiable responses will NOT be shared.

How many unique pediatric patients/clients have you/the practice seen?
2 How many patients/clients did you screen/were screened for FASDs?
3 How many patients/clients screened positive for FASDs?
4

many patients/clients/families were referred for further assessment and/or treatment of Ds?
How many unique patients/clients age 9 and older have you seen? Has the practice seen?
How many patients/clients did you screen/were screened for alcohol use using validated screening questions/tools?
V
How many patients/clients screened positive for risky alcohol use?
V
How many patients/clients screening positive for risky alcohol use received a brief intervention?
V
How many patients/clients were determined likely to have an alcohol use disorder?
How many patients/clients were referred for alcohol use disorder treatment?
How many unique, non-pregnant female patients/clients age 14 to 44 years old did you see/has the practice seen? (If zero, go to question 22).
How many unique, non pregnant female patients/clients age 14 to 44 years old received pregnancy risk assessment?
▼

How many unique, non pregnant female patients/clients age 14 to 44 years old were assessed as at risk for pregnancy? (post menarche, sexually active with at least one ma
partner, not using contraception effectively or at all, and not sterile)
V
How many unique, non pregnant patients/clients 14 to 44 years old expressed design for pregnancy in the next 6 months?
Y
How many unique, non pregnant patients/clients 14 to 44 years old received pregnancy prevention counseling?
V
How many unique, non pregnant patients/clients 14 to 44 years old received effective contraception services and/or prescriptions?
How many unique, non pregnant patients/clients 14 to 44 years old received alcohol screening?
How many unique, non pregnant patients/clients 14 to 44 years old screening positi for risky alcohol use received a brief intervention?
How many unique, non pregnant patients/clients 14 to 44 years old were determined likely to have an alcohol use disorder?
How many unique, non pregnant patients/clients 14 to 44 years old were referred for alcohol use disorder treatment?
21

	v many unique, non pregnant patients/clients 14 to 44 years old were referred for a DICES intervention? – for practices integrating CHOICES only
22	How many unique, pregnant patients/clients did you see/has the practice seen? (If zero, go to question 30)
23	How many unique, pregnant patients/clients received alcohol screening?
24	How many unique, pregnant patients/clients screened positive for any alcohol use during their current pregnancy?
25	How many unique, pregnant patients/clients screening positive for alcohol use received a brief intervention?
26	How many unique, pregnant patients/clients were determined likely to have an alcohol use disorder?
27	How many unique, pregnant patients/clients were referred for alcohol use disorder treatment?
28	How many unique, pregnant patients/clients screening positive for alcohol use were asked about prior alcohol exposed pregnancies, children with FASDs?
29	How many unique, pregnant patients/clients screening positive for alcohol use were given information and resources on FASD and alcohol exposed pregnancies?
30	Is an FASD screening template integrated into the practice EMR?

Is an alcohol SBI template integrated into the practice EMR?										
Is a pregnancy risk template integrated into the practice EMR?										
On a scale 1 to 5 where 1 me	ans you com	pletely disa	gree with the sta	atement a	and 5					
means you completely agree,		0.0	isagree or agree	with the						
following statements (Circle one nu	Completely Disagree	/) Disagree	Neither Agree nor Disagree	Agree	Completely Agree					
a. I feel comfortable in my SBI role within this practice/clinic.	0	0	0	0	0					
b. I feel confident in my SBI role within this practice/clinic.	0	0	0	0	0					
c. I feel comfortable in my FASD screening and referral role within this practice/clinic.	0	0	0	0	0					
d. I feel confident in my FASD screening and referral role within this practice/clinic.	0	0	0	0	0					
e. I feel comfortable in my pregnancy risk reduction role within this practice/clinic.	0	0	0	0	0					
f. I feel confident in my pregnancy risk reduction role within this practice/clinic.	0	0	0	0	0					
					Next Page					

Report Abuse | Powered By Kwik Surveys