Attachment 8 NVDRS Data Elements (NVDRS Variables)

The following contain a list of variables that are currently collected in the NVDRS web-based system. Under the "Suspect" subheader, we placed asterisk besides the 5 new variables that were added to the system. Additionally, a list of Overdose Module variables are included. The small number of changes related to variable response options are noted next to the variable.

Variables Collected for Victim(s) and Suspect(s)

Age unit Sex

Race/ethnicity

Victim Variables

Transgender Height Weight

*Marital status (added response choice)
*Relationship status (added variable)

*Sex of partner (added variable)

Victim was pregnant Sexual orientation

Ever served in US armed forces

Country of residence
State of residence
County of residence
City of residence
Zip code of residence
US Census track of residence
US Census block group pf residence

Birth place Birth Country

Kind of business/ industry code

Usual industry text Usual occupation code Usual occupation text Current occupation Homeless status

Education by degree level Number of years of education

Injury & Death Variables
DC Manner of death
LE Manner of death
CME Manner of death
State of injury, (by FIPS code)
County of injury, (by FIPS code)
City of injury, (by FIPS code)
Zip code of injury

US Census tract of injury US Census block group of injury

Date of injury Time of injury

*Type of location where injured (added response choice)

Injured at work

Injured at victim's home EMS at scene of injury

Victim in custody when injured Recent release from an institution

Alcohol use suspected Survival time no. of units

Unit of time used in survival time Victim seen in emergency department Victim admitted to inpatient care

1st external cause of injury code by hospital 2nd external cause of injury code from hospital

Underlying cause of death ICD-10 code

ICD 10 4th; 5th character Immediate cause of death

Cause leading to immediate cause Next antecedent cause of death Underlying cause of death

Place of death

Date pronounced dead

Date of death State of death Autopsy performed

Multiple conditions on death certificate 1-10

Wound Location Variables

Number of wounds

Number of bullets that hit victim

Wound to the head, face, neck, upper extremity, spine,

thorax, abdomen, lower extremity

Poisons/Toxicology Variables
Date specimens were collected
Time specimens were collected

Substance(s) Name Substance caused death

Person medication prescribed for

Tested for alcohol Alcohol test results

Tested for carbon monoxide Results for carbon monoxide Tested for amphetamines Results for amphetamines Tested for anticonvulsants Results for anticonvulsants Tested for antidepressants Results for antidepressants Tested for antipsychotics Results for antipsychotics Tested for barbiturates

Results for barbiturates

Tested for benzodiazepines

Results for benzodiazepines

Tested for cocaine

Results for cocaine

Tested for marijuana

Results for marijuana

Tested for muscle relaxant

Results for muscle relaxant

Tested for opiates

Results for opiates

Blood alcohol concentration results

*Carbon monoxide source, if CO (Added response

choice)

Suspect Variables

Victim's relationship to suspect

Primary, 2nd and/or 3rd suspect for this victim

Suspect was also a victim

Suspect attempted suicide after incident

Suspect was caregiver

History of abuse of victim

Suspect was mentally ill

*Suspect had developmental disability (added variable)

*Suspected alcohol use (added variable)

*Suspected substance use (added variable)

*Suspect had contact with law enforcement (added variable)

*Suspect recently released from institution (added variable)

Circumstance Variables by Manners of Death

All Manners of Death

Current depressed mood

Current diagnosed mental health problem

Type of first, 2nd mental illness diagnosed

Other mental health diagnosis

Current treatment for mental illness/ substance abuse

Ever treated for mental illness

Alcohol problem

Other substance problem

Other addiction

Terrorist attack

Family relationship problem

Other relationship problem

Abuse and neglect led to death

History of abuse as a child

Perpetrator of violence in the past month

Victim of violence in the past month

Physical fight

Argument

Timing of the most recent argument

Precipitated by another crime

Nature of 1st, 2nd other crime

First other crime in progress

Homicide/Legal Intervention Deaths

Intimate partner violence related

Stalking

Prostitution or sex trafficking

Gang related

Justifiable self-defense/law enforcement

Victim was a police officer on duty

Victim was a bystander

Random violence

Victim was intervener assisting crime victim

Victim used a weapon

Mercy killing

Hate crime

Jealousy (lover's triangle)

Brawl

Walk-by assault

Drive-by shooting

Drug Involvement

Suicide & Undetermined Deaths

History of suicidal thoughts or plans

History of suicide attempts

Recent disclosed suicidal thoughts or intent

Disclosed suicidal intent to whom

Person left a suicide note

Contributing criminal legal problem

Civil legal problems

Physical health problem

Job problem

Financial problem

School problem

Eviction/loss of home

Suicide of a friend or family member

Other death of friend or family

Anniversary of traumatic event

Disaster exposure

Intimate partner problem

Unintentional Firearm Deaths

Hunting

Target shooting

Self-defensive shooting

Celebratory firing

Loading/unloading gun

Cleaning gun

Showing gun to others

Playing with gun

Other context of injury

Thought safety was engaged

Thought unloaded, magazine disengaged

Thought gun was unloaded, other Unintentionally pulled trigger

Bullet ricochet

Gun defect or malfunction

Fired while holstering/un-holstering

Dropped gun

Fired while operating safety/lock

Gun mistaken for toy Other mechanism of injury

Weapons

Weapon type Additional weapon information Firearm type Firearm gauge Firearm caliber Firearm make or NCIC code
Other firearm make
Firearm model
Gun stored loaded
Gun stored locked
Gun owner
Firearm stolen
Primary weapon causing injury

Optional Module: Child Fatality Review

Incident Variables
Witness(es) to fatal incident
Child witness(es) to fatal incident
CFR additional information, (text field)
CFR records available on victim
Scene investigated by LE

Victim Variables Victim Health Information

Victim had physical illness at time of incident

If yes, specify diagnosis (text field) Victim had disability at time of incident

If yes, disability was physical, developmental or sensory

Prenatal history

Infant, prenatal care prior to 3rd trimester Infant, maternal recreational drug use

Infant, maternal alcohol use Infant, maternal tobacco use Infant, victim born prematurely

CPS Contacts

Prior CPS report on victim's household

If yes, CPS report filed on whom If yes, report substantiated Physical abuse substantiated Sexual abuse substantiated Neglect substantiated

CPS case opened on other children due to this death

Other Prior System Contacts by Victim

Victim contact with police

Victim contact with juvenile justice system Victim contact with mental health services

Households contact with police

Victim/ primary caregiver contact with social services

Victim/primary contact with WIC Victim/ primary contact with Medicaid

Primary caregiver on welfare/financial assistance

Suspect Information

Specific person suspected

Suspect arrested as perpetrator in this death Suspect charged as perpetrator in this death

Suspect prosecuted Suspect convicted

Suspect Information, cont'd Convicted of original charge

CPS report on referral ever filed on the suspect Suspect ever charged with a prior homicide

Household Information

Type of residence in which the victim lived

Length of time in residence

Unrelated adult living in household
Other children< 18 years of age in household

Marital relationship of victim's biological parents

Domestic Violence and Substance Abuse

Intimate partner violence in victim's household Intimate partner violence in victim's foster home

Substance abuse in victim's household Substance abuse in victim's foster home

Supervision at the Time of Incident

Perpetrator was supervisor

Quality of supervision is a factor

Supervisor's relationship to victim

Supervisor's age Supervisor's sex No supervision

Supervisor drug/alcohol impaired Supervisor distracted or asleep Other supervisory factor

Primary Caregivers (Info collected ≥ 2)

Primary caregiver a victim or suspect in the incident

If yes, caregivers ID in the incident

Relationship to victim Person lived with victim

Primary caregiver age at time of incident

Primary caregiver sex

Had legal custody of victim at time of death Had documented history of maltreatment

Had a previous child die in care

Data Sources Used by CFR

CME records SS/CPS records Police/ LE records School records

Data Sources Used by CFR, cont'd

EMS records

Health provider/ Hospital records Public health department records

Mental health records Juvenile justice records Death certificate Other records

Other records, specify (text field)

CFR Committee Decisions

CFR conclusion matches death certificate manner of

If no, manner of death CFR designated Text to specify other manner (*text field*) Action taken to change the official manner Result of action

CFR determination of preventability

CFR Circumstance Elements (Legacy)

Circumstances from CFR Current depressed mood Current mental health problem Type of 1st mental illness diagnosed Type of 2nd mental illness diagnosed Other mental health diagnosis

Current treatment for mental illness Ever treated for mental illness

History of inpatient psychiatric treatment Taking psychiatric medication at time of death

Barriers to accessing mental health care

Brawl (mutual physical fight) Argument over money/property Perpetrator of IPV past month Victim of IPV past month Crisis in past 2 weeks

Other circumstance, (text field)

Alcohol problem

Other substance problem

Job problem Financial problem Other legal problems

Recent criminal legal problem

School problem

Physical health problem Other death of friend or family

Justifiable self-defense/law enforcement

Victim was a police office on duty

CFR Circumstance Elements (Legacy), cont'd

Victim was a bystander

Victim was intervener assisting crime victim

Victim used weapon Mercy killing

Precipitated by another crime

Nature of first other crime

First other crime progress

Nature of 2nd other crime

Terrorist attack Drug involvement Gang related Hate crime

Disclosed intent to commit suicide

Person left a suicide note History of suicide attempts

Suicide of friend or family in past 5 years

Intimate partner problem

Jealousy

Intimate partner violence related Other relationship problem

Hunting

Target shooting

Self-defensive shooting Celebratory firing Loading/Unloading gun

Cleaning gun

Showing gun to others Playing with gun

Thought safety was engaged

Thought unloaded: magazine disengaged

Thought gun unloaded, other Unintentionally pulled trigger

Bullet ricochet

Gun defect or malfunction

Fired while holstering/unholstering

Dropped gun

Fired while operating safety/lock

Gun mistaken for toy

Other argument, abuse, conflict

Other context of injury Other mechanism of injury

Optional Module: Intimate Partner Violence

Incident Variables
IPV incident type
IPV victim
IPV perpetrator

Data Sources
Death certificate
CME report
LE/police report
SHR/ NIBRS data
Crime lab report
Gun trace report
Hospital/ ED report
Court or prosecutor records

Restraining order records
Criminal history database

DVTRT report Newspaper report

Other data sources, (text field)

Characteristics of circumstance Evidence of premeditation Homicide during argument During child drop off/ pick-up

Suspect Information (System Response)

Warrant issued for suspect Suspect arrested in this incident Suspected arrested but fled Suspect charged as perpetrator Suspect convicted Suspect convicted of original charge Suspect died following incident

Living Arrangement (Relationship characteristics)

Cohabitation status

Relationship length in number of units
Unit of time used in relationship length
Break up or break up in progress
Unit of time used in break up length
Children under 18 living at home
Number of children < 18 living at home
Any children not offspring of IPV perpetrator
Any children not offspring of IPV victim

Living Arrangement (Relationship characteristics)
Number of children exposed to homicide
Number of children < 5 exposed to homicide
Use of child as shield during event
Child intervened during incident

Restraining Order Restraining order ever

Restraining order at time of incident

Restraining order type Restraining order issue date Restraining order served

Persons protected by restraining order

Legal Intervention/ Criminal History (for Victim and

Perpetrator)
Prior arrest(s)
Type of arrest(s)
Type if other, (text field)
Prior conviction(s)
Type of conviction(s)
Type if other, (text field)
Prior IPV arrest(s)

Health Information (for Victim and Perpetrator)
Perp/ Victim had physical illness at time of incident
Diagnosis of physical illness, (text field)
Perp/Victim had disability at time of incident
If yes, disability was physical, developmental, or sensory
Alcohol use suspected
Drug use suspected

Mental Health Information (for Victim and Perpetrator)

Perp/Victim had mental health problem

Mental health diagnosis 1 Mental health diagnosis 2 Mental health diagnosis 3

Other mental health diagnosis, (text field)

Currently in treatment for mental health problem

Alcohol dependence problem Substance abuse problem Disclosed intent to commit suicide

History of suicide attempts

Optional Module: Overdose Module

(Newly Added Module to Web-System)

Type of drug poisoning

Substance Abuse

Previous drug overdose
Treatment for substance abuse
History of opioid/heroin abuse
Scene indications of drug abuse
None
Drug paraphernalia
Track marks on victim
Illicit drugs at scene
Presence of buprenorphine, not including BuTrans
Prescription drugs, not prescribed to decedent
Other scene indication of drug abuse
Indication Other Narrative, (text field)

Response to drug overdose Naloxone/Opioid antagonist administered Bystanders present at time of overdose

Other
Route of drug exposure
Any injection
Snorting
Ingestion/transdermal patch
Suppository
Unknown/not listed
Treated for pain at time of injury

Prescription Information
Use of prescription morphine
Prescription Morphine Narrative, (text field)
Number of opioid prescriptions in the 30 days preceding injury
Number of pharmacies dispensing opioids to decedent in 180 days preceding injury
Number of doctors writing opioid prescriptions to the

decedent in the 180 days preceding injury