



**Centers for Medicare & Medicaid  
Services  
CMS eXpedited Life Cycle (XLC)**

## **Medicaid and CHIP Program (MACPro)**

# **AQM 2017 – Antidepressant Medication Management (AMM) Core Measure PRA document**

---

**Version 1.0**

**08/24/2017**

**Document Number:** 256-QSSI-MACPro-PRA-AQM017-AMM-D

**Contract Number:** HHSM-500-2007-00024I: HHSM-500-T0014

## Table of Contents

- 1. Antidepressant Medication Management (AMM) Core Measure Screenshots ... 1**
  - 1.1 Are you reporting on this measure? ..... 1
  - 1.2 Measurement Specification – Path 1..... 1
  - 1.3 Measurement Specification – Path 2..... 1
  - 1.4 Data Source ..... 2
  - 1.5 Performance Measure..... 3
  - 1.6 Deviations from Measurement Specifications ..... 4
  - 1.7 Optional Measure Stratification ..... 6
- Appendix A: Acronyms..... 8**

## List of Figures

- Figure 1: Are you reporting on this measure ..... 1
- Figure 2: Measurement Specification – Path 1..... 1
- Figure 3: Measurement Specification – Path 2..... 1
- Figure 4: Data Source ..... 2
- Figure 5: Performance Measure..... 3
- Figure 6: Deviations from Measurement Specifications – Screenshot 1 ..... 4
- Figure 7: Deviations from Measurement Specifications – Screenshot 2 ..... 5
- Figure 8: Optional Measure Stratification – Screenshot 1 ..... 6
- Figure 9: Optional Measure Stratification – Screenshot 2 ..... 7

## List of Tables

- Table 1: Acronyms ..... 8

# 1. Antidepressant Medication Management (AMM) Core Measure Screenshots

## 1.1 Are you reporting on this measure?

The screenshot shows a web interface for the 'Antidepressant Medication Management (AMM)' core measure. At the top, there is a navigation bar with 'News', 'Tasks (3)', 'Records', 'Reports', and 'Actions'. The 'Actions' tab is selected. Below the navigation bar, the title 'Antidepressant Medication Management (AMM)' is displayed, followed by the identifier 'CMS-10434 OMB 0938-1188'. The measure is identified as 'Medicaid Adult Core Quality Measure - ZZ - 2017'. On the right side, there are buttons for 'REQUEST TECHNICAL ASSISTANCE', 'CLEAR', and 'VIEW ALL RESPONSES', along with a 'Request System Help' link and a 'View Implementation Guide' link. The main question is 'Are you reporting on this measure?\*' with two radio button options: 'Yes' (which is selected) and 'No'.

Figure 1: Are you reporting on this measure

## 1.2 Measurement Specification – Path 1

The screenshot shows the 'Measurement Specification' section for Path 1. It features a 'Measurement Specification' header with a collapse/expand icon (+/-). Below the header, there are two radio button options: 'National Committee for Quality Assurance (NCQA) / Healthcare Effectiveness Data and Information Set (HEDIS)' (which is selected) and 'Other'. To the right, there is a field labeled 'Specify version of HEDIS used \*' with a dropdown menu currently showing '2017'. A small note below the dropdown indicates 'HEDIS: Healthcare Effectiveness Data and Information Set'.

Figure 2: Measurement Specification – Path 1

## 1.3 Measurement Specification – Path 2

The screenshot shows the 'Measurement Specification' section for Path 2. It features a 'Measurement Specification' header with a collapse/expand icon (+/-). Below the header, there are two radio button options: 'National Committee for Quality Assurance (NCQA) / Healthcare Effectiveness Data and Information Set (HEDIS)' and 'Other' (which is selected). To the right, there is a field labeled 'Explain \*' with a large text area for providing details.

Figure 3: Measurement Specification – Path 2

# 1.4 Data Source

**Data Source** +/-

Administrative Data

Medicaid Management Information System (MMIS)

Other

**From where is the Administrative Data coming?**  
Must select one or more

**\* Specify**

**Specify\***

Figure 4: Data Source

# 1.5 Performance Measure

## Performance Measure

+/-

The percentage of Medicaid beneficiaries age 18 and older who were treated with antidepressant medication, had a diagnosis of major depression, and who remained on an antidepressant medication treatment. Two rates are reported:

- Effective Acute Phase Treatment. The percentage of Medicaid beneficiaries who remained on an antidepressant medication for at least 84 days (12 weeks).
- Effective Continuation Phase Treatment. The percentage of Medicaid beneficiaries who remained on an antidepressant medication for at least 180 days (6 months).

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

### Effective Acute Phase Treatment: Remained on medication for at least 84 days (12 weeks)

Age Range: 18-64

Numerator	Denominator	Rate
10	20	5

Age Range: 65 and older

Numerator	Denominator	Rate
10	20	5

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

- Yes  
 No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: \*

Character count: 0/4000

### Effective Continuation Phase Treatment: Remained on medication for at least 180 days (6 months)

Age Range: 18-64

Numerator	Denominator	Rate
10	20	5

Age Range: 65 and older

Numerator	Denominator	Rate
10	20	5

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

- Yes  
 No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: \*

Character count: 0/4000

Figure 5: Performance Measure

# 1.6 Deviations from Measurement Specifications

## Deviations from Measurement Specifications

+/-

Did your calculation of the measure deviate from the measure specification in any way?\*

- Yes
- No

Please select and explain the deviation(s)

Effective Acute Phase Treatment: Remained on medication for at least 84 days (12 weeks)

Age Range: 18-64

Numerator

Explain \*

Denominator

Explain \*

Other

Explain \*

Age Range: 65 and Older

Numerator

Explain \*

Denominator

Explain \*

Other

Explain \*

Figure 6: Deviations from Measurement Specifications – Screenshot 1

Effective Continuation Phase Treatment: Remained on medication for at least 180 days (6 months)

Age Range: 18-64

Numerator

Explain \*

Denominator

Explain \*

Other

Explain \*

Age Range: 65 and Older

Numerator

Explain \*

Denominator

Explain \*

Other

Explain \*

**Figure 7: Deviations from Measurement Specifications – Screenshot 2**

## 1.7 Optional Measure Stratification

Note: Same N/D/R sets are displayed under each of the stratification categories

### Optional Measure Stratification

+/-

If this measure is also reported by additional classifications/sub-categories, e.g. racial, ethnic, sex, language, disability status, or geography, complete the following as applicable.

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

**Check all that apply**

- Race (Non-Hispanic)
  - White

**Effective Acute Phase Treatment: Remained on medication for at least 84 days (12 weeks)**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	10	50	20	Clear Row
Age Range: 65 and older	10	20	5	Clear Row

+ Additional/Alternative Classification/Sub-category

**Effective Continuation Phase Treatment: Remained on medication for at least 180 days (6 months)**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	20	30	5	Clear Row
Age Range: 65 and older	10	20	30	Clear Row

+ Additional/Alternative Classification/Sub-category

- Black or African American
- American Indian or Alaska Native
- Asian
- Native Hawaiian or Other Pacific Islander
- + Additional Race(s)

- Ethnicity
  - Hispanic or Latino
  - Not Hispanic or Latino

+ Additional Ethnicity(ies)

**Figure 8: Optional Measure Stratification – Screenshot 1**



Sex

- Male
- Female

Primary Spoken Language

- English
- Spanish
- + Additional Primary Spoken Language(s)

Disability Status

- SSI
- Non-SSI
- + Additional Disability Status(es)

Geography

- Urban
- Rural
- + Additional Geographies

Adult Eligibility Group (ACA Expansion Group)

**Effective Acute Phase Treatment: Remained on medication for at least 84 days (12 weeks)**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	5	10	5	<a href="#">Clear Row</a>
Age Range: 65 and older	5	10	5	<a href="#">Clear Row</a>

+ Additional/Alternative Classification/Sub-category

**Effective Continuation Phase Treatment: Remained on medication for at least 180 days (6 months)**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	5	10	5	<a href="#">Clear Row</a>
Age Range: 65 and older	5	10	5	<a href="#">Clear Row</a>

+ Additional/Alternative Classification/Sub-category

**Report Documents** +/-

**Saved Documents**

- Maximum documents that can be uploaded for this report: 84
- Maximum file size : 2MB
- Valid file extensions: pdf; ppt; doc; docx; xls; xlsx; pptx

<input type="checkbox"/>	Name	Description	Date Created	Updated By	Size	Type
No items available						

**Would you like to validate the core measure data at this time?**

Yes  No

(Note: While the measure does not need to be validated at this time in order to proceed, each measure must be validated for the measure to be marked as 'complete' and before the report can be submitted to CMS).

Warning: Any field containing more than 4000 characters will be truncated when saved.

*PRA Disclosure Statement: According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0938-1188. The time required to complete this information collection is estimated to average 40 hours per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850.*

**Figure 9: Optional Measure Stratification – Screenshot 2**

## Appendix A: Acronyms

Table 1: Acronyms

Acronym	Definition
<b>AQM</b>	Adult Quality Measures
<b>PRA</b>	Paperwork Reduction Act of 1995