Centers for Medicare & Medicaid Services
CMS eXpedited Life Cycle (XLC)

Medicaid and CHIP Program (MACPro)

AQM 2017 - Medical Assistance With Smoking and Tobacco Use Cessation (MSC) Core Measure PRA document

Version 1.0

08/30/2017

Table of Contents

List of Figures

List of Tables

1. Medical Assistance With Smoking and Tobacco Use Cessation (MSC) Core Measure – Screenshots

1.1 Are you reporting on this measure?

Medical Assistance With Smoking and Tobacco Use Cessation (MSC)

CMS-10434 OMB 0938-1188

Medicaid Adult Core Quality Measure - ZZ - 2017

Request System Help

| REQUEST TECHNICAL ASSISTANCE | CLEAR | VIEW ALL RESPONSES |

Are you reporting on this measure? *
- ● Yes
- ○ No

View Implementation Guide

Figure 1: Are you reporting on this measure?

1.2 Measurement Specification – Path 1

Measurement Specification

+/-

- ● National Committee for Quality Assurance (NCQA) / Healthcare Effectiveness Data and Information Set (HEDIS)
- ○ Other

Specify version of HEDIS used *

Select Year ▼

HEDIS: Healthcare Effectiveness Data and Information Set

Figure 2: Measurement Specification – 1

1.3 Measurement Specification – Path 2

Measurement Specification

+/-

- ○ National Committee for Quality Assurance (NCQA) / Healthcare Effectiveness Data and Information Set (HEDIS)
- ● Other

Explain *

Figure 3: Measurement Specification – 2

1.4 Data Source

Data Source

+/-

- ○ CAHPS 5.0
- ○ CAHPS 5.0H
- ● Other

Explain *

Figure 4: Data Source

1.5   Performance Measure – Path 1

Performance Measure

+/-

A rolling average represents the percentage of Medicaid enrollees age 18 and older who were current smokers or tobacco users and who received medical assistance with smoking and tobacco use cessation during the measurement year. The three components of this measure assess different facets of providing medical assistance with smoking and tobacco use cessation and are reported as three separate rolling averages:

- Advising Smokers and Tobacco Users to Quit – A rolling average represents the percentage of Medicaid enrollees age 18 and older who were current smokers or tobacco users and who received advice to quit during the measurement year
- Discussing Cessation Medications – A rolling average represents the percentage of Medicaid enrollees age 18 and older who were current smokers or tobacco users and who discussed or were recommended cessation medications during the measurement year
- Discussing Cessation Strategies – A rolling average represents the percentage of Medicaid enrollees age 18 and older who were current smokers or tobacco users and who discussed or were provided cessation methods or strategies during the measurement year

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

Advising Smokers and Tobacco Users to Quit

☐ Age Range: 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Age Range: 65 and Older

Please explain why data was not entered for this numerator/denominator/rate set *

Figure 5: Performance Measure – 1

Discussing Cessation Medications

☐ Age Range: 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Age Range: 65 and Older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Discussing Cessation Strategies

☐ Age Range: 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Figure 6: Performance Measure – 2

☐ Age Range: 65 and Older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Percentage of Current Smokers and Tobacco Users – Supplemental Calculation

☐ Age Range: 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Age Range: 65 and Older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Figure 7: Performance Measure – 3

1.6   Performance Measure – Path 2

Performance Measure

+/-

A rolling average represents the percentage of Medicaid enrollees age 18 and older who were current smokers or tobacco users and who received medical assistance with smoking and tobacco use cessation during the measurement year. The three components of this measure assess different facets of providing medical assistance with smoking and tobacco use cessation and are reported as three separate rolling averages:

- Advising Smokers and Tobacco Users to Quit – A rolling average represents the percentage of Medicaid enrollees age 18 and older who were current smokers or tobacco users and who received advice to quit during the measurement year
- Discussing Cessation Medications – A rolling average represents the percentage of Medicaid enrollees age 18 and older who were current smokers or tobacco users and who discussed or were recommended cessation medications during the measurement year
- Discussing Cessation Strategies – A rolling average represents the percentage of Medicaid enrollees age 18 and older who were current smokers or tobacco users and who discussed or were provided cessation methods or strategies during the measurement year

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

Advising Smokers and Tobacco Users to Quit

☑ Age Range: 18-64

Numerator	Denominator	Rate
0	0	0

☑ Age Range: 65 and Older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

Figure 8: Performance Measure – 4

Dually-Eligible population included in this denominator?

○ Yes
● No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Discussing Cessation Medications

☑ Age Range: 18-64

Numerator	Denominator	Rate
0	0	0

☑ Age Range: 65 and Older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
● No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Figure 9: Performance Measure – 5

Discussing Cessation Strategies

☑ Age Range: 18-64

Numerator	Denominator	Rate
0	0	0

☑ Age Range: 65 and Older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
● No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Percentage of Current Smokers and Tobacco Users – Supplemental Calculation

☑ Age Range: 18-64

Numerator	Denominator	Rate
0	0	0

Figure 10: Performance Measure – 6

☑ Age Range: 65 and Older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
◉ No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Figure 11: Performance Measure – 7

1.7   Deviations from Measurement Specifications

Deviations from Measurement Specifications

+/-

Did your calculation of the measure deviate from the measure specification in any way? *
◉ Yes
○ No

Please select and explain the deviation(s)

Advising Smokers and Tobacco Users to Quit

Age Range: 18-64
☑ Numerator

Explain *

☑ Denominator

Explain *

☑ Other

Explain *

Figure 12: Deviations from Measurement Specifications – 1

☑ Other

Explain *

Age Range: 65 and Older
☑ Numerator

Explain *

☑ Denominator

Explain *

☑ Other

Explain *

Figure 13: Deviations from Measurement Specifications – 2

Discussing Cessation Medications
Age Range: 18-64
☑ Numerator

Explain *

☑ Denominator

Explain *

☑ Other

Explain *

Age Range: 65 and Older
☑ Numerator

Explain *

Figure 14: Deviations from Measurement Specifications – 3

☑ Denominator   **Explain** *

☑ Other   **Explain** *

Discussing Cessation Strategies

Age Range: 18-64

☑ Numerator   **Explain** *

☑ Denominator   **Explain** *

Figure 15: Deviations from Measurement Specifications – 4

☑ Other   **Explain** *

Age Range: 65 and Older

☑ Numerator   **Explain** *

☑ Denominator   **Explain** *

☑ Other   **Explain** *

Figure 16: Deviations from Measurement Specifications – 5

Percentage of Current Smokers and Tobacco Users – Supplemental Calculation

Age Range: 18-64

☑ Numerator   Explain *

☑ Denominator   Explain *

☑ Other   Explain *

Age Range: 65 and Older

☑ Numerator   Explain *

Figure 17: Deviations from Measurement Specifications – 6

☑ Denominator   Explain *

☑ Other   Explain *

Figure 18: Deviations from Measurement Specifications – 7

1.8   Optional Measure Stratification

Note: Same N/D/R sets are displayed under each of the stratification categories.

Optional Measure Stratification

+/-

If this measure is also reported by additional classifications/sub-categories, e.g. racial, ethnic, sex, language, disability status, or geography, complete the following as applicable.

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

Check all that apply

☑ Race (Non-Hispanic)

   ☑ White

Advising Smokers and Tobacco Users to Quit

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	0	0	0	Clear Row
Age Range: 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Discussing Cessation Medications

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	0	0	0	Clear Row
Age Range: 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Figure 19: Optional Measure Stratification – 1

Discussing Cessation Strategies

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	0	0	0	Clear Row
Age Range: 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Percentage of Current Smokers and Tobacco Users – Supplemental Calculation

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	0	0	0	Clear Row
Age Range: 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

☐ Black or African American

☐ American Indian or Alaska Native

☐ Asian

☐ Native Hawaiian or Other Pacific Islander

+ Additional Race(s)

☑ Ethnicity

☐ Hispanic or Latino

* ☐ Not Hispanic or Latino

+ Additional Ethnicity(ies)

Figure 20: Optional Measure Stratification – 2

☑ Sex
　　　　☐ Male
　　• ☐ Female
☑ Primary Spoken Language
　　　　☐ English
　　• ☐ Spanish
　　　　+ Additional Primary Spoken Language(s)
☑ Disability Status
　　　　☐ SSI
　　• ☐ Non-SSI
　　　　+ Additional Disability Status(es)
☑ Geography
　　　　☐ Urban
　　• ☐ Rural
　　　　+ Additional Geographies
☑ Adult Eligibility Group (ACA Expansion Group)

Advising Smokers and Tobacco Users to Quit

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	0	0	0	Clear Row
Age Range: 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Figure 21: Optional Measure Stratification – 3

Discussing Cessation Medications

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	0	0	0	Clear Row
Age Range: 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Discussing Cessation Strategies

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	0	0	0	Clear Row
Age Range: 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Percentage of Current Smokers and Tobacco Users – Supplemental Calculation

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 18-64	0	0	0	Clear Row
Age Range: 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Figure 22: Optional Measure Stratification – 4

Appendix A: Acronyms

Table 1: Acronyms

Acronym	Literal Translation
AQM	Adult Quality Measure
PRA	Paper Reduction Act of 1995