Centers for Medicare & Medicaid Services
CMS eXpedited Life Cycle (XLC)

Medicaid and CHIP Program (MACPro)

AQM 2018 –IET Core Measure PRA document

Version 1.0
07/18/2018

Document Number: 437-QSSI_MACPro_IET-AD_PRA-D
Contract Number: HHSM-500-2007-00024I: HHSM-500-T0014

Table of Contents

List of Figures

List of Tables

1. IET Core Measure Screenshots

1.1   Are you reporting on this measure?

Figure 1: Are you reporting on this measure?

1.2   Measurement Specification – Path 1

Figure 2: Measurement Specification – Path 1

1.3   Measurement Specification – Path 2

Figure 3: Measurement Specification – Path 2

1.4   Data Source

Data Source

☑ Administrative Data

What is the Administrative Data source?

Must select one or more

☐ Medicaid Management Information System (MMIS)

☑ Other

* Specify

☑ Electronic Health Records

Describe Electronic Health Records data source *

☑ Other

Specify *

Figure 4: Data Source

1.5   Performance Measure

Performance Measure

The percentage of beneficiaries age 18 and older with a new episode of alcohol or other drug (AOD) abuse or dependence who received the following:

- Initiation of AOD Treatment. Percentage of beneficiaries who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth, or medication assisted treatment (MAT) within 14 days of the diagnosis.
- Engagement of AOD Treatment. Percentage of beneficiaries who initiate treatment and who had two or more additional AOD services or MAT within 34 days of the initiation visit.

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

Initiation of AOD Treatment: Alcohol Abuse or Dependence

☐ Ages 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Ages 65 and older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Initiation of AOD Treatment: Opioid Abuse or Dependence

☐ Ages 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Ages 65 and older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Figure 5: Performance Measure section- Path 1 screenshot 1 of 4

Initiation of AOD Treatment: Other Drug Abuse or Dependence

☐ Ages 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Ages 65 and older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Initiation of AOD Treatment: Total AOD Abuse or Dependence

☐ Ages 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Ages 65 and older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Figure 6: Performance Measure" section- Path 1 screenshot 2 of 4

Engagement of AOD Treatment: Alcohol Abuse or Dependence

☐ Ages 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Ages 65 and older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Engagement of AOD Treatment: Opioid Abuse or Dependence

☐ Ages 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Ages 65 and older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Figure 7: Performance Measure" section- Path 1 screenshot 3 of 4

Engagement of AOD Treatment: Other Drug Abuse or Dependence

☐ Ages 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Ages 65 and older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Engagement of AOD Treatment: Total AOD Abuse or Dependence

☐ Ages 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Ages 65 and older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Figure 8: Performance Measure" section- Path 1 screenshot 4 of 4

Performance Measure

The percentage of beneficiaries age 18 and older with a new episode of alcohol or other drug (AOD) abuse or dependence who received the following:

- Initiation of AOD Treatment. Percentage of beneficiaries who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth, or medication assisted treatment (MAT) within 14 days of the diagnosis.
- Engagement of AOD Treatment. Percentage of beneficiaries who initiate treatment and who had two or more additional AOD services or MAT within 34 days of the initiation visit.

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

Initiation of AOD Treatment: Alcohol Abuse or Dependence

☑ Ages 18-64

Numerator	Denominator	Rate
0	0	0

☑ Ages 65 and older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
● No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Initiation of AOD Treatment: Opioid Abuse or Dependence

☑ Ages 18-64

Numerator	Denominator	Rate
0	0	0

☑ Ages 65 and older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
● No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Initiation of AOD Treatment: Other Drug Abuse or Dependence

☑ Ages 18-64

Numerator	Denominator	Rate
0	0	0

☑ Ages 65 and older

Numerator	Denominator	Rate
0	0	0

Figure 9: Performance Measure" section- Path 2 screenshot 1 of 4

Initiation of AOD Treatment: Total AOD Abuse or Dependence

☑ Ages 18-64

Numerator	Denominator	Rate
0	0	0

☑ Ages 65 and older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
◉ No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Engagement of AOD Treatment: Alcohol Abuse or Dependence

☑ Ages 18-64

Numerator	Denominator	Rate
0	0	0

☑ Ages 65 and older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
◉ No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Figure 10: Performance Measure" section- Path 2 screenshot 2 of 4

Engagement of AOD Treatment: Opioid Abuse or Dependence

☑ Ages 18-64

Numerator	Denominator	Rate
0	0	0

☑ Ages 65 and older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
● No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Engagement of AOD Treatment: Other Drug Abuse or Dependence

☑ Ages 18-64

Numerator	Denominator	Rate
0	0	0

☑ Ages 65 and older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
● No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Figure 11: Performance Measure" section- Path 2 screenshot 3 of 4

Engagement of AOD Treatment: Total AOD Abuse or Dependence

☑ Ages 18-64

Numerator	Denominator	Rate
0	0	0

☑ Ages 65 and older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes

● No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Figure 12: Performance Measure" section- Path 2 screenshot 4 of 4

## 1.6   Deviations from Measurement Specifications

Note: Same N/D/O 'Explain' text boxes are applicable under each of the stratification

Deviations from Measurement Specifications

<div style="text-align:right">Collapse</div>

Did your calculation of the measure deviate from the measure specification in any way? *

◉ Yes
○ No

Please select and explain the deviation(s)

Initiation of AOD Treatment: Alcohol Abuse or Dependence

Ages 18-64

☑ Numerator   Explain *

☑ Denominator   Explain *

☑ Other   Explain *

Ages 65 and older

☑ Numerator   Explain *

☑ Denominator   Explain *

☑ Other   Explain *

Initiation of AOD Treatment: Opioid Abuse or Dependence

Ages 18-64

☐ Numerator

☐ Denominator

☐ Other

Ages 65 and older

☐ Numerator

☐ Denominator

☐ Other

Figure 13: Deviations from Measurement Specifications (1 of 3)

Initiation of AOD Treatment: Other Drug Abuse or Dependence

Ages 18-64
- ☐ Numerator
- ☐ Denominator
- ☐ Other

Ages 65 and older
- ☐ Numerator
- ☐ Denominator
- ☐ Other

Initiation of AOD Treatment: Total AOD Abuse or Dependence

Ages 18-64
- ☐ Numerator
- ☐ Denominator
- ☐ Other

Ages 65 and older
- ☐ Numerator
- ☐ Denominator
- ☐ Other

Engagement of AOD Treatment: Alcohol Abuse or Dependence

Ages 18-64
- ☐ Numerator
- ☐ Denominator
- ☐ Other

Ages 65 and older
- ☐ Numerator
- ☐ Denominator
- ☐ Other

Figure 14: Deviations from Measurement Specifications (2 of 3)

Engagement of AOD Treatment: Opioid Abuse or Dependence

Ages 18-64

☐ Numerator

☐ Denominator

☐ Other

Ages 65 and older

☐ Numerator

☐ Denominator

☐ Other

Engagement of AOD Treatment: Other Drug Abuse or Dependence

Ages 18-64

☐ Numerator

☐ Denominator

☐ Other

Ages 65 and older

☐ Numerator

☐ Denominator

☐ Other

Engagement of AOD Treatment: Total AOD Abuse or Dependence

Ages 18-64

☐ Numerator

☐ Denominator

☐ Other

Ages 65 and older

☐ Numerator

☐ Denominator

☑ Other

Explain *

[   ]

Figure 15: Deviations from Measurement Specifications (3 of 3)

1.7   Optional Measure Stratification

Note: Same N/D/R sets are applicable under each of the stratification

Optional Measure Stratification

If this measure is also reported by additional classifications/sub-categories, e.g. racial, ethnic, sex, language, disability status, or geography, complete the following as applicable.

Check all that apply
- ☐ Race (Non-Hispanic)
- ☐ Ethnicity
- ☐ Sex
- ☑ Primary Spoken Language
  - ☐ English
  - ❋ ☐ Spanish
  - + Additional Primary Spoken Language(s)
- ☑ Disability Status
  - ☐ SSI
  - ❋ ☐ Non-SSI
  - + Additional Disability Status(es)
- ☑ Geography
  - ☐ Urban
  - ❋ ☐ Rural
  - + Additional Geographies

Figure 16: Optional Measure Stratification 1 of 3

☑ Adult Eligibility Group (ACA Expansion Group)

Initiation of AOD Treatment: Alcohol Abuse or Dependence

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Initiation of AOD Treatment: Opioid Abuse or Dependence

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Initiation of AOD Treatment: Other Drug Abuse or Dependence

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Figure 17: Optional Measure Stratification 2 of 3

Initiation of AOD Treatment: Total AOD Abuse or Dependence

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Engagement of AOD Treatment: Alcohol Abuse or Dependence

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Engagement of AOD Treatment: Opioid Abuse or Dependence

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Engagement of AOD Treatment: Other Drug Abuse or Dependence

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Engagement of AOD Treatment: Total AOD Abuse or Dependence

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Figure 18: Optional Measure Stratification 3 of 3

Appendix 1: Acronyms

Table 1: Acronyms

Acronym	Definition
AQM	Adult Quality Measures
IET	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment
PRA	Paperwork Reduction Act of 1995