Centers for Medicare & Medicaid Services
CMS eXpedited Life Cycle (XLC)

Medicaid and CHIP Program (MACPro)

AQM 2018- Use of Opioids at High Dosage in Persons without Cancer (OHD-AD) Core Measure PRA document

Version 1.0

07/02/2018

Document Number: 359-AQM 2018 OHD-AD PRA document-D
Contract Number: HHSM-500-2007-00024I: HHSM-500-T0014

Table of Contents

List of Figures

List of Tables

1. Use of Opioids at High Dosage in Persons without Cancer (OHD-AD) Core Measure – Screenshots

1.1 Are you reporting on this measure?

Use of Opioids at High Dosage in Persons without Cancer (OHD-AD)
CMS-10434 OMB 0938-1188

Medicaid Adult Core Quality Measure - PA - 2018

Request System Help

REQUEST TECHNICAL ASSISTANCE   CLEAR   VIEW ALL RESPONSES

View Implementation Guide

Are you reporting on this measure? *
- ● Yes
- ○ No

Figure 1: Are you reporting on this measure?

1.2 Measurement Specification

Measurement Specification

Collapse

- ○ Pharmacy Quality Alliance (PQA)
- ● Other

Please describe the specifications that were used to calculate the measure and explain how they deviated from Core Set specifications. If you need additional space to describe your state's methodology, please attach a document to this report in the Report Documents section at the bottom of the screen. *

Figure 2: Measurement Specification

1.3 Data Source

Data Source

+/-

☑ Administrative Data

From where is the Administrative Data coming?
Must select one or more
☐ Medicaid Management Information System (MMIS)
☑ Other

* Specify

☑ Other

Specify *****

Figure 3: Data Source

1.4   Performance Measure – Path 1

Performance Measure

Collapse

Rate per 1,000 beneficiaries included in the denominator age 18 and older without cancer who received prescriptions for opioids with a daily dosage greater than 120 morphine milligram equivalents (MME) for 90 consecutive days or longer. Patients in hospice are also excluded.

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

☐ Ages 18-64

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

☐ Ages 65 and Older

Please explain why data was not entered for this numerator/denominator/rate set *

Character count: 0/4000

Figure 4: Performance Measure – 1

1.5   Performance Measure – Path 2

Performance Measure

Collapse

Rate per 1,000 beneficiaries included in the denominator age 18 and older without cancer who received prescriptions for opioids with a daily dosage greater than 120 morphine milligram equivalents (MME) for 90 consecutive days or longer. Patients in hospice are also excluded.

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

☑ Ages 18-64

Numerator	Denominator	Rate
0	0	0

☑ Ages 65 and Older

Numerator	Denominator	Rate
0	0	0

The option "Denominator includes Medicare and Medicaid Dually-Eligible population" was not selected in the "Definition of Population Included in the Measure." Is the Medicare and Medicaid Dually-Eligible population included in this denominator?

○ Yes
● No

"Denominator includes Medicare and Medicaid Dually-Eligible Population" was not selected, please explain why: *

Character count: 0/4000

Figure 5: Performance Measure – 2

1.6   Deviations from Measurement Specifications

Deviations from Measurement Specifications

Collapse

Did your calculation of the measure deviate from the measure specification in any way? *

◉ Yes
○ No

Please select and explain the deviation(s)

Ages 18-64
☑ Numerator

Explain *

☑ Denominator

Explain *

☑ Rate

Explain *

Ages 65 and Older
☑ Numerator

Explain *

☑ Denominator

**Explain ***

☑ Rate

Explain *

Figure 6: Deviations from Measurement Specifications

1.7   Optional Measure Stratification

Note: Same N/D/R sets are displayed under each of the stratification categories.

Optional Measure Stratification

Collapse

If this measure is also reported by additional classifications/sub-categories, e.g. racial, ethnic, sex, language, disability status, or geography, complete the following as applicable.

Enter rate values to one decimal place (XX.X). If your rate ends in .0, note that the .0 will not be retained on the screen and the whole number will be displayed instead.

Check all that apply

☑ Race (Non-Hispanic)

   ☑ White

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

   ☐ Black or African American
   ☐ American Indian or Alaska Native
   ☐ Asian
   ☐ Native Hawaiian or Other Pacific Islander
   + Additional Race(s)

☐ Ethnicity
☐ Sex
☐ Primary Spoken Language
☐ Disability Status
☐ Geography
☑ Adult Eligibility Group (ACA Expansion Group)

Classification/Sub-category	Numerator	Denominator	Rate	
Ages 18-64	0	0	0	Clear Row
Ages 65 and Older	0	0	0	Clear Row

+ Additional/Alternative Classification/Sub-category

Figure 7: Optional Measure Stratification – 1

Appendix A: Acronyms

Table 1: Acronyms

Acronym	Literal Translation
AQM	Adult Quality Measure
PRA	Paper Reduction Act of 1995