BUREAU OF WEIGHTS AND MEASURES SURVEY 2018

OMB No. 0535-0261 Approval Expires: 12/31/2020 Project Code: 408 QID: SMetaKey:



United States Department of Agriculture



NATIONAL AGRICULTURAL STATISTICS SERVICE



Illinois Department of Agriculture

USDA/NASS - Illinois

Heartland Region

PO Box 19281

Springfield, IL 62794-9281 Phone: 1-217-524-9606 FAX: 1-855-270-2717

Email: NASSRFOHLR@nass.usda.gov

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB number is 0503-0261. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Response to this survey is **voluntary**.

The Illinois Department of Agriculture (IDOA), Bureau of Weights and Measures is committed to delivering exceptional customer service to the people of Illinois. In an effort to improve our quality of service, please take a few minutes to share your experiences with the Agency and its services. Reflect on your experience with the Illinois Department of Agriculture within the past 12 months as you answer the following questions. Your opinion is important, we will benefit greatly from your participation in this survey.

If you have dealt with more than one Bureau of the Department of Agriculture, you may receive more than one questionnaire. Please respond to each of the surveys.

1.		were you in contact with the Illinois Department of Agriculture, Bureau of Weights and Measures in the past 12 months?	
		•	theck all that apply.)
			101
	a.	Seek information	
			102
	b.	Obtain an inspection	
		•	103
	c.	Arrange for testing	
			108
	d.	Other (specify:)	

2. Please read the following statements about your level of satisfaction with the information and/or services you received from the **Illinois Department of Agriculture**, **Bureau of Weights and Measures** in the past 12 months. For each question, circle the response, using the scale from 1 through 7, that best reflects your opinion about the following. If the comment does not apply, circle the response under **NA**.

				Not at all satisfied			Neutral		Extre Satis		NA
	a.	How satisfied were you with the usefulness of the information and/or services you received?	110	1	2	3	4	5	6	7	8
	b.	How satisfied were you with the way you were treated by staff?	111	1	2	3	4	5	6	7	8
	c.	How satisfied were you with the promptness of your transaction or response to your request?	112	1	2	3	4	5	6	7	8
	d.	How satisfied were you with the technical skills of the staff?	114	1	2	3	4	5	6	7	8
	e.	How satisfied were you with the accuracy of information you received?	115	1	2	3	4	5	6	7	8
	f.	How satisfied were you with the ease of reaching staff to answer inquiries?	116	1	2	3	4	5	6	7	8
	g.	How satisfied were you with their recommendations?	118	1	2	3	4	5	6	7	8
	h.	If you had a disagreement with Bureau Staff, how satisfied were you with the way the disagreement was resolved?	121	1	2	3	4	5	6	7	8
				Extren restric	-		Neutral		Not a		NA
3.		your opinion, how restrictive are the policies of the reau of Weights and Measures?	122	1	2	3	4	5	6	7	8
				Not at all efficient		Neutral			Extremely efficient		NA
4.		your opinion, how efficient are the inspection cedures of the Bureau of Weights and Measures ?	119	1	2	3	4	5	6	7	8

5. Please read the following statements about the **Illinois Department of Agriculture (IDOA), Bureau of Weights and Measures**. Circle the response under the heading **Strongly disagree** to **Strongly agree** that reflects your opinion for each of the statements. If you have no opinion or don't know about an item, circle the response under **Don't know**.

a.	The Bureau puts a high value on serving the people of Illinois.		Strongly disagree		Neutral			Strongly agree		Don't know
u.		123	1	2	3	4	5	6	7	8
b.	The staff were courteous and professional.	124	1	2	3	4	5	6	7	8
с.	The staff adequately explained standards, regulations, and/or test results.	125	1	2	3	4	5	6	7	8
d.	Bureau staff treated me fairly.	126	1	2	3	4	5	6	7	8
e.	The Bureau was responsive to my complaints.	127	1	2	3	4	5	6	7	8
f.	The staff responded to my needs in a timely manner.	128	1	2	3	4	5	6	7	8
1.	The start responded to my needs in a timery mainer.	129	1	2	3	4	5	6	7	8

g.	Bureau staff were consistent in following procedure.									
h.	The staff are good partners and enhance my work.	130	1	2	3	4	5	6	7	8
i.	Bureau staff were well prepared to address my problems or concerns.	132	1	2	3	4	5	6	7	8
j.	Forms required by the Bureau are easy to understand and user friendly.	133	1	2	3	4	5	6	7	8
k.	Bureau regulations are documented in a clear and consistent way.	134	1	2	3	4	5	6	7	8
l.	The IDOA web site provides useful and timely information. http://www.agr.state.il.us/weights-measures/)	136	1	2	3	4	5	6	7	8
				at all ident		Neutral			emely ident	Don't know
	ow confident are you about the accuracy of commercial easurement in the State of Illinois?	137	1	2	3	4	5	6	7	8
	Don't know ease describe the one most important change that would ovided by the Bureau of Weights and Measures.		your :	satisfacti	on with	the quali	ty of se	rvices aı	nd info	rmation
_										
W	hat type of business do you represent? 139 Petroleum	1		Scales				4		
		3			red Serv	rice Perso	n —	$ \frac{7}{5}$		
	<i></i>			_				6		
Н	ow often do you have contact with staff from the Bureau	of Weigl	nts and	d Measu	ires? (c	heck only	one re	 sponse)		
		1		Two tin		-		4		
	At least once a month	2		At least	_			5		
	About 3 or 4 times a year	3		Less tha	an once	per year		6		
								J		
Н	ow many years have you worked with staff from the Bure	eau of W	eights	and					141	
	easures		_			Num	ber of y	years		

For Metrology laboratory customers.

technic	oes the Report of Test that is issued for equipment calibrated by the Metrology laboratory contain all required cal/quality content necessary to meet your Quality Assurance Program and internal/external auditors' ements? $1 = Yes, 3 = No$	150
12b.	What additional information is needed?	
-		
_		
Data) i	olume Customers only: Are the reporting values (cubic inches) on the Report of Test (As Found Data, As Left ssued for equipment calibrated by the Metrology Laboratory acceptable for your Quality Assurance Program, l/external auditors and field application? 1 = Yes, 3 = No	151
13b. require	If no, what unit of measure (e.g. gallons, liters, milliliters etc.) would be necessary to meet your technical/quaements?	lity
THAN	IK YOU FOR COMPLETING THIS SURVEY!!!	
Please	share any additional thoughts in the space provided below.	
-		
_		
_		

Return your completed questionnaire in the return envelope.

Illinois Department of Agriculture Bureau of Weights and Measures P.O. Box 19281 Springfield, IL 62794-9281