PRA Disclosure Statement

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-0842**. The time required to complete this information collection is estimated to average **54.5 minutes** per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850.

	Identification Information*		Payer Information*
1.	Facility Information A. Facility Name	20.	Payment Source (02 - Medicare Fee For Service; 51- Medicare-Medicare Advantage; 99 - Not Listed)
			A. Primary Source
			B. Secondary Source
			Medical Information*
		21	
	B. Facility Medicare Provider Number	21.	Impairment Group Admission Discharge
2.	Patient Medicare Number		Condition requiring admission to rehabilitation; code according to Appendix
3.	Patient Medicaid Number	22	A.
4.	Patient First Name	22.	Etiologic Diagnosis (Use ICD codes to indicate the etiologic problem B
5A.	Patient Last Name		that led to the condition for which the patient is receiving C
5B.	Patient Identification Number	23.	rehabilitation) Date of Onset of Impairment/
6.	Birth Date/ MM / DD / YYYY	23.	Date of Onset of Impairment // MM / DD / YYYY
7.	Social Security Number	24.	Comorbid Conditions
8.	Gender (1 - Male; 2 - Female)		Use ICD codes to enter comorbid medical conditions
9.	Race/Ethnicity (Check all that apply)		A J S
	American Indian or Alaska Native A.		B K T
	Asian B		C U V.
	Black or African American C.		D M V E N. W
			F O X
	Hispanic or Latino D		G P Y
	Native Hawaiian or Other Pacific Islander E.		н Q
	White F		I R
10.	Marital Status		
	(1 - Never Married; 2 - Married; 3 - Widowed; 4 - Separated; 5 - Divorced)	24A	A. Are there any arthritis conditions recorded in items #21, #22, or #24 that meet all of the regulatory requirements for IRF classification (in 42 CFR
11.	Zip Code of Patient's Pre-Hospital Residence		412.29(b)(2)(x), (xi), and (xii))? (0 - No; 1 - Yes)
12.	Admission Date// MM / DD / YYYY	25	DELETED
13.			DELETED
١.,	MM/DD/YYYY		Height and Weight
14.	Admission Class (1 - Initial Rehab; 2 - Evaluation; 3 - Readmission; 4 - Unplanned Discharge; 5 - Continuing Rehabilitation)		(While measuring if the number is X.1-X.4 round down, X.5 or greater round up)
15A	Admit From	25A	A. Height on admission (in inches)
1371	(01- Home (private home/apt., board/care, assisted living, group home, transitional living); 02- Short-term General Hospital; 03 - Skilled Nursing Facility (SNF); 04 - Intermediate care; 06 - Home under care of organized home health service organization; 50 - Hospice (home); 51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another Inpatient Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH); 64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility; 66 - Critical Access Hospital; 99 - Not Listed)	26A 27.	A. Weight on admission (in pounds)
16A.	Pre-hospital Living Setting Use codes from 15A. Admit From		modified food consistency 2- <u>Modified Food Consistency/Supervision:</u> subject requires modified food
17.	Pre-hospital Living With (Code only if item 16A is 01- Home: Code using 01 - Alone; 02 - Family/Relatives; 03 - Friends; 04 - Attendant; 05 - Other)		consistency and/or needs supervision for safety 1- <u>Tube/Parenteral Feeding:</u> tube/parenteral feeding used wholly or partially as a means of sustenance
18.	DELETED	28.	DELETED
	DELETED		
17.		I	

	Function M	odifiers*		39. FIM TM Instrument*					
Com	plete the following specific functiona	l items prior to	scoring the			Admission	Discharge	Goal	
FIM	TM Instrument:			SELF	-CARE				
		Admission	Discharge	A.	Eating				
29.	Bladder Level of Assistance			В.	Grooming				
	(Score using FIM Levels 1 - 7)	_	_	C.	Bathing				
30.	Bladder Frequency of Accidents (Score as below)	Ц	Ц	D.	Dressing - Upper				
	7 - No accidents			E.	Dressing - Lower				
	6 - No accidents; uses device such as a 5 - One accident in the past 7 days	catheter		F.	Toileting	Ц			
	4 - Two accidents in the past 7 days			SPHI	NCTER CONTROL		_	_	
	3 - Three accidents in the past 7 days2 - Four accidents in the past 7 days			G.	Bladder				
	1 - Five or more accidents in the past 7 Enter in Item 39G (Bladder) the lower	•	nt) coore from Items 20	H.	Bowel	Ц			
	and 30 above	(тоге аерение	II) Score from Hems 29	TRAN	ISFERS	_	_	_	
		Admission	Discharge	I.	Bed, Chair, Wheelchair				
31.	Bowel Level of Assistance			J.	Toilet				
	(Score using FIM Levels 1 - 7)	_	_	K.	Tub, Shower	Ц	Ш		
32.	Bowel Frequency of Accidents (Score as below)					_	V - Walk Wheelchair		
	(Score as below) 7 - No accidents			LOCG	OMOTION		B - Both		
	6 - No accidents; uses device such as a	ostomy		L.	Walk/Wheelchair				
	5 - One accident in the past 7 days 4 - Two accidents in the past 7 days			M.	Stairs	Ш			
	3 - Three accidents in the past 7 days2 - Four accidents in the past 7 days					_	- Auditory - Visual		
	1 - Five or more accidents in the past 7	•		COM	MUNICATION		- Visual B - Both		
	Enter in Item 39H (Bowel) the lower (rabove.	nore dependent) score of Items 31 and 32	N.	Comprehension				
		Admission	Discharge	O.	Expression				
33.	Tub Transfer					_N -	V - Vocal Nonvocal		
34.	Shower Transfer			SOCI	AL COGNITION	1	5 - DUII		
	(Score Items 33 and 34 using FIM Lev occur) See training manual for scoring			P.	Social Interaction				
	occur) see training manual for scoring	Admission	Discharge	Q.	Problem Solving				
35.	Distance Walked			R.	Memory				
36.	Distance Traveled in Wheelchair								
	(Code items 35 and 36 using: 3 - 150)	 feet; 2 - 50 to 14	— 49 feet;						
	1 - Less than 50 feet; 0 - activity does i	· · · · · · · · · · · · · · · · · · ·		FIM I	LEVELS				
		Admission	Discharge	7	Complete Independence	(Timely, Safely)			
37.	Walk	Ц	Ц	6	Modified Independence	•			
38.	Wheelchair			_	er - Modified Dependence				
	(Score Items 37 and 38 using FIM Leve			5 4	Supervision (Subject = Minimal Assistance (Su	*	ore)		
	See training manual for scoring of Item			3	Moderate Assistance (S	•			
	he FIM data set, measurement scale and ferenced herein are the property of U B			Helpe	er - Complete Dependence	-			
	001 U B Foundation Activities, Inc. Th			2	Maximal Assistance (Su	3	nore)		
				1	Total Assistance (Subje	ct less than 25%)			
				0	Activity does not occur;	Use this code on	ly at admission		

	Discharge Information*	Therapy Information		
40.	Discharge Date/	O0401. Week 1: Total Number of Minutes Provided		
	MM / DD / YYYY	O0401A: Physical Therapy		
41.	Patient discharged against medical advice?	a. Total minutes of individual therapy		
71.	(0 - No; 1 - Yes)	b. Total minutes of concurrent therapy		
12	December 1-townships (a)	c. Total minutes of group therapy		
42.	Program Interruption(s) (0 - No; 1 - Yes)	d. Total minutes of co-treatment therapy		
12	, , ,			
43.	Program Interruption Dates (Code only if item 42 is 1 - Yes)	O0401B: Occupational Therapy		
		a. Total minutes of individual therapy		
	A. 1st Interruption Date B. 1st Return Date	b. Total minutes of concurrent therapy		
	NOTION / NOW NOTION AND / NOW NOW NOW NOTION AND / NOW	c. Total minutes of group therapy		
	MM / DD / YYYY MM / DD / YYYY	d. Total minutes of co-treatment therapy		
(C. 2 nd Interruption Date D. 2 nd Return Date			
		O0401C: Speech-Language Pathology		
	MM / DD / YYYY MM / DD / YYYY	a. Total minutes of individual therapy		
		b. Total minutes of concurrent therapy		
]	E. 3 rd Interruption Date F. 3 rd Return Date	c. Total minutes of group therapy		
	MM / DD / YYYY MM / DD / YYYY	d. Total minutes of co-treatment therapy		
140	*** *	O0402. Week 2: Total Number of Minutes Provided		
44C.	. Was the patient discharged alive? (0 - No; 1 - Yes)	O0402A: Physical Therapy		
44D		a. Total minutes of individual therapy		
44D.	Patient's discharge destination/living setting, using codes below: (answer only if $44C = 1$; if $44C = 0$, skip to item 46)	b. Total minutes of concurrent therapy		
		c. Total minutes of group therapy		
	(01- Home (private home/apt., board/care, assisted living, group home, transitional living); 02- Short-term General Hospital; 03 - Skilled Nursing	d. Total minutes of co-treatment therapy		
	Facility (SNF); 04 - Intermediate care; 06 - Home under care of organized home health service organization; 50 - Hospice (home);	O0402B: Occupational Therapy		
	51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another	a. Total minutes of individual therapy		
	Inpatient Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH);	b. Total minutes of concurrent therapy		
	64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility; 66 - Critical Access Hospital; 99 - Not Listed)	c. Total minutes of group therapy		
		d. Total minutes of co-treatment therapy		
45.				
	(Code only if item 44C is 1 - Yes and 44D is 01 - Home; Code using 1 - Alone; 2 - Family / Relatives; 3 - Friends; 4 - Attendant;	O0402C: Speech-Language Pathology		
	5 - Other)	a. Total minutes of individual therapy		
16	Diamonia for Intermention or Death	b. Total minutes of concurrent therapy		
46.	Diagnosis for Interruption or Death (Code using ICD code)	c. Total minutes of group therapy		
		d. Total minutes of co-treatment therapy		
47.				
	(Use ICD codes to specify up to six conditions that began with this rehabilitation stay)			
	A			
	C D			
	E F			
		_		
re	The FIM data set, measurement scale and impairment codes incorporated or eferenced herein are the property of U B Foundation Activities, Inc. © 1993.	3,		
20	001 U B Foundation Activities, Inc. The FIM mark is owned by UBFA, Inc	;.		

	Quality Indicators- Admission Assessment		Quality Indicators- Discharge Assessment
	Unhealed Pressure Ulcer(s)- Admission		Unhealed Pressure Ulcer(s)- Discharge
Enter Code	 M0210. Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher at Admission? No → skip to question I0900 on Admission	Enter Code	 M0210. Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher on Discharge? 0. No→ skip to question M0900A on Discharge Assessment 1. Yes → continue to question M0300A on Discharge Assessment
	M0300. Current Number of Unhealed Pressure Ulcers at Each Stage- Admission		M0300. Current Number of Unhealed Pressure Ulcers at Each Stage- Discharge
Enter Number	M0300A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones it may appear with persistent blue or purple hues. M0300A1. Number of Stage 1 pressure ulcers: enter how	Enter Number	M0300A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones it may appear with persistent blue or purple hues. M0300A1. Enter total number of pressure ulcers currently at Stage
	many were noted at the time of admission		1. If patient has no Stage 1 pressure ulcers at discharge, skip to Item M0300B1.
		Enter Number	M0300A2. Of <u>these</u> Stage 1 pressure ulcers present at discharge, enter number that were: (a) present on admission as a Stage 1 and (b) remained at Stage 1 at discharge.
		Enter Number	M0300A3. Of <u>these</u> Stage 1 pressure ulcers, enter the number that were not present on admission. (i.e. – New stage 1 pressure ulcers that have developed during the IRF stay)
	M0300B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.		M0300B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.
Enter Number	M0300B1. Number of Stage 2 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300B1. Enter total number of pressure ulcers currently at Stage 2. (If patient has no Stage 2 pressure ulcers at discharge, skip to Item M0300C1.)
		Enter Number Enter Number	 M0300B2. Of these Stage 2 pressure ulcers present at discharge, enter the number that were: (a) present on admission, and (b) remained at Stage 2 at discharge. M0300B3. Of these Stage 2 pressure ulcers present at discharge, enter the number that were: (a) present on admission as an unstageable pressure ulcer due to the presence of a non-removable device and (b) when it became stageable, the pressure ulcer was staged as a Stage 2, and (c) it remained at Stage 2 at the time of discharge.
		Enter Number	M0300B4. Of these Stage 2 pressure ulcers present at discharge, enter the number that were: (a) not present on admission; or (b) were at a lesser stage at admission and worsened to a Stage 2 during the IRF stay

	Quality Indicators- Admission Assessment, Continued		Quality Indicators-Discharge Assessment, Continued
	M0300. Current Number of Unhealed Pressure Ulcers at Each Stage- Admission, Continued		M0300. Current Number of Unhealed Pressure Ulcers at Each Stage-Discharge, Continued
	M0300C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.		M0300C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.
Enter Number	M0300C1. Number of Stage 3 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300C1. Enter total number of pressure ulcers currently at Stage 3. (If patient has no Stage 3 pressure ulcers at discharge, skip to Item M0300D1.
		Enter Number	M0300C2. Of <u>these</u> Stage 3 pressure ulcers present at discharge, enter the number that were: (a) present on admission, and (b) remained at Stage 3 at discharge.
		Enter Number	M0300C3. Of <u>these</u> Stage 3 pressure ulcers present at discharge, enter the number that were: (a) present on admission as an <u>unstageable pressure ulcer</u> , and (b) when it became stageable, it was staged as a Stage 3; and (c) it remained at Stage 3 at the time of discharge.
		Enter Number	M0300C4. Of these Stage 3 pressure ulcers present at discharge, enter the number that were: (a) not present on admission; or (b) were at a lesser stage at admission and worsened to a Stage 3 during the IRF stay; or (c) were unstageable due to a non-removeable device at admission, initially became stageable at a lesser stage, , but then progressed to a Stage 3 by the time of discharge.
	M0300D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and		M0300D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.
Enter Number	tunneling. M0300D1. Number of Stage 4 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300D1. Enter total number of pressure ulcers currently at Stage 4. (If patient has no Stage 4 pressure ulcers at discharge, skip to Item M0300E1.)
		Enter Number	M0300D2. Of these Stage 4 pressure ulcers present at discharge, enter number that were: (a) present on admission at Stage 4, and (b) remained at Stage 4 at discharge.
		Enter Number	M0300D3. Of these Stage 4 pressure ulcers present at discharge, enter the number that were: (a) present on admission as an unstageable pressure ulcer, and (b) when it became stageable, it was staged as a Stage 4, and (c) it remained at Stage 4 at the time of discharge.
		Enter Number	M0300D4. Of these Stage 4 pressure ulcers present at discharge, enter the number that were: (a) not present on admission); or (b) were at a lesser stage at admission and worsened to a Stage 4 by discharge; or (c) were unstageable on admission, initially became stageable at a lesser stage, and then progressed to a Stage 4 by the time of discharge.

	Quality Indicators-Admission Assessment, Continued		Quality Indicators-Discharge Assessment, Continued
Enter Number	M0300E. Unstageable Pressure Ulcers due to non-removable dressing/device: Known but not stageable due to the presence of a non-removable dressing/device.		M0300E. Unstageable Pressure Ulcers due to a non-removable dressing or device: pressure ulcers that are known but not stageable due to the presence of a non-removable dressing or device.
Enter Number	M0300E1. Number of unstageable pressure ulcers due to non-removable dressing/device: enter how many were noted at the time of admission	Enter Number	M0300E1. Enter total number of pressure ulcers currently Unstageable due to a Non-removable dressing or device. (If patient has no pressure ulcers Unstageable due to Non-Removable Device at discharge, skip to Item M0300F1.)
		Enter Number	M0300E2. Of these Unstageable pressure ulcers due to a non-removable dressing or device present at discharge, enter number that were:(a) present on admission as an unstageable pressure ulcer due to non-removable dressing or device; and (b) remained unstageable due to non-removable dressing or device until discharge. M0300E3. Of these Unstageable pressure ulcers due to non-removable dressing or device present at discharge, enter number that were (a) present on admission as a stageable pressure ulcer and became unstageable due to non-removable dressing or device during the IRF stay; and (b) remained unstageable due to a non-removable dressing or device until discharge.
	M0300F. Unstageable Pressure Ulcers due to slough and/or eschar: pressure ulcers that are known but not stageable due to coverage of wound bed by slough and/or eschar.		M0300F. Unstageable Pressure Ulcers due to slough or eschar: pressure ulcers that are known but not stageable due to coverage of wound bed by slough and/or eschar.
Enter Number	M0300F1. Number of unstageable pressure ulcers due to slough and/ or eschar: enter how many were noted at the time of admission	Enter Number	M0300F1. Enter total number of pressure ulcers currently Unstageable due to a Slough and/or Eschar. (If patient has no pressure ulcers Unstageable due to Slough and/or Eschar at discharge, skip to Item M0300G1.)
		Enter Number	M0300F2. Of these Unstageable pressure ulcers due to slough and/or eschar present at discharge, enter number that were: (a) present on admission as an unstageable pressure ulcer due to slough and/or eschar; and (b) remained unstageable due to slough and/or eschar until discharge.
			M0300F3. Of these Unstageable pressure ulcers due to slough or eschar present at discharge, enter number that were: (a) present on admission as a stageable pressure ulcer and became unstageable due to slough and/or eschar, during the IRF stay; and (b) remained unstageable due to slough and/or eschar until discharge.
	M0300G. Unstageable Pressure Ulcers with Suspected Deep Tissue Injury (DTI) in evolution: suspected deep tissue injury in evolution.		M0300G. Unstageable Pressure Ulcers with Suspected Deep Tissue Injury (DTI) in evolution: suspected deep tissue injury in evolution.
Enter Number	M0300G1. Number of unstageable pressure ulcers with Suspected Deep Tissue Injury in evolution: enter how many were noted at the time of admission	Enter Number	M0300G1. Enter total number of unstageable pressure ulcers with Suspected Deep Tissue Injury. (If patient has no Unstageable pressure ulcers with Suspected Deep Tissue Injury at discharge, skip to Item M0900A.)
		Enter Number	M0300G2. Of these unstageable pressure ulcers with Suspected DTI present at discharge, enter number that were:(a) present on admission as an unstageable pressure ulcer due to a suspected deep tissue injury; and (b) remained unstageable due to a suspected DTI until discharge.

	Quality Indicators- Admission Assessment, Continued		Quality Indicators-Discharge Assessment, Continued
	I0900. Pressure Ulcer Risk Conditions- Admission		M0900. Healed Pressure Ulcers- Discharge
Enter Number	Indicate below if the patient has any of the following pressure ulcer risk conditions: (NOTE: You must also document the appropriate ICD codes for any pressure ulcer risk conditions documented below in Item 24 "Comorbid Conditions" above.) 10900A. Peripheral Vascular Disease (PVD) 0. No 1. Yes	Enter Number	Indicate the number of pressure ulcers that were: (a) present on Admission; and (b) have completely closed (resurfaced with epithelium) upon Discharge. If there are no healed pressure ulcers noted at a given stage, enter 0. M0900A. Stage 1
Enter Number	10900B. Peripheral Arterial Disease(PAD) 0. No 1. Yes	Enter Number	M0900B. Stage 2
Enter Number	12900A. Diabetes Mellitus (DM) If 12900A = 0, skip 12900B-D 0. No 1. Yes	Enter Number Enter Number	M0900C. Stage 3 M0900D. Stage 4
Enter Number Enter Number	12900B. Diabetic Retinopathy 0. No 1. Yes		M0900D. Stage 4
Enter Number	12900C. Diabetic Nephropathy 0. No1. Yes12900D. Diabetic Neuropathy 0. No1. Yes		
			luenza Vaccine – Discharge - Refer to current version of
			I Training Manual for current influenza vaccination and reporting period.
		Enter Code	O0250A. Did the patient receive the influenza vaccine in this facility for this year's influenza vaccination season? 0. No → Skip to O0250C, If influenza vaccine not received, state reason 1. Yes → Continue to O0250B, Date influenza vaccine received
			O0250B. Date influenza vaccine received → Complete date and skip to Z0400A, Signature of Persons Completing the Assessment MM DD YYYY
		Enter Code	O0250C. If influenza vaccine not received, state reason: 1. Patient not in this facility during this year's influenza vaccination season 2. Received outside of this facility 3. Not eligible - medical contraindication 4. Offered and declined 5. Not offered 6. Inability to obtain influenza vaccine due to a declared shortage. 9. None of the above

Item Z0400A. Signature of Persons Completing the Assessment*

I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that patients receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information.

Signature	Title	Date Information is Provided	Time
A.			
В.			
C.			
D.			
E.			
F.			
G.			
H.			
I.			
J.			
К.			
L.			