

## Drug Facts

### Active ingredient (in each XX)

Naloxone hydrochloride X mg.....Emergency treatment of opioid overdose

### Purpose

### Uses

- To “revive” someone during an overdose from many **prescription pain medications** or **street drugs such as heroin**
- this medicine can save a life

### Directions

#### 1 CHECK



#### Step 1: CHECK if you suspect an overdose:

- **CHECK** for a suspected overdose: the person will not wake up or is very sleepy or not breathing well
  - yell “Wake up!”
  - shake the person gently
  - if the person is not awake, go to Step 2

#### 2 GIVE



#### Step 2: GIVE 1<sup>st</sup> dose

- **GIVE** the 1<sup>st</sup> dose of this medicine
- insert in NOSE and press

#### 3 CALL



#### Step 3: CALL

- **CALL 911** immediately after giving the 1<sup>st</sup> dose

#### 4 WATCH/GIVE



#### Step 4: WATCH & GIVE

- **WAIT** 2-3 minutes after the 1<sup>st</sup> dose to give the medicine time to work
- if the person wakes up: Go to Step 5
- if the person does not wake up:
  - **CONTINUE TO GIVE** doses every 2-3 minutes until the person wakes up
  - it is safe to keep giving doses

#### 5 STAY



#### Step 5: STAY

- **STAY** until ambulance arrives: even if the person wakes up
- **GIVE** another dose if the person becomes very sleepy again
- You may need to give all the doses in the pack

### Warnings

**When using this product** some people may experience symptoms when they wake up, such as shaking, sweating, nausea, or feeling angry. This is to be expected.

**Other information** • store at room temperature • [advise insert tamper evident statement here]

### Inactive Ingredients

### Questions?

(phone number, website)