

Medicare Current Beneficiary Survey

Section Specifications for BQM

Round 69

BACKGROUND QUESTIONNAIRE MISSING DATA

Created on 5/9/2014 6:07:32 PM

BOX BQMBEG

BOX INSTRUCTIONS

GO TO BQMISS1 - BQMISSNG.

BQMISS1

Code 1

QUESTION TEXT

THE FOLLOWING ITEMS ARE MISSING FROM BQ. CONFIRM THAT RESPONDENT CAN ANSWER AT LEAST ONE OF THESE ITEMS.

PRESS "1" TO CONTINUE.

FIELD 1: BQMISSNG**FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX BQM1

OTHER PROGRAMMING INSTRUCTIONS**REPORT DISPLAY**

Report display instructions:

If BQ11A - BQRACE = DK or RF and BQM1A - BQMRACE = DK, EMPTY, or NULL, then display "WHAT IS (SP's) RACE?".

If BQ13 - BMRJAN = DK or RF and BQM2A - BQMMARTL = DK, EMPTY, or NULL, then display "WHAT IS (SP's) MARITAL STATUS?".

Report display:

(WHAT IS (SP's) RACE?)

(WHAT IS (SP's) MARITAL STATUS?)

BOX BQM1

BOX INSTRUCTIONS

IF (BQ11A - BQRACE = DK OR RF) AND (BQM1A - BQMRACE = DK, EMPTY OR NULL), GO TO BQM1A - BQMRACE.

ELSE, GO TO BOX BQM2.

BQM1A

Code All

QUESTION TEXT

SHOW CARD BQ1A

Please look at this card and tell me what (is/was) (SP's) race.

SELECT ALL THAT APPLY, OR ENTER "95" R NEVER WILL KNOW.
SEPARATE RESPONSES BY USING THE SPACEBAR.**FIELD 1: BQMRACE****FIELD 1 ROUTING**

Value	Label	Route
1	AMERICAN INDIAN OR ALASKA NATIVE	BOX BQM1A
2	ASIAN	BOX BQM1A
3	BLACK OR AFRICAN AMERICAN	BOX BQM1A
4	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	BOX BQM1A
5	WHITE	BOX BQM1A
91	ANOTHER RACE	BQM1A - BQMRACOS
95	R NEVER WILL KNOW	BOX BQM2
	Don't Know	BOX BQM2
	Refused	BOX BQM2

FIELD 2: BQMRACOS

ANOTHER RACE (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX BQM1A

BOX BQM1A

BOX INSTRUCTIONS

IF BQM1A-BQMRACE INCLUDES 2/Asian, GO TO BQM1AB - BMRACASD.

ELSE GO TO BOX BQM1B.

BQM1AB

Code All

QUESTION TEXT

SHOW CARD BQ1B.

Looking at this card, (is/was) (SP) Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese or some other Asian group?

You can choose more than one group.

CHECK ALL THAT APPLY.

FIELD 1: BMRACASD**FIELD 1 ROUTING**

Value	Label	Route
1	ASIAN INDIAN	BOX BQM1B
2	CHINESE	BOX BQM1B
3	FILIPINO	BOX BQM1B
4	JAPANESE	BOX BQM1B
5	KOREAN	BOX BQM1B
6	VIETNAMESE	BOX BQM1B
91	OTHER ASIAN GROUP	BQM1AB - BMRACAOS
	Don't Know	BOX BQM1B
	Refused	BOX BQM1B

FIELD 2: BMRACAOS

OTHER ASIAN GROUP (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX BQM1B

BOX BQM1B

BOX INSTRUCTIONS

IF BQM1A-BQMRACE INCLUDES 4/NativeHawaiianOrOtherPacificIslander, GO TO BQM1AC - BMRACPID.

ELSE GO TO BOX BQM2.

BQM1AC

Code All

QUESTION TEXT

SHOW CARD BQ1C.

Looking at this card, (is/was) (SP) Native Hawaiian, Guamanian or Chamorro, Samoan, or some other Pacific Islander group?

You can choose more than one group.

CHECK ALL THAT APPLY.

FIELD 1: BMRACPID**FIELD 1 ROUTING**

Value	Label	Route
1	NATIVE HAWAIIAN	BOX BQM2
2	GUAMANIAN OR CHAMORRO	BOX BQM2
3	SAMOAN	BOX BQM2
91	OTHER PACIFIC ISLANDER GROUP	BQM1AC - BMRACPOS
	Don't Know	BOX BQM2
	Refused	BOX BQM2

FIELD 2: BMRACPOS

OTHER PACIFIC ISLANDER GROUP (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX BQM2

BOX BQM2

BOX INSTRUCTIONS

IF (BQ13 - BMRJAN = DK OR RF) AND (BQM2A - BQMMARTL = DK, EMPTY OR NULL, GO TO BQM2A - BQMMARTL.

ELSE GO TO BOX BQMEND.

BQM2A

Code 1

QUESTION TEXT

(Is/was) (SP) married, widowed, divorced, separated, or never married?

IF R NEVER WILL KNOW, ENTER "95".

FIELD 1: BQMMARTL**FIELD 1 ROUTING**

Value	Label	Route
1	MARRIED	BQMEND - BQMSSEND
2	WIDOWED	BQMEND - BQMSSEND
3	DIVORCED	BQMEND - BQMSSEND
4	SEPARATED	BQMEND - BQMSSEND
5	NEVER MARRIED	BQMEND - BQMSSEND
95	R NEVER WILL KNOW	BQMEND - BQMSSEND
	Don't Know	BQMEND - BQMSSEND
	Refused	BQMEND - BQMSSEND

BQMEND

Code 1

QUESTION TEXT

YOU HAVE REACHED THE END OF THE SECTION FOR BACKGROUND QUESTIONNAIRE MISSING DATA.

PRESS "1" TO RETURN TO FACILITY NAVIGATION SCREEN.

FIELD 1: BQMSSEND**FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX BQMEND

BOX BQMEND

BOX INSTRUCTIONS

GO TO NAVIGATOR

OTHER PROGRAMMING INSTRUCTIONS

<u>VARIABLE NAME</u>	<u>ASSIGNMENT INSTRUCTIONS</u>
<u>BQMDDISP</u>	<u>IF BQM1A - BQMRACE <> DK AND BQM2A - BQMMARTL <> DK, THEN BQMDDISP = 96/COMPLETE.</u> <u>ELSE BQMDDISP = 3/STARTEDNOTCOMPLETE.</u>

DESIGN NOTES

Any DK responses to the following variables should be set to EMPTY upon return to the Navigator:

BQM1A - BQMRACE

BQM2A - BQMMARTL