

# **Medicare Current Beneficiary Survey**

Section Specifications for FQM

Round 69

FACILITY QUESTIONNAIRE MISSING DATA

Created on 5/9/2014 6:10:39 PM

# BOX FQMBEG

## BOX INSTRUCTIONS

GO TO FQMISS1 - FQMISSNG.

# FQMISS1

Code 1

**QUESTION TEXT**

THE FOLLOWING ITEMS ARE MISSING FROM FQ. CONFIRM THAT THE RESPONDENT CAN ANSWER AT LEAST ONE QUESTION.

PRESS "1" TO CONTINUE.

**FIELD 1: FQMISSNG****FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX FQM1

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Report Display instructions:

If FQ1A - PLACNAME = DK or RF and FQM1A - MSFNAME = DK, EMPTY or NULL, then display "IS FACILITY'S NAME CORRECT?".

If FQ2 - FADDROK = DK or RF and FQM2A - MSFADDR = DK, EMPTY, or NULL, then display "IS FACILITY'S ADDRESS CORRECT?".

If FQ4 - MADDROK = RF and FQM2C - MSMADDR = DK, EMPTY or NULL, then display "IS FACILITY'S MAILING ADDRESS CORRECT?".

If FQ3 - FADMNOK = DK or RF and FQM3A - MSFADMN = DK, EMPTY or NULL, then display "IS FACILITY'S ADMINISTRATOR CORRECT?".

If FQ5 - FPHONOK = DK or RF and FQM4A - MSFPHON = DK, EMPTY or NULL, then display "IS FACILITY'S PHONE NUMBER CORRECT?".

If FA1 - PLACTYP1 = RF and FQM5A - MSPLACTY = DK, EMPTY or NULL, then display "WHAT IS THE TYPE OF PLACE FOR (FACILITY)?".

If FA12 - BEDSNUM = DK or RF and FQM6A - MSBEDSNU = DK, EMPTY or NULL, then display "WHAT IS THE NUMBER OF BEDS IN (FACILITY)?".

If FA13 - CAIDCRT1 = DK or RF and FQM7A - MSCAIDC1 = DK, EMPTY or NULL, then display "IS THERE MEDICAID CERTIFICATION FOR (FACILITY)?".

If FA14 - CARECRT1 = DK or RF and FQM8A - MSCAREC1 = DK, EMPTY or NULL, then display "IS THERE MEDICARE CERTIFICATION FOR (FACILITY)?".

If FA15 - CAIDICF = DK or RF and FQM9A - MSCAIDIC = DK, EMPTY or NULL, then display "IS THERE MEDICAID-ICF/MR CERTIFICATION FOR (FACILITY)?".

If FA16 - HDEPTLIC = DK or RF and (FA13 - CAIDCRT1, FA14 - CARECRT1, FA15 - CAIDICF, FQM7A - MSCAIDC1, FQM8 - MSCAREC1, and FQM9A MSCAIDIC <> 1/Yes), and FQM10A - MSHDEPTL = DK, EMPTY or NULL, then display "IS THERE STATE DEPARTMENT LICENSING FOR (FACILITY)?".

If FA18 - HDEPTPCH = DK or RF and FQM11A - MSHDEPTP = DK, EMPTY or NULL, then display "IS THERE NON-NURSING LICENSING FOR (FACILITY)?".

Report Display:

(IS FACILITY'S NAME CORRECT?)

(IS FACILITY'S ADDRESS CORRECT?)

(IS FACILITY'S MAILING ADDRESS CORRECT?)

(IS FACILITY'S ADMINISTRATOR CORRECT?)

(IS FACILITY'S PHONE NUMBER CORRECT?)

[WHAT IS THE TYPE OF PLACE FOR (FACILITY)?]

[WHAT IS THE NUMBER OF BEDS IN (FACILITY)?]

[IS THERE MEDICAID CERTIFICATION FOR (FACILITY)?]

[IS THERE MEDICARE CERTIFICATION FOR (FACILITY)?]

[IS THERE MEDICAID-ICF/MR CERTIFICATION FOR (FACILITY)?]

[IS THERE STATE DEPARTMENT LICENSING FOR (FACILITY)?]

[IS THERE NON-NURSING LICENSING FOR (FACILITY)?]

# BOX FQM1

## BOX INSTRUCTIONS

IF (FQ1A - PLACNAME = DK OR RF) AND (FQM1A - MSFNAME = DK, EMPTY, OR NULL),  
GO TO FQM1A - MSFNAME.

ELSE GO TO BOX FQM2.

# FQM1A

Yes/No

**QUESTION TEXT**

I need to verify that our information about you is correct.

Is (FACILITY) the exact name of this (facility/home)?

**FIELD 1: MSFNAME****FIELD 1 ROUTING**

Value	Label	Route
0	NO	FQM1B - ADDRNAME
1	YES	BOX FQM2
	Don't Know	BOX FQM2
	Refused	BOX FQM2

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
PLACNAME	If FQM1A - MSFNAME = 1/Yes or RF, then PLAC.PLACNAME = PreloadPLAC.PLACNAME
PLACNAME	If FQM1A - MSFNAME = 1/Yes or RF, then FQ.PLACNAME = PreloadPLAC.PLACNAME

# FQM1B

Text

**QUESTION TEXT**

What is the exact name of the place where (SP) was physically located on (REFERENCE DATE)?

**FIELD 1: ADDRNAME****FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX FQM2

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
PLACNAME	PLAC.PLACNAME = FQM1B - ADDRNAME
PLACNAME	FQ.PLACNAME = FQM1B - ADDRNAME

**DESIGN NOTES**

Use the updated FACILITY name for "(FACILITY)". Fill in all questions that follow.

# BOX FQM2

## BOX INSTRUCTIONS

IF (FQ2 - FADDROK = DK OR RF) AND (FQM2A - MSFADDR = DK, EMPTY, OR NULL), GO TO FQM2A - MSFADDR.

ELSE GO TO BOX FQM2A1.



# FQM2A

Yes/No

**QUESTION TEXT**

Is [READ ADDRESS LISTED BELOW] the correct address of the place where (SP) was physically located on (REFERENCE DATE)?

**FIELD 1: MSFADDR****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	FQM2B - ADDRESS
1	YES	BOX FQM2A1
	Don't Know	BOX FQM2A1
	Refused	BOX FQM2A1

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Report Display Instructions:

PRELOAD ADDRESS = PreloadPLAC.ADDRESS

PRELOAD CITY = PreloadPLAC.ADDRCITY

PRELOAD STATE = PreloadPLAC.ADDRSTAT

PRELOAD ZIP = PreloadPLAC.ADDRZIP

Report Header:

PREVIOUSLY REPORTED ADDRESS:

Report Display:

(PRELOAD ADDRESS)

(PRELOAD CITY) (PRELOAD STATE) (PRELOAD ZIP)

**BACKGROUND VARIABLE ASSIGNMENTS**

<b>Variable Name</b>	<b>Assignment Instructions</b>
ADDRESS	If FQM2A - MSFADDR = 1/Yes or RF then FQ.ADDRESS = PreloadPLAC.ADDRESS
ADDRCITY	If FQM2A - MSFADDR = 1/Yes or RF then FQ.ADDRCITY = PreloadPLAC.ADDRCITY
ADDRSTAT	If FQM2A - MSFADDR = 1/Yes or RF then FQ.ADDRSTAT = PreloadPLAC.ADDRSTAT
ADDRZIP	If FQM2A - MSFADDR = 1/Yes or RF then FQ.ADDRZIP = PreloadPLAC.ADDRZIP
ADDRESS	If FQM2A - MSFADDR = 1/Yes or RF then PLAC.ADDRESS = PreloadPLAC.ADDRESS
ADDRCITY	If FQM2A - MSFADDR = 1/Yes or RF then PLAC.ADDRCITY = PreloadPLAC.ADDRCITY
ADDRSTAT	If FQM2A - MSFADDR = 1/Yes or RF then PLAC.ADDRSTAT = PreloadPLAC.ADDRSTAT
ADDRZIP	If FQM2A - MSFADDR = 1/Yes or RF then PLAC.ADDRZIP = PreloadPLAC.ADDRZIP

# FQM2B

Address

## QUESTION TEXT

What is the correct address of the place where (SP) was physically located on (REFERENCE DATE)?

## FIELD 1: ADDRESS

ADDRESS

## FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2B - ADDR CITY

## FIELD 2: ADDR CITY

CITY

## FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2B - ADDR STAT

## FIELD 3: ADDR STAT

STATE

## FIELD 3 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2B - ADDR ZIP

**FIELD 4: ADDRZIP**

ZIP

**FIELD 4 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX FQM2A1

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Report Display Instructions:

PRELOAD ADDRESS = PreloadPLAC.ADDRESS

PRELOAD CITY = PreloadPLAC.ADDRCITY

PRELOAD STATE = PreloadPLAC.ADDRSTAT

PRELOAD ZIP = PreloadPLAC.ADDRZIP

Report Header:

PREVIOUSLY REPORTED ADDRESS:

Report Display:

(PRELOAD ADDRESS)

(PRELOAD CITY) (PRELOAD STATE) (PRELOAD ZIP)

**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
ADDRESS	PLAC.ADDRESS = FQM2B - ADDRESS
ADDRRCITY	PLAC.ADDRCITY = FQM2B - ADDRRCITY
ADDRSTAT	PLAC.ADDRSTAT = FQM2B - ADDRSTAT
ADDRZIP	PLAC.ADDRZIP = FQM2B - ADDRZIP

**DESIGN NOTES**

Use the updated FQM2B - ADDRSTAT state for "(PREFERRED NAME(S) FOR MEDICAID)".

# BOX FQM2A1

## BOX INSTRUCTIONS

IF (FQ4 - MADDROK = RF) AND (FQM2C - MSMADDR = EMPTY, OR NULL), GO TO FQM2C - MSMADDR.

ELSE GO TO BOX FQM3.

# FQM2C

Yes/No

**QUESTION TEXT**

Is [READ ADDRESS LISTED BELOW] the correct address for your office?

**FIELD 1: MSMADDR****FIELD 1 ROUTING**

Value	Label	Route
0	NO	FQM2D - MAILADDR
1	YES	BOX FQM3
	Refused	BOX FQM3

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Report Display Instructions:

PRELOAD MAILING ADDRESS = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILADDR. Else display PLAC.ADDRESS.

PRELOAD MAILING CITY = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILED CITY. Else display PLAC.ADDRCITY.

PRELOAD MAILING STATE = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILSTAT. Else display PLAC.ADDRSTAT.

PRELOAD MAILING ZIP = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILZIP. Else display PLAC.ADDRZIP.

Report Header:

PREVIOUSLY REPORTED MAILING ADDRESS:

Report Display:

(PRELOAD MAILING ADDRESS)

(PRELOAD MAILING CITY) (PRELOAD MAILING STATE) (PRELOAD MAILING ZIP)

**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
MAILADDR	If FQ4-MADDROK = 1/Yes or RF: If PreloadFQ.MAILADDR <> EMPTY, then FQ.MAILADDR = PreloadFQ.MAILADDR. Else FQ.MAILADDR = FQ.ADDRESS
MAILCITY	If FQ4-MADDROK = 1/Yes or RF: If PreloadFQ.MAILADDR <> EMPTY, then FQ.MAILCITY = PreloadFQ.MAILCITY. Else FQ.MAILCITY = FQ.ADDRCITY
MAILSTAT	If FQ4-MADDROK = 1/Yes or RF: If PreloadFQ.MAILADDR <> EMPTY, then FQ.MAILSTAT = PreloadFQ.MAILSTAT. Else FQ.MAILSTAT = FQ.ADDRSTAT
MAILZIP	If FQ4-MADDROK = 1/Yes or RF: If PreloadFQ.MAILADDR <> EMPTY, then FQ.MAILZIP = PreloadFQ.MAILZIP. Else FQ.MAILZIP = FQ.ADDRZIP

# FQM2D

Text

## QUESTION TEXT

What is the correct address for your office?

## FIELD 1: MAILADDR

ADDRESS

## FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2D - MAILCITY
	Don't Know	FQM2D - MAILCITY
	Refused	FQM2D - MAILCITY

## FIELD 2: MAILCITY

CITY

## FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2D - MAILSTAT
	Don't Know	FQM2D - MAILSTAT
	Refused	FQM2D - MAILSTAT

## FIELD 3: MAILSTAT

STATE



**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	FQM2D - MAILZIP
	Don't Know	FQM2D - MAILZIP
	Refused	FQM2D - MAILZIP

**FIELD 4: MAILZIP**

ZIP

**FIELD 4 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX FQM3
	Don't Know	BOX FQM3
	Refused	BOX FQM3

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Report Display Instructions:

PRELOAD MAILING ADDRESS = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILADDR. Else display PLAC.ADDRESS.

PRELOAD MAILING CITY = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILCITY. Else display PLAC.ADDRCITY.

PRELOAD MAILING STATE = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILSTAT. Else display PLAC.ADDRSTAT.

PRELOAD MAILING ZIP = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILZIP. Else display PLAC.ADDRZIP.

Report Header:

PREVIOUSLY REPORTED MAILING ADDRESS:

Report Display:

(PRELOAD MAILING ADDRESS)

(PRELOAD MAILING CITY) (PRELOAD MAILING STATE) (PRELOAD MAILING ZIP)

# BOX FQM3

## BOX INSTRUCTIONS

IF (FQ3 - FADMNOK = DK OR RF) AND (FQM3A - MSFADMN = DK, EMPTY, OR NULL), GO TO FQM3A - MSFADMN.

ELSE GO TO BOX FQM4.

# FQM3A

Yes/No

**QUESTION TEXT**

[Is (ADMINISTRATOR'S NAME)/Are you] (still) the current administrator of (FACILITY)?

**FIELD 1: MSFADMN****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	FQM3B - FACRNAMM
1	YES	BOX FQM4
	Don't Know	BOX FQM4
	Refused	BOX FQM4

# FQM3B

Text

**QUESTION TEXT**

What is the current administrator's name?

SELECT A RESPONSE BELOW OR ADD TO THE PERSON ROSTER.

**FIELD 1: FACRNAMM****FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX FQM4

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
XFACRADM	PLAC.XFACRADM = FACRNUM added/selected in PLAC where PLACNUM = 001
XFACRADM	FQ.XFACRADM = FACRNUM added/selected

# BOX FQM4

## BOX INSTRUCTIONS

IF (FQ5 - FPHONOK = DK OR RF) AND (FQM4A - MSFPHON = DK, EMPTY, OR NULL), GO TO FQM4A - MSFPHON.

ELSE GO TO BOX FQM5.

**FQM4A**

Yes/No

**QUESTION TEXT**

(VERIFY PHONE NUMBER IS FOR FQ RESPONDENT. DO NOT READ ALOUD.)

Is (FACILITY AREA CODE AND PHONE NUMBER) the correct phone number for (FACILITY)?

**FIELD 1: MSFPHON****FIELD 1 ROUTING**

Value	Label	Route
0	NO	FQM4B - ADDRAREA
1	YES	BOX FQM5
	Don't Know	BOX FQM5
	Refused	BOX FQM5

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
ADDRAREA	If FQM4A - MSFPHON = 1/Yes or RF then PLAC.ADDRAREA = PreloadPLAC.ADDRAREA
ADDREXCH	If FQM4A - MSFPHON = 1/Yes or RF then PLAC.ADDREXCH = PreloadPLAC.ADDREXCH
ADDRLOCL	If FQM4A - MSFPHON = 1/Yes or RF then PLAC.ADDRLOCL = PreloadPLAC.ADDRLOCL
ADDRAREA	If FQM4A - MSFPHON = 1/Yes or RF then FQ.ADDRAREA = PreloadPLAC.ADDRAREA

Variable Name	Assignment Instructions
ADDREXCH	If FQM4A - MSFPHON = 1/Yes or RF then FQ.ADDREXCH = PreloadPLAC.ADDREXCH
ADDRLOCL	If FQM4A - MSFPHON = 1/Yes or RF then FQ.ADDRLOCL = PreloadPLAC.ADDRLOCL



# FQM4B

Numeric

## QUESTION TEXT

What is the phone number?

## FIELD 1: ADDRAREA

AREA CODE

## FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM4B - ADDREXCH
	Don't Know	FQM4B - ADDREXCH
	Refused	FQM4B - ADDREXCH

## FIELD 2: ADDREXCH

EXCHANGE

## FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM4B - ADDRLOCL
	Don't Know	FQM4B - ADDRLOCL
	Refused	FQM4B - ADDRLOCL

## FIELD 3: ADDRLOCL

LOCAL

**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX FQM5
	Don't Know	BOX FQM5
	Refused	BOX FQM5

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

<b>Variable Name</b>	<b>Assignment Instructions</b>
ADDRAREA	If FQM4B - ADDRAREA <> DK, RF then PLAC.ADDRAREA = FQM4B - ADDRAREA. Else PLAC.ADDRAREA = PreloadPLAC.ADDRAREA.
ADDREXCH	If FQM4B - ADDREXCH <> DK, RF then PLAC.ADDREXCH = FQM4B - ADDREXCH. Else PLAC.ADDREXCH = PreloadPLAC.ADDREXCH.
ADDRLOCL	If FQM4B - ADDRLOCL <> DK, RF then PLAC.ADDRLOCL = FQM4B - ADDRLOCL. Else PLAC.ADDRLOCL = PreloadPLAC.ADDRLOCL.
ADDRAREA	If FQM4B - ADDRAREA <> DK, RF then FQ.ADDRAREA = FQM4B - ADDRAREA. Else FQ.ADDRAREA = PreloadPLAC.ADDRAREA.
ADDREXCH	If FQM4B - ADDREXCH <> DK, RF then FQ.ADDREXCH = FQM4B - ADDREXCH. Else FQ.ADDREXCH = PreloadPLAC.ADDREXCH.

Variable Name	Assignment Instructions
ADDRLOCL	If FQM4B - ADDRLOCL <> DK, RF then FQ.ADDRLOCL = FQM4B - ADDRLOCL. Else FQ.ADDRLOCL = PreloadPLAC.ADDRLOCL.

# BOX FQM5

## BOX INSTRUCTIONS

IF (FA1 - PLACTYP1 = RF) AND (FQM5A - MSPLACTY = EMPTY OR NULL), GO TO FQM5A - MSPLACTY.

ELSE GO TO BOX FQM6.

# FQM5A

Code 1

## QUESTION TEXT

SHOW CARD FA2

What type of place is (FACILITY)?

PRESS F1 FOR PLACE DEFINITIONS.

IF RESPONDENT REPORTS CCRC OR RETIREMENT COMMUNITY, PROBE FOR TYPE OF PLACE FOR UNIT WHERE SP RESIDES. DO NOT ENTER "OTHER".

## FIELD 1: MSPLACTY

### FIELD 1 ROUTING

Value	Label	Route
1	FREE STANDING NURSING HOME	BOX FQM6
4	NURSING HOME UNIT WITHIN A CCRC OR RETIREMENT CENTER	BOX FQM6
6	HOSPITAL	DO NOT DISPLAY.
7	HOSPITAL-BASED SNF UNIT	DO NOT DISPLAY
8	ASSISTED LIVING FACILITY	BOX FQM6
9	BOARD AND CARE HOME	BOX FQM6
10	DOMICILIARY CARE HOME	BOX FQM6
11	PERSONAL CARE HOME	BOX FQM6
12	REST HOME/RETIREMENT HOME	BOX FQM6
13	HOME OFFICE OR MANAGEMENT OFFICE FOR A CHAIN OR GROUP OF OFF-SITE NURSING FACILITIES	DO NOT DISPLAY.
15	MENTAL HEALTH CENTER/PSYCHIATRIC SETTING	BOX FQM6

Value	Label	Route
16	INSTITUTION FOR THE MENTALLY RETARDED/DEVELOPMENTALLY DISABLED	BOX FQM6
17	REHABILITATION FACILITY	BOX FQM6
91	OTHER	FQM5A - MSPLTPOS
	Refused	BOX FQM6

**FIELD 2: MSPLTPOS**

OTHER (SPECIFY)

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX FQM6

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
PLACTYPE	If FQM5A - MSPLACTY = 1/FreeStandingNursingHome or 4/NursingHomeUnitCCRC then PLAC.PLACTYPE = 4/NursingHomeorNHUnit. Else PLAC.PLACTYPE = FQM5A - MSPLACTY
PLACTPOS	If FQM5A - MSPLACTY = 91/Other, then PLAC.PLACTPOS = FQM5A-MSPLTPOS. Else PLAC.PLACTPOS = EMPTY.

# BOX FQM6

## BOX INSTRUCTIONS

IF (FA12 - BEDSNUM = DK OR RF) AND (FQM6A - MSBEDSNU = DK, EMPTY, OR NULL),  
GO TO FQM6A - MSBEDSNU.

ELSE GO TO BOX FQM7.

**FQM6A**

Numeric

**QUESTION TEXT**

How many beds does (FACILITY) have?

PRESS F1 FOR EXPANDED DEFINITIONS OF "BEDS".

**FIELD 1: MSBEDSNU**

NO. OF BEDS

**FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX FQM7
	Don't Know	BOX FQM7
	Refused	BOX FQM7



# BOX FQM7

## BOX INSTRUCTIONS

IF (FA13 - CAIDCRT1 = DK OR RF) AND (FQM7A - MSCAIDC1 = DK, EMPTY, OR NULL), GO TO FQM7A - MSCAIDC1.

ELSE GO TO BOX FQM8.

**FQM7A**

Yes/No

**QUESTION TEXT**

Is (FACILITY) certified by [(PREFERRED NAME(S) FOR MEDICAID)/MEDICAID] as a Nursing Facility (NF)?

IF R MENTIONS:

- ICF (INTERMEDIATE CARE FACILITY), NOTE IN COMMENTS AND ENTER 1.
- ICF/MR (INTERMEDIATE CARE FACILITY- MENTAL RETARDATION), NOTE IN COMMENTS AND ENTER 0.

**FIELD 1: MSCAIDC1****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	BOX FQM8
1	YES	BOX FQM8
	Don't Know	BOX FQM8
	Refused	BOX FQM8

# BOX FQM8

## BOX INSTRUCTIONS

IF (FA14 - CARECRT1 = DK OR RF) AND (FQM8A - MSCAREC1 = DK, EMPTY, OR NULL),  
GO TO FQM8A - MSCAREC1.

ELSE GO TO BOX FQM9.

# FQM8A

Yes/No

**QUESTION TEXT**

Is (FACILITY) certified by Medicare as a SNF?

**FIELD 1: MSCAREC1****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	BOX FQM9
1	YES	BOX FQM9
	Don't Know	BOX FQM9
	Refused	BOX FQM9

# BOX FQM9

## BOX INSTRUCTIONS

IF (FA15 - CAIDICF = DK OR RF) AND (FQM9A - MSCAIDIC = DK, EMPTY, OR NULL), GO TO FQM9A - MSCAIDIC.

ELSE GO TO BOX FQM10.

# FQM9A

Yes/No

**QUESTION TEXT**

Does (FACILITY) have any beds certified by [(PREFERRED NAME(S) FOR MEDICAID)/MEDICAID] as ICF-MR (Intermediate Care Facility for the Mentally Retarded) beds?

**FIELD 1: MSCAIDIC****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	BOX FQM10
1	YES	BOX FQM10
	Don't Know	BOX FQM10
	Refused	BOX FQM10

# BOX FQM10

## BOX INSTRUCTIONS

IF (FA16 - HDEPTLIC = DK OR RF) AND (FQM10A - MSHDEPTL = DK, EMPTY, OR NULL)  
AND (FA13 - CAIDCRT1, FA14 - CARECRT1, FA15 - CAIDICF, FQM7A - MSCAIDC1, FQM8A  
- MSCAREC1 AND FQM9A - MSCAIDIC <> 1/Yes) GO TO FQM10A - MSHDEPTL.

ELSE GO TO BOX FQM11.

# FQM10A

Code 1

**QUESTION TEXT**

Is (FACILITY) licensed as a nursing (facility/home) by the (STATE) State Health Department or by some other agency?

**FIELD 1: MSHDEPTL****FIELD 1 ROUTING**

Value	Label	Route
0	NO, NOT LICENSED	BOX FQM11
1	YES, LICENSED BY STATE HEALTH DEPARTMENT	BOX FQM11
2	YES, LICENSED BY SOME OTHER AGENCY	FQM10A - MSHDPLOS
	Don't Know	BOX FQM11
	Refused	BOX FQM11

**FIELD 2: MSHDPLOS**

OTHER AGENCY (SPECIFY)

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX FQM11



# BOX FQM11

## BOX INSTRUCTIONS

IF (FA18 - HDEPTPCH = DK OR RF) AND (FQM11A - MSHDEPTP = DK, EMPTY, OR NULL),  
GO TO FQM11A - MSHDEPTP.

ELSE GO TO BOX FQMCOMP.

# FQM11A

Code 1

## QUESTION TEXT

Does (FACILITY) have any beds licensed as personal care, board and care, assisted living, or domiciliary care beds by the (STATE) State Health Department or by some other state agency?

## FIELD 1: MSHDEPTP

### FIELD 1 ROUTING

Value	Label	Route
0	NO, NOT LICENSED	BOX FQMCOMP
1	YES, LICENSED BY STATE HEALTH DEPARTMENT	BOX FQMCOMP
2	YES, LICENSED BY SOME OTHER AGENCY	FQM11A - MSHDPPOS
	Don't Know	BOX FQMCOMP
	Refused	BOX FQMCOMP

## FIELD 2: MSHDPPOS

OTHER AGENCY (SPECIFY)

### FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX FQMCOMP

# BOX FQMCOMP

## BOX INSTRUCTIONS

GO TO FQMEND - FQMSEND.

# FQMEND

Code 1

**QUESTION TEXT**

YOU HAVE REACHED THE END OF THE SECTION FOR FACILITY LEVEL MISSING DATA.  
PRESS "1" TO RETURN TO FACILITY NAVIGATION SCREEN.

**FIELD 1: FQMSSEND**

**FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX FQMEND

**OTHER PROGRAMMING INSTRUCTIONS**

**BACKGROUND VARIABLE ASSIGNMENTS**

FQMDDISP:

If FQM1A - MSFNAME <> DK and FQM2A - MSFADDR <> DK and FQM2C - MSMADDR <> DK and FQM3A - MSFADMN <> DK and FQM4A - MSFPHON <> DK and FQM6A - MSBEDSNU <> DK and FQM7A - MSCAIDC1 <> DK and FQM8A - MSCAREC1 <> DK, and FQM9A - MSCAIDIC <> DK and FQM10A - MSHDEPTL <> DK and FQM11A - MSHDEPTP <> DK, then FQMDDISP = 5/Complete. Else FQMDDISP = 3/StartedNotComplete.

# BOX FQMEND

## BOX INSTRUCTIONS

GO TO NAVIGATOR

## OTHER PROGRAMMING INSTRUCTIONS

### **DESIGN NOTES**

Any DK responses to the following variables should be set to EMPTY upon return to the Navigator:

FQM1A - MSFNAME

FQM2A - MSFADDR

FQM2C - MSMADDR

FQM3A - MSFADMN

FQM4A - MSFPHON

FQM6A - MSBEDSNU

FQM7A - MSCAIDC1

FQM8A - MSCAREC1

FQM9A - MSCAIDIC

FQM10A - MSHDEPTL

FQM11A - MSHDEPTP