

Medicare Current Beneficiary Survey

Section Specifications for RHM

Round 69

RESIDENCE HISTORY MISSING DATA

Created on 5/9/2014 6:14:03 PM

BOX RHMBEG

BOX INSTRUCTIONS

GO TO RHMISS1 - RHMISSNG.

RHMISS1

Code 1

QUESTION TEXT

THE FOLLOWING ITEMS ARE MISSING FROM RH. CONFIRM THAT RESPONDENT CAN ANSWER AT LEAST ONE OF THESE ITEMS.

PRESS "1" TO CONTINUE.

FIELD 1: RHMISSNG**FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX RHM2

OTHER PROGRAMMING INSTRUCTIONS**REPORT DISPLAY**

Report display instructions:

If RH7 - RHALIVE = DK or RF and RHM2 - RHMALIVE = DK, RF, EMPTY or NULL, then display "IS (SP) ALIVE?".

If (RH8 - RHDODMM = DK or RF or RHDODDD = DK, or RF or RH8 - RHDODYY = DK or RF) and (RHM3 - RHMDODMM = DK, RF, EMPTY or NULL or RHM3 - RHMDODDD = DK, RF, EMPTY or NULL or RHM3 - RHMDODYY = DK, RF, EMPTY or NULL), then display "WHAT IS (SP's) DATE OF DEATH?".

If (any current round stay where STAYEMM = DK or RF or any stay where STAYEDD = DK or RF or any stay where STAYEYY = DK or RF) and (RHM6 - STAYEMM = DK, RF, EMPTY or NULL or RHM6 - STAYEDD = DK, RF, EMPTY or NULL or RHM6 - STAYEYY = DK, RF, EMPTY or NULL and RHM6B - STAYNITE = DK, RF, EMPTY or NULL), then display "WHAT ARE THE DATES FOR PLACE (SP) WAS IN (CURRENT YEAR)?".

Report display:

[IS (SP) ALIVE?]

[WHAT IS (SP's) DATE OF DEATH?]

[WHAT ARE THE DATES FOR PLACE (SP) WAS IN (CURRENT YEAR)?]

BOX RHM2

BOX INSTRUCTIONS

If (RH7 - RHALIVE = DK OR RF) AND (RHM2 - RHMALIVE = DK, RF, EMPTY OR NULL), GO TO RHM2 - RHMALIVE.

ELSE GO TO BOX RHM3.

RHM2

Code 1

QUESTION TEXT

Is (SP) alive?

ENTER "95" IF RESPONDENT NEVER WILL KNOW.

FIELD 1: RHMALIVE**FIELD 1 ROUTING**

Value	Label	Route
0	NO	RHM3 - RHMDODMM
1	YES	BOX RHM3
95	NEVER WILL KNOW	BOX RHM3
	Don't Know	BOX RHM3
	Refused	BOX RHM3

OTHER PROGRAMMING INSTRUCTIONS**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
RHMDODMM	If RHM2-RHMALIVE = 95/NeverWillKnow, then RHM3-RHMDODMM = 95/NeverWillKnow
RHMDODDD	If RHM2-RHMALIVE = 95/NeverWillKnow, then RHM3-RHMDODDD = 95/NeverWillKnow
RHMDODYY	If RHM2-RHMALIVE = 95/NeverWillKnow, then RHM3-RHMDODYY = 95/NeverWillKnow

BOX RHM3

BOX INSTRUCTIONS

If (RHM2-ALIVE = 0 or RH7-RHALIVE = 0) AND ((RH8 - RHDODMM = DK OR RF OR RH8 - RHDODDD = DK OR RF OR RH8 - RHDODYY = DK OR RF OR RHM2 - RHMALIVE = 0/No) AND (RHM3 - RHMDODMM = DK, RF, EMPTY OR NULL OR RHM3 - RHMDODDD = DK, RF, EMPTY OR NULL OR RHM3 - RHMDODYY = DK, RF, EMPTY OR NULL)), GO TO RHM3 - RHMDODMM.

ELSE GO TO BOX RHM6A.

RHM3

Date

QUESTION TEXT

On what date did (SP) die?

ENTER "95" IN MONTH , DAY, AND YEAR IF RESPONDENT NEVER WILL KNOW DATE.

FIELD 1: RHMDODMM

MONTH

[IF RESPONDENT ANSWERS "DK", PROBE: "Do you know what month (SP) died?"]

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	RHM3 - RHMDODDD
	Don't Know	RHM3 - RHMDODDD
	Refused	RHM3 - RHMDODDD

FIELD 2: RHMDODDD

DAY

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	RHM3 - RHMDODY Y
	Don't Know	RHM3 - RHMDODY Y
	Refused	RHM3 - RHMDODY Y

FIELD 3: RHMDODY Y

YEAR

FIELD 3 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX RHM6A
	Don't Know	BOX RHM6A
	Refused	BOX RHM6A

BOX RHM6A

BOX INSTRUCTIONS

IF THERE IS A CURRENT ROUND STAY WITH A MISSING END DATE AND (RHM6B - STAYNITE = DK, RF, EMPTY OR NULL), GO TO RHM6 - STAYEMM.

ELSE GO TO RHMEND - RHMENDC.

OTHER PROGRAMMING INSTRUCTIONS

BACKGROUND VARIABLE ASSIGNMENTS

If there is a current round STAY with a missing end date, generate a MD STAY ARRAY for this case to collect the missing end date(s).

RHM6

Date

QUESTION TEXT

When did (SP) leave (CURRENT PLACE)?

FIELD 1: STAYEMM

MONTH

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	RHM6 - STAYEDD
	Don't Know	RHM6 - STAYEDD
	Refused	RHM6 - STAYEDD

FIELD 2: STAYEDD

DAY

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	RHM6 - STAYEYY
	Don't Know	RHM6 - STAYEYY
	Refused	RHM6 - STAYEYY

FIELD 3: STAYEYY

YEAR

FIELD 3 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX RHM6B
	Don't Know	BOX RHM6B
	Refused	BOX RHM6B

OTHER PROGRAMMING INSTRUCTIONS**REPORT DISPLAY**

Display report above question text.

Display all stays with MDSTAY.XSTPLAC <> 000 that were reported for this SP in chronological order by start date of the stay.

Report header: STAY TIMELINE

Report layout:

Column 1, header="Place Name", display PLAC.PLACNAME of PLAC where PLAC.PLACNUM = MDSTAY.XSTPLAC.

Column 2, header="Start Date", display MDSTAY.STAYSMM+MDSTAY.STAYSDD+MDSTAY.STAYSYY in month, day year format.

Column 3, header="End Date", display MDSTAY.STAYEMM+MDSTAY.STAYEDD+MDSTAY.STAYEYY in month, day year format.

Column 4, header="Stay Type", display MDSTAY.STAYCLAS.

BOX RHM6B

BOX INSTRUCTIONS

IF ANY PART OF RHM6 DATE = DK OR RF AND RHM6B - STAYNITE = DK, RF, EMPTY OR NULL, GO TO RHM6B - STAYNITE.

ELSE GO TO RHMSTCNT - STAYCNTC.

RHM6B

Numeric

QUESTION TEXT

About how many nights did (he/she) spend there?

ENTER "995" IF RESPONDENT NEVER WILL KNOW.

FIELD 1: STAYNITE

OF NIGHTS

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	RHMSTCNT - STAYCNTC
	Don't Know	RHMSTCNT - STAYCNTC
	Refused	RHMSTCNT - STAYCNTC

OTHER PROGRAMMING INSTRUCTIONS**BACKGROUND VARIABLE ASSIGNMENTS**

MINEND:

If RHM6B-STAYNITE <> DK,RF & STAYEMM <> DK, RF & STAYEYY <> DK,RF.

If STAYEDD <> DK,RF then MINEND = STAYEYY + STAYEMM + STAYEDD.

Else if STAYEMM <> RHM6BSTARTMM then MINEND = STAYEYY + STAYEMM + '01'.

Else if STAYEMM = RHM6BSTARTMM and day from MINSTART = last day of the month for RHM6BSTARTMM then MINEND = STAYEYY + STAYEMM + last day of the month for STAYEMM.

Else MINEND = MINSTART + 1 day.

MAXEND:

If RHM6B-STAYNITE <> DK,RF & STAYEMM <> DK, RF & STAYEYY <> DK,RF.

If STAYEDD <> DK,RF then MAXEND = STAYEYY + STAYEMM + STAYEDD.

Else if RHM6BSTARTYY = RH8-RHDODYY and RHM6BSTARTMM = RH8-RHDODMM, then MAXSTART = PERS.DOD.

Else If RHM6BSTARTYY = current year and RHM6BSTARTMM = RH8-RHDODMM, then MAXSTART = RHREFEND.

Else MAXEND = STAYEYY + STAYEMM + last day of the month for STAYEMM.

Variable Name	Assignment Instructions
MAXALLOW	If RHM6B-STAYNITE <> DK,RF and MAXSTART <> EMPTY and MAXEND <> EMPTY then MAXALLOW = MAXEND – MAXSTART
MINALLOW	If RHM6B-STAYNITE <> DK, RF and MINSTART <> EMPTY and MINEND <> EMPTY then MINALLOW = MINEND - MINSTART.
STAYEYY	If RHM6B-STAYNITE <> DK, RF, then STAYEYY = Year portion of date calculated as RHSTARTDATE + RHM6B-STAYNITE days.
STAYEMM	If RHM6B-STAYNITE <> DK, RF, then STAYEMM = Month portion of date calculated as RHSTARTDATE + RHM6B-STAYNITE days.
STAYEDD	If RHM6B-STAYNITE <> DK, RF, then STAYEDD = Day portion of date calculated as RHSTARTDATE + RHM6B-STAYNITE days.
RHM6BSTARTMM	If STAYRNDC = current round, then RHM6BSTARTMM = STAYSMM. Else RHM6BSTARTMM = month portion of RHREFBEG.
RHM6BSTARTDD	If STAYRNDC = current round, then RHM6BSTARTDD = STAYSDD. Else RHM6BSTARTDD = day portion of RHREFBEG.
RHM6BSTARTYY	If STAYRNDC = current round, then RHM6BSTARTYY = STAYSYY. Else RHM6BSTARTYY = year portion of RHREFBEG.

Variable Name	Assignment Instructions
MINSTART	If RHM6B-STAYNITE <> DK,RF and RHM6B-STARTMM <> DK,RF & RHM6BSTARTYY <> DK,RF: If RHM6BSTARTDD <> DK,RF then MINSTART = RHM6BSTARTYY + RHM6BSTARTMM + RHM6BSTARTDD. Else MINSTART = RHM6BSTARTYY + RHM6BSTARTMM + last day of the month for RHM6BSTARTMM.
MAXSTART	If RHM6B-STAYNITE <> DK, RF and RHM6BSTARTMM <> DK, RF and RHM6BSTARTYY <> DK,RF: If RHM6BSTARTDD <> DK, RF then MAXSTART = RHM6BSTARTYY + RHM6BSTARTMM + RHM6B- STARTDD. Else MAXSTART = RHM6BSTARTYY + RHM6BSTARTMM + '01'.
RHM6BSTARTDATE	RHM6BSTARTDATE = RHM6BSTARTYY + RHM6BSTARTMM + RHM6BSTARTDD.

RHMSTCNT

Code 1

QUESTION TEXT

PRESS "1" TO CONTINUE.

FIELD 1: STAYCNTC**FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX RHM7

BOX RHM7

BOX INSTRUCTIONS

IF THERE IS ANOTHER CURRENT ROUND STAY WITH A MISSING END DATE, GO TO RHM6 - STAYEMM.

ELSE GO RHMEND - RHMENDC.

Variable Name	Assignment Instructions
STAYSMM	STAYSMM of STAY with STAYORD = current STAY (STAYORD + 1) = STAYEMM of current STAY.
STAYSDD	STAYSDD of STAY with STAYORD = current STAY (STAYORD + 1) = STAYEDD of current STAY.
STAYSYY	STAYSYY of STAY with STAYORD = current STAY (STAYORD + 1) = STAYEYY of current STAY

RHMEND

Code 1

QUESTION TEXT

YOU HAVE COMPLETED THE MISSING RESIDENCE HISTORY ITEMS FOR THIS SP.

THANK RESPONDENT AND PRESS "1" TO RETURN TO THE NAVIGATION SCREEN.

FIELD 1: RHMENDC**FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX RHMEND

OTHER PROGRAMMING INSTRUCTIONS**BACKGROUND VARIABLE ASSIGNMENTS**

RHMDDISP:

If (RH7 - RHALIVE = DK or RF AND RHM2 - RHMALIVE = DK, RF, EMPTY, or NULL) or ((RH8 - RHDODMM = DK or RF or RH8 - RHDODDD = DK or RF or RH8 - RHDODYY = DK or RF) and (RHM3 - RHMDOODMM = DK, RF, EMPTY or NULL or RHM3 - RHMDOODDD = DK, RF, EMPTY or NULL or RHM3 - RHMDOODYY = DK, RF, EMPTY or NULL)) or (There is a MD STAY ARRAY and any current round STAY.STAYEMM, STAYEDD, STAYEYY = DK, RF and RHM6B - STAYNITE = DK, RF, EMPTY or NULL) then RHMDDISP = 94/MissingData.
Else RHMDDISP = 96/Complete.

BOX RHMEND

BOX INSTRUCTIONS

GO TO NAVIGATOR

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

Any DK or RF responses to the following variables should be set to EMPTY upon return to the Navigator:

RHM2 - RHMALIVE

RHM3 - RHMDODMM

RHM3 - RHMDODDD

RHM3 - RHMDODYY

RHM6B - STAYNITE where STAYACCS = current round