

Urinary Tract Infection (UTI) for LTCF

Page 1 of 4

*required for saving

*Facility ID:		Event #:	
*Resident ID:		*Social Security #:	
Medicare number (or comparable railroad insurance number):			
Resident Name, Last:		First:	Middle:
*Gender: M F Other		*Date of Birth: / /	
Ethnicity (specify):		Race (specify):	
*Resident type: ☐ Short-stay ☐ Long-stay			
*Date of First Admission to Facility: / /		*Date of Current Admission to Facility: / /	
*Event Type: UTI		*Date of Event: / /	
*Resident Care Location:			
*Primary Resident Service Type: (check one)			
☐ Long-term general nursing ☐ Long-term dementia ☐ Long-term psychiatric ☐ Skilled nursing/Short-term rehab (subacute) ☐ Ventilator ☐ Bariatric ☐ Hospice/Palliative			
*Has resident been transferred from an acute care facility to your facility in the past 4 weeks? ☐ Yes ☐ No			
If Yes, <u>date of last transfer</u> from acute care to your facility: / /			
If Yes, did the resident have an indwelling urinary catheter at the time of transfer to your facility? ☐ Yes ☐ No			
*Indwelling Urinary Catheter status at time of event onset (check one):			
☐ In place ☐ Removed within last 2 calendar days ☐ Not in place If indwelling urinary catheter status in place or removed within last 2 calendar days: Site where indwelling urinary catheter inserted (check one): ☐ Your facility ☐ Acute care hospital ☐ Other ☐ Unknown Date of indwelling urinary catheter insertion: / /			
If indwelling urinary catheter not in place, was another urinary device type present at the time of event onset? ☐ Yes ☐ No			
If Yes, other device type: ☐ Suprapubic ☐ Condom (males only) ☐ Intermittent straight catheter			
Event Details			
*Specify Criteria Used: (check all that apply)		Laboratory & Diagnostic Testing	
<u>Signs & Symptoms</u> ☐ Fever: Single temperature $\geq 37.8^{\circ}\text{C}$ ($>100^{\circ}\text{F}$), or $> 37.2^{\circ}\text{C}$ ($>99^{\circ}\text{F}$) on repeated occasions, or an increase of $>1.1^{\circ}\text{C}$ ($>2^{\circ}\text{F}$) over baseline ☐ Rigors ☐ New onset hypotension ☐ New onset confusion/functional decline ☐ Acute pain, swelling, or tenderness of the testes, epididymis, or prostate ☐ Acute dysuria ☐ Purulent drainage at catheter insertion site		☐ Specimen collected from clean catch voided urine and a positive culture with no more than 2 species of microorganisms, at least one of which is a bacterium of $\geq 10^5$ CFU/ml ☐ Specimen collected from in/out straight catheter and a positive culture with any number of microorganisms, at least one of which is a bacterium of $\geq 10^2$ CFU/ml ☐ Specimen collected from indwelling catheter and a positive culture with any number of microorganisms, at least one of which is a bacterium of $\geq 10^5$ CFU/ml ☐ Leukocytosis ($> 14,000$ cells/mm ³), or Left shift ($> 6\%$ or 1,500 bands/mm ³) ☐ Positive blood culture with 1 matching organism in urine culture	
<u>New and/or marked increase in (check all that apply):</u> ☐ Urgency ☐ Costovertebral angle pain or tenderness ☐ Frequency ☐ Suprapubic tenderness ☐ Incontinence ☐ Visible (gross) hematuria			
*Specific Event (Check one):			
☐ Symptomatic UTI (SUTI) ☐ Symptomatic CA-UTI (CA-SUTI) ☐ Asymptomatic Bacteremic UTI (ABUTI)			
Secondary Bloodstream Infection: Yes No		Died within 7 days of date of event: Yes No	
*Transfer to acute care facility within 7 days: Yes No			
*Pathogens identified: Yes No		*If Yes, specify on page 2	
Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). Public reporting burden of this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666). CDC 57.140 (Front) r2 v8.8			

Urinary Tract Infection (UTI) for LTCF

Page 2 of 4

Pathogen #	Gram-positive Organisms							
_____	<i>Staphylococcus</i> coagulase-negative (specify species if available): _____		VANC SIRN					
_____	_____ <i>Enterococcus faecium</i>		DAPTO SNSN	GENTHL ^s SRN	LNZ SIRN	VANC SIRN		
_____	_____ <i>Enterococcus faecalis</i>							
_____	_____ <i>Enterococcus</i> spp. (Only those not identified to the species level)							
_____	<i>Staphylococcus aureus</i>	CIPRO/LEVO/MOXI SIRN	CLIND SIRN	DAPTO SNSN	DOXY/MINO SIRN	ERYTH SIRN	GENT SIRN	LNZ SRN
		OX/CEFOX/METH SIRN	RIF SIRN	TETRA SIRN	TIG SNSN	TMZ SIRN	VANC SIRN	
Pathogen #	Gram-negative Organisms							
_____	<i>Acinetobacter</i> (specify species) _____	AMK SIRN	AMPSUL SIRN	AZT SIRN	CEFEP SIRN	CEFTAZ SIRN	CIPRO/LEVO SIRN	COL/PB SIRN
		GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIP/PIPTAZ SIRN		TETRA/DOXY/MINO SIRN	
		TMZ SIRN	TOBRA SIRN					
_____	<i>Escherichia coli</i>	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP S I/S-DDRN	CEFOT/CEFTRX SIRN
		CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB [†] SRN		
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN	
		TIG SIRN	TMZ SIRN	TOBRA SIRN				
_____	<i>Enterobacter</i> (specify species) _____	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP S I/S-DDRN	CEFOT/CEFTRX SIRN
		CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB [†] SRN		
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN	
		TIG SIRN	TMZ SIRN	TOBRA SIRN				
_____	_____ <i>Klebsiella pneumonia</i>	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP S I/S-DDRN	CEFOT/CEFTRX SIRN
	_____ <i>Klebsiella oxytoca</i>	CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB [†] SRN		
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN	
		TIG SIRN	TMZ SIRN	TOBRA SIRN				

Urinary Tract Infection (UTI) for LTCF

Page 3 of 4

Pathogen #	Gram-negative Organisms (continued)									
_____	<i>Pseudomonas aeruginosa</i>	AMK S I R N	AZT S I R N	CEFEP S I R N	CEFTAZ S I R N	CIPRO/LEVO S I R N	COL/PB S I R N	GENT S I R N		
		IMI S I R N	MERO/DORI S I R N		PIP/PIPTAZ S I R N	TOBRA S I R N				
Pathogen #	Fungal Organisms									
_____	<i>Candida</i> (specify species if available) _____	ANID S I R N	CASPO S N S N	FLUCO S S-DD R N	FLUCY S I R N	ITRA S S-DD R N	MICA S N S N	VORI S S-DD R N		
Pathogen #	Other Organisms									
_____	Organism 1 (specify) _____	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N
_____	Organism 1 (specify) _____	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N
_____	Organism 1 (specify) _____	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N

Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent N = Not tested

§ GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic

† Clinical breakpoints have not been set by FDA or CLSI, Sensitive and Resistant designations should be based upon epidemiological cutoffs of Sensitive MIC ≤ 2 and Resistant MIC ≥ 4

Drug Codes:

AMK = amikacin	CEFTRX = ceftriaxone	FLUCY = flucytosine	OX = oxacillin
AMP = ampicillin	CEFUR= cefuroxime	GENT = gentamicin	PB = polymyxin B
AMPSUL = ampicillin/sulbactam	CETET= cefotetan	GENTHL = gentamicin –high level test	PIP = piperacillin
AMXCLV = amoxicillin/clavulanic acid	CIPRO = ciprofloxacin	IMI = imipenem	PIPTAZ = piperacillin/tazobactam
ANID = anidulafungin	CLIND = clindamycin	ITRA = itraconazole	RIF = rifampin
AZT = aztreonam	COL = colistin	LEVO = levofloxacin	TETRA = tetracycline
CASPO = caspofungin	DAPTO = daptomycin	LNZ = linezolid	TIG = tigecycline
CEFAZ= cefazolin	DORI = doripenem	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole
CEFEP = cefepime	DOXY = doxycycline	METH = methicillin	TOBRA = tobramycin
CEFOT = cefotaxime	ERTA = ertapenem	MICA = micafungin	VANC = vancomycin
CEFOX= cefoxitin	ERYTH = erythromycin	MINO = minocycline	VORI = voriconazole
CEFTAZ = ceftazidime	FLUCO = fluconazole	MOXI = moxifloxacin	



Urinary Tract Infection (UTI) for LTCF

Page 4 of 4

Custom Fields

Label

_____	____/____/____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

Label

_____	____/____/____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

Comments