

Public reporting burden for this collection of information is estimated to be 1 minute per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

Fig 1 DrugAbuse.gov Website Feedback Survey

The screenshot shows the NIH National Institute on Drug Abuse website. The main article is titled "Study Ranks Recovery Assets in Cocaine Addiction" and is dated July 14, 2015. The article text discusses a study on recovery assets for cocaine addiction. A feedback survey is overlaid on the bottom right of the page, asking "Did you find what you were looking for?" with "Yes" and "No" buttons. The website header includes navigation links for Researchers, Medical & Health Professionals, Patients & Families, Parents & Educators, and Children & Teens. The main navigation bar includes links for Drugs of Abuse, Related Topics, Publications, Funding, News & Events, and About NIDA. The article page includes a "Cite this article" section, a "Subscribe to NIDA Notes" section, and a "Other Articles of Interest" section. A social media bar at the bottom includes icons for Facebook, Twitter, Email, and a plus sign for more options.

NIH National Institute on Drug Abuse
The Science of Drug Abuse & Addiction

External link, please review our [disclaimer](#).

Connect with NIDA: [g+](#) [f](#) [in](#) [t](#) [v](#) [p](#) [r](#)

Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction

Study Ranks Recovery Assets in Cocaine Addiction

Print Share

NIDA Notes

July 14, 2015

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.

Other Articles of Interest

NIDA Notes

A Rapid Teen Substance Use Screening Tool for Clinicians

Electronic Questionnaire Quickly Rates Teens' Substance Use

Text Messaging Aftercare

Did you find what you were looking for?

Yes No

Abstinent Users

Fig 1.5

User Selected "No"

The screenshot shows the NIH National Institute on Drug Abuse website. The main article is titled "Study Ranks Recovery Assets in Cocaine Addiction" and is dated July 14, 2015. The article text discusses a can-do attitude and the ability to cope with potential triggers for drug use. A feedback form is visible on the right side of the page, with the text "We welcome your feedback" highlighted in a yellow box. A callout box points to this text, stating: "Clicking here, makes the text 'we welcome your feedback' disappear. Pressing return submits their message with no identifiable information." The website header includes the NIH logo and the text "National Institute on Drug Abuse The Science of Drug Abuse & Addiction". The navigation menu includes "Drugs of Abuse", "Related Topics", "Publications", "Funding", "News & Events", and "About NIDA". The footer contains social media icons for Facebook, Twitter, and Email, along with a plus sign for more options.

En español

Researchers | Medical & Health Professionals | Patients & Families | Parents & Educators | Children & Teens

NIH National Institute on Drug Abuse
The Science of Drug Abuse & Addiction

External link, please review our disclaimer.

Search

Connect with NIDA:

Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction

Study Ranks Recovery Assets in Cocaine Addiction

Print Share

NIDA Notes

July 14, 2015

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.

Abstinent Users

1.0
0.8
0.6

“ Cite this article

Subscribe to NIDA Notes **NIDA Notes**

Email:

Other Articles of Interest

NIDA Notes

A Rapid Teen Substance

What were you looking for?

We welcome your feedback

Text Messaging Aftercare Intervention Cuts Youths' Risk for Relapse

Nora's Blog

Researching Marijuana for

Clicking here, makes the text "we welcome your feedback" disappear. Pressing return submits their message with no identifiable information.

Facebook Twitter Email +

Fig 2

The screenshot displays the NIH National Institute on Drug Abuse website. At the top, there is a navigation bar with links for Researchers, Medical & Health Professionals, Patients & Families, Parents & Educators, and Children & Teens. The NIH logo and the text 'National Institute on Drug Abuse' and 'The Science of Drug Abuse & Addiction' are prominently displayed. A search bar and social media icons for Google+, Facebook, LinkedIn, Twitter, YouTube, and RSS are also visible. Below the navigation bar, a breadcrumb trail reads: Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction. The main article title is 'Study Ranks Recovery Assets in Cocaine Addiction', dated July 14, 2015. The article text discusses a can-do attitude, ability to cope with potential triggers, readiness to change, and participation in self-help programs as major assets for people trying to recover from cocaine addiction. It mentions a NIDA-funded study where these factors increased patients' odds for attaining or maintaining abstinence. The study was conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center. A line graph titled 'Abstinent Users' is partially visible, showing a positive trend. On the right side, there is a 'Cite this article' section, a 'Subscribe to NIDA Notes' form, and a 'Was this article helpful?' poll with 'Yes' and 'No' buttons. The bottom of the page features social media sharing icons for Facebook, Twitter, Email, and a plus sign for more options.

En español

Researchers | Medical & Health Professionals | Patients & Families | Parents & Educators | Children & Teens

NIH National Institute on Drug Abuse
The Science of Drug Abuse & Addiction

External link, please review our disclaimer.

Search

Connect with NIDA:

Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction

Study Ranks Recovery Assets in Cocaine Addiction

Print Share

NIDA Notes

July 14, 2015

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.

Abstinent Users

Was this article helpful?

Yes No

Text Messaging Aftercare Intervention Cuts Youths' Risk for Relapse

Nora's Blog

Researching Marijuana for

Fig 2.5

User Selected "No"

En español

Researchers | Medical & Health Professionals | Patients & Families | Parents & Educators | Children & Teens

NIH National Institute on Drug Abuse
The Science of Drug Abuse & Addiction

External link, please review our [disclaimer](#).

Search

Connect with NIDA: [g+](#) [f](#) [in](#) [t](#) [v](#) [p](#) [r](#)

Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction

Study Ranks Recovery Assets in Cocaine Addiction

Print Share

NIDA Notes

July 14, 2015

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.

Abstinent Users

Why not?
We welcome your feedback

Clicking here, makes the text "we welcome your feedback" disappear. Pressing return submits their message with no identifiable information.

Categories

- Basic Science
- Bulletin Board
- Director's Perspective
- Epidemiology
- Narrative of Discovery
- NIDA @ Work
- Prevention
- Treatment

Tags

- Drug Topics
- Drugs of Abuse
- Population Groups
- Related Topics

Other Articles of Interest

NIDA Notes

A Rapid Teen Substance Use Screening Tool for

Text Messaging Aftercare Intervention Cuts Youths' Risk for Relapse

Nora's Blog

Researching Marijuana for

Subscribe to NIDA Notes

Email:

Facebook Twitter Email Plus

Fig 3

The screenshot shows the NIH National Institute on Drug Abuse website. At the top right, there is a link for "En español". Below the navigation bar, the NIH logo and "National Institute on Drug Abuse" are displayed, along with the tagline "The Science of Drug Abuse & Addiction". A search bar and social media icons are also present. The main content area features the article title "Study Ranks Recovery Assets in Cocaine Addiction" dated July 14, 2015. The article text discusses recovery assets like a can-do attitude and coping skills. A line graph titled "Abetinent Users" is partially visible at the bottom. On the right, there are sections for "Cite this article", "Subscribe to NIDA Notes", and "Other Articles of Interest". A feedback pop-up is also present.

En español

Researchers | Medical & Health Professionals | Patients & Families | Parents & Educators | Children & Teens

NIH National Institute on Drug Abuse
The Science of Drug Abuse & Addiction

External link, please review our disclaimer.

Search

Connect with NIDA:

Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction

Study Ranks Recovery Assets in Cocaine Addiction

Print Share

NIDA Notes

July 14, 2015

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.

Abetinent Users

Categories

- Basic Science
- Bulletin Board
- Director's Perspective
- Epidemiology
- Narrative of Discovery
- NIDA @ Work
- Prevention
- Treatment

Tags

- Drug Topics
- Drugs of Abuse
- Population Groups
- Related Topics

Other Articles of Interest

NIDA Notes

We welcome your feedback!
To help us write better content for others like you, could you tell us your profession?

Select your profession

Text Messaging Aftercare Intervention Cuts Youths' Risk for Relapse

Nora's Blog

Researching Marijuana for

Facebook Twitter Email Plus

Fig 3.5

En español

Researchers | Medical & Health Professionals | Patients & Families | Parents & Educators | Children & Teens

NIH National Institute on Drug Abuse
The Science of Drug Abuse & Addiction

External link, please review our [disclaimer](#).

Search

Connect with NIDA:       

Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction

Study Ranks Recovery Assets in Cocaine Addiction

Print 

NIDA Notes

July 14, 2015

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.



Other Articles of Interest

NIDA Notes

We welcome your feedback!
To help us write better content for others like you, could you tell us your profession?

- Teacher
- Researcher
- High School Student
- College Student
- Graduate Student
- Doctoral Candidate

Researching Marijuana for

   

OMB#: 0925-0648 Exp. date: 03/2018

Public reporting burden for this collection of information is estimated to be 1 minute per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.