

Nationally Notifiable Conditions in NNDSS Application
<i>Anaplasma phagocytophilum</i>
Anthrax
Babesiosis
Botulism
Brucellosis
Campylobacteriosis
Central line associated bloodstream infection
Chancroid
Chlamydia trachomatis infection
Cholera (toxigenic <i>Vibrio cholerae</i> O1 or O139)
Coccidioidomycosis
Cryptosporidiosis
Cyclosporiasis
Diphtheria
<i>Ehrlichia chaffeensis</i>
<i>Ehrlichia ewingii</i>
Ehrlichiosis/Anaplasmosis, undetermined
Free-living amoeba
Giardiasis
Gonorrhea
<i>Haemophilus influenzae</i> , invasive disease
Hansen disease (Leprosy)

Hantavirus pulmonary syndrome
Hemolytic uremic syndrome postdiarrheal
Hepatitis A, acute
Hepatitis B virus infection, chronic
Hepatitis B, acute
Hepatitis B, virus infection perinatal
Hepatitis C
Hepatitis E, acute
Infections by free living amoeba
Influenza-associated pediatric mortality
Legionellosis
Leptospirosis
Listeriosis
Lyme disease
Malaria
Measles (rubeola), total
Melioidosis
Meningococcal disease (Neisseria meningitidis)
Mumps
Novel influenza A virus infections, initial detections of
Pertussis
Plague

Poliomyelitis, paralytic
Poliovirus infection, nonparalytic
Psittacosis (Ornithosis)
Q fever, acute
Q fever, chronic
Rabies, animal
Rabies, human
Rubella
Rubella, congenital syndrome
Salmonellosis
Severe Acute Respiratory Syndrome (SARS)-associated Coronavirus disease (SARS-CoV)
Shiga toxin-producing Escherichia coli (STEC)
Shigellosis
Smallpox
Spotted Fever Rickettsiosis
Streptococcal toxic-shock syndrome
<i>Streptococcus pneumoniae</i> , invasive disease (IPD) (all ages)
Syphilis
Tetanus
Toxic-shock syndrome (staphylococcal)
Trichinellosis
Tularemia

Typhoid fever (caused by <i>Salmonella typhi</i>)
Vancomycin-intermediate <i>Staphylococcus aureus</i> (VISA)
Vancomycin-resistant <i>Staphylococcus aureus</i> (VRSA)
Varicella (Chickenpox)
Vibriosis (non-cholera <i>Vibrio</i> species infections)
Viral hemorrhagic fevers
Hantavirus infection, non-Hantavirus Pulmonary Syndrome
Arboviral diseases