

Supporting Statement – Part B

AGRICULTURAL SURVEYS PROGRAM

OMB No. 0535-0213

B. COLLECTION OF INFORMATION EMPLOYING STATISTICAL METHODS

- 1. Describe (including a numerical estimate) the potential respondent universe and any sampling or other respondent selection method to be used. Data on the number of entities (e.g., establishments, State and local government units, households, or persons) in the universe covered by the collection and in the corresponding sample are to be provided in tabular form for the universe as a whole and for each of the strata in the proposed sample. Indicate expected response rates for the collection as a whole. If the collection has been conducted previously, include the actual response rate achieved during the last collection.**

NASS's List Frame universe consists of approximately two million farms in the United States. The List Frame surveys are drawn from the NASS Sampling Frame which is comprised of all active operations on NASS's List Frame that have positive control data for targeted commodities in program states.

NASS's Area Frame universe consists of all land in the United States except Alaska. Land in each State has been stratified by type of land use. The area within a land use stratum is divided into substrata based on geographic similarities.

The following table represents the sample sizes and response rates for the surveys previously conducted under this approval.

Ag Surveys 2016 - OMB 0535-0213								
Survey	Survey Month	Sample Size	Freq.	Total Contacts	Total Responses	Response Rates	Weighted Item Response Rates	Inter Comple
Area Frame								
Agricultural Tracts 3/	June	38,717	1	38,717	28,182	72.8%	68.4%	N/
Non-agricultural Tracts		51,277	1	51,277	51,277	100.0%	N/A	N/
Area Quality Control		331	1	331	331	100.0%	N/A	N/
Area Questionnaire Testing 1/	NA	NA	NA	NA	NA	NA	N/A	N/
List Frame								
Ag Yield	May	11,550	1	11,550	8,603	74.5%	74.2%	2.0
	Jun	4,444	1	4,444	3,299	74.2%	79.2%	2.3
	Jul	7,213	1	7,213	5,519	76.5%	82.4%	1.3
	Aug	21,878	1	21,878	16,338	74.7%	71.8%	2.4
	Sep	10,294	1	10,294	7,838	76.1%	74.2%	2.3
	Oct	11,562	1	11,562	8,245	71.3%	64.6%	1.5
	Nov	8,834	1	8,834	6,392	72.4%	71.0%	2.2
Cattle Report	Jan	40,737	1	40,737	24,160	59.3%	58.7%	2.6
	Jul	9,570	1	9,570	6,222	65.0%	81.9%	2.5
Cattle on Feed (Jan. Census) (<1,000 head capacity. In IA)	Jan	8,524	1	8,524	1,553	18.2%	N/A	N/
Cattle on Feed (500 per month) (<1,000 head capacity. In IA)	Feb - Dec	500	11	5,500	3,289	59.8%	N/A	N/
Cattle on Feed (1,334 per month) (>1,000 head capacity - US)	All	1,334	12	16,013	11,019	68.8%	83.0%	6.8
Agricultural Survey - Quarterly (Crop Acreage and Grain Stocks)	Mar	78,201	1	78,201	45,894	58.7%	55.9%	2.8
	Jun	68,332	1	68,332	36,437	53.3%	48.5%	2.8
	Sep	57,280	1	57,280	33,965	59.3%	59.1%	2.2
	Dec	78,062	1	78,062	45,622	58.4%	55.0%	2.8
Crop and Livestock Loss Survey 2/	NA	NA	NA	NA	NA	NA	N/A	N/
Hog Report	Mar ('16)	5,997	1	5,997	3,532	58.9%	78.6%	5.0
	Jun ('16)	5,947	1	5,947	3,413	57.4%	80.4%	4.3
	Sep ('16)	5,421	1	5,421	3,208	59.2%	77.5%	4.3
	Dec ('16)	8,460	1	8,460	4,935	58.3%	78.1%	4.6
Agricultural Land Values	Jan	2,157	1	2,157	1,117	51.8%	46.5%	2.8
On Farm Rice Stocks	Aug	598	1	598	304	50.8%	83.3%	0.7
Sheep and Goat Report	Jan	24,350	1	24,350	13,848	56.9%	63.6%	4.3
	Jul 4/	0	1	0	0	-		N/
List Quality Control	Jun	507	1	507	507	100.0%	N/A	N/
List Questionnaire Testing 1/	NA	NA	NA	NA	NA	NA	N/A	N/
Totals				581,756	375,049	64.5%		

1/ The Area and List questionnaire testing was not conducted in 2016. Burden request remains in place for potential need for testing in the future.

2/ The loss survey allows for potential disasters that may warrant a re-contact on some of the surveys to determine impact of a natural disaster(s) (flooding, hail storms, hurricanes, freezes, etc.) or late harvests that could impact current estimates.

NASS recognizes that the following surveys in this docket fall below 80% response rate and below 70% coverage rate.

1. Area Frame Survey Agricultural Tracts
2. Cattle Report
3. Agricultural Surveys – Quarterly (Crop Acreage and Grain Stocks)
4. Agricultural Land Values (Supplemental List Survey)
5. Sheep and Goat Report (January)

The priority for nonresponse bias analysis will focus on the Quarterly Crops

Acreage, Production and Stocks (APS) Surveys. These surveys are the largest and most critical surveys in this docket as it is the primary surveys for collecting crop acreage, end of season production, and on-farm grain stocks. During the crop year, NASS also obtains administrative data from USDA's Farm Service Agency (FSA) and USDA's Risk Management Agency (RMA) as well as remote sensing data to establish the official acreage estimates. A small study was done which was recently accepted for publication in the *Journal of Official Statistics*. It is titled "*The Impact of Targeted Data Collection on Nonresponse Bias in an Establishment Survey: A Simulation Study of Adaptive Survey Design*." It details simulation studies for the Agricultural Surveys using 2012 Census of Agriculture data. The main result was that neither the existing nonresponse nor different patterns of nonresponse had significant impact on nonresponse bias. When final data is available from the 2017 Census of Agriculture in mid-2018, we plan to map data from the Census for the Agricultural Surveys non-respondents and do a more extensive evaluation of nonresponse bias. Due the nature of crop farming where farmers rotate crops each year, it is most appropriate to map data from the same crop year.

2. **Describe the procedures for the collection of information including:**
 - **statistical methodology for stratification and sample selection,**
 - **estimation procedure,**
 - **degree of accuracy needed for the purpose described in the justification,**
 - **unusual problems requiring specialized sampling procedures**

NASS utilizes multiple frame sampling (list and area) on many of the surveys contained in this docket.

The area frame is constructed by first placing all land in the United States (except Alaska) into one of several large land use strata. These land use strata are sub-stratified into Primary Sampling Units (PSUs) and are systematically sampled. Selected PSUs are further stratified into secondary sampling units (SSUs) or segments before a simple random sample is employed.

Segments in predominately cultivated areas are about one-half to two square miles in size while those in residential and urban areas are about one tenth to one-quarter square mile. Segments in open range and woodland areas vary in size from 1 to 100 square miles. Rotation of segments is achieved by replacing one or more complete replications: each year 20 percent of the segments are rotated out and 20 percent are rotated in.

The Agricultural Surveys (quarterly crops) and Agricultural Yield Surveys are sampled from NASS's Sampling Frame, which is comprised of all active operations on NASS's List Frame that have positive control data for targeted

crops in program states. Similarly, the Cattle Report, Hog Report, Sheep and Goats Report, Cattle on Feed Inquiry are sampled from NASS's Sampling Frame from all active operations on NASS's List Frame that have positive control data for Cattle, Hogs, Sheep or Goats and Cattle on Feed, respectively, in program states.

The Cattle Report, Sheep and Goats Report, Cattle on Feed Inquiry and the Agricultural Land Values Surveys utilize a stratified design. The Cattle Report and the Sheep and Goats Report are systematically sampled within strata; the Hog Report and Agricultural Land Values Survey utilize a simple random sample within strata; and Cattle on Feed Inquiry is sampled at 100%.

The Agricultural Surveys (quarterly crops), Cattle Reports, Hogs Reports and Sheep and Goats Reports, also utilize Area Frame samples which are composed of all operations identified by the June Area Survey who do not overlap with a NASS List Frame record. The Area Frame operations that have cattle are sampled at a rate less than 100%, while the operations with hogs, sheep, and goats are sampled at 100%. These area frames and corresponding samples provide a mechanism to measure the incompletes of NASS's List Frame for these commodities.

The Agricultural Surveys (quarterly crops) and the Agricultural Yield Surveys utilizes a Multivariate Probability Proportional to Size (MPPS) sampling design^[1]. The MPPS design takes advantage of the efficiencies of a Probability Proportional to Size (PPS) design, while adding the dimension of utilizing multiple variables from partially overlapping frames in the sample allocation. Sampled replicates are assigned to each of the four survey quarters. The probability of selection for an MPPS design is:

$$\pi_{ij} = \min \left(1, \max \left(n_{j1} \times \frac{x_{ij1}^{0.75}}{\sum_{i=1}^{N_h} x_{ij1}^{0.75}}, \dots, n_{jH} \times \frac{x_{ijH}^{0.75}}{\sum_{i=1}^{N_h} x_{ijH}^{0.75}} \right) \right)$$

Where:

π_{ij} is the maximum probability of selection for farm operator i in state j .

h is the target commodity $h = (1, \dots, H)$.

N_h is the number of farm operators in the sampling frame for target commodity h , and

x_{ijh} is the value of target commodity h for the i th farm operator in state j .

^[1]Bailey, Jeff and Kott, Phillip (1997), "An Application of Multipurpose List Frame Sampling For Multi-Purpose Surveys, Proceedings of the Section on Survey Research Methods, American Statistical Association, pp. 496-500.

The Agricultural Surveys (quarterly crops) provide detailed estimates of crop acreage, yields and production, and quantities of grain and oilseeds stored on farms. These surveys are conducted in all states quarterly. Farm operations are selected from an area frame and a list frame to produce "multiple frame" estimates. Farm and ranch operators from the list frame are selected by size depending on the proportion of the commodities of interest the operation has in comparison with other operators on the list. The area frame sample is added to account for land not covered by the list frame. The sample targets producers of row crops and small grains and farms operations with grain storage capacity.

The Agricultural Yield survey provides farmer reported survey data of expected crop yields used to forecast and estimate crop production levels throughout the growing season. These surveys are conducted in all states except Alaska and Hawaii. Samples of farm operators are selected from the March Agricultural Survey (small grains) and the June Agricultural Survey (late season crops and tobacco). Farmers reporting acreage of at least one commodity of interest are included in the monthly data collection to forecast crop yields.

The Cattle Report provides basic inventory data that describe the nation's cattle herd. The reports provide estimates of the number of breeding animals for beef and milk production as well as the number of heifers being held for breeding herd replacement. Estimates of cattle and calves being raised for meat production are also included. The number of calves born during the previous year is also measured. These surveys are conducted in all states. A sample of cattle producers is selected from the NASS list frame. A sample of area tracts is selected to measure incompleteness of the list. This ensures statistical coverage of all cattle operations in each state.

The Cattle on Feed Inquiry provides estimates of the number of cattle being fed a ration of grain, silage, hay and/or protein supplements for the slaughter market that are expected to produce a carcass that will grade select or better. These surveys are conducted in the 16 largest cattle-feeding states. About 2,000 known cattle feeders with a capacity of 1,000 or more head are enumerated. Feedlots with 1,000 or more head capacity represent about 85 percent of all fed cattle in the U.S. The 16 largest states represent 98 percent of U.S. cattle on feed in lots of 1,000 head or more capacity. Data are used in conjunction with Cattle Inventory data from January and July to obtain a measure of cattle on feed not included in the survey.

A supplemental sample of feedlots is selected in Iowa for operations with less than 1,000 head capacity. A census of these operations is conducted in January. From the positive reports a stratified sample of approximately 500 operations is drawn and contacted in February through December.

The Hog Reports provide detailed inventory of breeding and marketing hogs and the future supply of market hogs on a quarterly basis. Hog owners, including contractors, are the target population. The sampling universe for the hog estimation program is all hog operations with capacity to raise breeding or market hogs. A sample of hog operations from the list frame maintained by NASS is supplemented by a sample of area tracts to ensure complete coverage. All states are included in the December Hog survey while producers in the largest 29 hog producing states are surveyed during the following three quarters. Hog operations who own hogs in more than one state report inventories by state so the hogs and pigs are allocated to the proper state.

The Agricultural Land Values survey is designed to supplement the land value data collected during the June Area Survey. This survey is conducted in ten states.

The On-Farm Rice Stocks survey is conducted in August for six states with on-farm rice stocks. The on-farm rice stocks data for March, June and December are collected in the same six states by the Agricultural Survey (quarterly crops).

NASS's sets coefficient of variation (CV) national and state targets for major probability surveys to ensure the published estimates are precise and accurate. The national Target CVs for targeted commodities range from 1.5 to 6.0 in the Crops APS Quarterly Surveys and range from 1.0 to 8.0 in the livestock surveys. Every year, survey results are analyzed and sample allocations are adjusted to ensure Target CVs are met.

Data Collection, Quality Control, and Estimation Activities

Data for the June Area Survey are obtained by personal contact. Data for refusals must be imputed by visual observation or based on similar type operations where data was collected. The Area Screening form is used to screen for farm operators living inside the segment or having any land inside the segment; the Area Version questionnaire is used to record data for agricultural tract operators. The reporting unit for crop acreage is the number of acres located inside the segment. Acreage within a segment is expanded to the State level using the sampling probability assigned to each segment: this is called the "closed segment" expansion. Estimates of livestock inventories and number of farms use the "weighted farm" approach in which each farm is weighted by the ratio of acres inside the segment to the total acres of the entire farm, both inside and outside the segment.

For the List Frame surveys, NASS begins data collection by mailing out a blank copy of the questionnaire with a cover letter explaining the importance of the survey along with who relies on this information. NASS also sends out

instructions on how the respondent can complete the survey either online or on paper and mail it back in if they choose to. After about a week NASS begins phone follow-up of non-respondents. Mail and telephone non-contacts are followed up with face-to-face enumeration. The entire sample is accounted for. As a rule, large operations and operations requiring special handling (previous survey refusals and inaccessibles, complex operations, etc.) are contacted for a face-to-face interview only. The mix of data collection modes is determined by the Regional Offices according to resources available. Over half of the information is obtained by telephone. Data collection begins on or around the first of the survey month. Reference dates for livestock inventories and grain stocks are the first of the survey month; crop acreage and production are collected for the current crop year.

Quality control for the area agricultural survey consists of two parts: (1) review of two segments during the data collection period by the supervisory enumerator for each field enumerator under his or her supervision and (2) telephone calls made to at least one additional randomly selected tract operator from each enumerator's assignment list. Telephone contacts are made by either a statistician from the Regional Field Office, Data Collection Center, or a supervisory enumerator.

For survey quality control NASS uses telephone interview monitoring and a telephone quality control worksheet. The telephone check is conducted twice a year for each enumerator to ensure the original contact provided reliable data and that the enumerators are collecting the data accurately and in a professional manner. The quality control forms are not conducted on the internet due to the nature of these surveys.

3. **Describe methods to maximize response rates and to deal with issues of non-response. The accuracy and reliability of information collected must be shown to be adequate for intended uses. For collections based on sampling a special justification must be provided for any collection that will not yield "reliable" data that can be generalized to the universe studied.**

All surveys conducted by NASS have very thorough data collection plans and processes. For many of our larger surveys, NASS has a well planned marketing strategy to help publicize the survey in hopes of increasing response. NASS will send informational postcards, provide data fact sheets, or include letters from industry groups that explain the benefits of the survey and illustrate the importance each operation's response is to the overall project.

Nonresponse follow-up is a critical component of our data collection plans. Nonresponse follow-up includes additional mailings of the questionnaire, telephone contacts, and personal visits to the operator. The exact methods

used vary by survey depending on the modes of data collection available for that particular survey. Also, in some surveys, NASS identifies a strata of "extreme operators." This term refers to operations within a state that are considered large enough to be highly influential to the state estimates for the survey they are sampled. NASS will often special handle these respondents and collect data through personal visits or have a data collection plan already coordinated with the operator to help ensure a successful interview. This helps guarantee a sufficient level of coverage of the item of interest.

Even with these efforts to collect and account for as much data as possible, nonresponse still exists and needs further attention when data is analyzed and summarized. NASS utilizes various methods for automated nonresponse adjustments that often include imputation routines and/or weight adjustments. The completed reports that we receive that are in-scope for the item of interest will be used in either approach. Every effort is made to form homogenous groupings of respondents so that similar operations are used to represent other similar operations to ensure the most accurate results as possible.

NASS will be incorporating more publicity materials in future years with each survey. Operators who are selected for each survey will be encouraged to complete the surveys using the internet at their convenience. Hopefully, this will result in an increased response rate and reduced data collection costs.

4. Describe any tests of procedures or methods to be undertaken.

Periodically, NASS conducts cognitive interviews with farm or ranch operators to see if the questionnaires are being interpreted in the manner in which they are intended. In addition, NASS measures the time it takes the respondent to complete the survey as well as any questions they need to access their operations records in order to complete the survey. NASS also checks to see if the terminology and language used in the questionnaires are still relevant with current farming practices. Any significant changes to the questionnaire are tested prior to their implementation.

Quality control for the area agricultural survey consists of two parts: (1) review of two segments during the data collection period by the supervisory enumerator for each enumerator under his or her supervision and (2) telephone calls made to at least one additional randomly selected tract operator from each enumerator's assignment. Telephone contacts are made by either a statistician from the Regional Field Office, Data Collection Center, or a supervisory enumerator.

The telephone quality control worksheet is also used to test methods for the list surveys. The telephone check is conducted twice each year for each enumerator collecting Agricultural Surveys data. The purpose of this is to

ensure the original contact provided reliable data and that the enumerators are collecting the data accurately and in a professional manner.

- 5. Provide the name and telephone number of individuals consulted on statistical aspects of the design and the name of the agency unit, contractor(s), or other person(s) who will actually collect and/or analyze the information for the agency.**

Specifications and survey design were developed by Summary, Estimation, and Disclosure Methodology Branch, Methodology Division; Branch Chief is Jeff Bailey (202)720-4008.

The sampling plan was developed by the Sampling and Frame Development Section of the Sampling, Editing, and Imputation Methodology Branch, Methodology Division; Section Head is Peter Quan, (202)720-5269.

Data collection is carried out by NASS Regional and Field Offices; the Eastern Field Operation's Director is Jay Johnson (202) 720-3638, and the Western Field Operations Director is Kevin Barnes (202) 720-8220.

The NASS survey administrators in Headquarters for the Agricultural Surveys are in the Commodity Surveys Section of the Survey Administration Branch, Census and Survey Division; Branch Chief is Gerald Tillman, (202) 720-3895. The survey administrators are responsible for coordination of sampling, questionnaires, data collection, training, Interviewer's Manuals, Survey Administration Manuals, data processing, and other Regional Office support.

The NASS commodity statisticians in Headquarters for the Agricultural Surveys are in the Crops Branch and Livestock Branch of Statistics Division; Branch Chiefs are Lance Honig (crops) (202)720-2127, and Dan Kerestes (livestock) (202)720-3570. Commodity statisticians are responsible for the Estimation Manuals, national and regional summaries, analysis, presentation to the Agricultural Statistics Board for final estimates, and publication.

April 2017