Attachment 9

Chart Abstraction Form

i. Chart Abstrac	tion Inform	ation					
i.1 This chart abstracti	ion form is (check one):		a. a consolidated form		b. a facility-specific	form
			(i	.e., combined records from	all sources)	(i.e., record from one p	provider/facility only)
i.2 If i.1 = b , enter Prov	III						
A. Patient Demo	graphics						
A.1 Study ID Number:				A.2 Month and Year of Bir	rth: /		
A.3 Hispanic or Latino	origin:		Yes	•	No	Unknown	
A.4 Race (check White/Caucasian Asian					Native Hawaiia	an/Pacific Islander	
all that apply):	African Am	erican	America	n Indian/Alaskan Native	Other	Unknown	
B. Cervical Cance			ears prior to	diagnosis (<u>start</u> of 5-year re	eview period).	B.2 Date of diagnosis (end of 5-ye	oar raviow nariod).
3-year Keview P	eriou	B.1 Date 3 y	cars prior to	uiagiiosis <u>(start</u> of 5-year re	eview perioa).	b.2 Date of diagnosis (end of 3-ye	eur review periou).
(registry to provide the	ese dates)			/ MM/DD/YY		/ MM/	/ /DD/YY
B.3 Patient had tubal I	ligation prio	r to diagnosis	(B.2)?	Yes No			
B.4 Did patient underg	go a cervical	procedure (e	e.g., LEEP or c	old knife cone biopsy) prio	r to review period (B.1)? Yes No	
B.5 Has the patient ha	ıd a hystered	ctomy?	Yes	No (If B.5 = YES , col	mplete B.6 and B.7)		
B.6 Date of hy	sterectomy		//_ MM/DD/YY	_			
B.7 Was cervio	cal cancer fo	ound as a resu	ılt of the hyst	erectomy? Yes	No		

C. Cervical Cancer Screening

	C.1 Has	patient had	d a PAP o	r HPV test	during the	5-year	review	<u>period</u> ?
--	----------------	-------------	-----------	------------	------------	--------	--------	-----------------

☐ Yes ☐ No

(If **YES**, please complete <u>TABLE I</u> for all Pap and HPV results <u>during the review period</u>)

Table I. Pap and HPV Testing, review period only

	C.2	C.3	C.4	C.5	C.6	C.7	C.8	C.9	C.10	C.11	C.12	C.13	C.14	C.15	C.16	C.17								
						Р	ap Testing (if C.3 = Pap	or Both)		HP	V Testing (if C	3 = HPV oi	Both)										
PAP, HPV	Date of Test(s)	Test(s) Performed	Test(s) Performed by	Provider Study ID (If i.1 = a)	Type of Pap	Lab where run? (Name)	Image-based evaluation?	Satisfactory test result?	Endocervical/ TZ component present?	Pap result (check all that apply)	Type of HPV	HPV result	HPV genotyping performed? (check all that apply)	Results of genotyping? (record result for each test in C.14)	Was patient referred to colposcopy/ treatment?	Did patient return for colposcopy/ treatment?								
1		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide		☐ Yes	☐ Yes	□ Yes	□ Normal □ ASC-US	☐ Qiagen ☐ Cervista	☐ Positive HR☐ Negative HR	□ HPV 16	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Yes	□ Yes								
	,	□ Both	☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice		☐ ThinPrep☐ SurePath		☐ Not reported or	□ Not reported	□ Not reported	☐ ASC-H ☐ LSIL ☐ HSIL	☐ Aptima ☐ I ☐ Laboratory ☐ N	☐ Aptima ☐ Indetern	☐ Aptima ☐ Indetermin	☐ Indeterminate ☐ Not reported	☐ HPV 18	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Not reported	□ No □ Not reported						
	_// MM/DD/YY		Clinician (APN, PA, NP)		☐ Not reported		Not available			☐ AGC ☐ Squamous CA	Developed Test (LDT) Not Specific	L Not reported	Z Not reported	☐ HPV 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A									
	-									☐ Other (specify)	□ Not Specific				☐ HPV 18/ 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A								
													☐ Other:	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										
2		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide		☐ Yes	☐ Yes	□ Yes	□ Normal □ ASC-US	☐ Qiagen ☐ Cervista	☐ Indeterminate ☐ Not reported	□ HPV 16	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Yes	☐ Yes								
		□ Both	☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice		☐ ThinPrep☐ SurePath		☐ Not reported or	□ Not reported	□ Not reported	☐ ASC-H ☐ LSIL ☐ HSIL	☐ Roche Cobas ☐ Aptima ☐ Laboratory		□ Indeterminate □ Not reported □ H	☐ HPV 18	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	☐ Not reported	□ Not reported							
	_// MM/DD/YY		Clinician (APN, PA, NP)		☐ Not reported		Not available			☐ AGC ☐ Squamous CA	Developed Test (LDT)						☐ HPV 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A						
	-									Other (specify)	☐ Not Specific			□ HPV 18/ 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	4								
													□ Other:	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										
3		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide			☐ Yes	☐ Yes				☐ Yes	□Yes	☐ ASC-05	□ Yes □ ASC-US □ Cervista □ Positive HR		☐ Cervista ☐ Positive HR	, ,	☐ Cervista ☐ Positive HR	□ HPV 16	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Yes	□ Yes
	// MM/DD/YY	☐ HPV ☐ Both	☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice		☐ ThinPrep☐ SurePath		□ No □ Not reported or	□ No □ Not reported	□ No □ Not reported	☐ ASC-H ☐ LSIL ☐ HSIL	☐ Roche Cobas ☐ Aptima ☐ Laboratory Developed Test (LDT) ☐ I	☐ Roche Cobas ☐ Aptima ☐ Laboratory Developed Test (LDT)	□ Roche Cobas □ Aptima □ Laboratory Developed Test (LDT)	☐ Aptima ☐ Laboratory Developed Test (LDT) ☐ Indeterminate ☐ Not reported	☐ Indeterminate ☐ HPV 18	☐ HPV 18	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ No □ Not reported	□ No □ Not reported					
	/ MM/D		Clinician (APN, PA, NP) Other (specify)		☐ Not reported		Not available			☐ AGC ☐ Squamous CA					Developed Test (LDT)	Developed Test (LDT)	Developed Test (LDT)	AGC Developed Test (LDT)	☐ HPV 45	□ Pos. □ Neg. □ Not Rep. □ N/A		- Sported		
										☐ Other (specify)	I I Not Specific		☐ HPV 18/ ☐ Pos. ☐ Neg. 45 ☐ Not Rep. ☐ N/.											

	C.2	C.3	C.4	C.5	C.6	C.7	C.8	C.9	C.10	C.11	C.12	C.13	C.14	C.15	C.16	C.17					
						P	ap Testing (if C.3 = Pap	or Both)		HP	V Testing (if C	.3 = HPV oi	Both)							
PAP, HPV	Date of Test(s)	Test(s) Performed	Test(s) Performed by	Provider Study ID (If i.1 = a)	Type of Pap	Lab where run? (Name)	Image-based evaluation?	Satisfactory test result?	Endocervical/ TZ component present?	Pap result (check all that apply)	Type of HPV	HPV result	HPV genotyping performed? (check all that apply)	Results of genotyping? (record result for each test in C.14)	Was patient referred to colposcopy/ treatment?	Did patient return for colposcopy/ treatment?					
													Other:	□ Pos. □ Neg. □ Not Rep. □ N/A							
4		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide		☐ Yes	☐ Yes	☐ Yes	□ Normal □ ASC-US	☐ Qiagen ☐ Cervista	☐ Positive HR	□ Nametina UD	☐ HPV 16	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Yes	□ Yes				
		□ Both	☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice		☐ ThinPrep☐ SurePath		☐ Not reported or	□ Not reported	□ Not reported	☐ ASC-H ☐ LSIL ☐ HSIL	□ Roche Cobas □ Aptima □ Laboratory Developed Test (LDT) □ Not Specific	☐ Aptima ☐ Indeterminate ☐ Not reported ☐ Developed Test (LDT) ☐ Indeterminate ☐ ☐	☐ Aptima ☐ Indeterminate ☐	☐ Indeterminate	☐ Indeterminate ☐ H	☐ Indeterminate ☐ Not reported	□ Indeterminate	☐ HPV 18	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	☐ Not reported	□ Not reported
	/ / /		Clinician (APN, PA, NP) Other (specify)		☐ Not reported		Not available			☐ AGC ☐ Squamous CA			☐ HPV 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A							
	-									☐ Other (specify)	ш пос эреспіс		□ HPV 18/ 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A							
													Other:	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A							
5		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide		☐ Yes	☐ Yes	☐ Yes	□ Normal □ ASC-US	☐ Qiagen ☐ Cervista	☐ Positive HR☐ Negative HR	☐ HPV 16	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Yes	□ Yes					
		□ Both	☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice		☐ ThinPrep☐ SurePath		☐ Not reported or	□ Not reported	□ Not reported	☐ ASC-H☐ LSIL☐ HSIL	☐ Aptima	☐ Aptima ☐ Indeterminate	☐ Aptima ☐ Indeterminate ☐	□ HPV 18	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	☐ Not reported	□ Not reported				
	/ / /		Clinician (APN, PA, NP) Other (specify)		☐ Not reported		Not available			☐ AGC ☐ Squamous CA	Developed Test (LDT)	Developed Test	☐ HPV 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A							
	-									☐ Other (specify)	□ Not Specific		□ HPV 18/ 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A							
													Other:	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A							
6		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide		☐ Yes	☐ Yes	☐ Yes	□ Normal □ ASC-US	☐ Qiagen ☐ Cervista	☐ Positive HR☐ Negative HR	☐ HPV 16	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Yes	□ Yes					
		□ Both	☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice		☐ ThinPrep☐ SurePath		☐ Not reported or	□ Not reported	□ Not reported	☐ ASC-H☐ LSIL☐ HSIL	☐ Roche Cobas ☐ Aptima ☐ Laboratory	☐ Indeterminate ☐ Not reported	☐ HPV 18	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Not	□ Not reported					
	/ / /		Clinician (APN, PA, NP) Other (specify)		☐ Not reported		Not available			☐ AGC ☐ Squamous CA	Developed Test (LDT)		☐ HPV 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A							
	-									☐ Other (specify)	ш мог эреспіс		☐ HPV 18/ 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A							
													□ Other:	□ Pos. □ Neg. □ Not Rep. □ N/A							
7		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide		□ Yes	☐ Yes	□ Yes	□ Normal □ ASC-US	ASC-US Cervista Positive HR ASC-H Roche Cobas Negative HR		□ NOLNEP. □ N/A		□ Yes	□ Yes					
	-	☐ HPV ☐ Both	☐ Gynecologist ☐ Gyn/onc		☐ ThinPrep☐ SurePath		□ No	□ No	□ Aptimo □ Indeterminate □ HPV 18 □				☐ Roche Cobas	□ Pos. □ Neg. □ Not Rep. □ N/A	□ No	□ No					

	C.2	C.3	C.4	C.5	C.6	C.7	C.8	C.9	C.10	C.11	C.12	C.13	C.14	C.15	C.16	C.17								
						Р	ap Testing ((if C.3 = Pap	or Both)	-	HP	V Testing (if C	3 = HPV oi	r Both)										
PAP, HPV	Date of Test(s)	Test(s) Performed	Test(s) Performed by	Provider Study ID (If i.1 = a)	Type of Pap	Lab where run? (Name)	Image-based evaluation?	Satisfactory test result?	Endocervical/ TZ component present?	Pap result (check all that apply)	Type of HPV	HPV result	HPV genotyping performed? (check all that apply)	Results of genotyping? (record result for each test in C.14)	Was patient referred to colposcopy/ treatment?	Did patient return for colposcopy/ treatment?								
			☐ Advanced Practice Clinician (APN, PA, NP) ☐ Other (specify)		☐ Not reported		☐ Not reported or Not available	☐ Not reported	□ Not reported	☐ HSIL☐ AGC☐ Squamous CA	☐ Laboratory Developed Test (LDT)	□ Not reported	□ HPV 45	□ Pos. □ Neg. □ Not Rep. □ N/A	☐ Not reported	reported								
										☐ Other (specify)	☐ Not Specific		☐ HPV 18/ 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										
													□ Other:	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										
8		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide		☐ Yes	☐ Yes	☐ Yes	☐ Normal ☐ ASC-US	☐ Qiagen ☐ Cervista	☐ Positive HR☐ Negative HR	□ HPV 16	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Yes	☐ Yes								
		□ Both	☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice		☐ ThinPrep☐ SurePath		☐ Not reported or	□ Not reported	□ Not reported	☐ ASC-H☐ LSIL☐ HSIL	☐ Roche Cobas ☐ Aptima ☐ Laboratory	☐ Indeterminate ☐ Not reported	☐ HPV 18	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	☐ Not reported	□ Not reported								
	_/// MM/DD/YY		Clinician (APN, PA, NP)		☐ Not reported		Not available			☐ AGC ☐ Squamous CA	Developed Test (LDT)	·	☐ HPV 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										
										☐ Other (specify)	Li Not Specific	□ Not Specific	☐ HPV 18/ ☐ Pos. ☐ Neg. 45 ☐ Not Rep. ☐ N/A											
													Other:	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										
9		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide		☐ Yes	☐ Yes	☐ Yes	□ Normal □ ASC-US	☐ Qiagen ☐ Cervista	☐ Positive HR☐ Negative HR	☐ HPV 16	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Yes	□ Yes								
		□ Both	☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice		☐ ThinPrep☐ SurePath		☐ Not reported or	□ Not reported	□ Not reported	☐ ASC-H ☐ LSIL ☐ HSIL	☐ Roche Cobas ☐ Aptima ☐ Laboratory	☐ Indeterminate ☐ Not reported	te HPV 18 Pos. Neg.	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□Not□	□ Not reported								
	// MM/DD/YY		Clinician (APN, PA, NP)		☐ Not reported		Not available			☐ AGC ☐ Squamous CA	Developed Test (LDT)	·	☐ HPV 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										
	-									☐ Other (specify)	ш ног эреспіс		☐ HPV 18/ 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										
													Other:	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										
10		□ Pap	☐ Family practice ☐ Primary care physician		☐ STM/ Glass slide		☐ Yes	☐ Yes	☐ Yes	□ Normal □ ASC-US	☐ Qiagen ☐ Cervista	☐ Positive HR	□ HPV 16	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Yes	□ Yes								
		□ Both	☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice		☐ ThinPrep☐ SurePath		☐ Not reported or	□ Not reported	□ Not reported	☐ ASC-H ☐ LSIL	☐ Roche Cobas ☐ Aptima ☐ Indeterminate	☐ HPV 18	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A	□ Not	□ No □ Not reported									
	/ / /		Clinician (APN, PA, NP) Other (specify)		☐ Not reported		Not available			Developed Test (LDT)	☐ AGC ☐ Squamous CA ☐ Laboratory Developed Test (LDT)	AGC Developed Test (LDT)	(LDT)	Developed Test (LDT)	☐ HPV 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A								
													1 '				☐ Squamous CA☐ No	· ·	☐ Not Specific		□ HPV 18/ 45	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A		
													☐ Other:	☐ Pos. ☐ Neg. ☐ Not Rep. ☐ N/A										

D. Cervical Cancer Diagnostic Testing

D.1 Has patient had a COLPOSCOPY (with or without CERVICAL or ENDOCERVICAL BIOPSIES) of	during the 5-y	ear review period?
---	----------------	--------------------

☐ Yes ☐ No

(If YES, please complete TABLE II for all COLPOSCOPY and BIOPSY results during the review period)

Table II. Colposcopies and Biopsies, review period only

	D.2	D.3	D.4	D.5	D.6	D.7	D.8	D.9.a	D.9.b	D.9.c	D.9.d	D.10	D.11	D.12	D.13
							Cervical Biopsies (if D.6 = Cervical or Both)					ECC (if D.6 = ECC or Both)			
COLPOSOPY	Date of colpo- scopy	Colposcopy performed by	Provider Study ID (If i.1 = a)	Were cervical biopsies or Endocervical Curettage (ECC) performed?	Type of Biospyl Biopsies (choose one)	Number of cervical biopsy specimens	Number of cervical biopsy test results returned	Cervical biopsy test results: specimen 1, or all specimens if combined (check all that apply)	Cervical biopsy test results: specimen 2 (check all that apply)	Cervical biopsy test results: specimen 3 (check all that apply)	Cervical biopsy test results: specimen 4 (check all that apply)	Endocervical Curettage (ECC) test results (check all that apply)	Was patient referred to treatment/ diagnosis?	Did patient return for treatment/ diagnosis?	Comments (e.g., biopsy results for more than 4 specimens)
1	/ / / /	☐ Family practice ☐ Primary care physician ☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice Clinician (APN, PA, NP) ☐ Other (specify)		☐ Yes☐ No (if no, skip to next colposcopy)	☐ Cervical ☐ Endocervical Curettage (ECC) ☐ Both	□1 □2 □3 □4 □>4	□1 □2 □3 □4 □>4	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	☐ Normal ☐ CIN1 ☐ CIN2 ☐ CIN3 ☐ CIN2/3 ☐ AIS ☐ LSIL ☐ HSIL ☐ CA ☐ Other (specify)	☐ Yes☐ No☐ Not reported	☐ Yes☐ No☐ Not reported	
2	/ / /	□ Family practice □ Primary care physician □ Gynecologist □ Gyn/onc □ Advanced Practice Clinician (APN, PA, NP) □ Other (specify)		☐ Yes☐ No (if no, skip to next colposcopy)	☐ Cervical ☐ Endocervical Curettage (ECC) ☐ Both	□1 □2 □3 □4 □>4	□1 □2 □3 □4 □>4	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	☐ Yes ☐ No ☐ Not reported	☐ Yes☐ No☐ Not reported	

	D.2	D.3	D.4	D.5	D.6	D.7	D.8	D.9.a	D.9.b	D.9.c	D.9.d	D.10	D.11	D.12	D.13
								Cervical Biopsie	s (if D.6 = Cervice	al or Both)		ECC (if D.6 = ECC or Both)			
COLPOSOPY	Date of colpo- scopy	Colposcopy performed by	Provider Study ID (If i.1 = a)	Were cervical biopsies or Endocervical Curettage (ECC) performed?	Type of Biospyl Biopsies (choose one)	Number of cervical biopsy specimens	Number of cervical biopsy test results returned	Cervical biopsy test results: specimen 1, or all specimens if combined (check all that apply)	Cervical biopsy test results: specimen 2 (check all that apply)	Cervical biopsy test results: specimen 3 (check all that apply)	Cervical biopsy test results: specimen 4 (check all that apply)	Endocervical Curettage (ECC) test results (check all that apply)	Was patient referred to treatment/ diagnosis?	Did patient return for treatment/ diagnosis?	(e.g., biops) results for more than 4 specimens)
3	//_MM/DD/YY	☐ Family practice ☐ Primary care physician ☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice Clinician (APN, PA, NP) ☐ Other (specify)		☐ Yes☐ No (if no, skip to next colposcopy)	☐ Cervical ☐ Endocervical Curettage (ECC) ☐ Both	□1 □2 □3 □4 □>4	□1 □2 □3 □4 □>4	☐ Normal ☐ CIN1 ☐ CIN2 ☐ CIN3 ☐ CIN2/3 ☐ AIS ☐ LSIL ☐ HSIL ☐ CA ☐ Other (specify)	☐ Normal ☐ CIN1 ☐ CIN2 ☐ CIN3 ☐ CIN2/3 ☐ AIS ☐ LSIL ☐ HSIL ☐ CA ☐ Other (specify)	☐ Normal ☐ CIN1 ☐ CIN2 ☐ CIN3 ☐ CIN2/3 ☐ AIS ☐ LSIL ☐ HSIL ☐ CA ☐ Other (specify)	☐ Normal ☐ CIN1 ☐ CIN2 ☐ CIN3 ☐ CIN2/3 ☐ AIS ☐ LSIL ☐ HSIL ☐ CA ☐ Other (specify)	☐ Normal ☐ CIN1 ☐ CIN2 ☐ CIN3 ☐ CIN2/3 ☐ AIS ☐ LSIL ☐ HSIL ☐ CA ☐ Other (specify)	☐ Yes☐ No☐ Not reported	☐ Yes☐ No☐ Not reported	
1	//_MM/DD/YY	☐ Family practice ☐ Primary care physician ☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice Clinician (APN, PA, NP) ☐ Other (specify)		☐ Yes ☐ No (if no, skip to next colposcopy)	☐ Cervical ☐ Endocervical Curettage (ECC) ☐ Both	□1 □2 □3 □4 □>4	□1 □2 □3 □4 □>4	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	□ Normal □ CIN1 □ CIN2 □ CIN3 □ CIN2/3 □ AIS □ LSIL □ HSIL □ CA □ Other (specify)	☐ Yes☐ No☐ Not reported	☐ Yes ☐ No ☐ Not reported	

_	ь.	
E.	Diagn	ncic
∟.	Diabii	0313

E.1 Was	s DIAGNOSIS OR TREATMENT PROCEDURE REQUIRED as a result of pap or biopsy test results <u>during the 5-year review period</u>
	☐ Yes ☐ No
	(If YES , please complete TABLE III for all DIAGNOSTIC AND EXCISIONAL PROCEDURES RECEIVED during the review period.)

Table III. Diagnostic procedures received, review period only

	E.1	E.2	E.3	E.4
PROCEDURE	Date of diagnostic procedure/treatment	Diagnostic procedure/treatment performed by	Provider Study ID (If i.1 = a)	Type of diagnostic procedure/treatment (check all that apply)
1		☐ Family practice ☐ Primary care physician ☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice Clinician (APN, PA, NP) ☐ Other (specify)		□ LEEP □ Cold knife cone □ CO2 Laser therapy □ Cryo □ Other:
2	/_/ MM/DD/YY	☐ Family practice ☐ Primary care physician ☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice Clinician (APN, PA, NP) ☐ Other (specify)		☐ LEEP ☐ Cold knife cone ☐ CO2 Laser therapy ☐ Cryo ☐ Other:
3		☐ Family practice ☐ Primary care physician ☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice Clinician (APN, PA, NP) ☐ Other (specify)		□ LEEP □ Cold knife cone □ CO2 Laser therapy □ Cryo □ Other:
4		☐ Family practice ☐ Primary care physician ☐ Gynecologist ☐ Gyn/onc ☐ Advanced Practice Clinician (APN, PA, NP) ☐ Other (specify)		□ LEEP □ Cold knife cone □ CO2 Laser therapy □ Cryo □ Other:

F. Other Patient History

F.1 Has patient experienced symptoms of cervical disease during the 5-year review period?	Yes No (IF F.1 = YES, complete F.2)	F.2 Check all that apply.	Abnormal bleeding Bleeding after intercourse Discharge Pain Urinary symptoms
			Other
			-