OMB Control Number: 0694-0139 Expiration Date: 9/12/2018 Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports Exclusion Request Requirements: Only individuals or organizations operating in the United States that use steel products (e.g., flat, long, semi-finished, pipe and tube, and stainless) in business activities (e.g., construction, manufacturing, supplying steel product to users) in the United States may submit an Exclusion Request. For an Exclusion Request to be considered, the Exclusion Requester must provide factual information on 1) the single type of steel product it requires using a 10-digit HTSUS code, including its specific dimension; 2) the quantity of product required (stated in kilograms) under a one-year exclusion; 3) a full description of the properties of the steel product it seeks to import, including chemical composition, dimensions, strength, toughness, ductility, magnetic permeability, surface finish, coatings, and other relevant data. Exclusion Requests must be submitted using this Excel-based document. Paper submissions will not be accepted. A separate Exclusion Request must be submitted on each distinct type and dimension of steel product to be imported. All applicable question blocks in the form must be completed for the Exclusion Request to be accepted. Exclusion Requests will be denied if the applicant: 1) does not sufficiently address the specified reporting requirements; 2) cites the improper HTSUS code, or 3) provides incorrect product descriptions. Organizations electing to attach supporting documents must provide these documents in PDF format and it must not exceed 25 pages. All information submitted in the Exclusion Request is subject to public disclosure. Do not provide sensitive Personally Identifiable Information. Organizations should upload their completed Exclusion Request pertaining to a steel product to www.regulations.gov under Docket Number BIS-2018-0006. An Exclusion Request may be submitted at any time. Processing of an Exclusion Request will take approximately 90 business days. Notification of granted Exclusions will be posted on www.regulations.gov. For questions related directly to completing this form, contact BIS via email (steel232@bis.doc.gov) or telephone (202-482-5642). 10-Digit Harmonized Tariff Schedule Code of the United States (HTSUS) 1.a Identify the class of steel product for which the Exclusion is sought: for the single steel product covered by this request: (See https://www.usitc.gov/publications/docs/tata/hts/bychapter/0900c72_0.pdf) **Requesting Organization Information** Importer of Record for Organization Requesting an Exclusion Full Organization Legal Name Full Organization Legal Name Street Address Street Address City City State State Zip Code Zip Code Headquarters Country Headquarters Country Point of Contact Name Point of Contact - Representative Name Phone Number Phone Number 1.b E-mail Address E-mail Address Web Site Address Web Site Address Parent Company of Requesting Organization Requester's Authorized Representative/Agent (If applicable) Full Organization Legal Name Requester Point of Contact Name Street Address Point-of-Contact Organization City Country Location Phone Number State/Province Zip Code/Postal Code E-mail Address Headquarters Country Web Site Address Web Site Address Other Information Does the parent organization hold ownership in (partially or completely), or is it otherwise f "Yes" - Identify Identify the country where the engaged as a: Steel Manufacturer; Steel Distributor; Steel Exporter or, Steel Importer? If organization is headquartered the organization 1.c "Yes" identify the activity. Comments: Total Requested Annual Exclusion Quantity in Kilograms (1 metric ton = 1.d Identify the primary type of steel activity of the Exclusion Requester: 1,000 kilograms) Comments Continued on Next Page

Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued														
2.a	2.a Average annual consumption for years 2015-2017 of the steel product that is subject of this Exclusion Request - Kilograms													
	Explain why your organization requires an Exclusion using 1) the drop-down box to the right and 2) by providing written comments in the space provided below. Comments:										I.			
2.b														
2.c	Identify the percentage of total steel product covered under this Exclusion Request not available from steel manufacturers in the United States:													
2.d	Estimate the number of days required to take delivery of the steel product covered by this Exclusion Request, from the time the purchase order is issued by your organization:													
2.e	e Estimate the number of days required to manufacture the steel product covered by this Exclusion Request, from the time a binding purchase order is executed:													
2.f. Estimate the number of days required to ship the steel product covered under this Exclusion Request, from the foreign port of departure to the Exclusion Requester's loading dock:														
2.g	Estimate the num	ber of distinct ship	ments from the for	reign port(s) of dep	arture that will be	needed for transp	orting to the Unite	d States the steel	product subject to	this Exclusion Requ	uest:			
			of Entry through w		-									
2.h	Pol	rt 1	Por	rt 2	Po	rt 3	Por	rt 4	Poi	rt 5	Po	rt 6	Po	rt 7
	Is the organization	n making this Exclu	Ision Request doing	g so on behalf of a r	non-U.S. steel prod	ucer that does not	t manufacture steel	l products in the U	Inited States?					
2.i	If "Yes" identify th	ne non-U.S. steel p	oroducer						Identify the count	ry where the orga	nization is headqua	artered		
	Comments:													
						E	xclusion Request F	Product Information	on					
	_		ovide a full, comple			pace provided belo	ow. * See explanati	on below.						
	The product for w	THEIT ATT EXCLUSION	s semig requesteur	3 definica as follow	J.									
2.j														
	* With regard to the product for which an Exclusion is requested, such a description must be limited to a single product. The description must be limited solely to physical properties (e.g., chemical requirements, mechanical requirements, dimensions, etc.) and exact descriptive terms/phrases covering the product subject to the Exclusion Request (e.g., "hot-rolled," "seamless pipe," "suitable for use in boilers," "longitudinally submerged arc welded," etc.).													
	All such physical properties must be defined based on actual, rather than nominal, measurements; references to specific dimensions (e.g., "cross-sectional diameter of 5.50 mm") or measurements (e.g., "yield strength of 300 MPa," "carbon content 0.08%," etc.) will be interpreted as meaning the exact dimension or measurement. Ranges (e.g., "cross-sectional diameter falling within the range 5.35 mm and 5.65 mm," "yield strength greater than or equal to 300 MPa," "carbon content less than or equal to													
	0.15%, by weight," etc.) are allowed. Where a range is needed, it should be identified based on the end points of the range (as in the examples above), rather than through references to absolute or percentage tolerances.													
	-													
	Comments:													
	Identify the stand	ards organizations	that have set speci	ifications for the pr	oduct type that is		Organization	Designation		Organization	Designation		Organization	Designation
2.k	the subject of this identified standar		t, and provide the r	eference designati	on(s) for the	1			3			5		
	(e.g., ASTM A108-		•			2			4			6		
	Other (specify) Other (specify)													
							General Steel Pro	oduct Description						
	Identify the classif	ication and prope	rties of the steel pr	oduct covered und	er this Exclusion R	equest. Other clas	sification or proper	· ·	ibed in the Comme	nt box below. (Sel	ect all that apply)			ı
	Slab	Blooms	Billets	Ingots	Flat	Long	Beams	Semi -Finished	Pipe	Tube	Stainless	Wire	Hot Rolled	Cold Rolled
2.1														
	Annealed	Plated	Electro-Plated	Galvanized	Electro- Galvanized	Zinc Plated	Aluminum Plated	Lead Plated	Tin Plated	Painted	Varnished	Plasticized	Pickled	Other (Use Comment Box)
	Comment:													
	Continued on Next Page													

			Reque	st for Exclusion	on from Rem	edies: Sectio	n 232 Nation	nal Security In	nvestigation	of Steel Impo	orts - Continu	ıed				
	Identify the chemical composition of the specific steel product for which your organization seeks an Exclusion. Numbers may appear rounded, but full values will be stored.															
		Chemical Composition														
	Chemical	Aluminum	Antimony	Bismuth	Boron	Carbon	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Molybdenum	Nickel		
	Minimum %															
	Maximum %															
3.a		Niobium	Nitrogen	Phosphorous	Selenium	Silicon	Sulfur	Tellurium	Titanium	Tungsten	Vanadium	Zirconium	[Other - List Below]	[Other - List Below]		
	Minimum %															
-	Maximum %															
	Comments:															
	Provide the follow	ing information or	n the single steel p	roduct that is the su	ubject of this Exclu	sion Request: 1) di	mensional informa	ation for the single	steel product and a	single size not a	range of products	and or sizes				
	(e.g., 19 mm dia. re	byide the following information on the single steel product that is the subject of this Exclusion Request: 1) dimensional information for the single steel product and a single size not a range of products and or sizes g., 19 mm dia. rebar - not 19, 22, 25, and 29 mm.) A separate Exclusion Request must be submitted for each steel product by physical dimension; 2) performance data for tensile strength, yield strength, hardness, impact, shear and test temperature.														
			Steel Produ	uct Specifications (N	/lillimeters)				Strength			Tough (If Appl				
3.b		Thickness	Inside Diameter	Outside Diameter	Length	Width	Height	Tensile Strength Mega Pascal (MPa)	Yield Strength Mega Pascal (MPa)	Hardness (specify method below - Brinnell, Rockwell, Vickers, etc.)	Test Type	Drop-Weight Tear Testing	Impact (Charpy) Testing	Other (specify type in comment box)		
											Temperature (°C)					
-	Minimum										Joules					
-	Maximum										% Shear					
	Comments:															
	Provide the following information on the single steel product that is the subject of this Exclusion Request: 1) performance data for ductility, magnetic permeability, surface finish; and 2) metal coating process, material type, weight, and thickness.															
		Global Ductility			Local Ductility Magnetic Permeabil			ity	Surface Finish		Coating Type and Composition					
				(If Appl	icable)		(If Applicable)		(If Applicable)			(If Applicable)				
3.c		Elongation %	Reduction -in-Area %	Hole Expansion %	Bendability (Bend Radius/Sheet Thickness [millimeter]	Magnetic Permeability [Epstein Test]	Magnetic Permeability [Greer Lab Method]	Stacked Wide Sheet [ASTM A804/ A804M-04 (2015)]	Profilometer - [SAE J911]	Coating Method	Coating Product Name and Abbreviation	Composition (e.g., Zn, Al, Si, Mg, other intentionally added elements or alloys)	Weight [Grams per Sq. Meter]	Coating Thickness [micrometers]		
	Minimum															
	Maximum															
	Select any additional processing methods used:										Other (specify)					
				L				ı								
	Comments:															
							Continued on I	Next Page								

		Request for Exclusi	on from Remedies: Section	on 232 National Security I	nvestigation of Steel Impo	orts - <i>Continu</i>	ıed							
	List the Commerci	st the Commercial Name(s) of the single steel product that is the subject of this Exclusion Request.												
4.a														
	Comments:													
	State the 1) applic	cate the 1) application for the steel product (e.g., automotive, appliances, industrial products, structural, etc.) that is the subject of this Exclusion Request, and 2) why similar steel products manufactured in the United States, if available, are not suitable.												
4.b														
	If the Fredrick to	and the constitution of th				ala aka da wa da ak	a blas anno a balann							
4.c	if the Exclusion is	needed to support U.S. national security requirements (critical infrastructure or national defe	ense systems), provide a detailed des	cription of the specific uses of this sir	igie steel product i	n the space below:							
	,	e countries for the single steel product for which the Ex , identify the current supplier(s) and the country of the :					·	ined directly from						
	NOTE: Steel produ	ne manufacturer, identify the current supplier(s) and the country of the supplier(s). The Exclusion Request, if granted, will pertain solely to the identified supplier(s) listed in this form and the country of origin. OTE: Steel products encompassing more than one 10-digit HTSUS code must submit a separate Exclusion Request for each pertinent code.												
	Country of Origin		Country of Export	Exclusion Quantity	Current Manufacturer		Current Supplier							
4.d	1	Country of Origin	Country of Export	Exclusion Quantity	Current Manufactur	Ei	(if not obtained directly from manufacturer)							
	2													
	3													
	4													
	5													
	Product Availability Information													
4.e	Does the Requeste	ster possess knowledge of any domestic U.S. parties that <u>currently</u> manufacture the described steel product in the United States?												
	Comment:													
	Does the Requeste	Requester possess knowledge of any parties that <u>currently</u> manufacture the described steel product in a country exempted from this tariff? If yes, identify the country or countries below.												
4.f	Comment:													
	Is the Requester a	quester aware of any manufacturers capable of producing a substitute for the steel product in the United States? If "Yes" provide supporting information (name and address) in the space below?												
4.g	Comment:													
		Requester attempted to <u>qualify any steel manufacturer</u>	in the United States as a supplier of	the steel product that is the subject o	f this Exclusion Request in the past tv	vo years? If "Yes"	provide supporting information in							
		Supporting documents must be submitted as a consolic	lated PDF file and may not exceed 25											
	2			5										
4.h	3			7										
	4			8										
				-										
	Comment:													
				Continued on Next Page										

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued											
5.a	and your points of	Requester <u>attempted to purch</u> contact at the U.S. steel manu		roduct that is the subject of this Exclusion Rec n the space below.	quest, or a substitute,	rom a U.S. manufact	urer in the past two ye	ears? If "Yes" identi	fy the manufacturers, addresses,			
J.a	Comment:											
Гh	manufacturers, ad			contracts, with steel producers that manufacturing organizations in the space below.	cture in the United Sta	es the steel product	identified in the Exclu	sion Request? If "Y	es" identify the U.S. steel			
5.b												
5.c	employed to make	Has the Exclusion Requester determined that there is no U.S. manufacturer that produces a near-equivalent steel product that would meet qualification requirements? If "Yes" identify in the space below the testing standards/procedure employed to make that determination (e.g., magnetic core loss, etc).										
3.0	Comment:											
5.d		rs, has the Requester purchase	d a <u>substitute steel pro</u>	duct manufactured in the United States in plac	ce of the steel product	described in the Excl	usion Request? If "Yes	" provide supportin	g information in the space below.			
J.u	Comment:											
5.e	Provide a detailed explanation as to how U.S. Customs and Border Protection (CBP) will be able to reasonably distinguish the steel product subject to the Exclusion Request at time of entry, without adding undue burden to their current entry system procedures.											
3.6												
				eted and submitted to www.regulations.gov ur on should be treated otherwise. Any further i		~			•	•		
	mission of Supporti exceed 25 pages.	ng Documents (Attachments):	Supporting attachment	s should be submitted to www.regulations.gov	ov as PDF documents a	d must be posted to	www.regulations.gov	under Docket Num	ber BIS-2018-0006. Total supporting	submissions may		
Oth	er Comments:											
I ha	ve additional inform	ation to provide that is proprie	etary or otherwise busin	ess confidential that is relevant and necessary	to this submission:							
	Instruction: TI	nis Exclusion Request m	ust be signed by a	n organization official specifically au	uthorized to certify	the document a	s being accurate	and complete.				
	The undersigned	certifies that the information	herein supplied in re	sponse to this questionnaire is complete ar	CERTIFICATION	of his/her knowled	ge It is a criminal	offense to willful	ly make a false statement or rer	resentation to		
				to any matter within its jurisdiction. [18			ge. It is a criminal t	onense to willian	y make a raise statement of rep	nescritation to		
	Company Name:											
	Name of Authorizi	ne of Authorizing Official:				orizing Official:						
	Phone Number:	Phone Number:		Email of Authorizing Official:								
If the Point of Contact is different from the Authorizing Official provide point-of-contact information below.												
	Point-of-Contact Name:				Title	Title						
E-mail Address:					Phone Nu	nber						
				Paperwo	ork Reduction Act Not	e						
com	Per the Paperwork Reduction Act of 1995, public reporting burden for this collection of information is estimated to average 4 hours per response, including the time to review instructions, search existing data sources, gather and maintain data needed, and complete and review the collection of information. Send comments regarding this burden estimate or any other aspects of this collection of information, to 1401 Constitution Avenue, NW, HCHB 1093, Office of Technology Evaluation, Bureau of Industry and Security, U.S. Department of Commerce, Washington, DC 20230 attn: 0694-0139. Commerce may not collect this information, and you are not required to respond; unless this OMB number is displayed.											