#### **1SUPPORTING STATEMENT**

#### Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015 (40 CFR part 60, subpart OOOOa).

#### PART A

#### **1.0** Identification of the Information Collection

(a) Title and Number of the Information Collection.

Standards of Performance for Crude Oil and Natural Gas Facilities for Construction, Modification, or Reconstruction Commenced After September 18, 2015 (40 CFR part 60, subpart OOOOa). This is a new information collection request (ICR), and the EPA tracking number is 2523.01.

(b) Short Characterization.

This ICR covers information collection requirements in the new source performance standards (NSPS) for Crude Oil and Natural Gas Facilities (40 CFR part 60, subpart OOOOa). The information collected will be used by the EPA and delegated state and local agencies to determine the compliance status of affected facilities subject to the rule.

The oil and natural gas sector includes operations involved in the extraction and production of oil and natural gas, as well as the processing, transmission, and distribution of natural gas.

On June 24, 1985 (50 FR 26122), the EPA promulgated an NSPS for the Crude Oil and Natural Gas Production category which addressed emissions of volatile organic compounds (VOC) from leaking equipment at onshore natural gas processing plants (40 CFR part 60, subpart KKK). These standards apply to the following affected facilities constructed, modified or reconstructed after January 20, 1984, located at onshore natural gas processing plants: a compressor in VOC service or in wet gas service, and the groups of all equipment (except compressors) within a process unit. A process unit is defined as the equipment assembled for extraction of natural gas liquids from field gas, fractionation of liquids into natural gas products, or other processing of natural gas products.

1

The NSPS for Onshore Natural Gas Processing - SO<sub>2</sub> Emissions (40 CFR part 60, subpart LLL) were promulgated on October 1, 1985. These standards apply to the following affected facilities located at onshore natural gas processing plants and constructed after January 20, 1984: each sweetening unit, and each sweetening unit followed by a sulfur recovery unit. A sweetening unit is defined as a process device that separates the hydrogen sulfide and carbon dioxide (CO<sub>2</sub>) contents from the sour natural gas stream. The provisions of subpart LLL do not apply to sweetening facilities that produce acid gas that is completely re-injected into oil or gas bearing geologic strata or that is otherwise not released to the atmosphere. The control and monitoring requirements of subpart LLL do not apply to affected facilities with design capacities of less than two long tons per day (LT/D) of hydrogen sulfide in the acid gas, expressed as sulfur.

As part of the mandatory review of NSPS required under the Clean Air Act, the requirements of subpart KKK and subpart LLL were issued in a new subpart, 40 CFR part 60, subpart OOOO, promulgated on August 16, 2012. The existing provisions of subparts KKK and LLL were included in the new subpart OOOO along with new standards regulating VOC for the following affected facilities in the extraction and production sector of the oil and gas industry: gas wells, pneumatic controllers, centrifugal and reciprocating compressors, and storage vessels.

The EPA is finalizing amendments to subpart OOOO due to reconsideration of certain issues raised in petitions for reconsideration that were received by the Administrator, which include implementation improvements. The EPA is also finalizing a new subpart, 40 CFR part 60, subpart OOOOa, which includes: standards for GHG emissions (in the form of limitations on methane) from certain facilities that are covered by current VOC standards in the oil and natural gas source category, and standards for GHG and VOC emissions from facilities across the source category that are currently unregulated, including hydraulically fractured oil well completions; fugitive emissions from well sites and compressor stations; pneumatic pumps; and centrifugal compressors, reciprocating compressors and pneumatic controllers in the transmission and storage segment.

The potential respondents are owners or operators of oil and natural gas affected facilities as defined under subpart OOOOa. All of the oil and natural gas facilities located in the United States are owned and operated by the oil and natural gas industry (the "Affected Public"). None

2

of the facilities in the United States are owned or operated by state, local, tribal or the Federal government. All facilities are privately owned for-profit businesses.

In general, all NSPS standards require initial notifications, performance tests, and periodic reports. Owners or operators are also required to maintain records of calculations and compliance determinations. These notifications, reports, and records are essential in determining compliance, and are required of all owners and operators of affected facilities subject to NSPS.

We estimate an average of 2,554 operators will be affected by subpart OOOOa over the three year period. The average annual burden for the recordkeeping and reporting requirements in subpart OOOOa for these owner and operators that are subject to the Oil and Natural Gas Production, and Natural Gas Transmission and Distribution NSPS is 98,438 person-hours, with an average annual cost of \$3,361,074 over the three year period.

#### 2. Need For and Use of the Collection

#### (a) Need/Authority for the Collection.

The EPA is charged under section 111 of the Clean Air Act (CAA), as amended, to establish standards of performance for new stationary sources that reflect:

... application of the best technological system of continuous emissions reduction which (taking into consideration the cost of achieving such emissions reduction, or any non-air quality health and environmental impact and energy requirements) the Administrator determines has been adequately demonstrated. Section 111(a)(l).

The Agency refers to this charge as selecting the best system of emissions reduction (BSER). Section 111 also requires that the Administrator review and, if appropriate, revise such standards every 8 years.

In addition, section 114(a) states that the Administrator may require any owner or operator subject to any requirement of this Act to:

- establish and maintain such records;
- make such reports;
- install, use, and maintain such monitoring equipment;
- use such audit procedures, or methods;
- sample such emissions (in accordance with such procedures or methods, at such locations, at such intervals, during such periods, and in such manner as the Administrator shall prescribe);

- keep records on control equipment parameters, production variables or other indirect data when direct monitoring of emissions is impractical;
- submit compliance certifications in accordance with Section 114(a)(3); and
- provide such other information as the Administrator may reasonably require.

#### (b) Use/Users of the Data.

The information will be used by the delegated authority (state agency, or Regional Administrator if there is no delegated state agency) to ensure that the standards and other requirements are being achieved. Based on review of the recorded information at the site and the reported information, the delegated permitting authority can identify facilities that may not be in compliance and decide which facilities, records, or processes may need inspection.

#### 3. Nonduplication, Consultations, and Other Collection Criteria

#### (a) Nonduplication.

Where it has been deemed applicable, the recordkeeping and reporting requirements for this NSPS have been developed following the similar reporting requirements as outlined in "Mandatory Reporting of Greenhouse Gases: Subpart W Oil and Natural Gas" in 40 CFR 98.2 and 40 CFR 98.4. By remaining consistent with subpart W, we have attempted to reduce the burden required to monitor and show compliance. In addition, if a State or local agency has adopted their own similar standards to implement the Federal standards, a copy of the report submitted to the state or local agency can be sent to the Administrator in lieu of the report required by the Federal standards.<sup>1</sup> Therefore, no duplication exists.

(b) Public Notice Required Prior to ICR Submission to OMB.

This section is not applicable because this is a rule-related ICR.

(c) Consultations.

In developing the rule, the EPA performed a comprehensive review of existing state rules and industry standards, visited oil and natural gas sites, as well as consulted with individual

<sup>&</sup>lt;sup>1</sup> For example, paragraph 60.5420a(a)(2)(ii) states that "If you are subject to state regulations that require advance notification of well completions and you have met those notification requirements, then you are considered to have met the advance notification requirements of paragraph (a)(2)(i) of this section."

companies, state agencies, and environmental groups. The main organizations that provided expert advice during the development of this rule include the Agency's industry experts.

(d) Effects of Less Frequent Collection.

Respondents must monitor all specified criteria at each affected facility and maintain these records for 5 years. The reporting frequency to the EPA has been established to minimize the burden on owners and operators of affected facilities.

(e) General Guidelines.

This collection of information is consistent with all OMB guidelines established by OMB at 5 CFR part 1320, section 1320.5.

*(f) Confidentiality.* 

All information submitted to the Agency for which a claim of confidentiality is made will be safeguarded according to the Agency policies set forth in Title 40, Chapter 1, Part 2, Subpart B--Confidentiality of Business Information (see 40 CFR 2; 41 FR 36902, September 1, 1976; amended by 43 FR 39999, September 28, 1978; 43 FR 42251, September 28, 1978; 44 FR 17674, March 23, 1979).

(g) Sensitive Questions.

This section is not applicable because this ICR does not involve matters of a sensitive nature.

#### 4. The Respondents and the Information Requested

(a) Respondents/NAICS Codes.

Potential respondents under subpart OOOOa are owners or operators of new, modified or reconstructed oil and natural gas affected facilities as defined under the rule. The North American Industry Classification System (NAICS) codes for the oil and gas industry include: 211111 (Crude Petroleum and Natural Gas Extraction); 211112 (Natural Gas Liquid Extraction); 221210 (Natural Gas Distribution); 486110 (Pipeline Distribution of Crude Oil); 486210 (Pipeline Transportation of Natural Gas).

### (b) Information Requested.

### (i) Data Items, Including Recordkeeping Requirements.

Recordkeeping	
For well affected facilities, record location and well identification information. Maintain completion log records for each completion operation. For wells exempt from one or more requirements, maintain records to support exemption.	60.5375a(b); 60.5410a(a); 60.5415a(a); 60.5420a(c)(1)
For well affected facilities with less than or equal to 300 scf of gas per stock tank barrel of oil produced, keep records to demonstrate exemption.	60.5375a(g)(2); 60.5420a(c)(1)(vi).
For centrifugal compressor affected facilities, maintain records related to equipment, purchase, location, and control. Develop site-specific monitoring plan. Maintain compliance records for control device including continuous parameter monitoring results, visible emission observation results, inspection results, corrective actions, and maintenance. Maintain certification of closed vent system capacity; record results of closed vent system and by-pass inspections, maintenance, and corrective actions.	60.5380a(d); 60.5410a(b)(8); 60.5411a(a) (3)(i)(A); 60.5411a(d); 60.5412a(c) and (d); 60.5413a(d) and (e); 60.5415a(b); 60.5416a(a) and (b); 60.5417a(c), (e), and (f); 60.5420a(c)(2) and (17).
For reciprocating compressor affected facilities, maintenance records of rod packing replacement and operating data.	60.5385a(d); 60.5410a(c)(4); 60.5415a(c); 60.5420a(c)(3)
For reciprocating compressor affected facilities that collect emissions through a closed vent system to a process, maintain certification of closed vent system capacity; record results of closed vent system and by-pass inspections, maintenance, and corrective actions.	60.5385a(d); 60.5410a(c)(4); 60.5411a(a) (3)(i)(A); 60.5411a(d); 60.5416a(a) and (b)(13); 60.5420a(c)(3) and (17).
For pneumatic controller affected facilities, maintain information related to equipment, purchase, and location. Requirements to tag devices. Documentation of bleed rate and justification for use of device $> 6$ scfh.	60.4390a(a), (b)(2), (c)(2), (f); 60.5410a(d)(4) and (6); 60.5413a(d)(3); 60.5420a(c)(4)
For pneumatic pump affected facilities that are not controlled, maintain information related to equipment, purchase, location, and manufacturer specifications. Prepare and submit applicable certification and maintain records. Maintain information related to equipment, purchase, location, and manufacturer specifications.	60.5393a(b)(3)-(5); 60.5393a(e); 60.5410a(e)(8); 60.5420a(c)(16)
For pneumatic pump affected facilities that are controlled, maintain information related to equipment, purchase, location, manufacturer specifications, and control. Maintain certification of closed vent system capacity; record results of closed vent system and by-pass inspections, maintenance, and corrective actions.	60.5393a(e); 60.5410a(e)(8); 60.5420a(c) (16); 60.5411(a)(3)(i)(A); 60.5411a(d); 60.5416a(a) and (b)(13); 60.5420a(c)(16) and (17).
For storage vessel affected facilities, Maintain compliance records for control device including visible emission observation results, inspection results, corrective actions, and maintenance. Maintain certification of closed vent system capacity; record results of closed vent system and by-pass inspections, maintenance, and corrective actions.	60.55395a(d)(3); 60.5411a(c)(3)(i)(A); 60.5411a(d); 60.5412a(c) and (d); 60.5413a(d) and (e); 60.5416a(c); 60.5417a(h)60.5420a(c)(12), (13), (14), and (17).
For the collection of fugitive emission components at well sites affected facilities, develop company-defined area monitoring plans. Maintain records of each semi-annual monitoring survey.	60.5397a(b), (c), (i), 60.5410a(i); 60.5415a(h); 60.5420a(c)(15)
For the collection of fugitive emission components at compressor station affected facilities, develop company-defined area monitoring plans. Maintain records of each quarterly monitoring survey.	60.5397a(b), (c), (i), 60.5410a(i); 60.5415a(h); 60.5420a(c)(15)
For affected facilities at onshore gas processing plants, records of subject equipment, records of leak detection and repair program.	60.5400a(a) 60.482-1a(b) and (d); 60.482-7a; 60.482- 10a
For sweetening unit affected facilities at onshore natural gas processing plants, records of sulfur levels, acid gas, calculations, measurements, and compliance records.	60.5407a(a); 60.5423a
Notifications and Reporting	
Notify the Administrator at least two days prior to a well completion operation.	60.5420a(a)(2)
Submit an annual report, per operating entity, for all wellhead, pneumatic controller, pneumatic pump, storage vessel, centrifugal and reciprocating compressor and wellsite and compressor station fugitive emissions affected facilities.	60.5420a(b)
Notification of construction or reconstruction.	60.7(a)(1)
	60.8(d)

Annual reports including those of excess emissions.	60.5417a(c); 60.487a(c)( 2)(i)-(vi)
Performance test results.	60.487a(e)
Semiannual report on excess emissions from and performance of continuous monitoring system, and/or summary report forms at processing plants	60.5422a(b)
Annual report on excess emissions from and performance of continuous monitoring system for sweetening units.	60.5410a(g )(3); 60.5423a(b)

#### (ii) Respondent Activities.

#### **Respondent Activities**

Read instructions.

Gather relevant information.

Perform initial performance test and repeat performance tests if necessary.

Write the notifications and reports listed above.

Enter information required to be recorded above.

Submit the required reports developing, acquiring, installing, and utilizing technology and systems for the purpose of collecting, validating, and verifying information.

Develop, acquire, install, and utilize technology and systems for the purpose of processing and maintaining information.

Develop, acquire, install, and utilize technology and systems for the purpose of disclosing and providing information.

Adjust the existing ways to comply with any previously applicable instructions and requirements.

Train personnel to be able to respond to a collection of information.

Transmit, or otherwise disclose the information.

- The Information Collected–Agency Activities, Collection Methodology, and Information Management
- (a) Agency Activities.

The Agency activities associated with subpart OOOOa are provided in Tables 2a-2d (located at the end of this supporting statement) and are introduced in section 6(c).

(b) Collection Methodology and Management.

Data and records maintained by the respondents are tabulated and published for use in compliance and enforcement programs of the delegated permitting authority. Information contained in the reports will be required to submit records electronically to the EPA's Central DATA Exchange (CDX) using the Compliance and Emissions Data Reporting Interface (CEDRI). CDX enables fast, efficient and more accurate environmental data submissions from

state and local governments, industry and tribes to the EPA and participating program offices. The EPA's CDX is the point of entry on the Environmental Information Exchange Network (Exchange Network) for environmental data submissions to the Agency. CDX works with both EPA program offices looking for a way to better manage incoming data, and stakeholders looking for a way to reduce burden from reporting requirements.

#### (c) Small Entity Flexibility.

The EPA performed a screening analysis for impacts on a sample of expected affected small entities by comparing compliance costs to entity revenues. The impact on small entities (i.e., small businesses) was taken into consideration during the development of the regulation. The EPA nonetheless has tried to reduce the impact of this rule on small entities by the selection of highly cost-effective controls and specifying monitoring requirements that are the minimum to insure compliance.

#### (d) Collection Schedule.

The specific frequency for each information collection activity within this request is shown in Tables 1a-1d.

#### 6. Estimating the Burden and Cost of the Collection

#### (a) Estimating Respondent Burden.

This ICR uses the following labor rates: \$34.18 per hour for technical labor, \$53.91 per hour for management labor, and \$23.90 for clerical labor. The rates have already been increased by 110 percent to account for the benefit packages available to those employed by private industry. These rates are from the *Employer Costs for Employee Compensation Historical Listing March 2004 – December 2010* published by the Bureau of Labor and Statistics updated to 2012 (a 2 percent increase from 2008) in accordance with BLS current employment statistics (Source: <a href="http://ftp.bls.gov/pub/special.requests/ocwc/ect/ecceqrtn.pdf">http://ftp.bls.gov/pub/special.requests/ocwc/ect/ecceqrtn.pdf</a>, update http://www.bls.gov/ces/). Costs have been estimated in 2012 dollars for this ICR to be consistent with other costs (i.e. cost of control) estimated in the development of subpart OOOOa.

The annual burden estimates for the subpart OOOOa are shown in Tables 1a-1d. These numbers were derived from estimates of new sources that would be required to meet the standards based on the EPA's development of impacts for this rulemaking. Note that Tables 1a, 1b and 1c include the comprehensive technical, managerial, and clerical hours and associated

costs for reporting and recordkeeping required by subpart OOOOa. However, the reporting and recordkeeping costs for the fugitive emission standards for components at well sites and compressor stations were also included in the total program costs estimated in the Technical Support Document (TSD) for the final standards. In order to avoid double-counting of these impacts, the hours and costs associated with this fugitive program in Tables 1a, 1b and 1c were not included in the totals reported in Table 1d.

#### (b) Estimating Respondent Costs.

The information collection activities for subpart OOOOa are presented in Tables 1a-1d. Because the data are already collected by respondents as part of normal operations, no respondent development costs are associated with the information collection activities.

(i) Estimating Labor Costs.

*(ii) Estimating Capital and Operations and Maintenance (O&M) Costs.* We do not estimate there will be additional capital and O&M monitoring costs for the newly affected facilities.

#### (c) Estimating Agency Burden and Cost.

Because reporting and recordkeeping requirements on the part of the respondents are required under the operating permits rules in 40 CFR part 70 or part 71 and the part 60 NSPS General Provisions, no operational costs will be incurred by the Federal Government. Publication and distribution of the information are part of the Compliance Data System, with the result that no Federal costs can be directly attributed to the ICR. Examination of records to be maintained by the respondents will occur incidentally as part of the periodic inspection of facilities that is part of the EPA's overall compliance and enforcement program, and, therefore, is not attributable to the ICR. The only costs that the Federal government will incur are user costs associated with the analysis of the reported information, as presented in Tables 2a-2d. This cost is based on the average hourly labor rate as follows:

Managerial	\$62.27 (GS-13, Step 5, \$38.92 + 60%)
Technical	\$46.21 (GS-12, Step 1, \$28.88 + 60%)
Clerical	\$25.01 (GS-6, Step 3, \$15.63 + 60%)

These rates are from the Office of Personnel Management (OPM), 2012 General Schedule rates of pay, which excludes locality. The rates have been increased by 60 percent to account for the benefit packages available to government employees. Costs have been estimated in 2012 dollars for this ICR to be consistent with other costs (i.e., cost of control) estimated in the development of subpart OOOOa.

(d) Estimating the Respondent Universe and Total Burden and Costs.

It was estimated that an average of 2,554 operators per year will be subject to subpart OOOOa during the 3-year period of this ICR. This value encompasses the number of companies that we expect will submit reports separately as its own entity.

For subpart OOOOa, the components of the total annual responses attributable to this ICR are notification of construction, reconstruction and modification for an average of 8 processing plants and sweetening units per year, notification (by 2,328 companies) of well completions for an average of 8,646 gas wells and 18,998 oil wells per year, and an average of 2,540 annual reports and 14 semiannual reports from all entities. (Processing facilities report semiannually, all others annually.)

The average number of respondents for subpart OOOOa is estimated to be 2,554 respondents over the three year period.

Year	Annual Number of Respondents
1	2,441
2	2,554
3	2,667
Average	2,554

The average number of annual responses per year is calculated using the following table.

	Total An	nual Respons	es	
(A) Information Collection Activity	(B) Number of Respondents <sup>1</sup>	(C) Number of Responses	(D) Number of Existing Respondents That Keep Records But Do Not Submit Reports	(E) Total Annual Responses E=(BxC)+D
Notification of construction/ reconstruction/modification	16	1	N/A	16
Notification of well completions/recompletions	2,328	1	N/A	2,328
Annual Compliance Reports	2,540	1	N/A	2,540
Semiannual Compliance Reports	14	2	N/A	28
			Total	4,912

1 We assume each facility will make the appropriate notifications and that each owner will submit the annual or semiannual report for all affected facilities in each year.

(e) Bottom Line Burden Hours and Cost Tables.

(*i*) *Respondent tally*. The bottom line respondent burden hours and costs are presented in Table 1d. The average annual burden for the recordkeeping and reporting requirements in subpart OOOOa for the 2,554 owners and operators that are subject to the rule is 98,438 labor hours, with an annual average cost of \$3,361,074. Note that these values do not reflect the sum of the values provided in Tables 1a, 1b and 1c. Tables 1a, 1b and 1c include the comprehensive technical, managerial, and clerical hours and associated costs for reporting and recordkeeping required by subpart OOOOa. However, the reporting and recordkeeping costs for the fugitive emission standards for components at well sites and compressor stations were also included in the total program costs estimated in the TSD for the final standards. In order to avoid double-counting of these impacts, the hours and costs associated with this fugitive program in Tables 1a, 1b and 1c were not included in the totals reported in Tables 1a, and costs.

*The Agency tally.* The average annual Federal Government cost is \$532,527 for11,817 labor hours for subpart OOOOa. The bottom line Agency burden hours and costs,

presented in Table 2d, are calculated from Tables 2a-2c by adding person-hours per year down each column for technical, managerial, and clerical staff, and by adding down the cost column.

*(iii) Variations in the annual bottom line.* This section does not apply since no significant variation is anticipated.

(f) Reasons for Change in Burden.

This section does not apply because this is a new ICR.

(g) Burden Statement

The annual public reporting and recordkeeping burden for this collection of information is estimated to average 20 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB Control Number. The OMB Control Numbers for EPA regulations are listed at 40 CFR part 9 and 48 CFR chapter 15.

To comment on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including the use of automated collection techniques, the EPA has established a public docket for this ICR under Docket ID Number EPA-HQ-OAR-2010-0505. An electronic version of the public docket is available at http://www.regulations.gov/ which may be used to obtain a copy of the draft collection of information, submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the public docket that are available electronically. When in the system, select "search," then key in the docket ID number identified in this document. The documents are also available for public viewing at the Enforcement and Compliance Docket and Information Center in the EPA Docket Center (EPA/DC), EPA WJC West Building, Room 3334, 1301 Constitution Ave., NW, Washington, DC. The EPA Docket Center Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is (202) 566-1744, and the telephone number for the Enforcement and Compliance Docket and Information Center is (202) 566-1742. Also, you can send comments to the Office of Information and Regulatory Affairs, Office of Management and Budget, 725 17th Street, NW, Washington, DC 20503, Attention: Desk Officer for EPA. Please include the EPA Docket ID Number EPA-HQ-OAR-2010-0505 in any correspondence.

#### PART B

This section is not applicable because statistical methods are not used in data collection associated with the final rule.

#### Table 1a. Year 1 Respondent Burden of Reporting and Recordkeeping Requirements

Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification, or Reconstruction Commenced
after September 18, 2015 (40 CFR part 60, subpart OOOOa)

YarNomeral Person Person Person Person Person Person Person Person Person Person Person Person Person Person Pers	after September 18, 2015 (40 CFR part 60, subpart OO	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)
YarPerson- housing in person- <br< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></br<>									
InstructionProvide DecisionPer Ver per Ver per Ver per Ver per Ver 	Vear	Person-	Occurrences		Respondents				
Occurrence per teaOr Year </td <td>itai</td> <td>· ·</td> <td>-</td> <td>*</td> <td>1</td> <td></td> <td></td> <td></td> <td>Cost per Ye</td>	itai	· ·	-	*	1				Cost per Ye
A.APPLACTIONS (No. Applicable)     SURVEY AND SURPEY NO. SURPEY ADD SUMPLATION, AND UTILIZATION OF TICLINOLOXY AND SUMPLATION, INSTALLATION, AND UTILIZATION OF TICLINOLOXY AND SUMPLATION SUMPLATION OF TICLINOLOXY AND SUMPLATION OF TICLINOL XILLINOL XILLINOL XILLINOL XILLINO		Occurrence			r			-	
SURPENDATION NO TADALTON NO TA	A DDI ICA TIONS (Not Applicable)		per year	(A*B)					
A CQUISTION, INT ALLATION, AND UTILIZATION OF TECHNOLOGY AND SYSTEMS (Not Applicable)     Second Exclusion     Second Exclusio									
I.HEPORT ISQUIREMENTS       A.Read Instructions     I		NOLOGYANI	SYSTEMS (N	ot Applicable)					
A. Read Instructions Image of the second s			01012.000	ot ripplicable)					
New Affected Figures*     2     1     2     2.41     4.892     2.44     4.89     519.00       Is Brequined Activities     -									
B. Required Activities     -	New Affected Facilities <sup>a</sup>	2	1	2	2,441	4,882	244	488	\$191,694
Nonlination of Canstruction/Reconstruction/Modification <sup>1</sup> 0.5     1     0.5     8     4     0     0     5157       C. Cover Information (Recluded in 5C) <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Nutritation of Construction/Reconstruction/Reconstruction/Reconstruction/Reconstruction/Reconstruction/Reconstruction/Reconstruction in SQ     0.5     1     0.5     8     4     0     0.5     0.5       C. Cracet formation (Included in SQ)     I	Notification of Well Completion/Recompletion <sup>b</sup>	0.25	10	2.5	2,328	5,820	291	582	\$228,525
C. Cave Information (Included in SC)     Image: SC included in SC)     Image: SC included in SC includes included in SC in		0.5	1	0.5	8	4	0	0	\$157
E. Annual Reports     Image: Complexion/Recompl									
Well Completion/Recompletion?     1     1     1     1     2.328     2.328     1.16     2.33     91,41       Centrifugal Compressor (Wet seal) <sup>5</sup> 3     1     3     1     3     0     0     511       Recipocating Compressor/and Compressor/And Complexity     1     1     1     0     6     5     10     53,26       Pneumatic Controllers*     1     1     1     1     0     6     5     10     53,26       Storage Vessef*     2     1     2     1,62     2,104     105     240     210     53,05,6       Compressor Station (Fugitives) <sup>1</sup> 4     1     4     1     4     1     4     1     4     1     4     10     0     0     5157       F. Semanual Report     2     48     1     4     1     4     10     10     53,10       Reporting Requirement Subtal     2     2     48     1     10     12,238     11,60     54     2,534	D. Gather Existing Information (Included in 5C)								
Centringal Compressor (Wet scap) <sup>a</sup> 3   1   3   1   3   0   0   \$13     Reciprocating Compressor <sup>a</sup> 1.5   1   1.5   3.2   48   2   5   \$1,88     Pneumatic Controlles"   1   1   1   96   96   5   10   \$3,782     Pneumatic Pumps'   2   1   2   1.62   \$2,104   105   201   \$82,60     Storage Wessef   2   1   2   2,433   4,866   243   480   \$15,70   \$93,12   466   931   \$35,66   \$55,60   \$55,60   \$55,60   \$55,60   \$56,40   \$56,40   \$56,40   \$16,40   \$4   1   4   10   \$40   \$1,10   \$55,60   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$53,10   \$52,238   \$11,60   \$52   \$1,64   \$45,00   \$41,10   \$41,10   \$41,10   \$41,10   \$41,10<	E. Annual Reports								
Centringal Compressor™ (Wet seal) <sup>k</sup> 3   1   3   1   3   0   0   \$15     Reciprocating Compressor™   1.5   1   1.5   32   48   2   5   \$1,88     Pnrumatic Controllers*   1   1   1   96   96   5   10   \$3,785     Pnrumatic Pumps'   2   1   2   1,632   \$2,104   105   201   \$82,60     Storage Vessel*   2   1   2   2,433   4,866   433   \$85,60     CompressorStation (Fugitives) <sup>1</sup> 4   1   4   105   400   \$157     F. Semiannual Reports   4   1   4   1   4   1   4   \$13,19     Reparting Requirement Subtota   24   2   48   7   36   17   34   \$13,19     Reparting Requirement Subtota   23,142   24   2   48   7   36   17   34   \$13,19     Reparting Requirement Subtota   23,142   2   38   \$11,16   \$13,19   \$31,19   \$31,19   \$31,	Well Completion/Recompletion <sup>b</sup>	1	1	1	2,328	2,328	116	233	\$91,410
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		3	1	3	1	3	0	0	\$118
Interface     2     1     2     1     2     1     2     1     2     1     2     1     2     1     2     1     2     1     2     1     2     1     2     1     2     2     1     2     2     1     2     2     1     2     2     1     2     2     1     2     2     3     4     4     1     1     1     1     2     2     3     2     1     1     1     2     2     1     1     1     1     1     2     2     1     1	Reciprocating Compressor <sup>d</sup>	1.5	1	1.5	32	48	2	5	\$1,885
Storage Vessel     2     1     2     2433     4.866     243     487     \$191,00       Well Sine (Fuglives) <sup>b</sup> 4     1     4     2,228     9,312     466     931     \$365,6       Compressor Station (Fuglives) <sup>b</sup> 4     1     4     105     420     21     42     \$16,400     0.5     \$157       F. Semiannual Reports     - <td>Pneumatic Controllers<sup>e</sup></td> <td>1</td> <td>1</td> <td>1</td> <td>96</td> <td>96</td> <td>5</td> <td>10</td> <td>\$3,769</td>	Pneumatic Controllers <sup>e</sup>	1	1	1	96	96	5	10	\$3,769
Will Sie (Fuglives) <sup>b</sup> 4     1     4     2.328     9.312     466     931     \$385,66       Compressor Sation (Fuglives) <sup>b</sup> 4     1     4     105     420     21     42     \$16,49       Sweetening Uni <sup>b</sup> 4     1     4     1     4     0     0     \$15,75       Gas Processing Plant <sup>1</sup> 24     2     48     7     336     17     34     \$13,19       Reporting Requirement Subtoal	Pneumatic Pumps <sup>f</sup>	2	1	2	1,052	2,104	105	210	\$82,615
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Storage Vessel <sup>g</sup>	2	1	2	2,433	4,866	243	487	\$191,066
Domproduct (spin (s	Well Site (Fugitives) <sup>h</sup>	4	1	4	2,328	9,312	466	931	\$365,640
F. Semiannual Reports   Image: constraint of the semia	Compressor Station (Fugitives) <sup>i</sup>	4	1	4	105	420	21	42	\$16,492
Gas Processing Pland     24     2     48     7     336     17     34     \$		4	1	4	1	4	0	0	\$157
Construction prime     Image: Construction of the second	F. Semiannual Reports								
Reporting Requirement Subtoal     595.02       5. RECORDKEEPING REQUIREMENTS       3. RECORDKEEPING REQUIREMENTS       A. Read Instructions (Included in 4A)     Image: Second S	Gas Processing Plant <sup>j</sup>	24	2	48	7				\$13,193
S. RECORDKEEPING REQUIREMENTS   Image: control of (ncluded in 4A)   Image: control of (ncluded in 4A)   Image: control of (ncluded in 4A)   Image: control of (ncluded in 4B)   Image: con	Reporting Requirement Subtotal								\$995,027
A. Read Instructions (Included in 4A)   Image: State of the state	5. RECORDKEEPING REOUIREMENTS						23,142		
B. Plan Activities (Included in 4B)	-								
C. Implement Activities   Image: constance of the second	· /								
Maintain 300 GOR exemption records <sup>b</sup> 1   1   1   2,328   2,328   116   233   \$\$1,41     Centrifugal Compressor (Wet seal) <sup>6</sup> 4   1   4   0   0   \$\$157     Reciprocating Compressor (Rod Packing Change) <sup>d</sup> 1   1   32   32   2   3   \$\$1,250     Reciprocating Compressor (Route to Process) <sup>d</sup> 2   1   1   32   32   0   0   \$\$0	C. Implement Activities								
Maintain 300 GOR exemption records <sup>b</sup> 1   1   1   2,328   2,328   116   233   \$\$1,41     Centrifugal Compressor (Wet seal) <sup>6</sup> 4   1   4   0   0   \$\$157     Reciprocating Compressor (Rod Packing Change) <sup>d</sup> 1   1   32   32   2   3   \$\$1,250     Reciprocating Compressor (Route to Process) <sup>d</sup> 2   1   1   32   32   0   0   \$\$0	*	0.5	10	5	2,328	11,640	582	1,164	\$457,050
Centrifugal Compressor (Wet seal) <sup>c</sup> 4   1   4   1   4   0   0   \$157     Reciprocating Compressor (Rod Packing Change) <sup>d</sup> 1   1   32   32   2   3   \$1,250     Reciprocating Compressor (Rout to Process) <sup>d</sup> 2   1   2   0   0   0   \$1,00     Pneumatic controllers <sup>e</sup> 4   1   4   96   384   19   38   \$1,00     Pneumatic pumps (uncontrolled) <sup>f</sup> 1   1   263   263   13   264   \$10,32     Storage Vessels <sup>8</sup> 2   1   2   11,100   22,200   1,110   2,220   \$87,66     Fugitive Emissions - Compressor Stations <sup>1</sup> 1   4   4   105   420   21   \$16,49     Processing Plants <sup>1</sup> 4   4   105   420   21   \$22   \$87,99     Sweetening Units <sup>k</sup> 8   4   32   7   224   11   22   \$87,99     Sweetening Units <sup>k</sup> 8   4   32   7   224   11   22   \$87,99	Maintain 300 GOR exemption records <sup>b</sup>	1	1	1	2,328	2,328	116	233	\$91,410
Reciprocating Compressor (Rod Packing Change) <sup>d</sup> 1   1   32   32   2   3   \$1,250     Reciprocating Compressor (Route to Process) <sup>d</sup> 2   1   2   0   0   0   0   \$0     Pneumatic controllers <sup>6</sup> 4   1   4   96   384   19   38   \$15,07     Pneumatic pumps (uncontrolled) <sup>4</sup> 1   1   263   263   13   26   \$10,32     Pneumatic pumps (controlled) <sup>4</sup> 8   1   8   789   6,312   316   631   \$247,88     Storage Vessels <sup>8</sup> 2   1   2   11,100   22,200   1,110   2,220   \$87,66     Fugitive Emissions - Well Sites <sup>h</sup> 1   16   166   2,328   37,248   1,862   3,725   \$1,642,55     Fugitive Emissions - Compressor Stations <sup>1</sup> 1   4   4   105   420   21   42   \$16,49     Processing Plants <sup>1</sup> 8   4   32   7   224   11   22   \$8,795     Sweetening Units <sup>k</sup> 4   1   4   1		4	1	4	1	4	0	0	\$157
Reciprocating Compressor (Route to Process) <sup>d</sup> 2   1   2   0   0   0   0   \$0     Pneumatic controllers <sup>e</sup> 4   1   4   96   384   19   38   \$15,07     Pneumatic pumps (uncontrolled) <sup>1</sup> 1   1   1   263   263   13   26   \$10,32     Pneumatic pumps (controlled) <sup>1</sup> 8   1   8   789   6,312   316   631   \$247,86     Storage Vessek <sup>6</sup> 2   1   2   11,00   22,200   1,110   2,220   \$87,66     Fugitive Emissions - Well Sites <sup>h</sup> 1   16   16   2,328   37,248   1,862   3,725   \$1,462,5     Fugitive Emissions - Compressor Stations <sup>1</sup> 1   4   4   105   420   21   42   \$16,49     Processing Plants <sup>1</sup> 8   4   32   7   224   11   22   \$8,795     Sweetening Units <sup>k</sup> 4   1   4   1   4   0   0   \$157     D. Record Data (Included in 5C) <td></td> <td>1</td> <td>1</td> <td>1</td> <td>32</td> <td>32</td> <td>2</td> <td>3</td> <td>\$1,256</td>		1	1	1	32	32	2	3	\$1,256
Pneumatic controllers <sup>6</sup> 4   1   4   96   384   19   38   \$15,07     Pneumatic pumps (uncontrolled) <sup>1</sup> 1   1   1   263   263   13   26   \$10,32     Pneumatic pumps (controlled) <sup>1</sup> 8   1   8   789   6,312   316   631   \$247,82     Storage Vessels <sup>6</sup> 2   1   2   11,100   22,00   1,110   2,220   \$871,62     Fugitive Emissions - Well Sites <sup>h</sup> 1   16   16   2,328   37,248   3,620   \$3,620   \$1,620<		2	1	2	0	0	0	0	\$0
Pneumatic pumps (uncontrolled) <sup>f</sup> 1   1   1   263   263   13   26   \$10,32     Pneumatic pumps (controlled) <sup>f</sup> 8   1   8   789   6,312   316   631   \$247,84     Storage Vessels <sup>8</sup> 2   1   2   11,100   22,000   1,110   2,220   \$871,66     Fugitive Emissions - Well Sites <sup>h</sup> 1   16   16   2,328   37,248   1,862   3,725   \$1,649     Processing Plants <sup>1</sup> 1   4   4   105   420   21   42   \$16,49     Processing Plants <sup>1</sup> 8   4   32   7   224   11   22   \$87,99     Sweetening Units <sup>k</sup> 4   1   4   1   4   0   0   \$157     D. Record Data (Included in 5C)   4   1   4   1   4   0   0   \$157     Records required by standards (Included in 4E)   6   6   6   6   6   6   6   \$16   \$16   \$16   \$16   \$16   \$16   \$16   \$16   \$16 <td></td> <td>4</td> <td>1</td> <td>4</td> <td>96</td> <td>384</td> <td>19</td> <td>38</td> <td>\$15,078</td>		4	1	4	96	384	19	38	\$15,078
Interfactor pulses of the states of the		1	1	1	263	263	13	26	\$10,327
Storing (resold)   1   16   16   2,328   37,248   1,862   3,725   \$1,462,5     Fugitive Emissions - Compressor Stations <sup>1</sup> 1   4   4   105   420   21   42   \$16,49     Processing Plants <sup>1</sup> 8   4   32   7   224   11   22   \$8,795     Sweetening Units <sup>k</sup> 4   1   4   1   4   0   0   \$157     D. Record Data (Included in 5C) <td< td=""><td>Pneumatic pumps (controlled)<sup>f</sup></td><td>8</td><td>1</td><td>8</td><td>789</td><td>6,312</td><td>316</td><td>631</td><td>\$247,844</td></td<>	Pneumatic pumps (controlled) <sup>f</sup>	8	1	8	789	6,312	316	631	\$247,844
Fugitive Emissions - Compressor Stations <sup>1</sup> 1   4   4   105   420   21   42   \$16,49     Processing Plants <sup>1</sup> 8   4   32   7   224   11   22   \$88,79     Sweetening Units <sup>k</sup> 4   1   4   1   4   0   0   \$157     D. Record Data (included in 5C)   - <td>Storage Vessels<sup>g</sup></td> <td>2</td> <td>1</td> <td>2</td> <td>11,100</td> <td>22,200</td> <td>1,110</td> <td>2,220</td> <td>\$871,694</td>	Storage Vessels <sup>g</sup>	2	1	2	11,100	22,200	1,110	2,220	\$871,694
Fugitive Emissions - Compressor Stations <sup>1</sup> 1   4   4   105   420   21   42   \$16,49     Processing Plants <sup>1</sup> 8   4   32   7   224   11   22   \$88,79     Sweetening Units <sup>k</sup> 4   1   4   1   4   0   0   \$157     D. Record Data (included in 5C)   - <td>Fugitive Emissions - Well Sites<sup>h</sup></td> <td>1</td> <td>16</td> <td>16</td> <td>2,328</td> <td>37,248</td> <td>1,862</td> <td>3,725</td> <td>\$1,462,56</td>	Fugitive Emissions - Well Sites <sup>h</sup>	1	16	16	2,328	37,248	1,862	3,725	\$1,462,56
Interesting Linits <sup>k</sup> 4   1   4   1   4   0   0   \$157     D. Record Data (Included in 5C)  <		1	4	4	105	420	21	42	\$16,492
D. Record Data (Included in SC)   Image: SC in the image: SC in		8	4	32	7	224	11	22	\$8,795
D. Record Data (Included in SC)   Image: SC in the image: SC in	Sweetening Units <sup>k</sup>	4	1	4	1	4	0	0	\$157
Records required by standards (Included in 4E)   Image: Constraint of the standards (Included in 4E)   Image: Constraint of the standards (Included in 5C)   Image: Constandards (Included in 5C)   Image: Constraint of the	D. Record Data (Included in 5C)		ļ						
F. Train Personnel (Included in 5C)   Image: Constraint of the second		L							
G. Time for Audits (Not Applicable)   Image: Constraint of the second									
Recordkeeping Requirement Subtotal     81,059     4,053     8,106       93,218     93,218     \$3,182,8       COT AL REPORTING AND RECORD KEEPING LABOR AND COST     106,400     5,320     10,640									
Records eeping Requirement Subtotal     53,182,8       OTAL REPORTING AND RECORDST EEPING LABOR AND COST     106,400     5,320     10,640	G. Time for Audits (Not Applicable)								
TOTAL REPORTING AND RECORD KEEPING LABOR AND COST 106,400 5,320 10,640 \$4177.8	Recordkeeping Requirement Subtotal					81,059		8,106	\$3,182,82
TOTAL REPORTING AND RECORD KEEPING LABOR AND COST						100.100		10.010	
177.360	TOTAL REPORTING AND RECORDKEEPING LABOR AND COST					106,400	5,320 122,360	10,640	\$4,177,84

<sup>a</sup> We have assumed that the number of respondents that will be subject to subpart OOOOa in this year will be 2,441 owners and operators. This is based on 2,328 exploration and production businesses, 105 compressor stations, 7 processing plants, and 1 sweetening unit.

<sup>b</sup> Assumes that 8,646 gas well completions and recompletions and 18,998 oil well completions and recompletions performed by 2,328 companies in 2016 will occur in the year and be affected by the rule. It is assumed that of the oil wells, 4,491 will have a GOR < 300.

<sup>c</sup> Assumes 1 centrifugal compressor equipped with wet seals in the transmission and storage segments will become an affected facility in the year.

<sup>d</sup> Assumes 32 reciprocating compressors will become affected facilities in the year and that all will comply by changing the rod packing rather than routing to a process.

<sup>e</sup> Assumes 96 pneumatic controllers will become affected facilities in the year.

<sup>f</sup>Assumes that 1,052 pneumatic pumps will become affected facilities in the year and that 789 will be at sites with control devices.

<sup>g</sup> Assumes that there will be 11,100 storage vessels that will become affected facilities in the year at sites owned or operated by 2,433 companies (2,328 exploration and production and 105 compressor stations).

<sup>h</sup> Assumes that 18,523 production sites will become affected facilities in the year operated by 2,328 companies.

<sup>1</sup> Assumes that 105 of the compressor stations will become affected facilities in the year.

<sup>j</sup> Assumes that 7 processing plants and 1 sweetening facility will become affected facilities in the year.

#### Table 1b. Year 2 Respondent Burden of Reporting and Recordkeeping Requirements

Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification, or Reconstruction Commenced
after September 18, 2015 (40 CFR part 60, subpart OOOOa)

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)
		Number of	Person-		Technical	Managerial	Clerical	
Year	Person-	Occurrences	Hours per	Respondents	Person-	Person-	Person-	Cost nor Vo
	Hours per Occurrence	per Respondent	Respondent per Year	per Year	Hours per	Hours per	Hours per	Cost per Ye
	Occurrence	per Year	(A*B)		Year (C*D)	Year (0.05*E)	Year (0.10*E)	
. APPLICATIONS (Not Applicable)		per rear	(11 D)					
2. SURVEY AND STUDIES (Not Applicable)								
B. ACQUISITION, INSTALLATION, AND UTILIZATION OF TECH		D SYSTEMS (	Not Applicable	.)				
REPORT REQUIREMENTS			tot ripplicable	.)				
A. Read Instructions	1							
	2	1	2	2,554	5,108	255	511	\$200,568
New Affected Facilities <sup>a</sup> B. Required Activities	2	T	2	2,554	5,106	255	511	\$200,500
*	0.25	10	25	2 220	F 830	291	582	\$228,525
Notification of Well Completion/Recompletion <sup>b</sup>			2.5	2,328	5,820			
Notification of Construction/Reconstruction/Modification	<sup>j</sup> 0.5	1	0.5	8	4	0	0	\$157
C. Create Information (Included in 5C)								
D. Gather Existing Information (Included in 5C)								
E. Annual Reports								
Well Completion/Recompletion <sup>b</sup>	1	1	1	2,328	2,328	116	233	\$91,410
Centrifugal Compressor (Wet seal) <sup>c</sup>	3	1	3	2	6	0	1	\$236
Reciprocating Compress or <sup>d</sup>	1.5	1	1.5	64	96	5	10	\$3,769
Pneumatic Controllers <sup>e</sup>	1	1	1	96	96	5	10	\$3,769
Pneumatic Pumps <sup>f</sup>	2	1	2	2,104	4,208	210	421	\$165,229
Storage Vessel <sup>g</sup>	2	1	2	2,433	4,866	243	487	\$191,066
Well Site (Fugitives) <sup>h</sup>	4	1	4	2,328	9,312	466	931	\$365,640
Compressor Station (Fugitives) <sup>i</sup>	4	1	4	210	840	42	84	\$32,983
Sweetening Unit <sup>k</sup>	4	1	4	2	8	0	1	\$314
F. Semiannual Reports					-			
Gas Processing Plant <sup>j</sup>	24	2	48	14	672	34	67	\$26,386
Gas Processing Plaint		-	10		28,256	1,413	2,826	\$20,000
Reporting Requirement Subtotal					20,200	32,494	2,020	\$1,109,486
5. RECORDKEEPING REQUIREMENTS						32,434		
A. Read Instructions (Included in 4A)								
B. Plan Activities (Included in 4B)	+							
C. Implement Activities			_					
Maintain completion log records <sup>b</sup>	0.5	10	5	2,328	11,640	582	1,164	\$457,050
Maintain 300 GOR exemption records <sup>b</sup>	1	1	1	2,328	2,328	116	233	\$91,410
Centrifugal Compressor (Wet seal) <sup>c</sup>	4	1	4	2	8	0	1	\$314
Reciprocating Compressor (Rod Packing Change) <sup>d</sup>	1	1	1	64	64	3	6	\$2,513
Reciprocating Compressor (Route to Process) <sup>d</sup>	2	1	2	0	0	0	0	\$0
Pneumatic controllers <sup>e</sup>	4	1	4	96	384	19	38	\$15,078
Pneumatic pumps (uncontrolled) <sup>f</sup>	1	1	1	526	526	26	53	\$20,654
Pneumatic pumps (controlled) <sup>f</sup>	8	1	8	1,578	12,624	631	1,262	\$495,688
Storage Vessels <sup>g</sup>	2	1	2	22,200	44,400	2,220	4,440	\$1,743,38
Fugitive Emissions - Well Sites <sup>h</sup>	1	16	16	4,656	74,496	3,725	7,450	\$2,925,123
Fugitive Emissions - Compressor Stations <sup>i</sup>	1	4	4	210	840	42	84	\$32,983
Processing Plants <sup>j</sup>	8	4	32	14	448	22	45	\$17,591
Sweetening Units <sup>k</sup>	4	1	4	2	8	0	1	\$314
D. Record Data (Included in 5C)	1	-	-	-	-	-	-	
E. Time to Transmit or Disclose Information								
Records required by standards (Included in 4E)	1							
* * ` ` /		1		1				
F. Train Personnel (Included in 5C)								
G. Time for Audits (Not Applicable)	1	1		1	1.47 500	7 200	14 777	
Recordkeeping Requirement Subtotal					147,766	7,388	14,777	\$5,802,106
						169,931		
		176,022	8,801	17,602	#C 011 50			
FOTAL REPORTING AND RECORDKEEPING LABOR AND COST					· · · · ·	202,425		\$6,911,592

<sup>a</sup> We have assumed that the number of respondents that will be subject to subpart OOOOa in this year will be 2,554 owners and operators. This is based on 2,328 exploration and production businesses, 210 compressor stations, 14 processing plants, and 2 sweetening units.

<sup>c</sup> Assumes 1 centrifugal compressor equipped with wet seals in the transmission and storage segments will become an affected facility in the year.

<sup>e</sup> Assumes 96 pneumatic controllers will become affected facilities in the year.

<sup>f</sup>Assumes that 1,052 pneumatic pumps will become affected facilities in the year and that 789 will be at sites with control devices.

<sup>h</sup> Assumes that 18,662 production sites will become affected facilities in the year operated by 2,328 companies.

<sup>1</sup> Assumes that 105 compressor stations will become affected facilities in the year.

<sup>j</sup> Assumes that 7 processing plants and 1 sweetening facility will become affected facilities in the year.

<sup>&</sup>lt;sup>b</sup> Assumes that 8,565 gas well completions and recompletions and 19,216 oil well completions and recompletions performed by 2,328 companies in 2017 will occur in the year and be affected by the rule. It is assumed that of the oil wells, 4,543 will have a GOR < 300.

<sup>&</sup>lt;sup>d</sup> Assumes 32 reciprocating compressors will become affected facilities in the year and that all will comply by changing the rod packing rather than routing to a process.

<sup>&</sup>lt;sup>g</sup> Assumes that there will be 11,100 storage vessels that will become affected facilities in the year at sites owned or operated by 2,433 companies (2,328 exploration and production and 105 compressor stations).

# Table 1d. Three-Year Average Respondent Burden of Reporting and Recordkeeping RequirementsStandards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification,or Reconstruction Commenced after September 18, 2015 (40 CFR part 60, subpart OOOOa)

	Total	Technical		Management	Total Labor	
Year	Respondents	Hours	Clerical Hours	Hours	Hours	Labor Cost
1	2,441	59,000	2,950	5,900	67,850	\$2,316,665
2	2,554	90,534	4,527	9,053	104,114	\$3,554,863
3	2,667	107,262	5,363	10,726	123,351	\$4,211,696
Total	7,662	256,796	12,840	25,680	295,315	\$10,083,223
Average	2,554	85,599	4,280	8,560	98,438	\$3,361,074

<sup>a</sup> Note that the numbers in this table do not reflect the sum of the values provided in Tables 1a, 1b and 1c. Tables 1a, 1b and 1c include the comprehensive technical, managerial, and clerical hours and associated costs for reporting and recordkeeping required by subpart OOOOa. However, the reporting and recordkeeping costs for the fugitive emission standards for components at well sites and compressor stations were also included in the total program costs estimated in the Technical Support Document (TSD) for the final standards. In order to avoid double-counting of these impacts, the hours and costs associated with this fugitive program in Tables 1a, 1b and 1c were not included in the totals reported in Table 1d and elsewhere throughout this document.

#### Table 2a. Year 1 Annual Burden and Cost to the Federal Government

Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification, or Reconstruction Commenced after September 18, 2015 (40 CFR part 60, subpart OOOOa)

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)
	EPA person-	No. of	EPA person-	Responses	Technical	Management	Clerical	Cost,\$(b)
	hours per	occurrences	hours per	per	person-hours	person-hours	person-	
	occurrence	per plant	plant per	year (a)	per year	per year	hours per	
		per year	year		(E=CxD)	(Ex0.05)	year	
Activity			(C=AxB)				(Ex0.1)	
Report Review								
Notification of Construction/Reconstruction/Modification	0.5	1	0.5	8	4	0	0	\$207
Annual Report	4	1	4.0	2,434	9,736	487	974	\$504,543
Semiannual Report	4	2	8.0	7	56	3	6	\$2,902
TOTAL ANNUAL BURDEN					9,796 490 980			\$507,652
						11,265		\$307,032

<sup>a</sup> We have assumed that the number of respondents that will be subject to subpart OOOOa in this year will be 2,441 owners and operators. This is based on 2,328 exploration and production businesses, 105 compressor stations, 7 processing plants, and 1 sweetening unit.

<sup>b</sup> The cost is based on the following labor rate which incorporates a 1.6 benefits multiplication factor to account for government overhead expenses. Managerial rates of \$62.27 (GS-13, Step 5, \$38.92 × 1.6), Technical rate of \$46.21 (GS-12, Step 1, \$28.88 × 1.6), and Clerical rate of \$25.01 (GS-6, Step 3, \$15.63 × 1.6). These rates are from the Office of Personnel Management (OPM), 2012 General Schedule, which excludes locality rates of pay.

#### Table 2b. Year 2 Annual Burden and Cost to the Federal Government

## Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification, or Reconstruction Commenced after September 18, 2015 (40 CFR part 60, subpart OOOOa)

TO TAL ANNOAL DURDEN					11,817			φ332,327
TOTAL ANNUAL BURDEN					10,276	514	1,028	\$532,527
Semiannual Report	4	2	8.0	14	112	6	11	\$5,804
Annual Report	4	1	4.0	2,540	10,160	508	1,016	\$526,516
Notification of Construction/Reconstruction/Modification	0.5	1	0.5	8	4	0	0	\$207
Report Review								
Activity			(C=AxB)				(Ex0.1)	
		per year	year		(E=CxD)	(Ex0.05)	year	
	occurrence	per plant	plant per	year (a)	per year	per year	hours per	
	hours per	occurrences	hours per	per	person-hours	person-hours	person-	
	EPA person-	No. of	EPA person-	Responses	Technical	Management	Clerical	Cost,\$(b)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)

<sup>a</sup> We have assumed that the number of respondents that will be subject to subpart OOOOa in this year will be 2,554 owners and operators. This is based on 2,328 exploration and production businesses, 210 compressor stations, 14 processing plants, and 2 sweetening units.

<sup>b</sup> The cost is based on the following labor rate which incorporates a 1.6 benefits multiplication factor to account for government overhead expenses. Managerial rates of \$62.27 (GS-13, Step 5, \$38.92 × 1.6), Technical rate of \$46.21 (GS-12, Step 1, \$28.88 × 1.6), and Clerical rate of \$25.01 (GS-6, Step 3, \$15.63 × 1.6). These rates are from the Office of Personnel Management (OPM), 2012 General Schedule, which excludes locality rates of pay.

#### Table 2c. Year 3 Annual Burden and Cost to the Federal Government

Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification, or Reconstruction Commenced after September 18, 2015 (40 CFR part 60, subpart OOOOa)

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	
	EPA person-	No. of	EPA person-	Responses	Technical	Management	Clerical	Cost,\$(b)	
	hours per	occurrences	hours per	per	person-hours	person-hours	person-		
	occurrence	per plant	plant per	year (a)	per year	per year	hours per		
		per year	year		(E=CxD)	(Ex0.05)	year		
Activity			(C=AxB)				(Ex0.1)		
Report Review									
Notification of Construction/Reconstruction/Modification	0.5	1	0.5	8	4	0	0	\$207	
Annual Report	4	1	4.0	2,646	10,584	529	1,058	\$548,488	
Semiannual Report	4	2	8.0	21	168	8	17	\$8,706	
TOTAL ANNUAL BURDEN					10,756	538	1,076	\$557,402	
				12,369			φ <b>337,40</b> 2		

<sup>a</sup> We have assumed that the number of respondents that will be subject to subpart OOOOa in this year will be 2,667 owners and operators. This is based on 2,328 exploration and production businesses, 315 compressor stations, 21 processing plants, and 3 sweetening units.

<sup>b</sup> The cost is based on the following labor rate which incorporates a 1.6 benefits multiplication factor to account for government overhead expenses. Managerial rates of \$62.27 (GS-13, Step 5, \$38.92 × 1.6), Technical rate of \$46.21 (GS-12, Step 1, \$28.88 × 1.6), and Clerical rate of \$25.01 (GS-6, Step 3, \$15.63 × 1.6). These rates are from the Office of Personnel Management (OPM), 2012 General Schedule, which excludes locality rates of pay.

# Table 2d. Three-Year Average Annual Burden and Cost to the Federal GovernmentStandards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification,<br/>or Reconstruction Commenced after September 18, 2015 (40 CFR part 60, subpart OOOOa)

Year	Technical Hours	Clerical Hours	Management Hours	Total Labor Hours	Labor Cost
1	9,796	980	490	11,265	\$507,652
2	10,276	1,028	514	11,817	\$532,527
3	10,756	1,076	538	12,369	\$557,402
Total	30,828	3,083	1,541	35,452	\$1,597,581
Average	10,276	1,028	514	11,817	\$532,527