List of proposed Crash Investigation Sampling System (CISS) data elements

Page 1

1 STRATUM

- 2 DATE OF CRASH (MONTH/DAY/YEAR)
- 3 TIME OF CRASH
- 4 GPS Coordinates
- 5 TOTAL NUMBER OF VEHICLES IN CRASH
- 6 NUMBER OF CDS IN TRANSPORT VEHICLES IN CRASH
- 7 NUMBER OF CDS NOT IN TRANSPORT VEHICLES IN CRASH
- 8 NUMBER OF NON CDS VEHICLES IN CRASH
- 9 TOTAL NUMBER OF OCCUPANTS IN CDS VEHICLES IN TRANSPORT

CASE FORM

- 10 TOTAL NUMBER OF MEDICAL RECORDS IN CASE
- 11 TYPE OF VEHICLE
- 12 NUMBER OF OCCUPANTS IN THIS VEHICLE
- 13 INTERVIEW RESULTS
- 14 MEDICAL RECORD
- 15 CRASH TYPE
- 16 CRASH CONFIGURATION
- 17 CASE SUMMARY
- 18 VEHICLE YEAR
- 19 VEHICLE MAKE
- 20 VEHICLE MODEL
- 21 DAMAGE PLANE
- 22 DAMAGE SEVERITY
- 23 COMPONENT MALFUNCTION
- 24 PERSON ROLE
- 25 SEAT POSITION
- 26 RESTRAINTS USE
- 27 AIS CODE
- 28 INJURY SEVERITY
- 29 INJURY SOURCE
- 30 [CLASS OF VEHICLE]
- 31 GENERAL AREA OF DAMAGE
- 32 OBJECT CONTACTED
- 33 [CLASS OF VEHICLE CONTACTED]
- 34 GENERAL AREA OF DAMAGE OF VEHICLE CONTACTED

GENERAL VEHICLE

- 1 VEHICLE MODEL YEAR
- 2 VEHICLE MAKE
- 3 VEHICLE MODEL
- 4 VEHICLE BODY CATEGORY
- 5 BODY TYPE
- 6 [CLASS OF VEHICLE]
- 7 VEHICLE IDENTIFICATION NUMBER (VIN)
- 8 VEHICLE SPECIAL USE
- 9 TRANSPORT STATUS
- 10 CURB WEIGHT
- 11 SOURCE OF CURB WEIGHT INFORMATION
- 12 CARGO WEIGHT
- 13 SOURCE OF CARGO WEIGHT INFORMATION
- 14 INSPECTION TYPE
- 15 WHEELBASE
- 16 OVERALL LENGTH
- 17 MAXIMUM WIDTH
- 18 CURB WEIGHT
- 19 AVERAGE TRACK WIDTH
- 20 FRONT OVERHANG
- 21 REAR OVERHANG
- 22 UNDEFORMED END WIDTH
- 23 ENGINE CYLINDERS
- 24 ENGINE DISPLACEMENT
- 25 TYPE OF TRANSMISSION
- 26 DRIVE WHEELS
- 27 MULTI-STAGE OR ALTERED VEHICLE
- 28 SUSPECTED POST MANUFACTURERER MODIFICATIONS
- 29 POLICE REPORTED TOW STATUS
- 30 Speed related
- 31 POSTED SPEED LIMIT
- 32 IS THE DRIVER PRESENT?
- 33 [NUMBER OF OCCUPANTS]
- 34 POLICE REPORTED ALCOHOL PRESENCE
- 35 ALCOHOL TEST FOR DRIVER
- 36 ALCOHOL TEST RESULT
- 37 SOURCE OF ALCOHOL TEST RESULT
- 38 POLICE REPORTED OTHER DRUG PRESENCE
- 39 OTHER DRUG TEST RESULT
- 40 DRIVER'S ZIP CODE
- 41 RACE
- 42 ETHNICITY

- 43 RELATION TO INTERCHANGE OR JUNCTION
- 44 TRAFFICWAY FLOW
- 45 NUMBER OF TRAVEL LANES
- 46 Initial Travel Lane
- 47 Right Line Type
- 48 Left Line Type
- 49 Rumble Strip Present -Initial travel lane
- 50 Rumble Strip Present -Roadway
- 51 LIGHTING CONDITIONS
- 52 WEATHER CONDITIONS
- 53 TRAFFIC CONTROL DEVICE
- 54 TRAFFIC CONTROL DEVICE FUNCTIONING
- 55 DRIVER'S DISTRACTION/INATTENTION TO DRIVING
- 56 DRIVER'S DISTRACTIONS
- 57 PRE FIRST HARMFUL EVENT SEQUENCE
- 58 PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT)
- 59 CRITICAL PRE CRASH CATEGORY
- 60 CRITICAL PRECRASH EVENT
- 61 ATTEMPTED AVOIDANCE MANEUVER
- 62 PRE-IMPACT STABILITY
- 63 PRE-IMPACT LOCATION
- 64 CRASH CATEGORY
- 65 CRASH CONFIGURATION
- 66 CRASH TYPE
- 67 ROLLOVER TYPE
- 68 NUMBER OF QUARTER TURNS
- 69 INTERRUPTED ROLL
- 70 PRE ROLLOVER MANUEVER
- 71 ROLLOVER INITIATION TYPE
- 72 LOCATION OF ROLLOVER INITIATION
- 73 ROLLOVER INITIATION OBJECT CONTACTED CLASS
- 74 ROLLOVER INITIATION OBJECT CONTACTED
- 75 LOCATION ON VEHICLE WHERE INITIATING ROLLOVER FORCE IS APPLIED
- 76 DIRECTION OF INITIAL ROLL
- 77 ESTIMATED DISTANCE FROM TRIP POINT TO FINAL REST POSITION
- 78 TYPE OF IMPACT FOR HIGHEST DELTA V
- 79 HEADING ANGLE FOR THIS VEHICLE
- 80 HEADING ANGLE FOR OTHER VEHICLE
- 81 TOWED TRAILING UNIT
- 82 DOCUMENTATION OF TRAJECTORY DATA
- 83 POST COLLISION CONDITION OF TREE OR POLE
- 84 EVENT NUMBER FOR HIGHEST SEVERITY IMPACT
- 85 BASIS FOR COMPUTER GENERATED DELTA V FOR HIGHEST SEVERITY IMPACT
- 86 TOTAL DELTA V FOR HIGHEST SEVERITY IMPACT
- 87 LONGITUDINAL DELTA V FOR HIGHEST SEVERITY IMPACT
- 88 LATERAL DELTA V FOR HIGHEST SEVERITY IMPACT

- 89 ENERGY ABSORPTION FOR HIGHEST SEVERITY IMPACT
- 90 IMPACT SPEED FOR HIGHEST SEVERITY IMPACT
- 91 CONFIDENCE LEVEL FOR HIGHEST SEVERITY IMPACT
- 92 BARRIER EQUIVALENT SPEED FOR HIGHEST SEVERITY IMPACT
- 93 ESTIMATED SEVERITY FOR HIGHEST SEVERITY IMPACT
- 94 REASON VEHICLE INSPECTION NOT COMPLETED

EXTERIOR VEHICLE

- 1 TOTAL GROSS VEHICLE WEIGHT RATING (KGS)
- 2 FRONT GROSS AXLE WEIGHT RATING (KGS)
- 3 REAR GROSS AXLE WEIGHT RATING (KGS)
- 4 MANUFACTURER'S RECOMMENDED FRONT/REAR TIRE SIZE
- 5 MANUFACTURER'S RECOMMENDED FRONT/REAR TIRE SIZE
- 6 MANUFACTURER RECOMMENDED COLD TIRE PRESSURE FRONT/REAR (KILOPASCALS)
- 7 TIRE LOCATION
- 8 TIRE MANUFACTURER
- 9 TIRE MODEL
- 10 TIRE TYPE ON VEHICLE
- 11 TIRE SIZE ON VEHICLE
- 12 TIRE IDENTIFICATION NUMBER
- 13 MINIMUM TREAD DEPTH (MM)
- 14 TIRE RESTRICTED
- 15 TIRE DAMAGE
- 16 EQUIPMENT TYPE
- 17 EQUIPMENT AVAILABLE
- 18 EQUIPMENT ACTIVATE
- 19 FUEL TYPE
- 20 DAMAGE TO FUEL Source
- 21 FUEL SYSTEM LEAKAGE LOCATION
- 22 LOCATION OF FUEL Source
- 23 TYPE OF FUEL Source
- 24 LOCATION OF FILLER CAP
- 25 PRECRASH CONDITION OF FUEL Source
- 26 FIRE OCCURRENCE
- 27 ORIGIN OF FIRE
- 28 EVENT NUMBER
- 29 DIRECT DAMAGE LOCATION
- 30 LOCATION OF FIELD L
- 31 LOCATION OF MAX CRUSH
- 32 FIELD L
- 33 WINSMASH L
- 34 FIELD L +/- D
- 35 DIRECT +/- D

- 36 CATEGORY
- 37 WIDTH (CDC)
- 38 VERTICAL LEVEL AT WHICH CRUSH MEASUREMENTS ARE TAKEN FOR A PARTICULAR CRUSH PROFILE
- 39 MAXIMUM CRUSH FOR THIS VERTICAL LEVEL OF CRUSH MEASUREMENTS FOR THIS CRUSH PROFILE
- 40 C1, C2, C3, C4, C5, C6
- 41 EVENT NUMBER
- 42 GENERAL AREA OF DAMAGE
- 43 OBJECT CONTACTED CATEGORY AND OBJECT
- 44 DIRECTION OF FORCE
- 45 [CLOCK]
- 46 OVERRIDE/UNDERRIDE (THIS VEHICLE)
- 47 HEADING ANGLE
- 48 DEFORMATION LOCATION
- 49 SPECIFIC LONGITUDINAL OR LATERAL LOCATION
- 50 SPECIFIC VERTICAL OR LATERAL LOCATION
- 51 TYPE OF DAMAGE DISTRIBUTION
- 52 DEFORMATION EXTENT GUIDE
- 53 DIRECT DAMAGE TO PILLAR(S)
- 54 VERTICAL HEIGHT OF SILL
- 55 HEIGHT OF MAX DOOR CRUSH
- 56 DOOR SILL DIFFERENTIAL (DSD)
- 57 TOTAL DELTA V
- 58 LONGITUDINAL DELTA V
- 59 LATERAL DELTA V
- 60 ENERGY ABSORPTION
- 61 MOMENT ARM
- 62 IMPACT SPEED OR CHANGE TO IMPACT
- 63 BARRIER EQUIVALENT SPEED
- 64 ESTIMATED SEVERITY
- 65 SEVERITY RANK
- 66 BASIS FOR DELTA V ENTRY
- 67 EDF
- 68 CDR/EDR VERSION NUMBER
- 69 WARNING LAMP STATUS
- 70 ACCIDENT EVENT SEQUENCE NUMBER
- 71 TYPE OF EVENT

72 IMAGING METHOD

These are CFR 49.563 TABLE 1 Data Elements - Plan is to have these imported from CDRX data file

- 73 Delta-V, longitudinal
- 74 Maximum delta-V, longitudinal
- 75 Time, maximum delta-V
- 76 Speed, vehicle indicated
- 77 Engine throttle, % full (or accelerator pedal, % full)
- 78 Service brake, on/off
- 79 Ignition cycle, crash
- 80 Ignition cycle, download
- 81 Safety belt status, driver
- 82 Frontal air bag warning lamp, on/off 2
- Frontal air bag deployment, time to deploy, in the case of a single stage air bag, or time to first stage deployment, in the case of a multistage air bag, driver
- Frontal air bag deployment, time to deploy, in the case of a single stage air bag, or time to first stage deployment, in the case of a multistage air bag, right front passenger
- 85 Multi-event, number of events (1,2)
- 86 Time from event 1 to 2
- 87 Complete file recorded (yes, no)

These are CFR 49.563 TABLE 2 Data Elements - Plan is to have these imported from CDRX data file

- 88 Lateral acceleration
- 89 Longitudinal acceleration
- 90 Normal acceleration
- 91 Delta-V, lateral
- 92 Maximum delta-V, lateral
- 93 Time maximum delta-V, lateral
- 94 Time for maximum delta-V, resultant
- 95 Engine rpm
- 96 Vehicle roll angle
- 97 ABS activity (engaged, non-engaged)
- 98 Stability control (on, off, engaged)
- 99 Steering input
- 100 Safety belt status, right front passenger (buckled, not buckled)
- 101 Frontal air bag suppression switch status, right front passenger (on, off, or auto)
- 102 Frontal air bag deployment, time to nth stage, driver4
- 103 Frontal air bag deployment, time to nth stage, right front passenger4
- Frontal air bag deployment, nth stage disposal, driver, Y/N (whether the nth stage deployment was for occupant restraint or propellant disposal purposes)
- Frontal air bag deployment, nth stage disposal, right front passenger, Y/N (whether the nth stage deployment was for occupant restraint or propellant disposal purposes)
- 106 Side air bag deployment, time to deploy, driver
- 107 Side air bag deployment, time to deploy, right front passenger
- 108 Side curtain/tube air bag deployment, time to deploy, driver side
- 109 Side curtain/tube air bag deployment, time to deploy, right side
- 110 Pretensioner deployment, time to fire, driver
- 111 Pretensioner deployment, time to fire, right front passenger
- 112 Seat track position switch, foremost, status, driver
- 113 Seat track position switch, foremost, status, right front passenger
- 114 Occupant size classification, driver (5th female)
- 115 Occupant size classification, right front passenger (child)
- 116 Occupant position classification, driver (OOP)
- 117 Occupant position classification, right front passenger (OOP)

INTERIOR VEHICLE

- 1 SIDE DOOR LATERAL WIDTH
- 2 SIDE GLASS LATERAL WIDTH
- 3 ROOF LATERAL WIDTH
- 4 SIDE DOOR VERTICAL HEIGHT
- 5 SIDE GLASS VERTICAL HEIGHT
- 6 ROOF VERTICAL HEIGHT
- 7 ORIGINAL FRONT BUMPER HEIGHT
- 8 ORIGINAL REAR BUMPER HEIGHT
- 9 FRONT TRACK WIDTH (POST CRASH)
- 10 REAR TRACK WIDTH (POST CRASH)
- 11 ORIGINAL HOOD EXTENT
- 12 ORIGINAL WINDSHIELD EXTENT
- 13 ORIGINAL WINDSHIELD TO B PILLAR
- 14 ORIGINAL BACKLIGHT TO B PILLAR LENGTH
- 15 ORIGINAL BACKLIGHT LENGTH
- 16 ORIGINAL TRUNK LENGTH
- 17 ORIGINAL PICK-UP REAR EXTENT
- 18 ORIGINAL PICK-UP BED LENGTH
- 19 BASELINE MEASUREMENT LEFT/RIGHT SIDE FRONT STRINGLINE
- 20 BASELINE MEASUREMENT LEFT/RIGHT SIDE FRONT CORNER
- 21 BASELINE MEASUREMENT LEFT/RIGHT SIDE WHEELBASE
- 22 BASELINE MEASUREMENT LEFT/RIGHT SIDE REAR CORNER
- 23 BASELINE MEASUREMENT LEFT/RIGHT SIDE REAR STRINGLINE
- 24 [IS THERE PASSENGER COMPARTMENT INTEGRITY LOSS?]
- 25 PASSENGER COMPARTMENT INTEGRITY
- 26 POST CRASH INTEGRITY LOSS
- 27 [DOOR, TAILGATE, OR HATCH LOCATION]
- 28 DOOR, TAILGATE, OR HATCH OPENING
- 29 DAMAGE/SEPARATION ASSOCIATED WITH DOOR, TAILGATE, OR HATCH OPENING IN COLLISION
- 30 WAS THERE CONTACT TO ANY GLAZING?
- 31 LOCATION OF WINDOW/WINDSHIELD GLAZING
- 32 TYPE OF WINDOW/WINDSHIELD GLAZING
- 33 WINDOW PRECRASH STATUS
- 34 GLAZING DAMAGE FROM IMPACT FORCES
- 35 GLAZING DAMAGE FROM OCCUPANT CONTACT
- 36 ROW WIDTHS
- 37 ROW
- 38 POSITION
- 39 [INTRUSION LOCATION]
- 40 AREA
- 41 INTRUDED COMPONENT
- 42 COMPARISON VALUE (OF INTRUSION)
- 43 INTRUDED VALUE (OF INTRUSION)
- 44 INTRUSION
- 45 MAGNITUDE OF INTRUSION
- 46 CRUSH DIRECTION
- 47 ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT
- 48 ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- 49 STEERING COLUMN TYPE
- 50 TILT STEERING COLUMN ADJUSTMENT
- 51 TELESCOPING STEERING COLUMN ADJUSTMENT
- 52 LOCATION OF RIM/SPOKE DEFORMATION
- 53 STEERING RIM/SPOKE DEFORMATION
- 54 COMPARISON VALUE
- 55 DAMAGE VALUE
- 56 DEFORMATION
- 57 CONTACT
- 58 CONTACT AREA LABEL
- 59 CONTACTED COMPONENT
- 60 OCCUPANT NUMBER
- 61 BODY REGION
- 62 EVIDENCE
- 63 CONFIDENCE LEVEL OF OCCUPANT CONTACT
- 64 EJECTION TYPE
- 65 EJECTION AREA
- 66 EJECTION MEDIUM
- 67 EJECTION MEDIUM STATUS

SAFETY SYSTEMS

- 1 OCCUPANT'S SEAT POSITION
- SEAT TYPE
- 3 SEAT ORIENTATION
- 4 SEAT TRACK POSITION
- 5 SEAT PERFORMANCE
- DOES THE SEAT HAVE INTEGRATED PASSENGER BELTS?
- 7 HEAD RESTRAINT TYPE AT THIS OCCUPANT POSITION
- 8 HEAD RESTRAINT DAMAGE BY OCCUPANT AT THIS OCCUPANT POSITION
- 9 ACTIVE HEAD RESTRAINT
- 10 ROLLOVER PROTECTION
- 11 MANUAL (ACTIVE) BELT SYSTEM AVAILABILITY
- 12 MANUAL (ACTIVE) BELT SYSTEM USED IN THIS CRASH?
- 13 MANUAL (ACTIVE) BELT MALFUNCTION MODES DURING CRASH
- 14 MANUAL SHOULDER BELT UPPER ANCHORAGE ADJUSTMENT
- 15 PRETENSIONER PRESENCE/ACTUATION
- 16 SEAT BELT POSITIONING DEVICE PRESENCE
- 17 WAS SAFETY BELT ROUTED THROUGH SAFETY BELT GUIDES?
- 18 SEAT LOCATION FOR AIR BAG(S) DATA
- 19 DEPLOYMENT LOCATION OF AIR BAG
- 20 AIR BAG STATUS
- 21 TYPE OF AIR BAG
- 22 AIR BAG DEPLOYMENT

- 23 INDICATIONS OF AIR BAG MALFUNCTION
- 24 DID AIR BAG MODULE COVER FLAP(S)/SEAMS OPEN AT DESIGNATED TEAR POINTS?
- 25 WERE THE COVER FLAP(S) DAMAGED
- 26 WAS THERE DAMAGE TO THE AIR BAG?
- 27 SOURCE OF AIR BAG DAMAGE
- 28 CHILD RESTRAINT MAKE
- 29 CHILD RESTRAINT MODEL
- 30 CHILD RESTRAINT TYPE
- 31 CHILD RESTRAINT HOW USED
- 32 DATE OF MANUFACTURE
- 33 MODEL NUMBER
- 34 SOURCE OF DATA
- 35 CHILD RESTRAINT USAGE ORIENTATION
- 36 CHILD RESTRAINT HARNESS/SHIELD DESIGN
- 37 CHILD RESTRAINT RETAINER CLIP
- 38 CHILD RESTRAINT TETHER DESIGN
- 39 CHILD RESTRAINT LATCH ANCHOR HOOK DESIGN
- 40 CHILD RESTRAINT USAGE ORIENTATION
- 41 CHILD RESTRAINT HARNESS/SHIELD USE
- 42 CHILD RESTRAINT RETAINER CLIP USE
- 43 CHILD RESTRAINT TETHER USE
- 44 CHILD RESTRAINT LATCH ANCHOR HOOK USE
- 45 CHILD RESTRAINT BELT ROUTING/USE
- 46 USE OF LOCKING CLIP ON VEHICLE BELT
- 47 SEAT LOCATION FOR CHILD RESTRAINT
- 48 CHILD RESTRAINT PLACEMENT
- 49 CHILD POSITION IN CHILD RESTRAINT
- 50 BELT RETRACTOR TYPE
- 51 LATCH PLATE TYPE
- 52 LATCH LOWER ANCHOR AVAILABILITY
- 53 LATCH TETHER AVAILABILITY

OCCUPANT FORM

- 1 OCCUPANT'S SEAT POSITION
- 2 OCCUPANT'S AGE
- 3 OCCUPANT'S HEIGHT
- 4 OCCUPANT'S WEIGHT
- 5 OCCUPANT'S SEX
- 6 WAS THERE ANY INDICATION THAT THIS PREGNANT OCCUPANT LOST THE FETUS?
- 7 OCCUPANT'S ROLE
- 8 RACE
- 9 ETHNICITY
- 10 OCCUPANT'S EYE WEAR
- 11 POLICE REPORTED AIR BAG AVAILABILITY/FUNCTION
- 12 POLICE REPORTED BELT USE
- 13 POLICE INJURY SEVERITY (POLICE RATING)
- 14 TYPE OF EJECTION
- 15 EJECTION AREA
- 16 EJECTION MEDIUM
- 17 EJECTION MEDIUM STATUS (IMMEDIATELY PRIOR TO IMPACT)
- 18 ENTRAPMENT
- 19 OCCUPANT MOBILITY
- 20 OCCUPANT'S SEAT POSITION
- 21 OCCUPANT'S POSTURE
- 22 OCCUPANT'S ROLE
- 23 SEAT TYPE
- 24 SEAT ORIENTATION
- 25 SEAT TRACK POSITION
- 26 SEAT PERFORMANCE
- 27 DOES THE SEAT HAVE INTEGRATED PASSENGER BELTS?
- 28 HEAD RESTRAINT TYPE AT THIS OCCUPANT POSITION
- 29 HEAD RESTRAINT DAMAGE BY OCCUPANT AT THIS OCCUPANT POSITION
- 30 ACTIVE HEAD RESTRAINT
- 31 ROLLOVER PROTECTION
- 32 LOCATION OF AIR BAG
- 33 AIR BAG STATUS
- 34 TYPE OF AIR BAG
- 35 AIR BAG DEPLOYMENT
- 36 INDICATIONS OF AIR BAG MALFUNCTION
- 37 DID AIR BAG MODULE COVER FLAP(S)/SEAM(S) OPEN AT DESIGNATED TEAR POINTS?
- 38 WERE THE COVER FLAP(S) DAMAGED
- 39 WAS THERE DAMAGE TO THE AIR BAG?
- 40 SOURCE OF AIR BAG DAMAGE

- 41 HAD THE VEHICLE BEEN IN PREVIOUS CRASHES?
- 42 HAD ANY PRIOR MAINTENANCE/SERVICE BEEN PERFORMED ON THIS AIR BAG SYSTEM?
- 43 AIR BAG DEPLOYMENT ACCIDENT EVENT SEQUENCE NUMBER
- 44 CDC FOR AIR BAG DEPLOYMENT IMPACT
- 45 CHILD RESTRAINT MAKE
- 46 CHILD RESTRAINT MODEL
- 47 CHILD RESTRAINT TYPE
- 48 CHILD RESTRAINT HOW USED
- 49 DATE OF MANUFACTURE
- 50 MODEL NUMBER
- 51 SOURCE OF DATA
- 52 CHILD RESTRAINT HARNESS/SHIELD DESIGN
- 53 CHILD RESTRAINT RETAINER CLIP
- 54 CHILD RESTRAINT TETHER DESIGN
- 55 CHILD RESTRAINT LATCH ANCHOR HOOK DESIGN
- 56 CHILD RESTRAINT USAGE ORIENTATION
- 57 CHILD RESTRAINT HARNESS/SHIELD USE
- 58 CHILD RESTRAINT RETAINER CLIP USE
- 59 CHILD RESTRAINT TETHER USE
- 60 CHILD SEAT LATCH ANCHOR HOOK USE
- 61 BELT ROUTING/USE
- 62 USE OF LOCKING CLIP ON VEHICLE BELT
- 63 SEAT LOCATION FOR CHILD RESTRAINT
- 64 CHILD RESTRAINT PLACEMENT
- 65 CHILD POSITION IN CHILD RESTRAINT
- 66 BELT RETRACTOR TYPE
- 67 LATCH PLATE TYPE
- 68 LATCH LOWER ANCHOR AVAILABILITY
- 69 LATCH TETHER AVAILABILITY
- 70 MANUAL (ACTIVE) BELT SYSTEM AVAILABILITY
- 71 MANUAL (ACTIVE) BELT SYSTEM USED IN THIS CRASH?
- 72 POSITION OF MANUAL BELT/LAP PORTION OF BELT
- 73 POSITION OF MANUAL SHOULDER BELT/SHOULDER PORTION OF BELT
- 74 MANUAL (ACTIVE) BELT MALFUNCTION MODES DURING CRASH
- 75 MANUAL SHOULDER BELT UPPER ANCHORAGE ADJUSTMENT
- 76 SOURCE OF RESEARCHER'S DETERMINATION OF BELT USE
- 77 SEAT BELT POSITIONING DEVICE PRESENCE

- 78 SEAT BELT POSITIONING DEVICE USE
- 79 WAS SAFETY BELT ROUTED THROUGH SAFETY BELT GUIDES?
- 80 [POLICE INJURY SEVERITY (POLICE RATING)]
- 81 MORTALITY
- 82 TREATMENT
- 83 TYPE OF MEDICAL FACILITY (FOR INITIAL TREATMENT)
- 84 HOSPITAL STAY
- 85 WORKING DAYS LOST
- 86 DEATH DATE
- 87 DEATH TIME
- 88 [TIME TO DEATH]
- 89 [NUMBER OF INJURIES FOR THIS OCCUPANT]
- 90 GLASGOW COMA SCALE (GCS) SCORE (AT MEDICAL FACILITY)
- 91 WAS THE OCCUPANT GIVEN BLOOD?
- 92 ARTERIAL BLOOD GASES -- ABG (HCO3)
- 93 FUNCTIONAL CLASSIFICATION INDEX (FCI)
- 94 LACTATE
- 95 MEDICALLY REPORTED CAUSE OF DEATH
- 96 AIS CODE
- 97 INJURY DESCRIPTION
- 98 ASPECT
- 99 SOURCE/AREA
- 100 AIR BAG LOCATION
- 101 INJURY SOURCE
- 102 CONFIDENCE
- 103 DIRECT INTRUSION
- 104 INDIRECT INTRUSION
- 105 DIRECT/INDIRECT INJURY
- 106 INJURY RANK
- 107 MEDICAL RECORD TYPE
- 108 INTERVIEWEE
- 109 MANNER
- 110 INTERVIEW RESULTS
- 111 AGENCY TYPE
- 112 RESPONDING EMERGENCY VEHICLE TYPE
- 113 TRANSPORTATION MODE
- 114 NOTIFICATION TIME
- 115 ARRIVAL TIME
- 116 TIME OF DEPARTURE FROM THE SCENE
- 117 ARRIVED AT MEDICAL FACILITY
- 118 TYPE OF EMS CARE ADMINISTERED
- 119 TIME OF READING
- 120 PULSE
- 121 [ELAPSED TIME SINCE CRASH OF VITAL TIME READING]
- 122 SYSTOLIC BLOOD PRESSURE
- 123 DIASTOLIC BLOOD PRESSURE
- 124 RESPIRATORY RATE