

Floriculture Crops Methodology and Quality Measures

ISSN: 2166-9848

Released April 26, 2016, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, United States Department of Agriculture (USDA).

Commercial Floriculture Survey Methodology

Scope and Purpose: The Commercial Floriculture Survey (CFS) is conducted annually and is a census of all floriculture growers that produced and sold \$10,000 or more of product during the previous year. Currently there are 15 States surveyed: California, Florida, Hawaii, Illinois, Maryland, Michigan, New Jersey, New York, North Carolina, Ohio, Oregon, Pennsylvania, South Carolina, Texas, and Washington. For the 2014 crop year, the CFS was included in the Census of Horticulture Specialties.

All floriculture growers are surveyed to report production, hired labor, and value of sales. Detailed crop information is collected from operations with \$100,000 or more in sales. The main types of crops included are: cut flowers, annual bedding plants, herbaceous perennials, cut cultivated greens, potted flowering plants and foliage plants for indoor and patio use. Information is also collected for propagative floriculture materials, including cuttings, liners, plug seedlings, pre-finished plants, and tissue cultures. Excluded from this survey are Christmas trees and nursery products such as, but not limited to, deciduous shade trees, fruit and nut trees, evergreen trees, ornamental shrubs and bushes (including roses and azaleas for outdoor landscaping and ornamental purposes), grapevines, and palms for outdoor landscaping. Aquatic and pond plants also are excluded.

Data collected for operations with \$10,000 or more in sales are published for 15 program States as follows: value of all production, number of producers, area used for production, and peak hired workers. The data are published for the current survey year and the previous survey year. Production data for operations with \$100,000 or more in sales are reported by State as relevant. For operations with \$100,000 or more in sales, items published include number of producers, quantity sold, price and wholesale value for annual bedding/garden plants, potted herbaceous plants, potted flowering plants, foliage plants potted, cut flowers, cut cultivated greens, and propagative floriculture materials. The area and labor statistics will not be comparable between the two published years as they will include nursery production area and labor for 2014 due to combined data collection efforts with the 2014 Census of Horticultural Specialties.

Commercial floriculture data are used by the government to measure the economic impact of the industry and by all segments of the industry to plan future production and marketing strategies.

Survey Timeline: Data are collected for the previous year's production beginning in January with a survey mailing. A telephone follow-up is conducted for non-response records approximately one month after the mailing. Data collection takes place over a period of approximately eight weeks. Regional field office staff complete analysis, summarization, and submission of estimates over a period of approximately three weeks. Estimates are released to the public on the date specified by the Agricultural Statistics Board.

Sampling: The target population for the CFS is all commercial floriculture operations which produce and sell, or have the potential to produce and sell, \$10,000 or more of the floriculture crops in one year. Both retail and wholesale sales are considered in determining the dollar value of sales for establishing the population. Floriculture crops do not have to be the primary source of income for a grower to qualify. A greenhouse or nursery with production and sales of floriculture products that meets the \$10,000 lower limit qualifies, even though this may represent only a small portion of the operation's total sales.

The survey population is identified from the NASS list frame population. The CFS is a census; therefore, all operations that qualified are included in the survey.

Data Collection: Sampled floriculture producers receive a pre-survey letter explaining the survey along with a questionnaire to complete and return by mail. If a response is not received by mail, respondents are contacted by phone to obtain the survey data. Personal interviews are limited to large operations or those with special handling arrangements.

Survey Edit: As survey data are collected and captured, they are edited for consistency and reasonableness using automated systems. Reported data are edited as a batch of data when first captured. The edit logic ensures administrative coding follows the methodological rules associated with the survey design.

Relationships between data items (i.e. responses to individual questions) on the current survey are verified. Some data items in the current survey are compared to data items from earlier surveys to ensure certain relationships are logical. The edit will determine the status of each record to be either "dirty" or "clean" (i.e. failing or passing the edit requirements for consistency and reasonableness).

Records that fail edit requirements must be updated. Only records that pass edit requirements are eligible for final summary.

Analysis Tools: Edited floriculture survey data are processed through an interactive analysis tool which displays data for all reports by item. The tool provides scatter plots, tables, charts, and special tabulations that allow the analyst to compare an individual record to similar records. This tool allows atypical responses and unusual data relationships, as well as large changes in the operation, to become evident, Following careful review, data found to be in error are corrected, while correct data are retained.

Nonsampling Errors: Nonsampling errors are present in any survey process. These include reporting, recording, and editing errors. Steps are taken to minimize these errors, such as comprehensive interviewer training, validation and verification of processing systems, application of detailed computer edits, and evaluation of the data via the analysis tools.

Estimators: The CFS is a complete enumeration of all known floriculture operations with \$10,000 or more in sales and new operations are added to the sample when discovered. A coverage adjustment is made to account for list incompleteness. Response to the CFS is voluntary, however since the CFS was included in the Census of Horticulture Specialties the response was mandatory for the 2014 crop year. Producers may refuse to participate in the survey, may not be located during the data collection period, or may submit incomplete reports. The non-response data items and sampling units are imputed by Regional field office statisticians. The weights for current items are not adjusted for non-response.

Since manual imputation is conducted for all non-response units and items, point estimates are an accounting of all responses and manual imputations. The measurement of error due to sampling in the current survey period is irrelevant for a fully enumerated census. Moreover, standard errors and coefficients of variation (CVs) are zero for all current data items collected.

Estimation: When all samples are accounted for, all responses fully edited, and the analysis material reviewed, each Regional field office executes a preliminary summary and a final summary to evaluate and analyze the data. When all Regional field offices have executed summaries, Headquarters executes the National summary. The summary results provide multiple point estimates and information used to evaluate the quality of the survey estimates such as response rates and number of usable positive reports.

Regional field offices are responsible for performing a detailed review of the survey results. Any irregularities revealed by the preliminary summary must be investigated and, if necessary, resolved. In cases where recommendations deviate from survey results, Regional field offices must provide justification.

The review of National estimates is conducted by the Headquarters commodity statistician and a statistician who is selected by the Agricultural Statistics Board (ASB). The selected statistician assists the Headquarters statistician in review of all state level and commodity use level recommendations and establishes official estimates.

Quality Metrics for Floriculture

Purpose and Definitions: Under the guidance of the Statistical Policy Office of the Office of Management and Budget (OMB), the United States Department of Agriculture's National Agricultural Statistics Service (NASS) provides data users with quality metrics for our published data series. The following metrics tables describe the performance data for the survey contributing to the publication. The accuracy of data products may be evaluated through sampling and non-sampling error. The measurement of error due to sampling in the current period is irrelevant for a fully enumerated data series. Non-sampling error is evaluated by response rates and the percent of the estimate from reported data.

Sample size is the number of observations selected from the population to represent a characteristic of the population. **Response rates** are the proportion of the sample that responded to the survey.

Percent of estimate from reported data is the estimated value of a characteristic from respondent reports, divided by the estimated value of a characteristic from all reports expressed as a percent.

Commercial Floriculture Survey Sample Sizes and Response Rates: The Commercial Floriculture Survey is a census of all known floriculture growers with an operation that produced and sold \$10,000 or more of product during the previous year in the 15 program States. However, detailed crop information is collected from only operations with \$100,000 or more in sales. To assist in evaluating the performance of the estimates in the *Floriculture Crops* report, the sample sizes and response rates are displayed for 2014 and 2015 in each of the 15 program States for operations with \$10,000 or more in sales and for operations with \$100,000 or more in sales.

For the 2014 crop year, the Census of Horticulture Specialties was conducted, which included all operations that were sampled for the Commercial Floriculture Survey, as well as Nursery operations. Responses from only the floriculture operations were included in the quality metrics for year 2014.

Commercial Floriculture Survey Sample Size and Response Rate - 15 Program States: 2014 and 2015 [Operations with \$10,000+ sales]

Ctata	Sample s	size	Response rate		
State	2014	2015	2014	2015	
	(number)	(number)	(percent)	(percent)	
California	622	634	88.9	74.4	
Florida	631	626	78.4	67.7	
Hawaii	297	287	83.8	71.1	
Illinois	237	255	82.7	60.0	
Maryland	134	142	82.1	59.9	
Michigan	474	530	79.7	55.8	
New Jersey	266	244	78.9	57.8	
New York	494	543	80.0	70.5	
North Carolina	224	240	88.4	74.6	
Ohio	368	445	81.5	56.9	
Oregon	255	270	69.8	62.6	
Pennsylvania	577	665	77.3	69.3	
South Carolina	61	60	85.2	88.3	
Texas	230	213	90.0	74.6	
Washington	227	236	52.0	50.4	
15 State Total	5,097	5,390	80.1	65.9	

Commercial Floriculture Survey Sample Size and Response Rate - 15 Program States: 2014 and 2015 [Operations with \$100,000+ sales]

State	Sampl	e size	Response rate		
State —	2014	2015	2014	2015	
	(number)	(number)	(percent)	(percent)	
California	387	366	84.8	76.5	
Florida	417	413	74.1	62.5	
Hawaii	86	82	77.9	64.6	
Illinois	112	106	75.9	55.7	
Maryland	67	54	76.1	53.7	
Michigan	289	280	71.6	54.3	
New Jersey	143	131	72.0	53.4	
New York	209	200	72.7	66.5	
North Carolina	94	98	77.7	65.3	
Ohio	182	167	69.8	52.7	
Oregon	99	106	64.6	67.9	
Pennsylvania	186	183	67.2	58.5	
South Carolina	23	21	82.6	81.0	
Texas	153	126	86.9	69.8	
Washington	73	77	60.3	50.6	
15 State Total	2,520	2,410	74.9	62.6	

Floriculture Survey Percent of Estimate from Reported Data: To assist in evaluating the performance of the estimates in the *Floriculture Crops* report, the percent of the estimate of the wholesale value of sales from reported data is displayed by program State and nationally for each plant category and in total for 2014 and 2015.

Quality Metrics for Wholesale Value of Sales by Plant Category - 15 Program States: 2014 and 2015

[Operations with \$100,000+ sales]

	Percent of estimate from reported data					
State	Annual bedding/garden		Herbaceous	perennial	Total bedding/garden	
	2014	2015	2014	2015	2014	2015
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
California	87.3	71.4	85.7	61.6	86.9	68.7
Florida	52.4	45.9	40.4	58.4	49.0	49.3
Hawaii	42.2	23.9	98.8	60.9	64.4	39.4
Illinois	54.5	25.3	72.0	24.8	62.3	25.
Maryland	63.6	83.8	69.6	81.2	65.3	82.9
Michigan	69.1	65.2	45.8	76.9	63.6	67.9
New Jersey	78.9	40.0	79.4	22.8	79.1	32.
New York	52.6	48.3	55.4	51.6	53.3	49.1
North Carolina	87.1	90.5	69.6	75.2	83.4	86.9
	67.2	60.0	75.3	37.8	70.3	51.4
Ohio	07.2	60.0	75.5	37.0	70.3	51.4
Oregon	65.5	62.6	29.6	74.0	52.1	66.8
Pennsylvania	75.3	60.4	77.3	78.3	75.7	64.9
South Carolina	66.4	69.5	64.3	64.7	64.6	65.4
Texas	80.0	66.1	76.3	59.5	79.2	64.8
Washington	23.3	30.2	39.6	66.4	30.0	46.4
vvaoriington	20.0	00.2	00.0	00.4	00.0	40.4
15 State Total	70.4	63.0	64.0	58.9	68.4	61.8
	Potted flowering plants		Foliage plants for indoor		Cut flowers	
State	2014 2015		or patio use		2014 2015	
California	72.5	90.8	92.0	55.1	88.3	2015
California						
Florida	53.5	64.0	32.9	73.7	67.4	19.1
Hawaii	78.9	67.5	95.3	81.6	74.9	60.2
Illinois	47.1	12.4	26.2	77.2	77.9	69.8
Maryland	86.3	59.5	(D)	(D)	(D)	(
Michigan	82.7	67.6	64.2	92.0	98.1	3.5
New Jersey	92.3	36.4	(D)	(D)	98.8	82.0
New York	43.2	38.1	(D)	(D)	80.0	88.4
North Carolina	88.7	93.6	(D)	(D)	69.5	56.4
Ohio	95.8	94.2	91.1	73.8	(D)	(D)
Oregon	83.0	53.6	(D)	99.4	47.9	81.6
Pennsylvania	46.7	84.7	(D)	(D)	20.0	(D
South Carolina	18.2	21.8	(D)	(D)	(D)	(D
Texas	57.7	46.9	85.3	(D)	(D)	(D
Washington	22.1	52.1	86.5	(D)	96.6	8.5
vvasimigion	22.1	52.1	00.5	(D)	30.0	0.0
15 State Total	67.8	73.1	48.2	70.5	85.3	77.7
See footnote(s) at end of table	<u> </u>					continue

See footnote(s) at end of table. --continued

Quality Metrics for Wholesale Value of All Sales by Plant Category - 15 Program States: 2014 and 2015 (continued)

[Operations with \$100,000+ sales]

	Percent of estimate from reported data					
State	Cut cultivated greens		Propagative floriculture material		Total wholesale value of all plant categories	
	2014	2015	2014	2015	2014	2015
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
California Florida Hawaii Illinois Maryland Michigan New Jersey New York North Carolina Ohio	(D) 76.7 98.4 (D) (D) (D) (D) (D)	74.7 78.0 90.9 - (D) (D) (D)	(D) 64.9 57.5 (D) 23.6 (D) (D) (D) (D) (D)	76.8 62.5 47.3 6.5 (D) (D) 2.0 40.5 (D) (D)	83.4 45.2 79.9 58.6 62.1 71.7 82.0 49.8 84.6 78.9	78.0 67.8 66.3 22.7 80.8 72.8 34.1 46.2 87.9 66.0
Oregon	(D) (D) - (D) 81.4	84.1 (D) - (D) (D)	75.2 (D) - 88.9 56.5	50.3 (D) (D) (D) (D) 62.0	56.5 65.4 58.1 77.1 42.3	65.6 73.3 59.8 61.7 43.2
15 State Total	79.3	77.7	73.8	70.2	67.4	67.9

⁻ Represents zero.
(D) Withheld to avoid disclosing data for individual operations.

Information Contacts

Process	Unit	Telephone	Email
Data CollectionQuestionnaires	Survey Administration Branch Data Collection Branch Sampling Editing and Imputation Methodology Branch Summary Estimation and Disclosure Methodology Branch Data Dissemination Office	(202) 720-2127 (202) 720-3895 (202) 720-6201 (202) 720-8671 (202) 720-4008 (202) 720-3869 (202) 720-2639	HQ_SD_CB@nass.usda.gov HQ_CSD_SAB@nass.usda.gov HQ_CSD_DCB@nass.usda.gov HQ_CSD_SB@nass.usda.gov HQ_SD_SMB@nass.usda.gov HQ_SD_SMB@nass.usda.gov HQ_SD_DDO@nass.usda.gov HQOAPAO@nass.usda.gov

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: http://www.nass.usda.gov
- ➤ Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit http://www.nass.usda.gov and click on "National" or "State" in upper right corner above "search" box to create an account and select the reports you would like to receive.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@nass.usda.gov.

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers, employees, and applicants for employment on the basis of race, color, national origin, age, disability, sex, gender identity, religion, reprisal, and where applicable, political beliefs, marital status, familial or parental status, sexual orientation, or all or part of an individual's income is derived from any public assistance program, or protected genetic information in employment or in any program or activity conducted or funded by the Department. (Not all prohibited bases will apply to all programs and/or employment activities.)

If you wish to file a Civil Rights program complaint of discrimination, complete the <u>USDA Program Discrimination</u> <u>Complaint Form</u> (PDF), found online at http://www.ascr.usda.gov/complaint_filing_cust.html, or at any USDA office, or call (866) 632-9992 to request the form. You may also write a letter containing all of the information requested in the form. Send your completed complaint form or letter to us by mail at U.S. Department of Agriculture, Director, Office of Adjudication, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, by fax (202) 690-7442 or email at program.intake@usda.gov.