

Form Approved OMB No. 0920-0666 Exp. Date: xx/xx/xxxx www.cdc.gov/nhsn

# **Urinary Tract Infection (UTI) for LTCF**

Page 1 of 4	*required for saving							
*Facility ID:	Event #:							
*Resident ID:	Social Security #:							
Medicare number (or comparable railroad insurance number):								
Resident Name, Last: First:  *Gender: M F Other	Middle:  *Date of Birth: / /							
Ethnicity (specify):	Race (specify):							
*Resident type:   Short-stay   Long-stay								
*Date of First Admission to Facility:/_/	*Date of Current Admission to Facility:/							
*Event Type: UTI *Date of Event:/_/								
*Resident Care Location:								
*Primary Resident Service Type: (check one)								
☐ Long-term general nursing ☐ Long-term dement								
	entilator ☐ Bariatric ☐ Hospice/Palliative							
*Has resident been transferred from an acute care facility to you	_ 100 _ 110							
If Yes, date of last transfer from acute care to your facility:								
If Yes, did the resident have an indwelling urinary catheter a	, <u>, , , , , , , , , , , , , , , , , , </u>							
*Indwelling Urinary Catheter status at time of event onset (chec								
☐ In place ☐ Removed within last 2 calendar days	☐ Not in place							
If indwelling urinary catheter status in place or removed wi Site where indwelling urinary catheter	vitnin iast 2 caiendar days:							
Inserted (check one):	facility $\square$ Acute care hospital $\square$ Other $\square$ Unknown							
Date of indwelling urinary catheter Insertion:/_	_1							
If indwelling urinary catheter not in place, was another urin	nary device type present at the time of event onset? $\square$ Yes $\square$ No							
If Yes, other device type:   Suprapubic   Co	condom (males only)							
Event Details								
*Specify Criteria Used: (check all that apply)	Laboratora O Diamontia Tantina							
Signs & Symptoms	Laboratory & Diagnostic Testing							
Fever: Single temperature ≥ 37.8°C (>100°F), or > 37.2°C (>								
repeated occasions, or an increase of >1.1°C (>2°F) over ba	microorganisms, at least one of which is a bacterium of							
☐ Rigors ☐ New onset hypotension	≥ 10 <sup>5</sup> CFU/mI							
☐ New onset confusion/functional decline	☐ Specimen collected from in/out straight catheter and a							
☐ Acute pain, swelling, or tenderness of the testes, epididymis	positive culture with no more than 2 species of microorganisms, at least one of which is a bacterium of							
prostate	≥ 10 <sup>5</sup> CFU/ml							
☐ Acute dysuria ☐ Purulent drainage at catheter ins	sertion site $\square$ Specimen collected from indwelling catheter and a							
	positive culture with no more than 2 species of							
New and/or marked increase in (check all that appl	<u>hly):</u> microorganisms, at least one of which is a bacterium of $≥ 10^5$ CFU/ml							
☐ Urgency ☐ Costovertebral angle pain or tend								
☐ Frequency ☐ Suprapubic tenderness	1,500 bands/mm³)							
	☐ Positive blood culture with 1 matching organism in urine							
☐ Incontinence ☐ Visible (gross) hematuria	culture							
*Specific Event (Check one):								
Symptomatic UTI (SUTI)  Symptomatic CA-UTI (CA-SUTI)  Asymptomatic Bacteremic UTI (ABUTI)								
Secondary Bloodstream Infection: Yes No	Died within 7 days of date of event: Yes No							
*Transfor to acute care facility within 7 days: Vac. No.								
*Transfer to acute care facility within 7 days: Yes No  *Pathogens identified: Yes No *If Yes, specify on page 2	2							
*Pathogens identified: Yes No *If Yes, specify on page 2 Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance	2 e system that would permit identification of any individual or institution is collected with a guarantee that it will e disclosed or released without the consent of the individual, or the institution in accordance with Sections							

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666). CDC 57.140 (Front) r3 v9.2



## **Urinary Tract Infection (UTI) for LTCF**

#### Page 2 of 4

Pathogen #	Gram-positive Organisms									
	Staphylococcus coagulase-negative (specify species if available):		<b>VANC</b> SIRN							
	Enterococcu	<b>DAPTO</b> S NS N	GENTHL <sup>§</sup> SRN	LNZ SIRN	VANC SIRN					
	Enterococcu	s faecalis								
	Enterococcu (Only those no species level)		the							
	Staphylococcus aureus	CIPRO/LEVO/MOXI SIRN		CLIND SIRN	<b>DAPTO</b> S NS N	DOXY/MINO SIRN	ERYTH SIRN	GENT SIRN	<b>LNZ</b> SRN	
	ota, o a o	OX/CEFOX SIRN	X/METH	<b>RIF</b> SIRN	<b>TETRA</b> SIRN	<b>TIG</b> S NS N	<b>TMZ</b> SIRN	<b>VANC</b> SIRN		
Pathogen #	Gram-negative C	Organisms	•							
	Acinetobacter (specify species)	<b>AMK</b> SIRN	<b>AMPSUL</b> SIRN	<b>AZT</b> SIRN	<b>CEFEP</b> SIRN	<b>CEFTAZ</b> SIRN	CIPRO/L SIRN	-EVO	<b>COL/PB</b> SIRN	
		<b>GENT</b> SIRN	<b>IMI</b> SIRN	MERO/DO	MERO/DORI SIRN		Z TETRA/D SIRN		OXY/MINO	
		TMZ SIRN	<b>TOBRA</b> SIRN							
	Escherichia coli	<b>AMK</b> SIRN	<b>AMP</b> SIRN	AMPSUL SIRN	/AMXCLV	<b>AZT</b> SIRN	<b>CEFAZ</b> SIRN	<b>CEFEP</b> S I/S-DD R N	CEFOT/CEFTRX SIRN	
		<b>CEFTAZ</b> SIRN	<b>CEFUR</b> SIRN	CEFOX/C SIRN	CEFOX/CETET SIRN		CIPRO/LEVO/MOXI S I R N		<b>COL/PB</b> <sup>†</sup> S R N	
		<b>ERTA</b> SIRN	<b>GENT</b> SIRN	IMI SIRN	MERO/DO SIRN	RI	<b>PIPTAZ</b> SIRN	TETRA/DOXY/I	MINO	
		<b>TIG</b> SIRN	<b>TMZ</b> SIRN	<b>TOBRA</b> SIRN						
	Enterobacter (specify species)	<b>AMK</b> SIRN	<b>AMP</b> SIRN	<b>AMPSUL</b> SIRN	/AMXCLV	<b>AZT</b> SIRN	<b>CEFAZ</b> SIRN	<b>CEFEP</b> S I/S-DD R N	CEFOT/CEFTRX SIRN	
		<b>CEFTAZ</b> SIRN	<b>CEFUR</b> SIRN	CEFOX/C SIRN			/LEVO/MOXI COL/PB <sup>†</sup> S R N			
		<b>ERTA</b> SIRN	<b>GENT</b> SIRN	IMI SIRN	MERO/DO SIRN	RI	<b>PIPTAZ</b> SIRN	TETRA/DOXY/I	MINO	
		TIG SIRN	TMZ SIRN	<b>TOBRA</b> SIRN						
	Klebsiella pneumonia	<b>AMK</b> SIRN	<b>AMP</b> SIRN	<b>AMPSUL</b> SIRN	/AMXCLV	<b>AZT</b> SIRN	<b>CEFAZ</b> SIRN	<b>CEFEP</b> S I/S-DD R N	CEFOT/CEFTRX SIRN	
	, Klebsiella	<b>CEFTAZ</b> SIRN	<b>CEFUR</b> SIRN	CEFOX/C SIRN			CIPRO/LEVO/MOXI SIRN			
	oxytoca	<b>ERTA</b> SIRN	<b>GENT</b> SIRN	IMI SIRN	MERO/DO SIRN	RI	I PIPTAZ TETRA/D SIRN SIRN		XY/MINO	
		TIG SIRN	TMZ SIRN	<b>TOBRA</b> SIRN						



### **Urinary Tract Infection (UTI) for LTCF**

#### Page 3 of 4

Pathogen #	Gram-negative Organisms (continued)									
	Pseudomonas aeruginosa	<b>AMK</b> SIRN	<b>AZT</b> SIRN	<b>CEFEP</b> SIRN	<b>CEFTAZ</b> SIRN		CIPRO/LEVO SIRN	<b>COL/PE</b> SIRN	GENT SIRN	J
		IMI SIRN	MERO/DO SIRN	ORI	PIP/PIPT SIRN	ΓAZ	<b>TOBRA</b> SIRN			
Pathogen #	Fungal Organisms									
	Candida (specify species if available)	<b>ANID</b> SIRN	<b>CASPO</b> S NS N	FLUCO S S-DD R N		FLUCY SIRN	ITRA S S-DD R N	MICA S NS N	<b>VORI</b> S S-DI	O R N
Pathogen #	Other Organism	ns								
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N

#### **Result Codes**

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent N = Not tested S = Susceptible S = Susceptible-Synergistic and S = Susceptible-Synergistic

#### **Drug Codes:**

AMK = amikacin	CEFTRX = ceftriaxone	FLUCY = flucytosine	OX = oxacillin
AMP = ampicillin	CEFUR= cefuroxime	GENT = gentamicin	PB = polymyxin B
AMPSUL = ampicillin/sulbactam	CETET= cefotetan	GENTHL = gentamicin –high level test	PIP = piperacillin
AMXCLV = amoxicillin/clavulanic acid	CIPRO = ciprofloxacin	IMI = imipenem	PIPTAZ = piperacillin/tazobactam
ANID = anidulafungin	CLIND = clindamycin	ITRA = itraconazole	RIF = rifampin
AZT = aztreonam	COL = colistin	LEVO = levofloxacin	TETRA = tetracycline
CASPO = caspofungin	DAPTO = daptomycin	LNZ = linezolid	TIG = tigecycline
CEFAZ= cefazolin	DORI = doripenem	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole
CEFEP = cefepime	DOXY = doxycycline	METH = methicillin	TOBRA = tobramycin
CEFOT = cefotaxime	ERTA = ertapenem	MICA = micafungin	VANC = vancomycin
CEFOX= cefoxitin	ERYTH = erythromycin	MINO = minocycline	VORI = voriconazole
CEFTAZ = ceftazidime	FLUCO = fluconazole	MOXI = moxifloxacin	

<sup>&</sup>lt;sup>†</sup> Clinical breakpoints have not been set by FDA or CLSI, Sensitive and Resistant designations should be based upon epidemiological cutoffs of Sensitive MIC ≤ 2 and Resistant MIC ≥ 4



Form Approved OMB No. 0920-0666 Exp. Date: xx/xx/xxxx www.cdc.gov/nhsn

# **Urinary Tract Infection (UTI) for LTCF**

Page 4 of 4

Custom Fields

Label

Label

Label		Label	
	/		/
Comments			