


Understanding Decisions and Barriers about PrEP Use and Uptake
Among Men Who Have Sex With Men

Attachment # 3g

**Eligibility Verification, Screener & Behavioral Assessment - Print
Screens**

Public reporting burden of this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; Attn: OMB-PRA (0920-New)

S1.



PP4
The Prepare for PrEP Study


Are you able to read and understand English?

Yes

No

Next

S2.




PP4
The Prepare for PrEP Study

What is your current age?

-- Please Select -- ▾

Back Next

S3.



PP4
The Prepare for PrEP Study

Are you Hispanic or Latino?


Yes

No

I don't know

Back Next

S4.




What best describes your Hispanic or Latino ancestry?

- Mexican, Mexican American, Chicano
- Puerto Rican
- Cuban
- Other Hispanic/Latino or Spanish origin, specify:

[Back](#) [Next](#)

S5.




What is your race?
You may choose more than one.

- American Indian or Alaska Native
- Asian
- Black or African-American
- Native Hawaiian or Other Pacific Islander
- White


[Back](#) [Next](#)

S6.



What is the zip code of your current place of residence?

S7.



How do you describe your gender identity?

Male


Female

Male-to-female transgender (MTF)

Female-to-male transgender (FTM)

Other gender identity, specify:

S8.



PP4
The Prepare for PrEP Study


What sex were you assigned at birth, on your original birth certificate?

Male

Female

[Back](#) [Next](#)

S9.



PP4
The Prepare for PrEP Study

What was your most recent HIV test result?

HIV Negative

HIV Positive

Never tested

Tested but didn't receive results

Indeterminate

[Back](#) [Next](#)

S11.

In the past 12 months, that is since [mm/yyyy], have you had sex with a man?


Yes

No

Back

Next

S12.




In the past 3 months, that is since [mm/yyyy], have you had anal sex with a man without using a condom?

Yes

No

[Back](#) [Next](#)

S13.




In the past 6 months, that is since [mm/yyyy], have you discussed PrEP, or pre-exposure prophylaxis – a daily pill you can take to prevent HIV -- with a provider or counselor?

Yes

No

[Back](#) [Next](#)

S14.




In the past 6 months, have you been offered PrEP by a doctor or nurse?

Yes

No

[Back](#) [Next](#)

S15.




Did you accept or refuse their offer of PrEP?

Accept

Refuse

[Back](#) [Next](#)

S16.




Did a doctor or nurse give you a prescription for PrEP?

Yes

No

[Back](#) [Next](#)

S17.




Did you fill the prescription for PrEP?

Yes

No

[Back](#) [Next](#)

S18.



How long ago did you first fill the prescription for PrEP?

7 days or less

1-2 weeks

3-4 weeks

1-3 months

4-6 months


7-12 months

1-2 years

More than 2 years

[Back](#) [Next](#)

S19.




In total, on how many days did you take the daily PrEP pill?

-- Please Select -- ▾

Back Next

S20.




Are you still taking the daily PrEP pill?

Yes

No

Back Next


A intro



Based on your earlier responses, we are going to ask a few more questions about PrEP, or HIV pre-exposure prophylaxis. PrEP is a pill – sometimes referred to as Truvada – you can take every day and it will help prevent you from becoming infected if exposed to the HIV virus. In studies, it reduces a person’s chance of becoming infected by HIV by up to 92%.

Back Next

A1.




What was the MAIN reason you refused PrEP in the past 6 months?

Select one

- I didn't want to take a pill every day
- Taking PrEP creates a bad image or reputation
- Possible side effects
- I didn't believe the pill prevents HIV infection
- Friends or family didn't support it
- I didn't have enough information at the time
- Cost
- Other (specify)

[Back](#) [Next](#)

A2.




If you were offered PrEP by a provider or counselor now, do you think you would accept it?

- Yes
- No
- Unsure

[Back](#) [Next](#)

A3.



PP4
The Prepare for PrEP Study

If you agreed to take PrEP now, do you think you would start and continue using it over time?


Yes

No

Unsure

Back Next

A4.




PP4
The Prepare for PrEP Study

What changed your mind about taking PrEP now?

Back Next

A5.




What was the MAIN reason you stopped [did not start] taking PrEP?

- I didn't want the hassle of taking a pill every day
- Taking PrEP creates a bad image or reputation
- Possible side effects
- I didn't believe the pill prevents HIV infection well
- Friends or family didn't support it
- I didn't have enough information at the time
- Cost
- Other (specify)

[Back](#) [Next](#)

A6.




If you were offered PrEP by a provider or counselor now, do you think you would take it?

- Yes
- No
- Unsure

[Back](#) [Next](#)

A7.



If you agreed to take PrEP now, do you think you would start and continue using it over time?


Yes

No

Unsure

[Back](#) [Next](#)


A8.



What changed your mind about taking PrEP now?

[Back](#) [Next](#)

A9.



Were you ever offered PrEP by a doctor or other health provider?


Yes

No

Unsure

[Back](#) [Next](#)

A10.



Did you accept a prescription for PrEP from that provider?


Yes

No

Unsure

[Back](#) [Next](#)

A11.



Did you take any pills from a PrEP prescription given by that provider?


Yes

No

Unsure

[Back](#) [Next](#)

A12.



Are you still taking pills now from a PrEP prescription given by that provider?

Yes, always


Yes, sometimes

No

Unsure

[Back](#) [Next](#)

A13.



In your opinion, how many of your friends or acquaintances do you think have ever taken PrEP to prevent HIV infection?


Select one.

- None
- A few
- Some
- Half
- Most
- Almost all
- All
- I don't know

Back

Next

A14.



In your opinion, how many gay or bisexual men in your community do you think have ever taken PrEP to prevent HIV infection?


Select one.

- None
- A few
- Some
- Half
- Most
- Almost all
- All
- I don't know

Back

Next

A15.




Have you ever taken anti-HIV medication to prevent HIV infection that was not prescribed to you by a doctor or health provider?

- Yes
- No
- Unsure

Back

Next

A16.



Has a friend or sex partner ever given you anti-HIV medication to prevent HIV infection?


Yes

No

Unsure

[Back](#) [Next](#)

A17.



Which one of the following statements best reflects your current thoughts about PrEP for yourself.

Select one.

I plan to never take PrEP

I plan to take PrEP someday

I plan to take PrEP in the next 6-12 months


I plan to take PrEP in the next 2-5 months

I plan to take PrEP within the next month

I don't know enough about PrEP to answer

[Back](#) [Next](#)

A18.



Which one of the following statements best reflects your current thoughts about PrEP for gay and bisexual men overall.


Select one.

- PrEP is not good for any gay or bisexual men to use
- PrEP is good for some gay or bisexual men to use
- PrEP is good for most gay or bisexual men to use
- PrEP is good for all gay or bisexual men to use
- I don't know enough about PrEP to answer

Back

Next

A19.




Which one of the following statements best reflects your current thoughts about condom use for yourself.

Select one.

- I plan to never use condoms
- I plan to use condoms someday
- I plan to use condoms in the next 6-12 months
- I plan to use condoms in the next 2-5 months
- I plan to use condoms within the next month
- I don't know enough about condoms to answer

Back

Next



Which one of the following statements best reflects your current thoughts about condom use for gay and bisexual men overall.

Select one.

- Condoms are not good for any gay or bisexual men to use
- Condoms are good for some gay or bisexual men to use
- Condoms are good for most gay or bisexual men to use
- Condoms are good for all gay or bisexual men to use
- I don't know enough about condoms to answer

Back

Next



If you were to start taking PrEP today, how ready would you be to do each of the following actions:

How ready are you to meet with a doctor or other provider to discuss PrEP?

- Not at all ready
- A little ready
- Somewhat ready
- Mostly ready
- Entirely ready

How ready are you to get tested for HIV infection?

- Not at all ready
- A little ready
- Somewhat ready
- Mostly ready
- Entirely ready

How ready are you to take a PrEP pill every day for the next few months?

- Not at all ready
- A little ready
- Somewhat ready
- Mostly ready
- Entirely ready

How ready are you to attend monitoring appointments with a doctor or other provider every few months?

- Not at all ready
- A little ready
- Somewhat ready
- Mostly ready
- Entirely ready

How ready are you to tell your friends and family you are taking PrEP?

- Not at all ready
- A little ready
- Somewhat ready
- Mostly ready
- Entirely ready

How ready are you to tell your sex partners you are taking PrEP?

- Not at all ready
- A little ready
- Somewhat ready
- Mostly ready
- Entirely ready


How ready are you to continue to use condoms as much as you do now?

- Not at all ready
- A little ready
- Somewhat ready
- Mostly ready
- Entirely ready

Back

Next

B1.




What is the highest level of education that you have completed?

- Less than high school
- High school graduate or obtained GED
- Some college, Associate's Degree, or Technical Degree
- Bachelor's Degree / College Degree
- Any post-graduate studies
- I'd prefer not to answer

Back

Next

B2 & B3.



Which of the following best describes your employment status? Are you:


- Employed full-time
- Employed part-time
- On active duty in the U.S. Armed forces, Reserves, or National Guard
- Full-time Student
- Retired
- Unable to work for health reasons
- Unemployed
- Other [specify below]
- I don't know
- I'd prefer not to answer

Please specify what best describes your employment status.

Back

Next

B4.




What was your income last year from all sources before taxes?

- 0 to \$4,999
- \$5,000 to \$9,999
- \$10,000 to \$14,999
- \$15,000 to \$19,999
- \$20,000 to \$29,999
- \$30,000 to \$39,999
- \$40,000 to \$49,999
- \$50,000 to \$74,999
- \$75,000 or more
- I don't know
- I'd prefer not to answer

Back

Next

B5 & B6.




Which of the following best represents how you think of yourself?

- Gay or homosexual
- Straight or heterosexual
- Bisexual
- Other [please specify]
- I don't know

Back

Next

B7.



Are you currently homeless?


Yes

No

I'd prefer not to answer

[Back](#) [Next](#)

B8.



Do you currently have health insurance or health care coverage (including Medicare or Medicaid)?

Yes

No

I don't know

I'd prefer not to answer

[Back](#) [Next](#)



What kind of health insurance or coverage do you currently have?

Check all that apply


- A private health plan (through an employer or purchased directly)
- Medicaid (for people with low incomes)
- Medicare (for elderly people and people with disabilities)
- Some other government plan
- TRICARE (CHAMPUS)
- Veteran Administration coverage
- Some other health insurance plan
- I don't know
- I'd prefer not to answer

Please specify what other health insurance plan you currently have.

Back

Next

B9.



Have you ever been in jail or prison?


Yes

No

I'd prefer not to answer

[Back](#) [Next](#)

SX1.



We want to ask if you have had a **primary male partner** in the past 3 months, that is since approximately [month and year]. By “*primary*” partner we mean a man you have lived with or have seen a lot, to whom you have felt a special emotional commitment for at least 3 months.


Have you had a primary male partner in the past three months?

No

Yes

[Back](#) [Next](#)

SX2.



The Prepare for PrEP Study

Now we want to ask you about all the other men you have had any anal sex with in the past 3 months **other than your most recent primary partner**.

In the past 3 months, with how many men **other than your most recent primary partner** did you have any anal sex?
This includes times when you were a top or bottom, used or didn't use a condom, and whether or not there was ejaculation.

[Back](#) [Next](#)

SX3.


The Prepare for PrEP Study


You indicated you did not have any sex partners in the past 3 months, is this correct?

Yes

No, I want to change my answer

[Back](#) [Next](#)

SX4.


The Prepare for PrEP Study


Thanks. So you indicated that in the past 3 months you had a total of [SX1 + SX2] male sex partners, including [SX1] primary partner and [SX2] casual partners. Is that correct?

Yes

No, I want to change my answer

[Back](#) [Next](#)


SXP1.



Throughout this next group of questions, your recent male primary partner will be referred to by his initials. Please put his initials here.
Use AZ if you do not know his name.


[Back](#) [Next](#)

SXP2.



How old is [Response to SXP1]?
If you are not sure, give it your best guess.

[Back](#) [Next](#)



What is [Response to SXP1]'s primary race/ethnicity?

If you are not sure, give it your best guess.


- African American or Black
- Asian American or Pacific Islander
- Latino, Hispanic, or Chicano
- Native American, American Indian, or Alaska Native
- White or European American
- Mixed
- Other [specify below]
- I'd prefer not to answer

Please specify [Response to SXP1]'s race/ethnicity.

Back

Next

SXP8.




What is [Response to SXP1]'s HIV status?

- Positive
- Negative
- I don't know / am unsure about his HIV status
- I'd prefer not to answer

[Back](#) [Next](#)

SXP9.




Did [Response to SXP1] TELL you his HIV-status?

- Yes, and I have no reason to doubt him
- Yes, but I have reason to doubt him
- No
- I'm not sure
- I'd prefer not to answer

[Back](#) [Next](#)

SXP10.




Have you told [Response to SXP1] your current HIV status?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP11




Have you ever talked to [Response to SXP1] about whether he is taking antiretroviral medicines to treat his HIV?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP12.




In the past 3 months, that is since [month and year], have you talked to [Response to SXP1] about whether he is taking antiretroviral medicines to treat his HIV?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP13.




Has [Response to SXP1] told you he was currently taking antiretroviral medicines to treat his HIV?

- Yes, and I have no reason to doubt him
- Yes, but I have reason to doubt him
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP14.




Has [Response to SXP1] told you his viral load is undetectable?

- Yes, and I have no reason to doubt him
- Yes, but I have some reason to doubt him
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

SXP15.




Have you ever talked to [Response to SXP1] about whether he is taking PrEP to prevent HIV?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

SXP16.




In the past 3 months, that is since [month and year], have you talked to [Response to SXP1] about whether he is taking PrEP to prevent HIV?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

SXP17.




Has [Response to SXP1] told you he is currently taking PrEP to prevent HIV?

- Yes, and I have no reason to doubt him
- Yes, but I have reason to doubt him
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

SXP18.




In the past 3 months, that is since [month and year], have you had ANY anal sex with [Response to SXP1] in which a condom was not used from start to finish?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP19.




Think of the times in the past 3 months that you had anal sex with [Response to SXP1] and did not use a condom from start to finish. Were you the top (you put your penis in his butt), the bottom (he put his penis in your butt), or both?

- I was always the top
- I was always the bottom
- I was both the top and the bottom
- I don't know
- I'd prefer not to answer

Back

Next

SXP20.




Think of the times in the past 3 months that you had anal sex with [Response to SXP1] and did not use a condom from start to finish. Were you ever drunk or buzzed on alcohol within 2 hours before or during sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP21.




Think of the times in the past 3 months that you had anal sex with [Response to SXP1] and did not use a condom from start to finish. Did you ever use non-prescription drugs within 2 hours before or during sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next



The following questions ask about the last time you had sex with your primary partner.


How long ago was the last time you had any anal sex with [Response to SXP1]? That is, with or without a condom, and with or without ejaculation.

- 1 day
- 2 days
- 3 days
- 4 days
- 5 days
- 6 days
- 1 week
- 2 weeks
- 3 weeks
- 1 month
- 2 months
- 3 months
- More than 3 months
- I'd prefer not to answer

Back

Next

SXP23.




During the most recent time you had anal sex with [Response to SXP1], were you the top (you put your penis in his butt)? This would be with or without a condom and with or without ejaculation.

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP24.




Was a condom used from start to finish when you were the top?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP25.



During the most recent time you had anal sex with [Response to SXP1], were you the bottom (he put his penis in your butt)? This would be with or without a condom and whether or not you ejaculated.

Yes


No

I don't know

I'd prefer not to answer

[Back](#) [Next](#)

SXP26.



Was a condom used from start to finish when you were the bottom?

Yes


No

I don't know

I'd prefer not to answer

[Back](#) [Next](#)

SXP27.




Were you taking PrEP medication to prevent HIV within 24 hours before or after the last time you had sex with [Response to SXP1]?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

SXP28.




Were you taking your PrEP medication once a day as prescribed by your doctor, without missing any doses, in the 7 days before you last had anal sex with [Response to SEX5]?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

SXP29.




You mentioned that you were not taking your PrEP medication once a day as prescribed at the time of your last sexual encounter. In the 7 days before you last had anal sex with [Response to SXP1], on how days did you take your dose of PrEP?

-- Please Select -- ▾

Back Next

SXP30.



Was [Response to SXP1] taking PrEP medication to prevent HIV within 24 hours before or after the time you last had anal sex?

Yes


No

I don't know

I'd prefer not to answer

Back Next

SXP31.




To your knowledge, was [Response to SXP1] taking his PrEP medication once a day as prescribed by his doctor, without missing any doses, in the 7 days before you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP32.




You mentioned that [Response to SXP1] was not taking his PrEP medication once a day as prescribed at the time your last sexual encounter. To your knowledge, in the 7 days before you had anal sex together, on how many days did [Response to SXP1] take his dose of PrEP?

-- Please Select -- ▾

Back

Next

SXP33.




Was [Response to SXP1] taking antiretroviral medicines to treat his HIV infection within 24 hours before or after the time you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP34.




To your knowledge, was [Response to SXP1] taking his HIV medicines exactly as prescribed by his doctor, without missing any doses, in the 7 days before you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP35.




You mentioned that [Response to SXP1] was not taking his HIV medicines exactly as prescribed at the time of your last sexual encounter. To your knowledge, in the 7 days before you last had anal sex, on how days did [Response to SXP1] take all of the doses of his HIV medicines?

-- Please Select -- ▾

Back Next

SXP36.



Did [Response to SXP1] tell you his viral load was undetectable before you last had anal sex?

Yes


No

I don't know

I'd prefer not to answer

Back Next

SXP37.




When was the last time [Response to SXP1] told you his viral load was undetectable?

- Less than a week ago
- More than a week ago but less than a month ago
- One to three months ago
- Four to six months ago
- Seven to twelve months ago
- More than a year ago
- I don't know
- I'd prefer not to answer

Back

Next

SXP38.




Were you drunk or buzzed on alcohol within two hours before or during the most recent time you had anal sex with [Response to SXP1]?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXP39.



How many drinks did you have?


By a drink, I mean a 12 oz. can or glass of beer, a 4 oz. glass of wine, a 1-1/2 oz. shot of liquor, or a mixed drink with that amount of liquor.

(number of drinks)

Back

Next

SXP40.




Was [Response to SXP1] drunk or buzzed on alcohol within two hours before or during the most recent time you had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next




Did you use any drug within two hours before or during the most recent time you had anal sex with [Response to SEX5]?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

**Which drugs?**


(Check all that apply)

- Injected Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, smoked or snorted (meth, speed, crystal, crank, ice)
- Downers (Valium, Ativa, Xanax)
- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, wicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoked or snorted
- Heroin and cocaine injected together (speedballs)
- Other
- I don't know
- I'd prefer not to answer

Please specify which other drugs you used.

Back

Next




Did [Response to SXP1] use any drug within two hours before or during the most recent time you had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

**Which drugs?**

(Check all that apply)


- Injected Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, smoked or snorted (meth, speed, crystal, crank, ice)
- Downers (Valium, Ativa, Xanax)
- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, wicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoked or snorted
- Heroin and cocaine injected together (speedballs)
- Other
- I don't know
- I'd prefer not to answer

Please specify which other drugs [Response to SXP1] used.

Back

Next

SXCL1.



You will now be asked more detailed questions about the **last time you had condomless anal sex within the last THREE months with a man who was not your male primary partner.**


That is, not someone you have lived with or have seen a lot, and to whom you have not felt a special emotional commitment. Think about the very last man you had any anal sex with in the last THREE months who was not your primary partner.

Throughout this next group of questions, this man will be referred to by his initials. Please put his initials here. Use ZA if you do not know his name.

Back

Next

SXCL2.




How old is [Response to SXCL1]?

If you are not sure, give it your best guess.

Back

Next




What is [Response to SXCL1]'s primary race/ethnicity? If you are not sure, give it your best guess.

- African American or Black
- Asian American or Pacific Islander
- Latino, Hispanic, or Chicano
- Native American, American Indian, or Alaska Native
- White or European American
- Mixed
- Other
- I'd prefer not to answer

Please specify [Response to SXCL1]'s race/ethnicity

Back

Next



Where did you first meet [Response to SXCL1]?


- A dating or hookup app/website for gay men, like Grindr or Jack'd
- A social networking app or website for gay men (not for dating or hooking up)
- A social networking app or website, like Facebook, Twitter, Instagram or Snapchat
- Some other app or website
- Work or school
- Through family
- Through a friend
- A private party or social event
- A public festival or community event, like Pride
- A gay commercial venue, like a gay bar or dance club
- A straight commercial venue, like a straight bar or dance club
- A commercial sex venue, like a sex club or bath house
- A public sex venue, like a park, beach, bathroom or tearoom
- Other [specify below]
- I'd prefer not to answer

Please specify where you first met [Response to SXCL1].

Back

Next

SXCL7.




Think of the times in the past 3 months that you had anal sex with [Response to SXCL1] and did not use a condom from start to finish. Were you the top (you put your penis in his butt), the bottom (he put his penis in your butt), or both?

- I was always the top
- I was always the bottom
- I was both the top and the bottom
- I don't know
- I'd prefer not to answer

Back

Next

SXCL8.




Think of the times in the past 3 months that you had anal sex with [Response to SXCL1] and did not use a condom from start to finish. Were you ever drunk or buzzed on alcohol within 2 hours before or during sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL9.




Think of the times in the past 3 months that you had anal sex with [Response to SXCL1] and did not use a condom from start to finish. Did you ever use non-prescription drugs within 2 hours before or during sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

SXCL10.




What is [Response to SXCL1]'s HIV status?
Choose one.

- Positive
- Negative
- I don't know or am unsure about his HIV status
- I'd prefer not to answer

[Back](#) [Next](#)

SXCL11.




Did [Response to SXCL1] actually TELL you his HIV status?

- Yes, and I have no reason to doubt him
- Yes, but I have reason to doubt him
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL12.




Did you tell [Response to SXCL1] your current HIV status before the last time you had anal sex together?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next



How long ago was the last time you had any anal sex with [Response to SXCL1]? That is, with or without a condom, and with or without ejaculation.

- 1 day
- 2 days
- 3 days
- 4 days
- 5 days
- 6 days
- 1 week
- 2 weeks
- 3 weeks
- 1 month
- 2 months
- 3 months
- I'd prefer not to answer

[Back](#)[Next](#)

During the last time you had any anal sex with [Response to SXCL1], where did you have sex?


Select one.

- Your house or apartment or his house or apartment
- Someone else's house or apartment
- Hotel
- Sex club or bathhouse
- Bar, night club, or dance club
- Health club or gym
- Porn theatre/video arcade
- Public bathroom
- Park, woods, street, car or van
- Other
- I don't know
- I'd prefer not to answer

Back

Next

SXCL15.




During the last time you had anal sex with [Response to SXCL1], were you the top (you put your penis in his butt)? This would be with or without a condom and with or without ejaculation.

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

SXCL16.




Was a condom used from start to finish?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

SXCL17.



During the last time you had anal sex with [Response to SXCL1], were you the bottom (he put his penis in your butt)?


This would be with or without a condom and whether or not you ejaculated.

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL18.




Was a condom used from start to finish?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL19.




Were you taking PrEP medication to prevent HIV within 24 hours before or after the time you last had anal sex with [Response to SXCL1]?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL20.



Were you taking your PrEP medication once a day as prescribed by your doctor, without missing any doses, in the 7 days before you last had anal sex with [Response to SXCL1]?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL21.




You mentioned that you were not taking your PrEP medication once a day as prescribed at the time of your last sexual encounter. In the 7 days before you last had anal sex with [Response to SXCL1], on how days did you take your dose of PrEP?

-- Please Select -- ▾

Back

Next

SXCL22.




Was [Response to SXCL1], taking PrEP medication to prevent HIV within 24 hours before or after the time you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL23.

The Prepare for PrEP Study

To your knowledge, was [Response to SXCL1] taking his PrEP medication once a day as prescribed by his doctor, without missing any doses, in the 7 days before you last had anal sex?

Yes


No

I don't know

I'd prefer not to answer

[Back](#) [Next](#)


SXCL24.

The Prepare for PrEP Study

You mentioned that [Response to SXCL1] was not taking his PrEP medication once a day as prescribed at the time of your last sexual encounter. To your knowledge, in the 7 days before you last had anal sex, on how many days did [Response to SXCL1] take his dose of PrEP?

[Back](#) [Next](#)

SXCL25.




Was [Response to SXCL1] taking antiretroviral medicines to treat his HIV infection within 24 hours before or after the time you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL26.




To your knowledge, was [Response to SXCL1] taking his HIV medicines exactly as prescribed by his doctor, without missing any doses, in the 7 days before you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL27.




You mentioned that [Response to SXCL1] was not taking his HIV medicines exactly as prescribed at the time of your last sexual encounter. To your knowledge, in the 7 days before you last had anal sex, on how many days did [Response to SXCL1] take all of the doses of his HIV medicines?

-- Please Select -- ▾

Back Next

SXCL28.



Did [Response to SXCL1] tell you his viral load was undetectable prior to your last sexual encounter?

Yes


No

I don't know

I'd prefer not to answer

Back Next

SXCL29.




When was the last time [Response to SXCL1] told you his viral load was undetectable?

- Less than a week ago
- More than a week ago but less than a month ago
- One to three months ago
- Four to six months ago
- Seven to twelve months ago
- More than a year ago
- Never
- I don't know
- I'd prefer not to answer

Back

Next

SXCL30.



Were you drunk or buzzed on alcohol within two hours before or during the last time you had anal sex with [Response to SXCL1]?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

SXCL31.




How many drinks did you have? By a drink, I mean a 12 oz. can or glass of beer, a 4 oz. glass of wine, a 1-1/2 oz. shot of liquor, or a mixed drink with that amount of liquor.

Back

Next

SXCL32.




Was [Response to SXCL1] drunk or buzzed on alcohol within two hours before or during the last time you had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next



Did you use any drug within two hours before or during the last time you had anal sex with [Response to SXCL1]?

- Yes
- No
- I don't know
- I'd prefer not to answer

Which drugs?

Check all that apply.

- Injected Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, smoked or snorted (meth, speed, crystal, crank, ice)
- Downers (Valium, Ativa, Xanax)
- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, wicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoked or snorted
- Heroin and cocaine injected together (speedballs)
- Other [specify below]
- I don't know
- I'd prefer not to answer

Please specify which other drugs.

[Back](#) [Next](#)



Did [Response to SXCL1] use any drug within two hours before or during the most recent time you had sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Which drugs?

Check all that apply


- Injected Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, smoked or snorted (meth, speed, crystal, crank, ice)
- Downers (Valium, Ativa, Xanax)
- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, wicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoked or snorted
- Heroin and cocaine injected together (speedballs)
- Other [specify below]
- I don't know
- I'd prefer not to answer

Please specify which other drugs.

Back

Next


SXW1.



In the past 3 months, that is since [month and year] with how many women have you had sex?
Include only women with whom you had vaginal or anal sex, with or without a condom, and with or without ejaculation.

[Back](#) [Next](#)


SXW2.



Of the [Response to SXW1] women you have had sex with in the past three months, with how many did you have any sex in which a condom was not used from start to finish?

[Back](#) [Next](#)

SXW3.



Have you been in a primary relationship with a woman in the last three months?
This would be a woman you have lived with or have seen a lot, and to whom you have felt a special emotional commitment in the last three months.


Yes

No

I'd prefer not to answer

[Back](#) [Next](#)

SXW4.



Are you still in this primary relationship with your most recent primary female partner?

- Yes
- No
- I'd prefer not to answer

Back

Next

SXW5.



What is her HIV status?


Choose one.

- Positive
- Negative
- I don't know or am unsure about her HIV status
- I'd prefer not to answer

Back

Next

SXW6.




Did she actually TELL you her HIV status?

- Yes, and I have no reason to doubt her
- Yes, but I have reason to doubt her
- No
- I don't know
- I'd prefer not to answer

Back

Next

C1.




How likely are you to use condoms to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely

Back

Next

C2.




How likely are you to use PrEP to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely

[Back](#) [Next](#)

C3.




Researchers are also working on a form of PrEP that you would take only around the times you have sex. You would take two pills within 24 hours before sex and then two separate one-pill doses in the two days after sex.

How likely would you be to use this type of PrEP that is taken only around the time you have sex?

- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely

[Back](#) [Next](#)




Researchers are working on a form of PrEP that a doctor would give as a shot into your arm. You would need to get the shot every 1 to 3 months to reduce your risk of getting HIV.

How likely would you be to use this injectable form of PrEP to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely

Back

Next



Researchers are also working on a form of PrEP that is a gel you would apply to the penis (like lubricant or lube) or put into the rectum with an applicator before and/or after sex to reduce the risk of getting HIV.

How likely would you be to use a gel form of PrEP that you apply to your penis like lube before having insertive anal sex (topping) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely

How likely would you be to use a gel form of PrEP that you apply to your penis like lube after having insertive anal sex (topping) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely

How likely would you be to use a gel form of PrEP that you squeeze into your rectum using an applicator before receptive sex (bottoming) to reduce the risk of getting HIV?


- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely

How likely would you be to use a gel form of PrEP that you squeeze into your rectum using an applicator after receptive sex (bottoming) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely

Back

Next



Researchers are also working on a form of PrEP that you would put in your rectum as a suppository. The suppository would be the size of a daily vitamin pill. You would have to put it in your rectum at least 30 minutes before having receptive anal sex (bottoming) to be sure it dissolved in time to reduce the risk of getting HIV.

How likely would you be to use a suppository form of PrEP that you insert into your rectum to dissolve 30 minutes before having receptive anal sex (bottoming) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely

How likely would you be to use a suppository form of PrEP that you insert into your rectum to dissolve within three hours after having receptive anal sex (bottoming) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely or unlikely
- Somewhat unlikely
- Very unlikely










Back

Next

Below is a list of prevention methods that includes the currently available daily PrEP pill, condoms, and all the other forms of PrEP that researchers are working on. Please rank them in your order of preference, from 1 (first choice) to 8 (last choice).

Drag each method to the second column to show your order of preference.


Drag items from the left-hand list into the right-hand list to order them.

Daily PrEP (a pill that you take every day) 	
Event-level PrEP (two pills before sex and one pill for two days after sex) 	
Injectible PrEP (a shot you receive every 1-3 months) 	
Rectal suppository PrEP that is used <u>before</u> sex (a pill-size dose you put in your rectum) 	
Rectal suppository PrEP that is used <u>after</u> sex (a pill-size dose you put in your rectum) 	
Rectal gel PrEP <u>before</u> sex (a gel that you squeeze into your rectum with an applicator) 	
Rectal gel PrEP <u>after</u> sex (a gel that you squeeze into your rectum with an applicator) 	
Condoms 	

Back


Next

C12.

 The Prepare for PrEP Study


Listed below are general qualities of prevention methods. Please rank them in your order of the qualities most important to you, from 1 (most important) to 7 (least important).
Drag each quality to the second column to show your order of importance.

Drag items from the left-hand list into the right-hand list to order them.

Effective against HIV	→	
Effective against other STDs	→	
Doesn't reduce physical pleasure	→	
Doesn't break the mood of sex	→	
You control it, not your partner	→	
Your partner controls it, not you	→	
Recommended by experts	→	

[Back](#) [Next](#)

C13.

 The Prepare for PrEP Study

If you had a choice of using condoms during anal sex or taking a pill every day to prevent HIV infection, both at no cost, which would you choose?

Condoms only

Daily pill only

Both condoms and daily pill

Neither (specify why)

I'd prefer not to answer

[Back](#) [Next](#)

Now we want you to think about a specific situation:

Imagine you just met a hot guy and you both want to have anal sex right now, but you haven't talked about HIV status. If there was a pill you could take -- only once before and after sex -- that was as effective as using a condom, which would you use?

A pill before and after anal sex

A condom during anal sex


Both a pill and condom

Neither (specify why)

I'd prefer not to answer

Back


Next



Please answer the next questions by indicating how much you agree with each statement. Answer on a scale from 1 to 5 where '1' indicates you do not agree at all and '5' indicates that you strongly agree.

	1. Strongly Disagree	2. Somewhat Disagree	3. Neither	4. Somewhat Agree	5. Strongly Agree	6. Refuse to Answer
Because of medication to treat HIV, I am less concerned about becoming infected with HIV.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
A lot of my friends use condoms.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I can choose condom use with a man I have sex with regularly.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Someone can talk me out of using condoms by persuading me they are the same HIV status as me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If I ever did something sexually risky, I am confident that I would go back to using condoms right away.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I am confident that I can use condoms even if my partner really doesn't want to.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Most gay men do not use condoms anymore.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Most gay men I meet only use condoms still.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
A lot of gay men just will not have sex with you if you insist on a condom.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

[Back](#)
[Next](#)




Have you ever been prescribed any other medicine by a doctor or other health provider?

- Yes
- No
- Unsure

Back

Next



For the next 4 questions, think about times when you were prescribed medicine by a doctor or other health provider when you were sick or for an ongoing condition.

Do you ever forget to take your medicine?

- Yes
- No
- I'd prefer not to answer

Do you ever have problems taking your medicine?

- Yes
- No
- I'd prefer not to answer

When you feel better, do you sometimes stop taking your medicine before you should?


- Yes
- No
- I'd prefer not to answer

Sometimes if you feel worse when you take your medicine, do you stop taking it?

- Yes
- No
- I'd prefer not to answer

Back


Next



For the next four questions, you will be asked about your visits with your doctor. Please indicate how much you AGREE or DISAGREE with the following statements.

	Agree a lot	Agree a little	Disagree a little	Disagree a lot	I'd prefer not to answer
Sometimes I don't <u>ask</u> my doctor questions.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sometimes I don't <u>understand</u> my doctor's instructions.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sometimes I don't <u>remember</u> my doctor's instructions.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sometimes I don't <u>tell</u> my doctor personal information.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sometimes I don't <u>ask</u> my doctor for help if I need it.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>


D20.



In the past two years, that is since [mm/yyyy], how often have you seen a doctor or a nurse for healthcare?

- At least once every 3 months
- At least once every 6 months, but not every 3 months
- At least once a year, but not every 6 months
- Less than once a year
- I haven't been to a provider in the past 2 years

D21.




In the past two years [since date], when you saw a doctor or a nurse, were they:

- The same doctor or nurse every time
- A different doctor or nurse every time
- I try to see the same one, but they are not always available

[Back](#) [Next](#)

D22.




In the past two years [since date], when you needed healthcare, have you:

- Gone to the same place for healthcare, e.g. a hospital, clinic, or urgent care setting
- Gone to a different place each time
- I try to go to the same place, but sometimes that isn't possible

[Back](#) [Next](#)

D23.




In the past two years [since date], when you have seen a doctor or nurse, what did you see them for?

- A regularly scheduled check-up
- An emergency illness/accident
- A combination of regularly scheduled check-up and emergency illnesses

[Back](#) [Next](#)

D24.




Do you trust doctors and nurses to have your best interest at heart?

- Yes, I trust my doctors and nurses
- I trust some of my doctors and nurses, but not others
- No, I do not trust doctors and nurses

[Back](#) [Next](#)

D25.




In the past two years [since date], how often have you gotten tested for HIV?

- At least every 3 months
- At least every 6 months, but not every 3 months
- At least once a year, but not every 6 months
- Less than once a year
- I haven't gotten tested for HIV in the past 2 years

[Back](#) [Next](#)


D26.



In the past two years [since date], when you have gotten tested for HIV, do you go to:

- The same HIV testing location every time
- A different location every time
- Sometimes the same/sometimes different locations

[Back](#) [Next](#)




Do you trust the HIV test counselors to have your best interest at heart?

- Yes, I trust my HIV test counselors
- I trust some of my HIV test counselors, but not others
- No, I do not trust HIV test counselors

Back

Submit

Thank you.



Thank you for your valuable input on this survey!