### **SpecWriter Data**

**Form Version:** 9/15/2017 1:19:51 PM

Report Type: Full Detail

Project Database: WESSQL6.MEPS\_V2

Language: English

Spec Label:

This is the cover page. Additional contents currently project specific.

MEPS\_V2
Full Detail Spec

**Emergency Room (ER) Section** 

BOX 00 (ER1000) Item Type: Route Type Class: If Then

**Route Details:** 01 Box = BOX\_00, BOX\_10, BOX\_20

04 Single Select = ER20, ER40, ER60

06 Single Select with Fill in Answer Text = ER10

08 Multiple Select = ER50

11 Multiple Select with Add/Edit/Delete = ER30, ER70

Roster 3 = ER30, ER70

<u>BOX 10</u> <u>(ER1001)</u> Item Type: Route Type Class: If Then

Route Details: Context header display instructions:

Display PERS.FULLNAME, PROV.LORPNAME, EVNT.EVNTBEGM,

EVNT.EVNTBEGD, EVNT.EVNTBEGY.

**Full Detail Spec** BLAISE NAME: ERVstCat **ER10** (ER1010)**Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type:** TERVSTCATER02 **Answers allowed:** 1 ArrayMax: Max value: ✓ Help Available (ERVstCatHelp) ✓ Show Card (ER-1) ☐ Look Up File ( ) {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE **Context Header:** PROVIDER { EVN-DT } **Question Text:** □ER-1. Please look at card ER-1 and tell me which category best describes the care {you/{PERSON}} received during the visit to {PROVIDER} emergency room on {VISIT DATE}. HELP: F1 **Responses:** DIAGNOSIS OR TREATMENT ..... 1 **ER20** (ER1015) EMERGENCY (E.G., ACCIDENT OR ER20 (ER1015)  $\Pi$ P Н

EMERGENCI (E.G., ACCIDENT OR 2	LIX20	(EK1013)
INJURY)		
PSYCHOTHERAPY OR MENTAL 3	ER20	(ER1015)
HEALTH COUNSELING		
FOLLOW-UP OR POST-OPERATIVE VISIT 4	ER20	(ER1015)
IMMUNIZATIONS OR SHOTS 5	ER20	(ER1015)
{PREGNANCY-RELATED (INCLUDING 6	ER20	(ER1015)
PRENATAL CARE AND DELIVERY)}		
OTHER	ER20	(ER1015)
REFUSED RF	ER20	(ER1015)
DON'T KNOW DK	ER20	(ER1015)

**Display Instructions:** 

Display response option '6' (PREGNANCY-RELATED (INCLUDING PRENATAL CARE AND

DELIVERY) ), if person is female and age 15 to 55 inclusive (or age categories 3 to 8).

Otherwise, use a null display.

**Testing/Editing Notes:** 

Variable collected at MEPSSpring2018.ER Main Variable stored at MEPSSpring2018\_Event.ER\_Main

<b>ER20</b>	(ER1015) BLAISE NAME: ERSpecCond				
Item Type:	Question	Field kind: Datafield	ArrayMi	n: M	in value:
Type Class:	Enumerated	Field Size:			
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	ArrayMa	x: M	lax value:
☐ Help Available (	( )	$\square$ Show Card (	)		☐ Look Up File ( )
Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}					
	PROVIDER) {E	VN-D1}			
<b>Question Text:</b>					
Was this visit related t	o any specific health c	condition or were any condition	ns discovered	d during thi	is visit?
Responses:	YES		1	ER30	(ER1020)
	NO		2	ER40	(ER1023)
	REFUSED		RF	ER40	(ER1023)
	DON'T KNOW		DK	ER40	(ER1023)
D: 1					
Display Instructions:					
Testing/Editing	Variable collected	d at MEPSSpring2018.ER_	Main		
Notes:		t MEPSSpring2018_Event.			

MEPS\_V2 **Emergency Room (ER) Section Full Detail Spec ER30 BLAISE NAME:** ERCondRoster (ER1020) **Item Type:** Question Field kind: Datafield **ArrayMin:** Min value: Type Class: Enumerated Field Size: **Answer Type: TCONDITION** Answers allowed: 99 ArrayMax: Max value: ✓ Help Available (CondHelp) ☐ Show Card ( ) ☐ Look Up File ( ) {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE **Context Header:** PROVIDER { EVN-DT } **Question Text:** What conditions were discovered or led {you/{PERSON}} to make this visit? PROBE: Any other condition? ENTER ALL THAT APPLY. CTRL-A: ADD CTRL-E: EDIT CTRL-D: DELETE HELP: F1 **Responses:** {MEDICAL CONDITION} 1 ..... 1 **ER50** (ER1025)

..... 2

{MEDICAL CONDITION}N ...... 5 ER50

----- 3 ER50

4 ER50

**ER50** 

(ER1025)

(ER1025)

(ER1025)

(ER1025)

{MEDICAL CONDITION} 2

{MEDICAL CONDITION} 3

{MEDICAL CONDITION} 4

Programmer

Roster behavior:

**Instructions:** 

- 1. Multiple select allowed.
- 2. Multiple add allowed.
- 3. Limited delete allowed. Interviewer may delete a condition added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.
- 4. Limited edit allowed. Interviewer may edit a condition name newly added at this item until CAPI creates the link between this condition and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

Display Instructions:

Roster 3 – add/edit/delete allowed

Roster definition:

Display the person-medical-conditions-roster for the selection and addition of one or many medical condition(s) associated with this event. Display name of medical condition (COND.CONDNAM)

Roster filter:

Display all conditions on person's roster; no filter.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.ER\_Main Variable stored at MEPSSpring2018\_Event.ER\_Main

ER40 (ER1023) BLAISE NAME: ERSurgProc

Item Type: Question Field kind: Datafield ArrayMin: Min value:

Type Class: Enumerated Field Size:

Answer Type: TYESNO Answers allowed: 1 ArrayMax: Max value:

✓ Help Available (SurgProcHelp)
□ Show Card ( )
□ Look Up File ( )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE

PROVIDER { EVN-DT }

#### **Question Text:**

Was a surgical procedure performed on {you/{PERSON}} during this visit?

HELP: F1.

 Responses:
 YES
 1 ER50
 (ER1025)

 NO
 2 ER50
 (ER1025)

 REFUSED
 RF ER50
 (ER1025)

DON'T KNOW ...... DK ER50 (ER1025)

T711	D-4-21	C
run	Detail	Spec

Display
<b>Instructions:</b>

Testing/Editing Notes:

Variable collected at MEPSSpring2018.ER\_Main Variable stored at MEPSSpring2018\_Event.ER\_Main

**ER50** (ER1025) BLAISE NAME: CodeAllERSvc

Item Type: Question Field kind: Datafield ArrayMin: Min value:

Type Class: Enumerated Field Size:

Answer Type: TMEDSVCTYPE Answers allowed: 7 ArrayMax: Max value:

✓ Help Available (MedServHelp) ✓ Show Card (ER-2) ☐ Look Up File ( )

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE

PROVIDER { EVN-DT }

#### **Ouestion Text:**

□ER-2.

Looking at this card, which of these services, if any, did {you/{PERSON}} have during this visit?

ENTER ALL THAT APPLY.

HELP: F1.

<b>Responses:</b>	LABORATORY TESTS 1	ER60	(ER1035)
	SONOGRAM OR ULTRASOUND 2	ER60	(ER1035)
	X-RAYS	ER60	(ER1035)
	MAMMOGRAM 4	ER60	(ER1035)
	MRI OR CATSCAN 5	ER60	(ER1035)
	EKG, ECG, OR EEG 6	ER60	(ER1035)
	VACCINATION 7	ER60	(ER1035)
	NONE OF THESE SERVICES RECEIVED 95	ER60	(ER1035)
	REFUSED RF	ER60	(ER1035)
	DON'T KNOW DK	ER60	(ER1035)

## Programmer Instructions:

Soft Check:

If coded '4' (MAMMOGRAM) and person being asked about is male or is female and < or = 17 years of age (or age categories 1-3), display the following message: "UNLIKELY RESPONSE FOR {MALES/CHILDREN 17 AND YOUNGER}. VERIFY AND REENTER."

Display 'MALE' in error message if person being asked about is a male > 17 years of age (or age categories 4 through 9). Display 'CHILDREN 17 AND YOUNGER' in the error message if person being asked about is male or female and < or = 17 years of age (or age categories 1-3).

Allow code '95' (NONE OF THESE SERVICES RECEIVED) , 'RF' (REFUSED), and 'DK' (DON'T KNOW)

alone only; these responses may not be selected with any other response.

Note: 'NONE OF THESE SERVICES RECEIVED' is not displayed on show card.

Hard check:

Edit: if coded '95' (NONE OF THESE SERVICES RECEIVED), no other service categories can be coded.

If interviewer selects another code with NONE OF THESE SERVICES RECEIVED, display the following message: "NONE OF THESE SERVICES RECEIVED CANNOT BE SELECTED WITH OTHER OPTIONS. VERIFY AND RE- ENTER."

Display Instructions:

Testing/Editing Notes:

Variable collected at MEPSSpring2018.ER\_Main Variable stored at MEPSSpring2018\_Event.ER\_Main

<b>ER60</b>	(ER1035)	BLAISE NAME: ERPme	ed		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min va	lue:
Type Class:	Enumerated	Field Size:			
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	ArrayMa	x: Max va	alue:
✓ Help Available	(MEDPRESHelp)	☐ Show C	Card ( )		Look Up File ( )
Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER} {EVN-DT}					
<b>Question Text:</b>					
During this visit, were	e any medicines prescri	ibed for {you/{PERSON}}? I	Please includ	e only prescription	ons which were filled.
					HELP: F1
Responses:	YES		1	ER70	(ER1040)
	NO		2	BOX_20	(ER1045)
	REFUSED		RF	BOX_20	(ER1045)
	DON'T KNOW		DK	BOX_20	(ER1045)
Display Instructions:					
Testing/Editing Notes:		d at MEPSSpring2018.ER_ t MEPSSpring2018_Event.			

MEPS\_V2 **Emergency Room (ER) Section Full Detail Spec BLAISE NAME:** ERPmedRoster **ER70** (ER1040) **Item Type:** Question Field kind: Datafield **ArrayMin:** Min value: Type Class: Enumerated Field Size: **Answer Type:** TPRESCRIBEDMED Answers allowed: 99 ArrayMax: Max value: ☐ Help Available ( ) ☐ Show Card ( ) ☐ Look Up File ( ) {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE **Context Header:** PROVIDER { EVN-DT } **Question Text:** Please tell me the names of the prescriptions from this visit that were filled. PROBE: Any other prescribed medicines from this visit that were filled? ENTER ALL THAT APPLY. CTRL-A: ADD CTRL-E: EDIT CTRL-D: DELETE **Responses:** {PRESCRIBED MEDICINE}1 ...... 1 BOX\_20 (ER1045)

{PRESCRIBED MEDICINE}2 ......2

{PRESCRIBED MEDICINE}4 ...... 4

{PRESCRIBED MEDICINE}N 5 BOX 20

BOX\_20

BOX\_20

BOX\_20

(ER1045)

(ER1045)

(ER1045)

(ER1045)

## Programmer Instructions:

Roster behavior:

- ons: 1. Multiple select allowed.
  - 2. Multiple add allowed.
  - 3. Limited delete allowed. Interviewer may delete a medicine added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.
  - 4. Limited edit allowed. Interviewer may edit medicines added at this item until CAPI creates the link between this medicine and the event. The link is created when the collection of utilization and/or charge/payment data is complete.

NOTE: In order for the columns to display properly, 35 allowable characters for the medicines will be accepted for display on the roster.

When adding a medicine in the pop-up manipula, a maximum of 60 characters will be allowed.

When the CTRL-D or CTRL-E command is called, the pop-up manipula should display 60 characters for the medicine name.

General flag rules for medicines:

- Round medicine first created (by definition a medicine is selected the same time it is created)
- Question number medicine first created
- Round medicine selected
- Event medicine is linked to (however, this is known by virtue that the medicine was selected at ER70 for this event)

# **Display Instructions:**

Roster 3 - add/edit/delete allowed

Roster definition:

This item displays the person's-prescription medicines-roster for selection. Display name of prescribed medicine (DRUG.DRUGNAME).

Roster filter:

Display all medicines on person's roster; no filter.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.ER\_Main Variable stored at MEPSSpring2018\_Event.ER\_Main

MEPS\_V2
Full Detail Spec

**Emergency Room (ER) Section** 

BOX 20 (ER1045) Item Type: Route Type Class: If Then

**Route Details:** 

Go to the Charge/Payment (CP) section if it needs to be asked for this emergency room event, i.e. its status wasn't set to 'Completed' because it was part of a Flat Fee situation where the charges were collected in the CP section for another event in that Flat Fee group.

Otherwise, go to the event driver (ED) section.

[End of ER]