SpecWriter Data

Form Version: 10/13/2017 1:25:18 PM

Report Type: Full Detail

Project Database: WESSQL6.MEPS_V2

Language: English

Spec Label:

This is the cover page. Additional contents currently project specific.

MEPS_V2
Full Detail Spec

BOX 00 (PV1000) Item Type: Route Type Class: If Then

Route Details: $01 \text{ Box} = \text{BOX}_00, \text{BOX}_10, \text{BOX}_20, \text{BOX}_30$

04 Single Select = PV10, PV40

06 Single Select with Fill in Answer Text = PV80

 $12\ Address-Newly\ Confirmed=PV50_01,\ PV50_02,\ PV50_03,\ PV50_04,\ PV50_05,\ PV50_06,\ PV50_07,\ PV50_08,\ PV60_01,\ PV60_02,\ PV60_03,\ PV60_04,\ PV60_05,\ PV60_05,\ PV60_05,\ PV60_07,\ PV60_$

PV60_06, PV60_07

24 Information Screen = PV15

28 Trigram Lookup = PV20LU, PV30LU

29 Single Select with Fill in Answer Text and Display Roster = PV70

Grid 1= PV20LU, PV30LU

Roster 3 = PV20LU, PV30LU, PV70, PV80

<u>BOX_10</u> (PV1005) Item Type: Route Type Class: If Then

Route Details: Context Header Instructions:

Display PERS.FULLNAME and EVNT.EVNTTYPE.

If the Provider Roster section is launched from the Access to Care section,

event type will not be displayed in the context header.

Testing/Editing

Notes:

Full Detail Spec Item Type: Route Type Class: If Then **BOX 20** (PV1010) **Route Details:** If coming from the Event Roster and event type is MV, go to PV10. If coming from the Event Roster section and event type is DN, go to PV80. If coming from the Calendar section BOX 15, go to PV15. If coming from the Calendar section BOX 18, go to PV20LU. If coming from the Access to Care section go to PV30LU. Otherwise, go to PV20LU. **PV10** (PV1015) **BLAISE NAME:** MPPartGrp **Item Type:** Question Field kind: Datafield **ArrayMin:** Min value: **Type Class:** Field Size: Enumerated **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ☐ Help Available () ☐ Show Card (□ Look Up File () **Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {EV} **Question Text:** To the best of your knowledge, is the provider that provided the health care to {you/{PERSON}} associated with any group practice, HMO, or clinic? **Responses:** YES PV20LU (PV1020) NO PV20LU (PV1020) RF PV20LU **REFUSED** (PV1020) DK PV20LU DON'T KNOW (PV1020) **Display Instructions:**

MEPS_V2 Full Detail Spec				Provider Roster (PV) Section
PV15	(PV1016)	BLAISE NAME: IntroFr	omC A	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:	111111111111111111111111111111111111111	Train ruider
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S F	FIRST MIDDLE AND LAST	NAME} {EV}	
Question Text:				
need to update the ir facility/was receiving	nformation for {y g care at home/w	events for each household mer you/{PERSON}} {who {was in then you were {in the hospital/ interview on {PREV RD INT	n the hospital/wa staying at a resid	as staying at a residential care
PRESS 1 AND ENTE	R TO CONTINUE	E.		
Responses:	CONTINUE		PV	720LU (PV1020)
Display Instructions:	Display 'Before open event bein	we discuss the health care events g cycled on.	" if coming from	n the CA section and it's the first
	Otherwise, if it's	s not the first open event being cy	cled on, display 'N	Next'.
	Display "who { respondent.	was in the hospital at home	" if the person b	peing looped on is not the
	•	play "when you wereat hon	ne".	

Testing/Editing Notes:

MEPS_V2				Provider Roster (PV) Section
Full Detail Spec				
PV20LU	(PV1020)	BLAISE NAME: ProvLo	okup	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TContinueEmpty	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available (()	☐ Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S FIF	RST MIDDLE AND LAST	NAME} {EV}	
Question Text:				
name, city, <u>or</u> the to	elephone number o	roviders.) To get us started f the {individual} {or} {hosp health care to {you/{PERSC	ital/facility/hom	iust the {last} name, the street e health agency/group
-		ENTER TO SELECT A PROVI DRESS BEFORE SELECTING.	DER./TO ADD A	PROVIDER PRESS CTRL-A.}
				CTRL-A: ADD
				CTRL-E: EDIT
				CTRL-D: DELETE
{{number of provide	ers displayed} out o	f {total number of provider	s} providers sho	wn – scroll for more}
Responses:	CONTINUE			
	EMPTY		- Empty	

Programmer Instructions:

Preloaded Grid Type 2 including PV20 - Flexible navigation, allow empty.

If PV20LU is EMPTY for all of the medical providers and interviewer tries to move off of this page display the message: "YOU MUST SELECT A MEDICAL PROVIDER BEFORE CONTINUING. PRESS ENTER TO RETURN TO PV20LU."

If coming from the CA section, after a provider is selected return immediately to the calendar section.

If provider selected (PV20LU='1' for one provider) and event type is OP or MV and linked to a facility-provider (either facility provider was selected from NPI or from the roster or PV40 is coded = '2' (FACILITY PROVIDER)), immediately go to PV70.

Otherwise, after a provider is selected (PV20LU='1' for one provider), immediately return to the Event Roster (EV) section.

Once a provider is added, that provider should be automatically selected. If the interviewer adds a provider, but then decides to 'unselect' it, another provider could be added. CTRL-A should not work if there is already a provider selected on this screen.

Hard Check:

- 1. If CTRL-E is pressed for a provider that is linked to a NPI ID or the provider was added during a previous round, display the following error message: "THIS PROVIDER CAN'T BE EDITED BECAUSE IT WAS ADDED DURING A PREVIOUS ROUND OR IT IS LINKED TO A NPI ID."
- 2. If CTRL-D is pressed for a provider that was not added at the current question, display the following error message: "THIS PROVIDER CAN'T BE DELETED. ONLY PROVIDERS ADDED AT THE CURRENT QUESTION CAN BE DELETED."
- 3. If the provider selected is linked to a person-provider and the event type is HS, ER, OP or IC, display the following error message: "A FACILITY PROVIDER MUST BE SELECTED FOR THIS EVENT TYPE. SELECT/ADD ANOTHER PROVIDER."
- 4. CTRL-A: Only one provider can be selected per this instance of PV. If FI tries to back up and add another provider, display the following hard check: 'YOU MUST DESELECT THE CURRENT PROVIDER TO SELECT A DIFFERENT PROVIDER TO ASSOCIATE WITH THIS EVENT'. CAPI should go back to PV20LU.

Roster Behavior:

1. Display roster entries in the following order: Display by provider last name or facility name. Entries that are added during the current round will appear at the bottom of the list of entries until the next round.

Grid Behavior:

- 1. The 'Type of Provider', 'Provider', 'Address', 'City', 'State', 'Zip Code', 'Phone Number', and 'Editable' are protected columns. No changes are allowed.
- 2. In the 'PV20' column, only one provider can be selected by pressing 1 and enter in the active field for that provider.
- 3. In the 'PV20' column a provider that is not linked to an NPI ID and was added during

the current round, can be edited by navigating to that providers active field and pressing CTRL-E.

- 4. In the 'PV20' column a provider that was added at the current question, can be deleted by navigating to that providers active field and pressing CTRL-D.
- 5. The provider roster entries are displayed in the form pane. To maximize the number of rows that we can display in the form pane without vertical scrolling, reduce the size of the info pane to fit the question text displayed. Thirteen rows display at one time before scrolling is necessary.

When CTRL-A is selected the provider directory should pop-up. The following fields should be displayed in the look-up: Name1, Name 2, Address, City, Phone number, Taxonomy.

There should be an option on the look-up for 'PROVIDER NOT FOUND'. When 'PROVIDER NOT FOUND' is selected, go to BOX_30 to start the collect of provider information using PV50_01-PV50_08 or PV60_01-PV60_07. After the completion of these questions, the provider will be added to the medical provider roster and the interview should route back to PV20LU. At PV20LU, the provider that was just added from PV50_01-PV50_08 or PV60_01-PV60_07 should appear at the bottom of the grid with a '1' prefilled in the PV20 field. Interviewers must press Enter to confirm their selection.

If the provider selected (either at PV20LU or within the NPI look-up window) is linked to a person-provider and the event type is HS, ER, OP or IC, display the following error message: "A FACILITY PROVIDER MUST BE SELECTED FOR THIS EVENT TYPE. SELECT ANOTHER PROVIDER." After the FI has viewed the error message they will return to the provider directory pop-up. The same search string will still be listed in the field.

The following search rules should appear at the bottom of the pop-up: "SEARCH RULES:

- Fewer words often work better than lots of words but you must type at least 5 letters
- Unusual or unique aspects of provider name or address finds better matches
- Common identifiers (e.g., medical center, office, associates, group, health) can increase the number of 'extra' matches displayed
- If searching by address include street number and name, but not office, suite, or room number
- If searching by phone number do not include hyphens
- Review the DETAILS line at the top to verify correct selection

After the FI picks a provider and presses 'SELECT', the provider will appear at the bottom of the grid with a '1' prefilled in the PV20 field for this provider. FI's must press ENTER to confirm their selection.

When CTRL-E is selected for a person-provider that is not linked to a NPI ID and that was added during the current round, go to PV50_01. PV50_01-PV50_08 will be used to update the providers information. After PV50_08, update the provider roster entry and return to PV20LU.

When CTRL-E is selected for a facility-provider that is not linked to a NPI ID and that was added during the current round, go to PV60_01. PV60_01-PV60_09 will be used to update the provider's information. After PV60_09, update the provider roster entry and return to

Full Detail Spec

PV20LU.

When CTRL-D is selected for a provider that was added at the current question, a verification screen will appear to confirm that the interviewer wants to delete this provider.

Display Instructions:

Roster 3 - Add, Edit, Delete Allowed

Roster Definition:

Display the RU medical providers roster for selection of one medical provider. The 'medical providers roster' excludes dental providers which is now on the 'dental providers roster'. Display the following columns formatted on the form pane:

Column Header #1: PV20

This field is used to select, edit, or delete a provider.

Column Header #2: Type of Provider

Display "P" to represent a person-provider, "F" to represent a facility-provider, or "F (&p)" to represent a facility-provider ever linked to an MV or OP event AND a specific department or a doctor.

Column Header #3: Provider

Display the first and last name of the person-provider or the name of the facility. Set truncation length to 50 characters.

Column Header #4: Address

Display address 1 and address 2 for the provider. Set truncation length to 45 characters.

Column Header #5: City

Display the city for the provider. Set truncation length to 25 characters.

Column Header #6: State

Display the two letter state abbreviation for the provider.

Column Header #7: Zip code

Display the zip code for the provider.

Column Header #8: Phone Number

Display the telephone number for the provider

Column Header #9: Editable

Display 'Yes' if the provider is not linked to an NPI ID and added in the current round. Display 'No' if the provider is linked to an NPI ID or if the provider was added during a previous round (Provider[I].OrigRnd).

Roster Filter:

Exclude home health provider entries - 'FRIEND(S) OR NEIGHBOR(S)', 'RELATIVE(S)', and 'VOLUNTEER(S)'.

Display 'last' if PV10 was coded '2' NO and the event type is MV.

Display 'individual' if PV10 was coded '2' NO, RF, or DK OR if the event type is HH Paid Independent.

Otherwise, use a null display.

Display 'or' if PV10 was coded DK or RF. Otherwise, use a null display. Display 'hospital' if the event type is HS. Display 'facility' if the event type is

OP, ER, or IC. Display 'home health agency' if the event type is HH Agency. Display 'group practice, HMO, or clinic' if PV10 was coded '1' YES, DK or RF. Otherwise, use a null display.

Display 'SELECT ONE PROVIDER - PRESS 1 AND ENTER TO SELECT A PROVIDER' if at least one provider appears on the roster, otherwise, if the roster is empty, display 'TO ADD A PROVIDER PRESS CTRL-A.

Display "{number of providers displayed} OUT OF {total number of providers} PROVIDERS SHOWN - SCROLL TO SEE MORE" in red text only if there are more than the 13 providers, otherwise, use null display.

Note: The display for the CTRL-A, CTRL-E, CTRL-D instructions does not follow the UI rules for display. It will display as follows: CTRL-D will display on the same line as the second interviewer instruction. There will not be a line separating the two interviewer instructions. This is for maximum use of space for the form pane.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.PV_Main.PV20LU_Table.PV20LU[1..120] Variable stored at MEPSSpring2018.PV_Main.PV20LU_Table.PV20LU[1..120]

MEPS_V2				Provider Roster (PV) Section
Full Detail Spec				
PV30LU	(PV1025)	BLAISE NAME: ProvLo	okupUSC	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TContinueEmpty	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available	()	☐ Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S FIR	ST MIDDLE AND LAST	NAME}	
Question Text:				
•	•	1		center, or other place} that advice about {your/his/her}
VERIFY FULL PROV		/IDER. DRESS BEFORE SELECTING. / AND ADD A NEW PROVID	ER, PRESS CTRL	Α.
				CTRL-A: ADD CTRL-E: EDIT CTRL-D: DELETE
{{number of provider	rs displayed} out of {to	otal number of providers} prov	viders shown - scr	oll for more}
Responses:	CONTINUE			
	EMPTY		Empty	

Programmer Instructions:

Preloaded Grid Type 2 including PV30 - Flexible navigation, allow empty.

If PV30LU is EMPTY for all of the medical providers and interviewer tries to move off of this page, display the following message: 'YOU MUST SELECT A MEDICAL PROVIDER BEFORE CONTINUING. PRESS ENTER TO RETURN TO PV30LU.

If provider selected (PV30LU='1' for one provider) and it is a person-provider, immediately return to the Access to Care section.

If provider selected (PV30LU='1' for one provider) and it is a facility-provider (either facility provider was selected from NPI or from the roster or PV40 is coded= '2' (FACILITY PROVIDER)), immediately go to PV70.

Flag the providers selected to the RU level provider roster that displays at PV20LU and PV30LU.

Hard Check:

- 1. If CTRL-E is pressed for a provider that is linked to a NPI ID or the provider was added during a previous round, display the following error message: "THIS PROVIDER CAN'T BE EDITED BECAUSE IT WAS ADDED DURING A PREVIOUS ROUND OR IT IS LINKED TO A NPI ID."
- 2. If CTRL-D is pressed for a provider that was not added at the current question, display the following error message: "THIS PROVIDER CAN'T BE DELETED. ONLY PROVIDERS ADDED AT THE CURRENT QUESTION CAN BE DELETED."

Roster Behavior:

- 1. Display roster entries in the following order:
 - Display by provider last name or facility name. Entries that are added during the current round will appear at the bottom of the list of entries until the next round.

Grid Behavior:

- 1. The 'TYPE OF PROVIDER', 'PROVIDER', 'ADDRESS', 'CITY', 'STATE', 'ZIP CODE', 'PHONE NUMBER', and 'EDITABLE' are protected columns. No changes are allowed.
- 2. In the 'PV30' column, only one provider can be selected by pressing 1 and enter in the active field for that provider.
- 3. In the 'PV30' column a provider that is not linked to an NPI ID and was added during the current round, can be edited by navigating to that providers active field and pressing CTRL-E.
- 4. In the 'PV30' column a provider that was added at the current question, can be deleted by navigating to that providers active field and pressing CTRL-D.
- 5. The provider roster entries are displayed in the form pane. To maximize the number of rows that we can display in the form pane without vertical scrolling, reduce the size of the info pane to fit the question text displayed. At a minimum, at least 10 rows should be displayed in the form pane but 15 rows would be ideal.

When CTRL-A is selected the provider directory should pop-up.

The following fields should be displayed in the look-up: Name1, Name 2, Address, City, Phone number, Taxonomy.

There should be an option on the look-up for 'PROVIDER NOT FOUND'. When 'PROVIDER NOT FOUND' is selected, go to BOX_30 to start the collection of provider information using PV50 01-PV50 08 or PV60 01-PV60 07. After the

completion of these questions, the provider will be added to the medical provider roster and the interview should route back to PV30LU. At PV30LU the provider that as just added from PV50_01-PV50_08 or PV60_01-PV60_07 should appear at the bottom of the grid with a '1' prefilled in the PV30 field. Interviewers must press

Enter to confirm their selection.

The following search rules should appear at the bottom of the pop-up:

"SEARCH RULES:

- Fewer words often work better than lot of words but you must type at least 5 letters
- Unusual or unique aspects of provider name or address finds better matches
- Common identifiers (e.g., medical center, office, associates, group, health) can increase the number of 'extra' matches displayed
- If searching by address include street number and name, but not office, suite, or room number
- If searching by phone number do not include hyphens
- Review the **DETAILS** line at the top to verify correct selection

After the FI picks a provider and presses 'SELECT', the provider will appear at the bottom of the grid with a '1' prefilled in the PV30 field for this provider. FI's must press ENTER to confirm their selection.

When CTRL-E is selected for a facility-provider that is not linked to a NPI ID and that was added during the current round , go to PV60_01. PV50_01-PV50_08 will be used to update the provider's information. After PV50_08, update the provider roster entry and return to PV30LU.

When CTRL-E is selected for a person-provider that is not linked to a NPI ID and that was added during the current round, go to PV50_01. PV50_01-PV50_08 will be used to update the provider's information. After PV50_08, update the provider roster entry and return to PV30LU.

When CTRL-D is selected for a provider that was added at the current question, a verification screen will appear to confirm that the interviewer wants to delete this provider.

Display Instructions:

Roster 3 – Add, Edit, Delete Allowed

Roster Definition:

Display the RU medical providers roster for selection of one medical provider. The

'medical providers roster' excludes dental providers which is now on the 'dental providers roster'. Display the following columns formatted on the form pane:

Column Header #1: PV30

This field is used to select, edit, or delete a provider.

Column Header #2: Type of Provider

Display "P" to represent a person-provider, "F" to represent a facility-provider, or "F (&p)" to represent a facility-provider ever linked to an MV or OP event AND a specific department or a doctor.

Column Header #3: Provider

Display the first and last name of the person-provider or the name of the facility. Set truncation length to 50 characters.

Column Header #4: Address

Display address 1 and address 2 for the provider. Set truncation length to 45 characters.

Column Header #5: City

Display the city for the provider. Set truncation length to 25 characters.

Column Header #6: State

Display the two letter state abbreviation for the provider.

Column Header #7: Zip code

Display the zip code for the provider.

Column Header #8: Phone Number

Display the telephone number for the provider

Column Header #9: Editable

Display 'Yes' if the provider is not linked to an NPI ID. Display 'No' if the provider is linked to an NPI ID.

Roster Filter:

-Exclude home health provider entries - 'FRIEND(S) OR NEIGHBOR(S)', 'RELATIVE(S)', and 'VOLUNTEER(S)'.

Display 'medical person' if AC30 is coded '1' (OWN PRACTICE, NOT PART OF GROUP/FACILITY), 'RF' (REFUSED) or 'DK' (DON'T KNOW). Otherwise, use a null display

Display 'doctor's office, clinic, health center, or other place' if AC30 is coded '2' (PRACTICE IS ASSOCIATED WITH GROUP/FACILITY), 'RF' (REFUSED) or 'DK' (DON'T KNOW). Otherwise, use a null display.

Display "{,}" if AC30 is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW). Otherwise, use a null display.

Display "{{number of providers displayed} OUT OF {total number of providers} PROVIDERS SHOWN - SCROLL TO SEE MORE}" in red text only if there are more than 12 providers, otherwise, use a null display.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.PV_Main.PV30LU_Table.PV30LU[1..120] Variable stored at MEPSSpring2018.PV_Main.PV30LU_Table.PV30LU[1..120]

BOX 30	(PV1030) I	tem Type: Route	Type Class:	If Then
Route Details:	the event type	IOT FOUND' was select is MV or HH or the pross to care section, go to	ovider roster s	•
		IOT FOUND' was select IS, ER, OP, IC, code 'FA	•	provider directory and DER' at PV40 and go to
PV40 Item Type: Type Class: Answer Type:	(PV1035) Question Enumerated TPERSFACPROV	BLAISE NAME: MPTp Field kind: Datafield Field Size: Answers allowed: 1	ArrayMin: ArrayMax:	Min value: Max value:
☐ Help Available	()	☐ Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S FIR	ST MIDDLE AND LAST I	NAME} {EV}	
Question Text:				
INTERVIEWER: S PERSON OR A FA		{EVENT TYPE} HEALTH	I CARE FOR {P	ERSON} WAS TO A
Responses:	PERSON-PROVI FACILITY-PROV	DER/IDER		0_01 (PV1040) 0_01 (PV1085)

{need/needs} advice about {your/his/her} health?} }

What is the first name?

ENTER FIRST NAME AND VERIFY SPELLING.

Responses: PV50 02 (PV1045) Programmer Instructions:

Refused and Don't Know are not allowed.

Display Instructions:

Display PV50_01, PV50_02, PV50_03, PV50_04, PV50_05, PV50_06, PV50_07 and PV50_08 on the same form pane.

Display "I was not able to...advice about {your/his/her} health?}" if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "provided health care to {you/{PERSON}}{at home}?" if PV section was launched from the EV section. Display "{you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health?" if PV section was launched from AC section.

Display 'at home' if event type is HH and a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Prefill the provider's first name in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2				Provider Ro	oster (PV) Section
Full Detail Spec					
PV50 02	(PV1045)	BLAISE NAME: MPLN	ame		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	String	Field Size: 45			
Answer Type:	{Continuous A	Answer. Answers allowed: 1	ArrayMax:	Max value	!
☐ Help Available (()	☐ Show Card ()		ook Up File ()
Context Header:	{PERSON'S	FIRST MIDDLE AND LAST	NAME} {EV}		
Question Text:					
address, city, sta {you/{PERSON}}	te, zip code, {at home}?/	orovider in my directory. No and phone number of the and [Yeas of the and [Yeas of the alth]]} our/his/her} health?}]}	person who	{provided h	ealth care to
What is the last	name?				
ENTER LAST NAM	ЛЕ AND VERI	FY SPELLING.			
Responses:			PV	50_03	(PV1050)

Programmer Instructions:

Refused and Don't Know are not allowed.

Display Instructions:

Display PV50_01, PV50_02, PV50_03, PV50_04, PV50_05, PV50_06, PV50_07 and PV50_08 on the same form pane.

Display 'I was not able to find...advice about {your/his/her} health?}' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "provided health care to {you/{PERSON}}{at home}?" if PV section was launched from the EV section. Display "{you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {you/his/her} health?" if PV section was launched from AC section.

Display 'at home' if event type is HH and a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Prefill the provider's last name in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2 Full Detail Spec				Provider Roster	(PV) Section
PV50 03	(PV1050)	BLAISE NAME: MPStrt	1		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min value:	
Type Class:	String	Field Size: 30			
Answer Type:	{Continuous Answe	er. } Answers allowed: 1	ArrayMa	x: Max value:	
☐ Help Available ()	☐ Show Card ()	☐ Look U	Jp File ()
Context Header:	{PERSON'S FIRS	ST MIDDLE AND LAST	NAME} {E	V}	
Question Text:					
address, city, sta {you/{PERSON}}	te, zip code, and [at home}?}?/{yo	der in my directory. V phone number of the ou/{PERSON}} usually { our/his/her} health?}]}	person w go/goes}	vho provided health	care to
What is the stree	et address?				
ENTER STREET AI	DDRESS.				
Responses:				PV50_04 (PV	/1055)
	REFUSED		RF	PV50_04 (PV	/1055)
	DON'T KNOW		DK	PV50_04 (PV	/1055)

Display Instructions:

Display PV50_01, PV50_02, PV50_03, PV50_04, PV50_05, PV50_06, PV50_07 and PV50_08 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health?}' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "provided health care to {you/{PERSON}} {at home}?" if PV section was launched from the EV section. Display "{you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health?" if PV section was launched from AC section.

Display 'at home' if event type is HH and a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Prefill the provider's street address in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2 Full Detail Spec				Provider Roster (PV) Section
PV50 04	(PV1055) E	BLAISE NAME: MPStrt2	2	
Item Type:	Question	Field kind: Datafield	ArrayMin	n: Min value:
Type Class:	String	Field Size: 30		
Answer Type:	{Continuous Answer.	Answers allowed: 1	ArrayMa	x: Max value:
☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S FIRST	MIDDLE AND LAST N	NAME} {E	V }
Question Text:				
address, city, sta {you/{PERSON}}	te, zip code, and p {at home}?/{you/{	hone number of the	person w	first and last name, street the should be shou
ENTER BUILDING ENTER.	OR ADDITIONAL	ADDRESS INFORMATI	ION, IF A\	AILABLE. IF NONE, PRESS
Responses:				PV50_05 (PV1060)
	EMPTY		Empty	PV50_05 (PV1060)
	REFUSED		RF	PV50_05 (PV1060)
	DON'T KNOW		DK	PV50_05 (PV1060)

Display Instructions:

Display PV50_01, PV50_02, PV50_03, PV50_04, PV50_05, PV50_06, PV50_07 and PV50_08 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health?}' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "provided health care to {you/{PERSON}} {at home}?" if PV section was launched from the EV section. Display "{you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health?" if PV section was launched from AC section.

Display 'at home' if event type is HH and a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Prefill the provider's second address, if available, in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2 Full Detail Spec				Provider Roster (PV) Sec	ction
PV50 05	(PV1060)	BLAISE NAME: MPCity	7		
Item Type:	Question	Field kind: Datafield	ArrayMir	n: Min value:	
Type Class:	String	Field Size: 30			
Answer Type:	{Continuous A	answer. Answers allowed: 1	ArrayMa	x: Max value:	
☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S	FIRST MIDDLE AND LAST	NAME} {E\	V }	
Question Text:					
address, city, sta {you/{PERSON}}	te, zip code, {at home}?/{	and phone number of the	person w	first and last name, street tho {provided health care t {you/he/she} {are/is} sick o	0
What is the city?					
ENTER CITY.					
Responses:				PV50_06 (PV1065)	
	REFUSED		KF	PV50_06 (PV1065)	

DON'T KNOW DK PV50_06 (PV1065)

Display Instructions:

Display PV50_01, PV50_02, PV50_03, PV50_04, PV50_05, PV50_06, PV50_07 and PV50_08 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health?}' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "provided health care to {you/{PERSON}} {at home}?" if PV section was launched from the EV section. Display "{you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health?" if PV section was launched from AC section.

Prefill the provider's city in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2				Provider Ros	ter (PV) Section
Full Detail Spec					
PV50 06	(PV1065)	BLAISE NAME: MPSt			
Item Type:	Question	Field kind: Datafield	ArrayMiı	n: Min value:	
Type Class:	String	Field Size: 2			
Answer Type:	{Continuous Answe	er. } Answers allowed: 1	ArrayMa	x: Max value:	
☐ Help Available ()	☐ Show Card ()		ok Up File ()
Context Header:	{PERSON'S FIRS	ST MIDDLE AND LAST	NAME} {E	V}	
Question Text:					
address, city, sta {you/{PERSON}}	te, zip code, and {at home}?/{you,	der in my directory. V phone number of the /{PERSON}} usually {g /his/her} health?}]}	e person w	ho {provided hea	alth care to
What is the state	?				
ENTER STATE.					
TYPE THE FIRST L AND PRESS ENTE		TATE, THEN USE ARRO)W KEYS IF	NEEDED TO LOC	CATE STATE,
Responses:				PV50_07	(PV1070)
	REFUSED		RF	PV50_07	(PV1070)

DON'T KNOW DK PV50_07

(PV1070)

MEPS_V2 Provider Roster (PV) Section Full Detail Spec

Programmer Instructions:

Use the state lookup file.

Note: The entry Foreign Country (FC is allowed).

Display Instructions:

Display PV50_01, PV50_02, PV50_03, PV50_04, PV50_05, PV50_06, PV50_07 and PV50_08 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health?}' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "provided health care to {you/{PERSON}} {at home}?" if PV section was launched from the EV section. Display "{you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health?" if PV section was launched from AC section.

Display 'at home' if event type is HH and a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Prefill the provider's state in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2				Provider	Roster (PV) Section
Full Detail Spec					
PV50 07	(PV1070)	BLAISE NAME: MPZip			
Item Type:	Question	Field kind: Datafield	ArrayMii	n: Min valı	ie:
Type Class:	String	Field Size: 5			
Answer Type:	{Continuous Answ	ver.} Answers allowed: 1	ArrayMa	x: Max val	ue:
☐ Help Available ()	☐ Show Card ()		Look Up File ()
Context Header:	{PERSON'S FII	RST MIDDLE AND LAST	NAME} {E	V}	
Question Text:					
address, city, sta {you/{PERSON}}	te, zip code, an {at home}?/{yo	vider in my directory. W d phone number of the u/{PERSON}} usually {go r/his/her} health?}]}	e person w	/ho {provided	health care to
What is the zip c	ode?				
ENTER ZIP CODE					
Responses:				PV50_08	(PV1075)
	REFUSED		RF	PV50_08	(PV1075)
	DON'T KNOW		DK	PV50_08	(PV1075)

Programmer Instructions:

Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

Display Instructions:

Display PV50_01, PV50_02, PV50_03, PV50_04, PV50_05, PV50_06, PV50_07 and PV50_08 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health?}' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "provided health care to {you/{PERSON}} {at home}?" if PV section was launched from the EV section. Display "{you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health?" if PV section was launched from AC section.

Display 'at home' if event type is HH and a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Prefill the provider's zip code in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2				Provider Roster (PV) Section	l
Full Detail Spec					
PV50 08	(PV1075)	BLAISE NAME: MPPho	one		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 0000000000	
Type Class:	Integer	Field Size: 10			
Answer Type:	{Continuous Answe	er.} Answers allowed: 1	ArrayMax:	Max value: 9999999999	
☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()	
Context Header:	{PERSON'S FIRS	ST MIDDLE AND LAST	NAME} {EV}		
Question Text:					
address, city, stat {you/{PERSON]	e, zip code, and p } {at home}?/{y	phone number of the p	erson who {p lly {go/goes}	t and last name, street rovided health care to if {you/he/she} {are/is}	
What is the telep	phone number?				
ENTER TELEPHOI	NE NUMBER.				
Responses:					
	REFUSED		RF		
	DON'T KNOW		DK		

Programmer Instructions:

Ten digit entry required.

Use number input mask (xxx-xxx-xxxx) in the response field.

If the provider roster section was launched from the access to care section, go back to PV30LU. Otherwise, go back to PV20LU.

Display Instructions:

Display PV50_01, PV50_02, PV50_03, PV50_04, PV50_05, PV50_06, PV50_07 and PV50_08 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health?}' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "provided health care to {you/{PERSON}} {at home}?" if PV section was launched from the EV section. Display "{you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health?" if PV section was launched from AC section.

Display 'at home' if event type is HH and a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Prefill the provider's telephone number in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2				Provider Ro	ster (PV) Sec	tion
Full Detail Spec	(DV/1005)	DI AISE NAME, E. ME	Nome			
PV60 01 Item Type:	(PV1085) Question	BLAISE NAME: FacMP Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	String	Field Size: 45	Allaywiii.	will value.		
Answer Type:	C	Answer. Answers allowed: 1	ArrayMax:	Max value:		
☐ Help Available (()	☐ Show Card ()		ook Up File ()
Context Header:	{PERSON'S	FIRST MIDDLE AND LAST	NAME} {EV}			
Question Text:						
address, city, sta {you/{PERSON}}	te, zip code, received care usually {go/g	rovider in my directory. Plo and phone number of the e/place that provided hom goes} if {you/he/she} {are/	e {{hospital/pi ne care to {yo	rovider/facili u/{PERSON}]	ty} where }/ place	
What is the nam home}}?	e of the {hos	spital/provider/facility/pla	ce} {that prov	vided the car	e {at	
ENTER FACILITY	NAME AND \	/ERIFY SPELLING.				
Responses:			PV	760_02	(PV1090)	

Programmer Instructions:

Refused and Don't Know are not allowed.

Display Instructions:

Display PV60_01, PV60_02, PV60_03, PV60_04, PV60_05, PV60_06 and PV60_07 on the same form pane.

Display "I was not able to... advice about {your/his/her} health}." if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "{hospital/provider/facility} where {you/{PERSON}} received care" if PV section was launched from the EV section and the event type is not HH. Display "place that provided home care to {you/{PERSON}}" if PV section was launched from the EV section and the event type is HH. Display "place {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health" if PV section was launched from AC section.

Display "hospital" if event type is HS. Display "provider" if event type is MV. Otherwise, display "facility".

Display "hospital" if PV section was launched from the EV section and the event type is HS. Display "provider" if PV section was launched from the EV section and the event type is MV. Display "facility" if PV section was launched from the EV section and the event type is ER, OP, or IC. Otherwise, display "place".

Display "that provided the care {at home}" if PV section was launched from the EV section. Otherwise, use a null display.

Display "at home" if PV section was launched from the EV section and the event type is HH. Otherwise, use a null display.

Prefill the providers name in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2					Provider Roster (PV) Section		
Full Detail Spec							
PV60 02	(PV1090)	BLAISE NAME: FacMP	Strt1				
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min val	ue:		
Type Class:	String	Field Size: 30					
Answer Type:	{Continuous An	swer.} Answers allowed: 1	ArrayMa	x: Max va	lue:		
☐ Help Available ()	☐ Show Card ()		Look Up File ()		
Context Header:	{PERSON'S F	FIRST MIDDLE AND LAST	NAME} {E	V}			
Question Text:							
address, city, sta {you/{PERSON}}	te, zip code, a received care usually {go/go	ovider in my directory. P nd phone number of the / place that provided ho es} if {you/he/she} {are/	e {{hospita me care to	al/provider/fa o {you/{PERS	ocility} where ON}}/place		
What is the stree	et address?						
ENTER STREET A	DDRESS.						
Responses:				PV60_03	(PV1095)		
	REFUSED		RF	PV60_03	(PV1095)		
	DON'T KNOV	V	DK	PV60_03	(PV1095)		

Display Instructions:

Display PV60_01, PV60_02, PV60_03, PV60_04, PV60_05, PV60_06 and PV60_07 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health}.' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "{hospital/provider/facility} where {you/{PERSON}} received care" if PV section was launched from the EV section and the event type is not HH. Display "place that provided home care to {you/{PERSON}}" if PV section was launched from the EV section and the event type is HH. Display "place {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health" if PV section was launched from AC section.

Display "hospital" if event type is HS. Display "provider" if event type is MV. Otherwise, display "facility".

Display "hospital" if PV section was launched from the EV section and the event type is HS. Display "provider" if PV section was launched from the EV section and the event type is MV. Display "facility" if PV section was launched from the EV section and the event type is ER, OP, or IC. Otherwise, display "place".

Prefill the provider's street address in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2					Provider Roster (PV) Section		
Full Detail Spec							
PV60 03	(PV1095)	BLAISE NAME: FacMP	Strt2				
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min val	ue:		
Type Class:	String	Field Size: 30					
Answer Type:	{Continuous A	Answer. Answers allowed: 1	ArrayMa	x: Max va	lue:		
☐ Help Available ()	☐ Show Card ()		Look Up File ()		
Context Header:	{PERSON'S	S FIRST MIDDLE AND LAST	NAME} {E	V }			
Question Text:							
address, city, sta {you/{PERSON}}	te, zip code, received car usually {go/{	orovider in my directory. Pl , and phone number of the e/place that provided hom goes} if {you/he/she} {are/	{{hospita ne care to	l/provider/fa {you/{PERSO	cility} where N}}/ place		
ENTER BUILDING ENTER.	OR ADDITIO	ONAL ADDRESS INFORMAT	ION, AS N	ECESSARY. IF	NONE, PRESS		
Responses:				PV60_04	(PV1100)		
	EMPTY		Empty	PV60_04	(PV1100)		
	REFUSED		RF	PV60_04	(PV1100)		

DK PV60_04

(PV1100)

DON'T KNOW

Display Instructions:

Display PV60_01, PV60_02, PV60_03, PV60_04, PV60_05, PV60_06 and PV60_07 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health}.' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "{hospital/provider/facility} where {you/{PERSON}} received care" if PV section was launched from the EV section and the event type is not HH. Display "place that provided home care to {you/{PERSON}}" if PV section was launched from the EV section and the event type is HH. Display "place {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health" if PV section was launched from AC section.

Display "hospital" if event type is HS. Display "provider" if event type is MV. Otherwise, display "facility".

Display "hospital" if PV section was launched from the EV section and the event type is HS. Display "provider" if PV section was launched from the EV section and the event type is MV. Display "facility" if PV section was launched from the EV section and the event type is ER, OP, or IC. Otherwise, display "place".

Prefill the provider's second street address, if available, in the info pane if an existing medical provider entry is being edited/updated.

Prefill the provider's name in the info pane in an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2				Provide	r Roster (PV) Section
Full Detail Spec	(DV/1100)	DI AISE NAME, EcoMi	OC:		
PV60 04 Item Type:	(PV1100) Question	BLAISE NAME: FacMF Field kind: Datafield	ArrayMi	n: Min va	luo
Type Class:	String	Field Size: 20	Arraymii	n. Min va	iue:
Answer Type:	•	ver. } Answers allowed: 1	ArrayMa	x: Max va	alue:
☐ Help Available ()	☐ Show Card ()		☐ Look Up File ()
Context Header:	{PERSON'S FIR	ST MIDDLE AND LAST	NAME} {E	V}	
Question Text:					
address, city, sta {you/{PERSON}}	te, zip code, and received care / p usually {go/goes	ider in my directory. P d phone number of the place that provided ho s} if {you/he/she} {are/	e {{hospita me care to	ll/provider/f o {you/{PER\$	acility} where SON}}/place
What is the city?					
ENTER CITY.					
Responses:				PV60_05	(PV1105)
	REFUSED		RF	PV60_05	(PV1105)
	DON'T KNOW		DK	PV60_05	(PV1105)

Display Instructions:

Display PV60_01, PV60_02, PV60_03, PV60_04, PV60_05, PV60_06 and PV60_07 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health}.' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "{hospital/provider/facility} where {you/{PERSON}} received care" if PV section was launched from the EV section and the event type is not HH. Display "place that provided home care to {you/{PERSON}}" if PV section was launched from the EV section and the event type is HH. Display "place {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health" if PV section was launched from AC section.

Display "hospital" if event type is HS. Display "provider" if event type is MV. Otherwise, display "facility".

Display "hospital" if PV section was launched from the EV section and the event type is HS. Display "provider" if PV section was launched from the EV section and the event type is MV. Display "facility" if PV section was launched from the EV section and the event type is ER, OP, or IC. Otherwise, display "place".

Prefill the provider's city in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2				Provid	er Roster (PV) Section
Full Detail Spec					
PV60 05	(PV1105)	BLAISE NAME: Fach	/IPSt		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min v	alue:
Type Class:	String	Field Size: 2			
Answer Type:	{Continuous A	answer. Answers allowed:	1 ArrayMa	x: Max v	value:
☐ Help Available ()	☐ Show Card	()		Look Up File ()
Context Header:	{PERSON'S	FIRST MIDDLE AND LAS	T NAME} {E	V}	
Question Text:					
city, state, zip co {you/{PERSON	de, and phor }} received c }} usually {g	rovider in my directory. ne number of the {{hospare / place that provided o/goes} if {you/he/she} }	oital/provide home care	er/facility} v to {you/{PE	vhere ERSON}}/place
What is the state	?				
ENTER STATE.					
TYPE THE FIRST I AND PRESS ENTE		HE STATE, THEN USE ARI	ROW KEYS II	F NEEDED T	O LOCATE STATE,
Responses:				PV60_06	(PV1110)
	REFUSED		RF	PV60_06	(PV1110)

DON'T KNOW DK PV60_06

(PV1110)

Use the state lookup file.

Note: The entry Foreign Country (FC is allowed).

Display Instructions:

Display PV60_01, PV60_02, PV60_03, PV60_04, PV60_05, PV60_06 and PV60_07 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health}.' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "{hospital/provider/facility} where {you/{PERSON}} received care" if PV section was launched from the EV section and the event type is not HH. Display "place that provided home care to {you/{PERSON}}" if PV section was launched from the EV section and the event type is HH. Display "place {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health" if PV section was launched from AC section.

Display "hospital" if event type is HS. Display "provider" if event type is MV. Otherwise, display "facility".

Display "hospital" if PV section was launched from the EV section and the event type is HS. Display "provider" if PV section was launched from the EV section and the event type is MV. Display "facility" if PV section was launched from the EV section and the event type is ER, OP, or IC. Otherwise, display "place".

Prefill the provider's state in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2 Full Detail Spec				Provide	r Roster (PV) Sec	ction
PV60 06 Item Type:	(PV1110) Question	BLAISE NAME: FacMF Field kind: Datafield	Zip ArrayMi	n: Min val	luo.	
Type Class:	String	Field Size: 5	AllayMin	n. Ivini va	iuc.	
Answer Type:	Č .	er.} Answers allowed: 1	ArrayMa	x: Max va	lue:	
☐ Help Available ()	☐ Show Card ()		Look Up File ()
Context Header:	{PERSON'S FIR	ST MIDDLE AND LAST	NAME} {E	V}		
Question Text:						
city, state, zip coe {you/{PERSON}}	de, and phone n }} received care }} usually {go/go	der in my directory. Plumber of the {{hospit place that provided hoes} if {you/he/she} {	al/provide ome care	er/facility} what to {you/{PEI	here RSON}}/place	,
What is the zip c	ode?					
ENTER ZIP CODE						
Responses:				PV60_07	(PV1115)	
	REFUSED		RF	PV60_07	(PV1115)	
	DON'T KNOW		DK	PV60_07	(PV1115)	

Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

Display Instructions:

Display PV60_01, PV60_02, PV60_03, PV60_04, PV60_05, PV60_06 and PV60_07 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health}.' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "{hospital/provider/facility} where {you/{PERSON}} received care" if PV section was launched from the EV section and the event type is not HH. Display "place that provided home care to {you/{PERSON}}" if PV section was launched from the EV section and the event type is HH. Display "place {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health" if PV section was launched from AC section.

Display "hospital" if event type is HS. Display "provider" if event type is MV. Otherwise, display "facility".

Display "hospital" if PV section was launched from the EV section and the event type is HS. Display "provider" if PV section was launched from the EV section and the event type is MV. Display "facility" if PV section was launched from the EV section and the event type is ER, OP, or IC. Otherwise, display "place".

Prefill the provider's zip code in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2				Provider Roster (PV) Sect	tion
Full Detail Spec					
PV60 07	(PV1115)	BLAISE NAME: FacMP	Phone		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 0000000000	
Type Class:	Integer	Field Size: 10			
Answer Type:	{Continuous A	Answer. Answers allowed: 1	ArrayMax:	Max value: 9999999999	
☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S	FIRST MIDDLE AND LAST	NAME} {EV}		
Question Text:					
address, city, sta {you/{PERSON}}	te, zip code, received care usually {go/g	provider in my directory. P and phone number of the e / place that provided ho goes} if {you/he/she} {are/	e {{hospital/pi me care to {y	rovider/facility} where ou/{PERSON}}/place	
What is the telep	ohone numb	er?			
ENTER TELEPHOI	NE NUMBER				
Responses:					
	REFUSED		RF		
	DON'T KNC)W	DK		

Ten digit entry required.

Use number input mask (xxx-xxx-xxxx) in the response field.

If the provider roster section was launched from the access to care section, go back to PV30LU. Otherwise, go back to PV20LU.

Display Instructions:

Display PV60_01, PV60_02, PV60_03, PV60_04, PV60_05, PV60_06 and PV60_07 on the same form pane.

Display 'I was not able to find... advice about {your/his/her} health}.' in brackets and grayed-out text if a new provider is being added to the RU medical provider roster. Otherwise, use a null display.

Display "{hospital/provider/facility} where {you/{PERSON}} received care" if PV section was launched from the EV section and the event type is not HH. Display "place that provided home care to {you/{PERSON}}" if PV section was launched from the EV section and the event type is HH. Display "place {you/{PERSON}} usually {go/goes} if {you/he/she} {are/is} sick or {need/needs} advice about {your/his/her} health" if PV section was launched from AC section.

Display "hospital" if event type is HS. Display "provider" if event type is MV. Otherwise, display "facility".

Display "hospital" if PV section was launched from the EV section and the event type is HS. Display "provider" if PV section was launched from the EV section and the event type is MV. Display "facility" if PV section was launched from the EV section and the event type is ER, OP, or IC. Otherwise, display "place".

Prefill the provider's telephone number in the info pane if an existing medical provider entry is being edited/updated.

Testing/Editing Notes:

MEPS_V2				Provider Roster (PV) Section
Full Detail Spec				
PV70	(PV1130)	BLAISE NAME: Roster	MPPersDept	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TPROV_DOC_	DEPT Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available ()	\square Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S I	FIRST MIDDLE AND LAST	NAME} {EV}	
Question Text:				
provider {you/{PER particular medical d give me that name. } {Previously, we hav {PROVIDER DOC' DEPT}N} as health OR DEPARTMENT	SON}} saw or to octor or health ca }. e recorded {{PR FOR OR DEPT} care providers o F, PRESS CTRL	are professional that {you/{PE OVIDER DOCTOR OR DEP' 3, {PROVIDER DOCTOR OF or departments associated with	rtment {you/{Pl RSON}} {see/s Γ}1, {PROVIDI R DEPT}4, {PR {PROVIDER}.	ERSON}} visited / If there is a ees} at {PROVIDER}, please ER DOCTOR OR DEPT}2, OVIDER DOCTOR OR TO ADD A NEW DOCTOR
				CTRL-A: ADD CTRL-E: EDIT CTRL-D: DELETE
Responses:	LINKED TO S {PROVIDER {PROVIDER {PROVIDER {PROVIDER	AL SOURCE OF CARE NOT SPECIFIC DOCTOR DOCTOR OR DEPT 1 DOCTOR OR DEPT 3 DOCTOR OR DEPT 4 DOCTOR OR DEPT N	1 2 3	

If the provider roster section was launched from the EV section, return to the EV section.

If the provider roster section was launched from the AC section, return to the AC section.

Hard Check:

1. If CTRL-E is pressed for a doctor/department that was not added at the current question, display the following error message: "THIS DOCTOR/DEPARTMENT CAN'T BE EDITED. ONLY

DOCTORS/DEPARTMENTS ADDED AT THE CURRENT QUESTION CAN BE FDITED."

2. If CTRL-D is pressed for a doctor/department that was not added at the current question, display the following error message: "THIS DOCTOR/DEPARTMENT CAN'T BE DELETED. ONLY DOCTORS/DEPARTMENTS ADDED AT THE CURRENT QUESTION CAN BE DELETED."

Roster 3 behavior:

- 1. Single select allowed.
- 2. Add allowed.
- 3. Delete is allowed for roster entries added at the current question.
- 4. Edit is allowed for roster entries added at the current question.

Display Instructions:

Roster 1 – Report

Roster Definition:

Display the doctors and departments linked to this facility provider pair. For 'PROVIDER DOCTOR OR DEPT' display the doctors first and last name or the department name (Note that doctors name and department name are stored in the same variable).

Roster filter:

None. Display all doctors and departments

Roster 3 – add/edit/delete allowed

Roster Definition:

Display the doctors and departments linked to this facility provider pair. For 'PROVIDER DOCTOR OR DEPT' display the doctors first and last name or the department name.

Roster filter:

None. Display all doctors and departments

Display 'If there is a particular medical doctor or health care professional that {you/{PERSON}} {see/sees} at {PROVIDER}, I can enter that name now.' if the provider roster section was launched from the access to care section.

Otherwise, display 'If it will help you remember the details, I can enter the name of the particular medical doctor or health care provider {you/{PERSON}} saw or talked to, or the particular department {you/{PERSON}} visited'.

Display 'PREVIOUSLY, WE HAVE...WITH {PROVIDER}' if the provider roster section was not launched from the access to care section and there is at least one doctor/department entry on the roster. Otherwise, use a null display.

Display the interviewer instruction, 'DO NOT SELECT OR ADD A DEPARTMENT AS A USUAL SOURCE OF CARE PROVIDER' only if the provider roster section was launched from the Access to Care section, otherwise use a null display

When CTRL-A selected, display the following customized question wording in the pop-up:

"Please give me the name of the {doctor or department/provider}.

VERIFY SPELLING"

Display "doctor or department" if the provider roster section was launched from the event roster section. Display "provider" if the provider section was launched from the access to care section.

Display "USUAL SOURCE OF CARE" if PV30LU was asked (PV section was launched from Access to Care). Otherwise, display "VISIT".

Testing/Editing Notes:

MEPS_V2				Provider Roster (PV) Section
Full Detail Spec				
PV80	(PV1135) I	BLAISE NAME: Roster	DNProv	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TDENTALPROVNA	A Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available (()	☐ Show Card ()	☐ Look Up File ()
Context Header:	{PERSON'S FIRS	T MIDDLE AND LAST	NAME} {EV}	
Question Text:				
Can you please ខ្ visited?	give me the name	of the dental provide	er or dental p	ractice {you/PERSON}
VERIFY PROVIDE	R NAME BEFORE S	SELECTING.		
TO ADD A NEW	DENTAL PROVIDER	R, PRESS CTRL-A.		
				CTRL-A: ADD
				CTRL-E: EDIT
				CTRL-D: DELETE
Responses:	{DENTAL PROVI	DER NAME}1	1	
	{DENTAL PROVI	DER NAME}2	2	
	{DENTAL PROVI	DER NAME}3	3	
	{DENTAL PROVI	DER NAME}4	4	
	{DENTAL PROVI	DER NAME}N	5	

Note: MPTp=Facility for providers added to PV80 (dental providers)

Return to the Event Roster section.

Hard Check:

1. If CTRL-E is pressed for a provider that was not added at the current question, display the following error message: "THIS PROVIDER CAN'T BE EDITED. ONLY PROVIDERS ADDED AT THE CURRENT OUESTION CAN BE EDITED."

2. If CTRL-D is pressed for a provider that was not added at the current question, display the following error message: "THIS PROVIDER CAN'T BE DELETED. ONLY PROVIDERS ADDED AT THE CURRENT QUESTION CAN BE DELETED."

Roster behavior:

- 1. Single select allowed.
- 2. Add allowed.
- 3. Delete is allowed for roster entries added at the current question.
- 4. Edit is allowed for roster entries added at the current question.

Display Instructions:

Roster 3 – add/edit/delete allowed

Roster Definition:

Display the RU dental providers roster.

Roster filter:

None. Display all dental providers.

When CTRL-A selected, display the following customized question wording in the pop-up:

"Please give me the name of the dental provider or dental practice."

VERIFY SPELLING"

Testing/Editing Notes:

Variable collected at MEPSSpring2018.PV_Main Variable stored at MEPSSpring2018.PV_Main

[End of PV]