

# SpecWriter Data

**Form Version:** 10/13/2017 2:08:23 PM  
**Report Type:** Full Detail  
**Project Database:** WESSQL6.MEPS\_V2  
**Language:** English  
**Spec Label:**

**This is the cover page. Additional contents currently project specific.**

BOX 00

(PR1005)

Item Type: Route

Type Class: If Then

---

**Route Details:**

01 Box= BOX\_00, BOX\_10, BOX\_20, BOX\_30, BOX\_40, BOX\_50, BOX\_60, BOX\_70, BOX\_80, BOX\_90, BOX\_100, BOX\_110, BOX\_120, BOX\_130, BOX\_140, BOX\_150, BOX\_160, BOX\_170, BOX\_180, BOX\_190, BOX\_200, BOX\_210, BOX\_220, BOX\_230, BOX\_240

02 Loop= LOOP\_10

03 End Loop= END\_LP10

05- Single select with Display Roster= PR10, PR30, PR40, PR50, PR70, PR80, PR90, PR100, PR110, PR130, PR140, PR150\_01, PR160\_01, PR170, PR180, PR190, PR210, PR240, PR250, PR260\_01, PR270\_01, PR290\_01, PR300\_01, PR310\_01, PR320\_01, PR330, PR340, PR350, PR370, PR400, PR410, PR420

09 -Multi select with Display Roster = PR280\_01, PR380

10 Multiple Select with Fill in Answer Text= PR220

17 Dollar Items Allowing Cents= PR60, PR120, PR230, PR390

20 OS Text Field= PR70OS, PR130OS, PR240OS, PR400OS

23 Text Field= PR20, PR200, PR360

**BOX 10**                      **(PR1010)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**

**Context header display instructions:**

Display Person.FullName, Insurance.HISrcName

**General Display Instructions for Question Text:**

For '{START DATE}', display the RU level reference period start date (typically-but not always Jan 1 if Round 1 or the previous round interview date if Rds 2-5). Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variable BegRefDt.

For '{END DATE}', display the RU level reference period end date (typically but not always current round interview date if Rds 1-4 or Dec 31 if Round 5). Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variable EndRefDt.

For '{PERSON'S START DATE}', display the person level reference period start date. Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variables Person.BegRefM, Person.BegRefD, Person.BegRefY.

For '{PERSON'S END DATE}', display the person level reference period end date. Display as full month, xx, YYYY - e.g., "January 1, 2016". Use variables Person.EndRefM, Person.EndRefD, Person.EndRefY.

Unless there is a more specific fill instruction provided at the item level, for any fill using the variable 'Insurance.Insurer', display the text entry stored or display "Refused Insurer" if Insurance.Insurer=RF or display "Don't Know Insurer" if Insurance.Insurer=DK. Items using Insurance.Insurer include PR170, PR210, PR230, PR240, PR240OS, PR250, PR330, PR370, PR390, PR400, PR400OS, PR410, PR420.

**BOX 20**                      **(PR1015)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**

If at least one person was covered by Medicare during the previous round (Insurance.HISrc=Medicare and Insurance.OrigRnd<>Current round), continue with LOOP\_10.  
Otherwise, go to BOX\_30.

**LOOP\_10**      **(PR1020)**      **Item Type:** Route      **Type Class:** Begin Loop

---

**Route Details:**      For each insurance, ask PR10-END\_LP10.

Loop definition: LOOP\_10 collects information about the coverage provided through Medicare. This loop cycles on insurance that meets both of the following conditions:

- Establishment is Medicare (Insurance.HISrc=Medicare) and
- Person was covered by Medicare at anytime during the previous round (Insurance.OrigRnd<>Current round).

<b>PR10</b>	<b>(PR1025)</b>	<b>BLAISE NAME:</b> MAMCPlan		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (CAREMANAGEHelp)       Show Card ( )       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{{Are/Is} {you/{PERSON}} currently/As of {PERSON'S END DATE}, {were/was} {you/{PERSON}} enrolled in a Medicare Advantage or managed care plan, such as an HMO (Health Maintenance Organization) or PPO (Preferred Provider Organization) to receive {your/his/her} Medicare-funded health care? When answering, please include only insurance from Medicare, not any privately purchased or job-related insurance.

HELP: F1

<b>Responses:</b>	YES	.....	1	PR20	(PR1030)
	NO	.....	2	PR90	(PR1070)
	REFUSED	.....	RF	PR90	(PR1070)
	DON'T KNOW	.....	DK	PR90	(PR1070)

**Display Instructions:** Display '{Are/Is} {you/{PERSON}} currently' if not round 5. Display 'As of {PERSON'S END DATE}, {were/was} {you/{PERSON}}' if round 5.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

<b>PR20</b>	<b>(PR1030)</b>	<b>BLAISE NAME:</b> MAMCPlanName		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 25		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

What {is/was} the name of {your/{PERSON}'s} Medicare managed care plan {as of {PERSON'S END DATE}}?  
ENTER PLAN NAME

**Responses:**

.....	PR30	(PR1035)
REFUSED .....	RF PR30	(PR1035)
DON'T KNOW .....	DK PR30	(PR1035)

**Programmer Instructions:** Set Insurance.Insurer to PR20.

**Display Instructions:** Display 'is' if not round 5. Display 'was' if round 5.  
Display 'as of {PERSON'S END DATE}' if round 5. Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

<b>PR30</b>	<b>(PR1035)</b>	<b>BLAISE NAME:</b> MAMCPmed		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{{Do/Does}/Did} {you/{PERSON}} have prescribed medicine coverage through {{NAME OF PLAN FROM PR20}/{your/his/her} Medicare managed care plan} {as of {PERSON'S END DATE}}?

**Responses:**

YES	.....	1
NO	.....	2
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:**     If Round 3, continue with PR40.  
    Otherwise, go to END\_LP10.

**Display Instructions:**

Display '{Do/Does}' if not round 5. Display 'Did' if round 5.

Display '{NAME OF PLAN FROM PR20}' if a plan name was entered at PR20. Display '{your/his/her} Medicare managed care plan' if PR20 is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW).

Display the actual plan name entered at PR20 for 'NAME OF PLAN FROM PR20' if a plan name was entered.

Display 'as of {PERSON'S END DATE}' if round 5. Otherwise, use a null display.

**Testing/Editing Notes:**     Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
    Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

Full Detail Spec

**PR40**

**(PR1040)**

**BLAISE NAME:** MAMCPayPrem

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** Enumerated      **Field Size:**

**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (PREMPAYHelp)       Show Card ( )       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Most Medicare beneficiaries pay their Part B premiums through their Social Security checks. In addition, {do/does}{you/{PERSON}} (or anyone in the family) pay anything else for {the coverage with {{NAME OF PLAN FROM PR20}}/ this Medicare managed care plan}?

[Do not include the cost of any copayments, coinsurance or deductibles anyone in the family may have had to pay.]

HELP: F1

**Responses:**

YES	.....	1	PR50	(PR1045)
NO	.....	2	END_LP10	(PR1105)
REFUSED	.....	RF	END_LP10	(PR1105)
DON'T KNOW	.....	DK	END_LP10	(PR1105)

**Display Instructions:**

Display 'the coverage with {NAME OF PLAN FROM PR20}' if a Medicare plan name entered at PR20. Display 'this Medicare managed care plan' if PR20 was coded 'RF' (REFUSED) or 'DK' (DON'T KNOW).  
 Display the actual plan name entered at PR20 for 'NAME OF PLAN FROM PR20' if a plan name was entered.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
 Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

Full Detail Spec

**PR50**

**(PR1045)**

**BLAISE NAME:** MAMCHowPaid

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**

**Type Class:** Enumerated      **Field Size:**

**Answer Type:** THOWPAYMCARE      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

How {do/does} {you/{PERSON}} pay for {your/his/her} {{NAME OF PLAN FROM PR20}/Medicare managed care} premium?

IF NECESSARY, SAY : Is the Medicare Advantage premium paid through {your/his/her} Social Security check, paid directly to the provider, or paid both ways?

**Responses:**

DEDUCTED FROM SOCIAL SECURITY .....	1	PR60	(PR1050)
PAY DIRECTLY .....	2	PR60	(PR1050)
BOTH .....	3	PR60	(PR1050)
REFUSED .....	RF	END_LP10	(PR1105)
DON'T KNOW .....	DK	END_LP10	(PR1105)

**Display**

**Instructions:**

Display '{NAME OF PLAN FROM PR20}' if a Medicare plan name was entered at PR20. Display 'Medicare managed care' if PR20 was coded 'RF' (REFUSED) or 'DK' (DON'T KNOW).

Display the actual plan name entered at PR20 for 'NAME OF PLAN FROM PR20' if a plan name was entered.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]



Full Detail Spec

**PR60**                      **(PR1050)**                      **BLAISE NAME:** MAMCCovgAmt  
**Item Type:**              Question                      **Field kind:** Datafield    **ArrayMin:**              **Min value:** 0  
**Type Class:**            Real                              **Field Size:** 9,2  
**Answer Type:**            {Continuous Answer.} **Answers allowed:** 1    **ArrayMax:**              **Max value:** 999999.99

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

How much {is {your/{PERSON}'s} Social Security deduction/{do/does} {you/{PERSON}} pay in premiums} for {your/his/her} {NAME OF PLAN FROM PR20} plan?

IF RESPONDENT IS NOT SURE, DO NOT PROBE. CODE 'DON'T KNOW'.

ENTER AMOUNT

**Responses:**                      ----- PR70                      (PR1055)  
REFUSED                      ----- RF PR80                      (PR1065)  
DON'T KNOW                      ----- DK PR80                      (PR1065)

**Programmer Instructions:**    Allow for an entry of dollars and cents.

**Display Instructions:**              Display PR60, PR70 and PR700S on the same form pane.

Display 'is {your/{PERSON}'s} Social Security deduction' if PR50 is coded '1' (DEDUCTED FROM SOCIAL SECURITY'. Display {do/does} {you/{PERSON}} pay in premiums' if PR50 is coded '2' (PAY DIRECTLY) or '3' (BOTH).

Display '{NAME OF PLAN FROM PR20}' if a Medicare plan name was entered at PR20. Otherwise (i.e., if PR20 was coded 'RF' (REFUSED) or 'DK' (DON'T KNOW)), use a null display.

Display the actual plan name entered at PR20 for 'NAME OF PLAN FROM PR20' if a plan name was entered.

**Testing/Editing Notes:**              Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

Full Detail Spec

**PR70**

**(PR1055)**

**BLAISE NAME:** MAMCCovgUnit

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TCOVERAGETIME      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Context Header:**      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[How much {is {your/{PERSON}'s} Social Security deduction/{do/does} {you/{PERSON}} pay in premiums } for {your/his/her} {NAME OF PLAN FROM PR20} plan?]

Is that per year, per month, per week, or what?

ENTER UNIT OF COVERAGE

<b>Responses:</b>	PER YEAR .....	1	END_LP10	(PR1105)
	EVERY 3 MONTHS (QUARTERLY) .....	2	END_LP10	(PR1105)
	EVERY 2 MONTHS (BIMONTHLY) .....	3	END_LP10	(PR1105)
	PER MONTH .....	4	END_LP10	(PR1105)
	PER WEEK .....	5	END_LP10	(PR1105)
	EVERY 2 WEEKS (BIWEEKLY) .....	6	END_LP10	(PR1105)
	2 TIMES PER YEAR (SEMI-ANNUALLY) .....	7	END_LP10	(PR1105)
	2 TIMES PER MONTH (SEMI-MONTHLY) .....	8	END_LP10	(PR1105)
	OTHER .....	91	PR70OS	(PR1060)
	REFUSED .....	RF	END_LP10	(PR1105)
	DON'T KNOW .....	DK	END_LP10	(PR1105)

**Display Instructions:**

Display PR60, PR70 and PR70OS on the same form pane.

Display the first paragraph of question text in brackets and grayed out text.

Display 'is {your/{PERSON}'s} Social Security deduction' if PR50 is coded '1' (DEDUCTED FROM SOCIAL SECURITY). Display '{do/does} {you/{PERSON}} pay in premiums' if PR50 is coded '2' (PAY DIRECTLY) or '3' (BOTH).

Display '{NAME OF PLAN FROM PR20}' if a Medicare plan name was entered at PR20. Otherwise (i.e., if PR20 was coded 'RF' (REFUSED) or 'DK' (DON'T KNOW)), use a null display.

Display the actual plan name entered at PR20 for 'NAME OF PLAN FROM PR20' if a plan name was entered.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

<b>PR70OS</b>	<b>(PR1060)</b>	<b>BLAISE NAME:</b> MAMCCovgUnitOS		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 25		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**    {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[How much {is {your/{PERSON}'s} Social Security deduction/{do/does} {you/{PERSON}} pay in premiums} for {your/his/her} {NAME OF PLAN FROM PR20} plan?]

SPECIFY: OTHER UNIT OF COVERAGE

**Responses:**

.....	END_LP10	(PR1105)
REFUSED .....	RF END_LP10	(PR1105)
DON'T KNOW .....	DK END_LP10	(PR1105)

**Display Instructions:**

Display PR60, PR70 and PR70OS on the same form pane.

Display the first paragraph of question text in brackets and grayed out text.

Display 'is {your/{PERSON}'s} Social Security deduction' if PR50 is coded '1' (DEDUCTED FROM SOCIAL SECURITY). Display '{do/does} {you/{PERSON}} pay in premiums' if PR50 is coded '2' (PAY DIRECTLY) or '3' (BOTH).

Display '{NAME OF PLAN FROM PR20}' if a Medicare plan name was entered at PR20. Otherwise (i.e., if PR20 was coded 'RF' (REFUSED) or 'DK' (DON'T KNOW)), use a null display.

Display the actual plan name entered at PR20 for 'NAME OF PLAN FROM PR20' if a plan name was entered.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

**PR80**

**(PR1065)**

**BLAISE NAME:** MAMCCovgRng

**Item Type:**

Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:**

Enumerated

**Field Size:**

**Answer Type:**

TCOSTPLANMONT

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available ( )

Show Card (HX-5)

Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

{PLAN NAME: {NAME OF PLAN FROM PR20}}

 HX-5

Which category on card HX-5 best indicates the cost of this plan per month?

<b>Responses:</b>	\$1-\$50 .....	1	END_LP10	(PR1105)
	\$51-\$100 .....	2	END_LP10	(PR1105)
	\$101-\$200 .....	3	END_LP10	(PR1105)
	\$201-\$300 .....	4	END_LP10	(PR1105)
	\$301 OR MORE .....	5	END_LP10	(PR1105)
	REFUSED .....	RF	END_LP10	(PR1105)
	DON'T KNOW .....	DK	END_LP10	(PR1105)

**Display Instructions:** Display 'PLAN NAME: {NAME OF PLAN FROM PR20}' if a Medicare plan name was entered at PR20. Otherwise (i.e., if PR20 was coded 'RF' (REFUSED) or 'DK' (DON'T KNOW)), use a null display.

Display the actual plan name entered at PR20 for 'NAME OF PLAN FROM PR20' if a plan name was entered.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

<b>PR90</b>	<b>(PR1070)</b>	<b>BLAISE NAME: MAMCPartD</b>		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (PartDHelp)  Show Card ( )  Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**  
 {{Are/Is}/{Were/Was}} {you/{PERSON}} enrolled in Medicare Part D, also known as the Medicare Prescription Drug Plan {as of {PERSON'S END DATE}}?

HELP: F1

**Responses:**

YES	.....	1		
NO	.....	2	END_LP10	(PR1105)
REFUSED	.....	RF	END_LP10	(PR1105)
DON'T KNOW	.....	DK	END_LP10	(PR1105)

**Programmer Instructions:** If coded '1' (YES) and Round 3, continue with PR100. Otherwise (if coded '1' (YES) and rounds 2, 4, or 5), go to END\_LP10.

**Display Instructions:** Display '{Are/Is}' if not round 5. Display '{Were/Was}' if round 5. Display 'as of {PERSON'S END DATE}' if round 5. Otherwise, use a null display.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

<b>PR100</b>	<b>(PR1075)</b>	<b>BLAISE NAME:</b> MAMCPayPartD		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (PREMPAYHelp)                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

Most Medicare beneficiaries pay their Part B premiums through their Social Security checks. In addition, {do/does}{you/{PERSON}} (or anyone in this household) pay anything else for {your/his/her} Medicare Prescription Drug Plan (also known as Part D)?

[Do not include the cost of any copayments, coinsurance or deductibles anyone in the family may have had to pay.]

HELP: F1

<b>Responses:</b>	YES	.....	1	PR110	(PR1080)
	NO	.....	2	END_LP10	(PR1105)
	REFUSED	.....	RF	END_LP10	(PR1105)
	DON'T KNOW	.....	DK	END_LP10	(PR1105)

**Display  
Instructions:**

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

<b>PR110</b>	<b>(PR1080)</b>	<b>BLAISE NAME: MAMCHowPayPartD</b>		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	THOWPAYMCARE	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

How {do/does} {you/{PERSON}} pay for {your/his/her} Part D premium?

IF NECESSARY, SAY: Is the Medicare drug coverage premium paid through {your/his/her} Social Security check, paid directly to the provider, or paid both ways?

**Responses:**

DEDUCTED FROM SOCIAL SECURITY .....	1	PR120	(PR1085)
PAY DIRECTLY .....	2	PR120	(PR1085)
BOTH .....	3	PR120	(PR1085)
REFUSED .....	RF	END_LP10	(PR1105)
DON'T KNOW .....	DK	END_LP10	(PR1105)

**Display  
Instructions:**

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

Full Detail Spec

**PR120**                      **(PR1085)**                      **BLAISE NAME:** MAMCAmtPayPartD  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:** 0  
**Type Class:**                      Real                      **Field Size:** 9,2  
**Answer Type:**                      {Continuous Answer.}                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:** 999999.99

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

How much {is {your/{PERSON}'s} Social Security deduction/{do/does} {you/{PERSON}} pay in premiums} for {your/his/her} Part D plan?

IF RESPONDENT IS NOT SURE, DO NOT PROBE. CODE 'DON'T KNOW'.

ENTER AMOUNT

**Responses:**                      ..... PR130                      (PR1090)  
REFUSED                      ..... RF PR140                      (PR1100)  
DON'T KNOW                      ..... DK PR140                      (PR1100)

**Programmer Instructions:**                      Allow for the entry of dollars and cents.

**Display Instructions:**                      Display PR120, PR130, PR1300S on the same form pane.  
Display 'is {your/{PERSON}'s} Social Security deduction' if PR110 is coded '1' (DEDUCTED FROM SOCIAL SECURITY). Display '{do/does} {you/{PERSON}} pay in premiums' if PR110 is coded '2' (PAY DIRECTLY) or '3' (BOTH).

**Testing/Editing Notes:**                      Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]



Full Detail Spec

<b>PR130</b>	<b>(PR1090)</b>	<b>BLAISE NAME:</b> MAMCUnitPayPartD		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TCOVERAGETIME	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**     {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[How much {is {your/{PERSON}'s} Social Security deduction/{do/does} {you/{PERSON}} pay in premiums} for {your/his/her} Part D plan?]

Is that per year, per month, per week, or what?

ENTER UNIT OF COVERAGE

<b>Responses:</b>	PER YEAR .....	1	END_LP10	(PR1105)
	EVERY 3 MONTHS (QUARTERLY) .....	2	END_LP10	(PR1105)
	EVERY 2 MONTHS (BIMONTHLY) .....	3	END_LP10	(PR1105)
	PER MONTH .....	4	END_LP10	(PR1105)
	PER WEEK .....	5	END_LP10	(PR1105)
	EVERY 2 WEEKS (BIWEEKLY) .....	6	END_LP10	(PR1105)
	2 TIMES PER YEAR (SEMI-ANNUALLY) .....	7	END_LP10	(PR1105)
	2 TIMES PER MONTH (SEMI-MONTHLY) .....	8	END_LP10	(PR1105)
	OTHER .....	91	PR130OS	(PR1095)
	REFUSED .....	RF	END_LP10	(PR1105)
	DON'T KNOW .....	DK	END_LP10	(PR1105)

**Display Instructions:**     Display PR120, PR130, PR130OS on the same form pane.

Display the “How much{is {your/{PERSON}'s} Social Security...” in brackets and grayed out text.

Display 'is {your/{PERSON}'s} Social Security deduction' if PR110 is coded '1' (DEDUCTED FROM SOCIAL SECURITY). Display '{do/does} {you/{PERSON}} pay in premiums' if PR110 is coded '2' (PAY DIRECTLY) or '3' (BOTH).

**Testing/Editing Notes:**     Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

Full Detail Spec

**PR130OS**                      **(PR1095)**                      **BLAISE NAME:** MAMCUnitPayPartDOS  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      String                      **Field Size:** 25  
**Answer Type:**                      {Continuous Answer.}                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Context Header:**                      {PERSON’S FIRST MIDDLE AND LAST NAME}

**Question Text:**

[How much {is {your/{PERSON}'s} Social Security deduction/{do/does} {you/{PERSON}} pay in premiums} for {your/his/her} Part D plan?]

SPECIFY: OTHER UNIT OF COVERAGE

**Responses:**                      .....                      END\_LP10                      (PR1105)  
REFUSED                      .....                      RF                      END\_LP10                      (PR1105)  
DONT KNOW                      .....                      DK                      END\_LP10                      (PR1105)

**Display Instructions:**

Display PR120, PR130, PR130OS on the same form pane.  
Display the “How much{is {your/{PERSON}'s} Social Security...” in brackets and grayed out text.  
Display 'is {your/{PERSON}'s} Social Security deduction' if PR110 is coded '1' (DEDUCTED FROM SOCIAL SECURITY). Display '{do/does} {you/{PERSON}} pay in premiums' if PR110 is coded '2' (PAY DIRECTLY) or '3' (BOTH).

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

Full Detail Spec

**PR140**

**(PR1100)**

**BLAISE NAME:** MAMCRngPayPartD

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TCOSTPLANMONT      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card (HX-6)       Look Up File ( )

**Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME}

**Question Text:**

 HX-6

Which category on card HX-6 best indicates the cost of this plan per month?

**Responses:**

\$1-\$30	.....	1	END_LP10	(PR1105)
\$31-\$60	.....	2	END_LP10	(PR1105)
\$61-\$90	.....	3	END_LP10	(PR1105)
\$91-\$120	.....	4	END_LP10	(PR1105)
\$121 OR MORE	.....	5	END_LP10	(PR1105)
REFUSED	.....	RF	END_LP10	(PR1105)
DON'T KNOW	.....	DK	END_LP10	(PR1105)

**Display Instructions:**

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.PR\_MAMCLoop[1..25]

**END\_LP10**      **(PR1105)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** Cycle on next insurance that meets the conditions stated in the loop definition.  
  
If no other insurance meets the stated conditions, end LOOP\_10 and continue with BOX\_30.

**BOX 30**                      **(PR1110)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**                      If any RU member had Medicaid/SCHIP as a source of insurance at any time during the previous round (at least one RU member where Preload.Insurance.HISrc=Medicaid, Preload.Insurance.Plcyhldr=PersID where Person.MostRecentRU=RUUnit and Preload.CovdPers.LRndCovd = {previous round number} and Preload.Insurance.OrigRnd<>current round), continue with PR150\_01.

Otherwise, go to BOX\_90.

**PR150\_01**                      **(PR1115)**                      **BLAISE NAME:** ConfCaid  
**Item Type:** Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:** Enumerated                      **Field Size:**  
**Answer Type:** TYESNO                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available (MEDICATHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

During the last interview, we recorded that {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} {was/were} covered by {Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME}.

{Have you/Has {PERSON 1}} been covered by {Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME} at any time {since {START DATE}/between {START DATE} and {END DATE}}?

HELP: F1

**Responses:**                      YES                      ..... 1  
   NO                      ..... 2  
   REFUSED                      ..... RF  
   DON'T KNOW                      ..... DK

**Programmer Instructions:** Preloaded grid type 1: forced navigation including PR150\_01, PR150\_02, PR150\_03, PR150\_04, PR150\_N.

After grid completion, continue with BOX\_40.

**Display Instructions:**

Roster 1-Report no add/edit/delete allowed.

Format the following columns on the form pane.

Col#1: RU Member

Instructions: Display RU members' First Middle and Last name (Person.FullName)

Roster Filter:

Display only those RU members who were "COVERED BY MEDICAID/SCHIP" at any time during the previous round (RU members where Preload.Insurance.HISrc=Medicaid, Preload.Insurance.Plcyhldr=PersID where Person.MostRecentRU=RUUnit and Preload.CovdPers.LRNdCovd ={previous round number}.

For the display of person names in the first paragraph: {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N}, display the list of RU members who were "COVERED BY MEDICAID/SCHIP" at any time during the previous round. Display first names only. Substitute "you" for the person's first name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display 'was' if only one name is listed and that person is not the current respondent. Otherwise, display 'were'.

Display 'Medicaid' if state in which interview is being conducted uses the name 'Medicaid'. Display 'STATE NAME FOR MEDICAID' (substituting the state name for the program) if the state in which interview is being conducted does not use the name 'Medicaid'. For the specific Medicaid program name by state to display, see the plan fill file.

Display 'or STATE CHIP NAME' under all conditions, substituting the real state name for program. For the specific name to use by state, see the plan fill file.

Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Display variable question text. Replace "{Have you/Has {PERSON 1}} been covered ... and {END DATE}}?" with:

PR150\_02: What about {PERSON 2}?

PR150\_03: What about {PERSON 3}?

PR150\_04: What about {PERSON N}? Has {he/she} been covered by {Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME} at any time {since {START DATE}/between {START DATE} and {END DATE}}?

PR150\_N: Repeat question text PR150\_02-PR150\_N for as many RU members that fit the



**Programmer Instructions:** Preloaded Grid type 1: Forced navigation including PR160\_01, PR160\_02, PR160\_03, PR160\_04, PR160\_N.

After grid completion, continue with BOX\_50.

For each person coded '1' (YES), create insurance through Medicaid/SCHIP for this person [set Insurance.HIPubPriv=Public and Insurance.HISrc=Medicaid and Insurance.HISrcName={Medicaid/{STATE NAME FOR MEDICAID}}/{STATE CHIP NAME} and Insurance.Plcyhldr= PersID and CoverageFlagList.InsSrcN=YES for this PersID] [set Create Q and OrigRnd]

**Display Instructions:** Roster 1-Report no add/edit/delete allowed.

Format the following columns on the form pane.

Col#1: RU Member

Instructions: Display RU members' First Middle and Last name (Person.FullName).

Roster Filter:

Display only those RU members who were not covered by MEDICAID/SCHIP at any time during the previous round (including newly added RU members), that is any RU member not displayed at PR150\_01.

Display 'Medicaid' if state in which interview is being conducted uses the name 'Medicaid'. Display 'STATE NAME FOR MEDICAID' (substituting the state name for the program) if the state in which interview is being conducted does not use the name 'Medicaid'. For the specific Medicaid program name by state to display, see the plan fill file.

Display 'or STATE CHIP NAME' under all conditions, substituting the real state name for program. For the specific name to use by state, see the plan fill file.

Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Display variable question text. Replace "{Have you/Has {PERSON 1} been covered ... and {END DATE}}?" with:

PR160\_02: What about {PERSON 2}?

PR160\_03: What about {PERSON 3}?

PR160\_04: What about {PERSON N}? Has {he/she} been covered by {Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME} at any time {since {START DATE}/between {START DATE} and {END DATE}}?

PR160\_N: Repeat question text PR160\_02-PR160\_N for as many RU members that fit the roster filter criteria.

Display first names only in the variable question text display. Substitute "you" for the person's first name if the respondent is included in this list.

Display first paragraph of question text in brackets and grayed out text when on PR160\_02 – PR160\_N. Display in bold black and no brackets when on PR160\_01.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

---

**BOX 50**                      **(PR1130)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**                      If at least one RU member is “COVERED BY MEDICAID/SCHIP” during the current round, that is, at least one RU member was coded as ‘1’ (YES) at PR150\_01-PR150\_N or PR160\_01-PR160\_N, continue with BOX\_60.

Otherwise, go to BOX\_90.

---

**BOX 60**                      **(PR1135)**                      **Item Type:** Route                      **Type Class:** If Then

---

**Route Details:**                      Ask the time period covered detail (HQ) section for this insurance.

This instance of the HQ section collects time period coverage detail for all RU members that are covered by Medicaid/SCHIP in the current round. The grid for the HQ section should be preloaded with insurance that meets both of the following conditions:

- Insurance source is Medicaid/SCHIP [Insurance.HISrc=Medicaid] And
- Person is “COVERED BY MEDICAID/SCHIP” during the current round, that is, either PR150\_01- PR150\_N or PR160\_01-PR160\_N is coded ‘1’ (YES) for this person.

At completion of HQ section, continue with PR170.



Full Detail Spec

<b>PR170</b>	<b>(PR1140)</b>	<b>BLAISE NAME:</b> CaidNameChng		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{Last time we recorded that {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} may be covered by {PRELOAD MEDICAID/SCHIP INSURER}.}

{Since {START DATE}/Between {START DATE} and {END DATE}}, has there been any change in the plan name of the health insurance {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} {has/have} through {Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME}?

<b>Responses:</b>	YES	.....	1	PR180	(PR1145)
	NO	.....	2	BOX_70	(PR1160)
	REFUSED	.....	RF	BOX_70	(PR1160)
	DON'T KNOW	.....	DK	BOX_70	(PR1160)

**Programmer Instructions:** If coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set previous round's insurer as 'CURRENT RD'S MEDICAID/SCHIP INSURER'. [Set Preload.Insurance.Insurer to Insurance.Insurer]

**Display Instructions:** Roster 1-Report

Roster definition:  
This item uses the insurance array to display RU-members. (Person.FullName)

Roster filter:  
Display only those RU members who are "COVERED BY MEDICAID/SCHIP" during the current round, that is, either PR150\_01- PR150\_N or PR160\_01-PR160\_N is coded '1' (YES) for this person.

Display first names only in the first sentence "Last time we recorded...."  
Substitute "you" for the person's first name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display RU members' first, middle, and last names (Person.FullName) in the second sentence "{Since {START DATE}/Between {START DATE} and {END DATE}}...." Substitute "you" for the person's name if the respondent is included in this list. See instructions above about when to use commas vs. "and" to separate names.

Display 'Last time... {PRELOAD MEDICAID/SCHIP INSURER }.' If there was an insurer associated with Medicaid/SCHIP in the previous round (Preload.Insurance.Insurer <> RF, DK or EMPTY). Otherwise, use a null display.

For 'PRELOAD MEDICAID/SCHIP INSURER', display the insurer recorded for Medicaid/SCHIP during the previous round (Preload.Insurance.Insurer).

Display 'Since {START DATE}' if not round 5.  
Display 'Between {START DATE}' and {END DATE}' if round 5.

Display 'has' if only one name is listed and that person is not the current respondent. Otherwise, display 'have'.

Display 'Medicaid' if state in which interview is being conducted uses the name 'Medicaid'. Display 'STATE NAME FOR MEDICAID' (SUBSTITUTING THE STATE NAME FOR THE PROGRAM) if the state in which interview is being conducted does not use the name 'Medicaid'. For the specific Medicaid program name to display by state, see the plan fill file.

Display 'or STATE CHIP NAME' under all conditions, substituting the real state name for program. For the specific name to display by state, see the plan fill file.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**PR180**                      **(PR1145)**                      **BLAISE NAME:** CaidHMO  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:**  
**Type Class:**                      Enumerated                      **Field Size:**  
**Answer Type:**                      THMOSIGND                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:**

---

Help Available (HMOHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

Under {Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME} {{are/is}/{were/was}}  
 {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} enrolled in an HMO, that is a Health  
 Maintenance Organization {{between {START DATE} and {END DATE}})?

[With an HMO, you must generally receive care from HMO physicians. If another doctor is seen, the expense is  
 not covered unless you were referred by the HMO, or there was a medical emergency.]

HELP: F1

**Responses:**

YES, ALL ARE .....	1	PR200	(PR1155)
YES, SOME ARE .....	2	PR200	(PR1155)
NO, NONE ARE .....	3	PR190	(PR1150)
REFUSED .....	RF	PR190	(PR1150)
DON'T KNOW .....	DK	PR190	(PR1150)

**Display  
Instructions:**

Roster 1 – Report Roster Definition:  
Use PR170 definition.

Roster filter:  
Use PR170 filter.

Display RU members' first, middle, and last names (Person.FullName) in the question text. Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display '{are/is}' if not round 5. Display '{were/was}' if round 5.

Display 'is' or 'was' if the list includes 1 person who is not the respondent. Otherwise, display 'are' or 'were'.

Display 'Medicaid' if state in which interview is being conducted uses the name 'Medicaid'. Display 'STATE NAME FOR MEDICAID' (substituting the state name for the program) if the state in which interview is being conducted does not use the name 'Medicaid'. For the specific Medicaid program name by state to display, see the plan fill file.

Display 'or STATE CHIP NAME' under all conditions, substituting the real state name for program. For the specific name to use by state, see the plan fill file.

Display 'between {START DATE} and {END DATE}' if round 5. Otherwise, use a null display.

**Testing/Editing  
Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

Full Detail Spec

**PR190**

**(PR1150)**

**BLAISE NAME:** CaidPrimaryMD

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** THMOSIGND\_1      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (PROGDRHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

{Does /Between {START DATE} and {END DATE}, did} {Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME} require {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} to sign up with a certain primary care doctor, group of doctors, or with a certain clinic which they must go to for all of their routine care?

PROBE: Do not include emergency care or care from a specialist they were referred to.

HELP: F1

**Responses:**

YES, ALL REQUIRED .....	1	PR200	(PR1155)
YES, SOME REQUIRED .....	2	PR200	(PR1155)
NO, NONE REQUIRED .....	3	BOX_70	(PR1160)
REFUSED .....	RF	BOX_70	(PR1160)
DON'T KNOW .....	DK	BOX_70	(PR1160)

**Programmer Instructions:** Note: If coded '3' (NO, NONE REQUIRED), 'RF' (REFUSED), or 'DK' (DON'T KNOW), there is no insurer associated with the current round for Medicaid/SCHIP.

**Display Instructions:** Roster 1- Report

Roster definition:  
Use PR170 definition.

Roster filter:  
Use PR170 filter.

Display RU members' first, middle, and last names (Person.FullName) in question text. Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display 'Does' if not round 5. Display 'Between {START DATE} and {END DATE}, did' if round 5.

Display 'Medicaid' if state in which interview is being conducted uses the name 'Medicaid'. Display 'STATE NAME FOR MEDICAID' (SUBSTITUTING THE STATE NAME FOR THE PROGRAM) if the state in which interview is being conducted does not use the name 'Medicaid'. For the specific Medicaid program name to display by state, see the plan fill file.

Display 'or STATE CHIP NAME' under all conditions, substituting the real state name for program. For the specific name to display by state, see the plan fill file.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

Full Detail Spec

<b>PR200</b>	<b>(PR1155)</b>	<b>BLAISE NAME:</b> CaidPlanName		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 25		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

What is the name of the {Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME} {HMO/health insurance}?

ENTER PLAN NAME

<b>Responses:</b>	.....	BOX_70	(PR1160)
	REFUSED .....	RF BOX_70	(PR1160)
	DON'T KNOW .....	DK BOX_70	(PR1160)

**Programmer Instructions:** Set Insurance.Insurer= PR200

**Display Instructions:** Display 'Medicaid' if state in which interview is being conducted uses the name 'Medicaid'. Display 'STATE NAME FOR MEDICAID' (SUBSTITUTING THE STATE NAME FOR THE PROGRAM) if the state in which interview is being conducted does not use the name 'Medicaid'. For the specific Medicaid program name to display by state, see the plan fill file.

Display 'or STATE CHIP NAME' under all conditions, substituting the real state name for program. For the specific name to display by state, see the plan fill file.

Display 'HMO' if PR180 is coded '1' (YES, ALL ARE) or '2' (YES, SOME ARE). Display 'health insurance' if PR190 is coded '1' (YES, ALL REQUIRED) or '2' (YES, SOME REQUIRED).

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

<b>BOX 70</b>	<b>(PR1160)</b>	<b>Item Type:</b> Route	<b>Type Class:</b> If Then
---------------	-----------------	-------------------------	----------------------------

**Route Details:** If round 2, round 3, or round 4 continue with PR210.  
Otherwise, (i.e. round 5), go to BOX\_90.

Full Detail Spec

**PR210**

**(PR1165)**

**BLAISE NAME:** CaidPayPrem

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TWHOCOVEDPA **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (PREMPAYHelp)

Show Card ( )

Look Up File ( )

**Question Text:**

Is there a monthly premium for {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} for the coverage through {{CURRENT ROUND'S MEDICAID/SCHIP INSURER} /{Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME}}?

[Do not include the cost of any copayments, coinsurance, or deductibles anyone in the family may have had to pay.]

READ IF NECESSARY: A monthly premium is a fixed amount of money people pay each month to have health coverage. It does not include copays or other expenses such as prescription costs.

HELP:F1

**Responses:**

YES, EVERYONE COVERED PAYS .....	1	BOX_80	(PR1175)
YES, SOME COVERED PAY .....	2	PR220	(PR1170)
NO, NO ONE COVERED PAYS .....	3	BOX_90	(PR1200)
REFUSED .....	RF	BOX_90	(PR1200)
DON'T KNOW .....	DK	BOX_90	(PR1200)



**Programmer  
Instructions:**

Placeholder for MHOP specifications. This will be deleted once those specifications are available.

If coded '1' (YES, EVERYONE COVERED PAYS) at PR210 (HOME.PRMEPRE), code PRND.MEDMNTHP for each person in the roster at PR220 as '1' (PAYS FOR COVERAGE DURING THE CURRENT ROUND.)

If coded '3' (NO, NO ONE COVERED PAYS) at PR210 (HOME.PRMEPRE), code PRND.MEDMNTHP for each person in the roster at PR220 as '2' (DOES NOT PAY FOR COVERAGE DURING THE CURRENT ROUND.)

If coded RF or DK OR -9 (WHETHER EVERYONE IS COVERED IS MISSING) at PR210 (HOME.PRMEPRE), code PRND.MEDMNTHP equal to the missing value HOME.PRMEPRE for each person in the PR220 roster.

Leave PRND.MEDGOVP blank (NO VALUE) for any RU member not on the roster at PR220.

**Display  
Instructions:**

Roster 1- Report

Roster definition:  
Use PR170 definition.

Roster filter:  
Use PR170 filter.

Display RU members' first, middle, and last names (Person.FullName) in question text. Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display '{CURRENT ROUND'S MEDICAID/SCHIP INSURER}' if there is a current round insurer associated with the Medicaid/SCHIP insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR170=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR200 was answered, the current insurer was set there). Otherwise, display '{Medicaid/{STATE NAME FOR MEDICAID}} or {STATE CHIP NAME}'.

For '{CURRENT ROUND'S MEDICAID/SCHIP INSURER}', display the actual plan name for the current round Medicaid/SCHIP insurer (Insurance.Insurer). This may be a preloaded value set to the current value or the value entered at PR200.

Display 'Medicaid' if state in which interview is being conducted uses the name 'Medicaid'. Display 'STATE NAME FOR MEDICAID' (SUBSTITUTING THE STATE NAME FOR THE PROGRAM) if the state in which interview is being conducted does not use the name 'Medicaid'. For the specific Medicaid program name to display by state, see the plan fill file.

Display 'or STATE CHIP NAME' under all conditions, substituting the real state name for



**Programmer Instructions:** Roster Behavior:  
1. Multiple select allowed.

Placeholder for MHOP specifications. This will be deleted once those specifications are available.  
Code PRND.MEDMNTHP as '1' (PAYS FOR COVERAGE DURING THE CURRENT ROUND) for all persons from the PR220 roster who are selected.  
Code PRND.MEDMNTHP as '2' (DOES NOT PAY FOR COVERAGE DURING THE CURRENT ROUND) for all persons on the PR220 roster who are not selected.  
Leave PRND.MEDGOVP blank (NO VALUE) for any RU member not on the roster at PR220.

**Display Instructions:** Roster 2 – no add/edit/delete

Roster definition:  
Use PR170 definition.

Roster filter:  
Use PR170 filter.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

---

**BOX 80**      **(PR1175)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If round 3, continue with PR230.  
Otherwise, go to PR250.

<b>PR230</b>	<b>(PR1180)</b>	<b>BLAISE NAME:</b> CaidCovgAmt		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b> 0
<b>Type Class:</b>	Real	<b>Field Size:</b> 9,2		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b> 999999.99

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

How much is the premium for {the {CURRENT ROUND'S MEDICAID/SCHIP INSURER}/that} coverage?

IF MORE THAN ONE PERSON PAYS A PREMIUM FOR THIS COVERAGE, SAY: Please give me the total amount for premiums paid by all individuals with this coverage.

USE CTRL+Z TO ACCESS CALCULATOR TO ADD ALL PREMIUMS.

<b>Responses:</b>	.....	PR240	(PR1185)
	REFUSED .....	RF PR250	(PR1195)
	DON'T KNOW .....	DK PR250	(PR1195)

**Programmer Instructions:** Allow for the entry of dollars and cents.

**Display Instructions:** Display PR230, PR240, and PR240OS on the same form pane.

Display 'the {CURRENT ROUND'S MEDICAID/SCHIP INSURER}' if there is a current round insurer associated with the Medicaid/SCHIP insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR170=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR200 was answered, the current insurer was set there). Otherwise, display 'that'.

For '{CURRENT ROUND'S MEDICAID/SCHIP INSURER}', display the actual plan name for the current round Medicaid/SCHIP insurer (Insurance.Insurer). This may be a preloaded set to the current value or the value entered at PR200.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

Full Detail Spec

**PR240**

**(PR1185)**

**BLAISE NAME:** CaidCovgUnit

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TCOVERAGETIME      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Question Text:**

[How much is the premium for {the {CURRENT ROUND'S MEDICAID/SCHIP INSURER}/that} coverage?

IF MORE THAN ONE PERSON PAYS A PREMIUM FOR THIS COVERAGE, SAY: Please give me the total amount for premiums paid by all individuals with this coverage.

USE CTRL+Z TO ACCESS CALCULATOR TO ADD ALL PREMIUMS.]

Is that per year, per month, per week, or what?

<b>Responses:</b>	PER YEAR .....	1	PR250	(PR1195)
	EVERY 3 MONTHS (QUARTERLY) .....	2	PR250	(PR1195)
	EVERY 2 MONTHS (BIMONTHLY) .....	3	PR250	(PR1195)
	PER MONTH .....	4	PR250	(PR1195)
	PER WEEK .....	5	PR250	(PR1195)
	EVERY 2 WEEKS (BIWEEKLY) .....	6	PR250	(PR1195)
	2 TIMES PER YEAR (SEMI-ANNUALLY) .....	7	PR250	(PR1195)
	2 TIMES PER MONTH (SEMI-MONTHLY) .....	8	PR250	(PR1195)
	OTHER .....	91	PR240OS	(PR1190)
	REFUSED .....	RF	PR250	(PR1195)
	DON'T KNOW .....	DK	PR250	(PR1195)

**Display Instructions:**

Display PR230, PR240, and PR240OS on the same form pane.

Display "How much ... ADD ALL PREMIUMS." in brackets and grayed out text.

Display 'the {CURRENT ROUND'S MEDICAID/SCHIP INSURER}' if there is a current round insurer associated with the Medicaid/SCHIP insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR170=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR200 was answered, the current insurer was set there). Otherwise, display 'that'.

For '{CURRENT ROUND'S MEDICAID/SCHIP INSURER}', display the actual plan name for the current round Medicaid/SCHIP insurer (Insurance.Insurer). This may be a preloaded set to

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
 Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

<b>PR240OS</b>	<b>(PR1190)</b>	<b>BLAISE NAME:</b> CaidCovgUnitOS		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 30		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

[How much is the premium for {the {CURRENT ROUND'S MEDICAID/SCHIP INSURER}/that} coverage?

IF MORE THAN ONE PERSON PAYS A PREMIUM FOR THIS COVERAGE, SAY: Please give me the total amount for premiums paid by all individuals with this coverage.

USE CTRL+Z TO ACCESS CALCULATOR TO ADD ALL PREMIUMS.]

**Responses:**

.....	PR250	(PR1195)
REFUSED .....	RF PR250	(PR1195)
DON'T KNOW .....	DK PR250	(PR1195)

**Display Instructions:**

Display PR230, PR240, and PR240OS on the same form pane.

Display “How much ... ADD ALL PREMIUMS.” in brackets and grayed out text.

Display 'the {CURRENT ROUND'S MEDICAID/SCHIP INSURER}' if there is a current round insurer associated with the Medicaid/SCHIP insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR170=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR200 was answered, the current insurer was set there). Otherwise, display 'that'.

For '{CURRENT ROUND'S MEDICAID/SCHIP INSURER}', display the actual plan name for the current round Medicaid/SCHIP insurer (Insurance.Insurer). This may be a preloaded set to the current value or the value entered at PR200.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

<b>PR250</b>	<b>(PR1195)</b>	<b>BLAISE NAME:</b> CaidPremSubsdz		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{PLAN NAME: {CURRENT ROUND'S MEDICAID/SCHIP INSURER}}

Is the cost of the premium subsidized based on family income?

<b>Responses:</b>	YES	.....	1	BOX_90	(PR1200)
	NO	.....	2	BOX_90	(PR1200)
	REFUSED	.....	RF	BOX_90	(PR1200)
	DON'T KNOW	.....	DK	BOX_90	(PR1200)

**Display Instructions:**

Display 'PLAN NAME: {CURRENT ROUND'S MEDICAID/SCHIP INSURER}' if there is a current round insurer associated with the Medicaid/SCHIP insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR170=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR200 was answered, the current insurer was set there). Otherwise, use a null display.

For '{CURRENT ROUND'S MEDICAID/SCHIP INSURER}', display the actual plan name for the current round Medicaid/SCHIP insurer (Insurance.Insurer). This may be a preloaded set to the current value or the value entered at PR200.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**BOX\_90**

**(PR1200)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

If any RU member had MILITARY HEALTH as a source of insurance at any time during previous round (at least one RU member where Preload.Insurance.HISrc=Military, Preload.Insurance.PlcyHdr=PersID where Person.MostRecentRU=RUnit and Preload.CovdPers.LRndCovd={previous round number} and Preload.Insurance.OrigRnd<>current round), continue with PR260\_01.

Otherwise, go to BOX\_130.



Full Detail Spec

**PR260\_01**

**(PR1205)**

**BLAISE NAME:** ConfMilitHI

**Item Type:** Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TYESNO

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available (CHAMPTRIHelp)

Show Card ( )

Look Up File ( )

**Question Text:**

During the last interview, we recorded that {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} {was/were} covered by military health care, such as TRICARE, CHAMPVA, or VA coverage.

{Have you/Has {PERSON 1} been covered by military health care, such as TRICARE, CHAMPVA or VA coverage at any time {since {START DATE}/between {START DATE} and {END DATE}}?

HELP:F1

**Responses:**

YES	.....	1
NO	.....	2
REFUSED	.....	RF
DON'T KNOW	.....	DK

**Programmer Instructions:** Preloaded grid type 1: forced navigation including PR260\_01, PR260\_02, PR260\_03, PR260\_04, PR260\_N.

After grid completion, continue with BOX\_100.

**Display Instructions:** Roster 1-Report no add/edit/delete allowed. Format the following columns on the form pane.

Col#1: RU Member

Instructions: Display RU members' First Middle and Last name (Person.FullName)

Roster Filter:

Display only those RU members who were "COVERED BY MILITARY HEALTH" at any time during the previous round (RU members where Preload.Insurance.HISrc=Military, Preload.Insurance.Plcyhldr=PersID where Person.MostRecentRU=RUUnit and Preload.CovdPers.LRndCovd = {previous round number}.

For the display of person names in the first paragraph: {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N}, display the list of RU members who were "COVERED BY MILITARY HEALTH" at any time during the previous round. Display first names only. Substitute "you" for the person's first name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display 'was' if only one name is listed and that person is not the current respondent. Otherwise, display 'were'.

Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Display variable question text: Replace "{Have you/Has {PERSON 1} been covered ... and {END DATE}}?" with:

PR260\_02: What about {PERSON 2}?

PR260\_03: What about {PERSON 3}?

PR260\_04: What about {PERSON N}? Has {he/she} been covered by military health care, such as TRICARE, CHAMPVA, or VA coverage at any time {since {START DATE}/between {START DATE} and {END DATE}}?

PR260\_N: Repeat question text PR260\_02-PR260\_N for as many RU members that fit the roster filter criteria.

Display first names only in the variable question text display. Substitute "you" for the person's first name if the respondent is included in this list.

Display first paragraph of question text in brackets and grayed out text when on PR260\_02 – PR260\_N. Display in bold black and no brackets when on PR260\_01.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**BOX 100**      **(PR1210)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If all current RU members are displayed at PR260\_01-PR260\_N, go to BOX\_110.  
  
Otherwise, continue with PR270\_01.

**PR270\_01**      **(PR1215)**      **BLAISE NAME:** OthMmbMilitHI  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (CHAMPTRIHelp)       Show Card ( )       Look Up File ( )

**Question Text:**

Besides the people we've just talked about, please think about whether any additional household members have been covered by military health care, such as TRICARE, CHAMPVA, or VA coverage at any time {since {START DATE}/between {START DATE} and {END DATE}}?

Previously, we've recorded that {MILITARY PERSON 1, MILITARY PERSON 2, MILITARY PERSON N} {is/are} {full-time active duty in the Armed Forces} {or} {honorably discharged from active duty}.

{Have you/Has {PERSON 1}} been covered by military health care, such as TRICARE, CHAMPVA, or VA coverage at any time {since {START DATE}/between {START DATE} and {END DATE}}?

HELP:F1

**Responses:**      YES      ..... 1  
                         NO      ..... 2  
                         REFUSED      ..... RF  
                         DON'T KNOW      ..... DK

**Programmer Instructions:** Preloaded grid type 1: Forced navigation including PR270\_01, PR270\_02, PR270\_03, PR270\_04, PR270\_N.

After grid completion, continue with BOX\_110.

For each person coded '1' (YES), create insurance through Military health care for this person [set Insurance.HIPubPriv=Public and Insurance.HISrc=Military and Insurance.HISrcName=Military Health and Insurance.Plcyhdr = PersID and

**Display Instructions:**

Roster 1-Report no add/edit/delete allowed.

Format the following columns on the form pane.

Col#1: RU Member

Instructions: Display RU members' First Middle and Last name (Person.FullName)

Roster Filter:

Display only those RU members who were not covered by MILITARY HEALTH at any time during the previous round (including newly added RU members), that is any RU member not displayed at PR260\_01.

Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Display variable question text. Replace "{Have you/Has {PERSON 1}} been covered ... and {END DATE}}?" with:

PR270\_02: What about {PERSON 2}?

PR270\_03: What about {PERSON 3}?

PR270\_04: What about {PERSON N}? Has {he/she} been covered by military health care, such as TRICARE, CHAMPVA, or VA coverage at any time {since {START DATE}}/between {START DATE} and {END DATE}}?

PR270\_N: Repeat question text PR270\_02-PR270\_N for as many RU members that fit the roster filter criteria.

Display first names only in the variable question text display. Substitute "you" for the person's first name if the respondent is included in this list.

Display first two paragraphs of question text in brackets and grayed out text when on PR270\_02 – PR270\_N. Display in bold black and no brackets when on PR270\_01.

The second paragraph makes use of a separate list of names.

Display 'Previously, we've recorded that {MILITARY PERSON 1, MILITARY PERSON 2, MILITARY PERSON N} {is/are} {full-time active duty in the Armed Forces} {or} {honorably discharged from active duty}.' if at least one current RU member eligible to be displayed at PR270\_01 grid is currently FT active duty (Person.FTADuty=Yes) or honorably discharged from the Armed Forces in any round [Person.HonDisch=Yes (preloaded value or current round value)]. Otherwise, use a null display.

Display 'full-time active duty in the Armed Forces' if at least one current RU member eligible to be displayed at PR270\_01 grid is currently FT active duty. Otherwise, use a null display.

**Full Detail Spec**

Display 'honorably discharged from active duty' if at least one RU member eligible to be displayed at PR270\_01 grid has been honorably discharged in any round. Otherwise, use a null display.

Display 'or' if there is at least one current RU member who is FT active duty **and** one current RU member who is honorably discharged in any round. Otherwise, use a null display.

For '{MILITARY PERSON 1, MILITARY PERSON 2, MILITARY PERSON N}', Display the firstnames of all RU members who are either currently FT active duty or honorably discharged from the Armed Forces in any round. Separate the names using a comma and substitute 'you' if the respondent's name is part of the list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display 'is' if only one person listed and that person is not selected as respondent. Otherwise, display 'are'.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
 Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**BOX 110**

**(PR1220)**

**Item Type:** Route

**Type Class:** If Then

**Route Details:**

If at least one RU member "COVERED BY MILITARY HEALTH" during the current round, that is, at least one RU member was coded as '1' (YES) at PR260\_01-PR260\_N or PR270\_01-PR270\_N, continue with PR280\_01.

Otherwise, go to BOX\_130.

**Programmer Instructions:**



**Programmer Instructions:** Preloaded grid type 1: Forced navigation including PR280\_01, PR280\_02, PR280\_03, PR280\_04, PR280\_N

After grid completion, continue with BOX\_120.

**Display Instructions:** Roster 1-Report no add/edit/delete allowed. Format the following columns on the form pane.

Col#1: RU Member

Instructions: Display RU members' First Middle and Last name (Person.FullName)

Roster Filter:

Display only those RU members "COVERED BY MILITARY HEALTH" during the current round, that is, PR260\_01 – PR260\_N or PR270\_01 – PR270\_N is coded '1' (YES) for this person.

Display variable question text. Replace "What types ... Administration)?" with:

PR280\_02: What about {PERSON 2}?

PR280\_03: What about {PERSON 3}?

PR280\_04: What about {PERSON N}? Does {he/she} have TRICARE Standard, TRICARE Prime, TRICARE Extra, TRICARE for Life, CHAMPVA, or VA (Veteran's Administration)?

PR280\_N: Repeat question text PR280\_02-PR280\_N for as many RU members that fit the roster filter criteria.

Display first names only in the variable question text display. Substitute "you" for the person's first name if the respondent is included in this list.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main.CodeAllMilitPlanPR[1..25]  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main.CodeAllMilitPlanPR[1..25]

**BOX 120**

**(PR1230)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:** Ask the time period covered detail (HQ) section for this insurance.

This instance of the HQ section collects time period coverage detail for all RU members that are covered by MILITARY HEALTH in the current round. The grid for the HQ section should be preloaded with insurance that meets both of the following conditions:

-Insurance source is Military Health [Insurance.HISrc=Military]

And

-Person is "COVERED BY MILITARY HEALTH" during the current round, that is, either PR260\_01-PR260\_N or PR270\_01-PR270\_N is coded '1' (YES) for this person.

At completion of HQ section, continue with BOX\_130.

**BOX\_130**      **(PR1235)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If any RU member had INDIAN HEALTH SERVICE as a source of insurance at any time during the previous round (at least one RU member where Preload.Insurance.HISrc=IHS, Preload.Insurance.Plcyhldr=PersID where Person.MostRecentRU=RUUnit and Preload.CovdPers.LRndCovd={previous round number} and Preload.Insurance.OrigRnd<>current round), continue with PR290\_01.

Otherwise, go to BOX\_170.

**PR290\_01**      **(PR1240)**      **BLAISE NAME:** ConfIHSPlan  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )       Show Card ( )       Look Up File ( )

**Question Text:**

During the last interview, we recorded that {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} {was/were} enrolled in the Indian Health Service (IHS). The Indian Health Service provides health care only to eligible Alaska Natives and American Indians at its Federal hospitals and clinics.

{Were you/Was{PERSON 1}} enrolled in the Indian Health Service (IHS) at any time {since {START DATE}/between {START DATE} and {END DATE}}?

**Responses:**      YES      ..... 1  
                       NO      ..... 2  
                       REFUSED      ..... RF  
                       DON'T KNOW      ..... DK



**Programmer Instructions:** Preloaded grid type 1: Forced navigation including PR290\_01, PR290\_02, PR290\_03, PR290\_04, PR290\_N.

After grid completion, continue with BOX\_140.

**Display Instructions:** Roster 1-Report no add/edit/delete allowed. Format the following columns on the form pane.

Col#1: RU Member  
Instructions: Display RU members' First Middle and Last name (Person.FullName)

Roster Filter:  
Display only those RU members who were "COVERED BY INDIAN HEALTH SERVICE" at any time during the previous round (RU members where Preload.Insurance.HISrc=IHS, Preload.Insurance.Plcyhldr=PersID where Person.MostRecentRU=RUUnit and Preload.CovdPers.LRNdCovd = {previous round number}.

For the display of person names in the first paragraph: {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N}, display the list of RU members who were "COVERED BY INDIAN HEALTH SERVICE" at any time during the previous round. Display first names only. Substitute "you" for the person's first name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display 'was' if only one name is listed and that person is not the current respondent. Otherwise, display 'were'.

Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Display variable question text. Replace "{Were you/Was {PERSON 1}} enrolled ... and {END DATE}?" with:

PR290\_02: What about {PERSON 2}?

PR290\_03: What about {PERSON 3}?

PR290\_04: What about {PERSON N}? Was {he/she} enrolled in the Indian Health Service (IHS) at any time {since {START DATE}/between {START DATE} and {END DATE}}?

PR290\_N: Repeat question text PR290\_02-PR290\_N for as many RU members that fit the roster filter criteria.

Display first names only in the variable question text display. Substitute "you" for the person's first name if the respondent is included in this list.

Display first paragraph of question text in brackets and grayed out text when on PR290\_02 – PR290\_N. Display in bold black and no brackets when on PR290\_01.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**BOX\_140**      **(PR1245)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If all current RU members are displayed at PR290\_01-PR290\_N, go to BOX\_150.  
                                  Otherwise, continue with PR300\_01.

**PR300\_01**      **(PR1250)**      **BLAISE NAME:** OthMmbIHSPlan  
**Item Type:**      Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:**      Enumerated      **Field Size:**  
**Answer Type:**      TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Question Text:**

Besides the people we've just talked about, please think about whether any additional household members have been enrolled in Indian Health Services (IHS) at any time {since {START DATE}/between {START DATE} and {END DATE}}?

{Were you/Was {PERSON 1}} enrolled in Indian Health Services (IHS) at any time {since {START DATE}/between {START DATE} and {END DATE}}?

IF NECESSARY, SAY: The Indian Health Service (IHS) is the health care system for federally recognized American Indian and Alaska Natives. The IHS is not a health insurance provider but rather, it provides healthcare only to eligible Alaska Natives and American Indians at its federal hospitals and clinics.

**Responses:**      YES      ..... 1  
                                  NO      ..... 2  
                                  REFUSED      ..... RF  
                                  DON'T KNOW      ..... DK

**Programmer Instructions:** Preloaded grid type 1: Forced navigation including PR300\_01, PR300\_02, PR300\_03, PR300\_04, PR300\_N.

After grid completion, continue with BOX\_150.

For each person coded '1' (YES), create insurance through Indian Health Service for this person [set Insurance.HIPubPriv=Public and Insurance.HISrc=IHS and Insurance.HISrcName=Indian Health Service and Insurance.Plcyhldr = PersID and

**Display Instructions:** Roster 1-Report no add/edit/delete allowed.

Format the following columns on the form pane.

Col#1: RU Member

Instructions: Display RU members' First Middle and Last name (Person.FullName)

Roster Filter:

Display only those RU members who were not covered by INDIAN HEALTH SERVICE at any time during the previous round (including newly added RU members), that is any RU member not displayed at PR290\_01.

Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Display variable question text. Replace "{Were you/Was{PERSON 1}} enrolled ... {END DATE}}?" with:

PR300\_02: What about {PERSON 2}?

PR300\_03: What about {PERSON 3}?

PR300\_04: What about {PERSON N}? Was {he/she} enrolled in the Indian Health Service (IHS) at any time {since {START DATE}/between {START DATE} and {END DATE}}?

PR300\_N: Repeat question text PR300\_02-PR300\_N for as many RU members that fit the roster filter criteria.

Display first names only in the variable question text display. Substitute "you" for the person's first name if the respondent is included in this list.

Display **first and third** paragraph of question text in brackets and grayed out text when on PR300\_02 – PR300\_N. Display both in bold black and no brackets when on PR300\_01.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**BOX 150**      **(PR1255)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If at least one RU member “COVERED BY INDIAN HEALTH SERVICE” during the current round, that is, at least one RU member was coded as ‘1’ (YES) PR290\_01- PR290\_N or PR300\_01-PR300\_N, continue with BOX\_160.

Otherwise, go to BOX\_170.

**BOX 160**      **(PR1260)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      Ask the time period covered detail (HQ) section for this insurance.

This instance of the HQ section collects time period coverage detail for all RU members that are covered by Indian Health Services in the current round. The grid for the HQ section should be preloaded with insurance that meet both of the following conditions:  
-Insurance source is Indian Health Service [Insurance.HISrc=IHS]  
And  
-Person is “COVERED BY INDIAN HEALTH SERVICE” during the current round, that is, either PR290\_01-PR290\_N or PR300\_01-PR300\_N is coded ‘1’ (YES) for this person.

At completion of HQ section, continue with BOX\_170.

**BOX 170**      **(PR1265)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If any RU member had GOV’T-HOSPITAL/PHYSICIAN as a source of insurance at any time during the previous round (at least one RU member where Preload.Insurance.HISrc=GHP, Preload.Insurance.PlcyHldr=PersID where Person.MostRecentRU=RUUnit and Preload.CovdPers.LRndCovd={previous round number} and Preload.Insurance.OrigRnd<>current round), continue with PR310\_01.

Otherwise, go to BOX\_240.

Full Detail Spec

**PR310\_01**

**(PR1270)**

**BLAISE NAME:** ConfGovProg

**Item Type:** Question

**Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated

**Field Size:**

**Answer Type:** TYESNO

**Answers allowed:** 1 **ArrayMax:** **Max value:**

---

Help Available (INSTYPESHelp)

Show Card ( )

Look Up File ( )

**Question Text:**

During the last interview, we recorded that {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N} {was/were} covered by {PRELOAD GOVT-HOSP/PHY NAME}, a program sponsored by a state or local government agency which provided hospital and physician benefits.

{Have you/Has {PERSON 1}} been covered by this program or some other program sponsored by a state or local government agency which provided hospital and physician benefits at any time {since {START DATE}/between {START DATE} and {END DATE}}?

HELP: F1

<b>Responses:</b>	YES .....	1
	NO .....	2
	REFUSED .....	RF
	DON'T KNOW .....	DK

**Programmer Instructions:** Preloaded grid type 1: Forced navigation including PR310\_01, PR310\_02, PR310\_03, PR310\_04, PR310\_N.

After grid completion, continue with BOX\_180.

**Display Instructions:**

Roster 1-Report no add/edit/delete allowed.

Format the following columns on the form pane.

Col#1: RU Member

Instructions: Display RU members' First Middle and Last name (Person.FullName)

Roster Filter:

Display only those RU members who were "COVERED BY GOV'T- HOSPITAL/PHYSICIAN" at any time during the previous round (RU members where Preload.Insurance.HISrc=GHP, Preload.Insurance.PlcyHdr=PersID where Person.MostRecentRU=RUUnit and Preload.CovdPers.LRndCovd ={previous round number}.

For the display of person names in the first paragraph: {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON N}, display the list of RU members who were "COVERED BY GOV'T- HOSPITAL/PHYSICIAN" at any time during the previous round. Display first names only. Substitute "you" for the person's first name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

For 'PRELOAD GOVT-HOSP/PHY NAME' display the name of the government program entered at HX160 or HX270 when the coverage was first created for this RU. (Preload.Insurance.GHPProgNameRndCreated)

Display 'was' if only one name is listed and that person is not the current respondent. Otherwise, display 'were'.

Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Display variable question text. Replace "{Have you/Has {PERSON 1}} been covered ... and {END DATE}}?" with:

PR310\_02: What about {PERSON 2}? PR310\_03: What about {PERSON 3}?

PR310\_04: What about {PERSON N}? Has {he/she} been covered by a program sponsored by a state or local government agency which provided hospital and physician benefits at any time

{since {START DATE}/between {START DATE} and {END DATE}}?

PR310\_N: Repeat question text PR310\_02-PR310\_N for as many RU members that fit the roster filter criteria.

Display first names only in the variable question text display. Substitute "you" for the person's first name if the respondent is included in this list.

Display first paragraph of question text in brackets and grayed out text when on PR310\_02 –

PR310\_N. Display in bold black and no brackets when on PR310\_01.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**BOX 180**      **(PR1275)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If all current RU members are displayed in PR310\_01-PR310\_N, go to BOX\_190.  
Otherwise, continue with PR320\_01.

**PR320\_01**      **(PR1280)**      **BLAISE NAME:** OthMmbGovProg  
**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TYESNO      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available (INSTYPESHelp)       Show Card ( )       Look Up File ( )

**Question Text:**

Besides the people we've just talked about, please think about whether any additional household members have been covered by a program sponsored by a state or local government agency which provides physician benefits at any time {since {START DATE}/between {START DATE} and {END DATE}}?

{Have you/Has {PERSON 1}} been covered by a program like this at any time {since {START DATE}/between {START DATE} and {END DATE}}?

HELP: F1

**Responses:** YES ..... 1  
NO ..... 2  
REFUSED ..... RF  
DON'T KNOW ..... DK

**Programmer  
Instructions:**

Preloaded grid type 1: Forced navigation including PR320\_01, PR320\_02, PR320\_03, PR320\_04, PR320\_N.

After grid completion, continue with BOX\_190.

For each person coded '1' (YES), create insurance through Gov't-Hospital/Physician for this person [set Insurance.HIPubPriv=Public and Insurance.HISrc=GHP and Insurance.HISrcName= GOVT-HOS/PHY-{PROGRAM NAME FROM HX160/HX270}' (Preload.GHPProgNameRndCreated) and Insurance.Plcyhldr = PersID and CoverageFlagList.InsSrcN=YES for this PersID] [set Create Q and OrigRnd]

**Display  
Instructions:**

Roster 1-Report no add/edit/delete allowed.

Format the following columns on the form pane.

Col#1: RU Member

Instructions: Display RU members' First Middle and Last name (Person.FullName)

Roster Filter:

Display only those RU members who were not covered GOV'T- HOSPITAL/PHYSICIAN at any time during the previous round (including newly added RU members), that is any RU member not displayed at PR310\_01.

Display 'since {START DATE}' if not round 5. Display 'between {START DATE} and {END DATE}' if round 5.

Display variable question text. Replace "{Have you/Has {PERSON 1}} been covered ... and {END DATE}}?" with:

PR320\_02: What about {PERSON 2}? PR320\_03: What about {PERSON 3}?

PR320\_04: What about {PERSON N}? Has {he/she} been covered by a program sponsored by a state or local government agency which provided hospital and physician benefits at any time

{since {START DATE}/between {START DATE} and {END DATE}}?

PR320\_N: Repeat question text PR320\_02-PR320\_N for as many RU members that fit the roster filter criteria.

Display first names only in the variable question text display. Substitute "you" for the person's first name if the respondent is included in this list.

Display first paragraph of question text in brackets and grayed out text when on PR320\_02 – PR320\_N. Display in bold black and no brackets when on PR320\_01.

**Testing/Editing  
Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main

Variable stored at MEPSSpring2018.HX\_Main.PR\_Main



**BOX 190**      **(PR1285)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      If at least one RU member is “COVERED BY GOV’T- HOSPITAL/PHYSICIAN” during the current round, that is, at least one RU member was coded ‘1’ (YES) at PR310\_01-310\_N or PR320\_01-320\_N, continue with BOX\_200.

Otherwise, go to BOX\_240.

**BOX 200**      **(PR1290)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:**      Ask the time period covered detail (HQ) section for this insurance.

This instance of the HQ section collects time period coverage detail for all RU members that are covered by Gov’t-Hospital/Physician in the current round. The grid for the HQ section should be preloaded with insurance that meets both of the following conditions:

- Insurance source is GOV’T-HOSPITAL/PHYSICIAN [Insurance.HISrc=GHP] And
- Person is “COVERED BY GOV’T-HOSPITAL/PHYSICIAN” during the current round, that is, either PR310\_01 – PR310\_N or PR320\_01-PR320\_N is coded ‘1’ (YES) for this person.

At completion of HQ section, continue with PR330.

Full Detail Spec

**PR330**

**(PR1295)**

**BLAISE NAME:** GovProgNameChng

<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

{Last time we recorded that {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} may be covered by {PRELOAD GOVT-HOSP/PHYS INSURER}.}

{Since {START DATE}/Between {START DATE} and {END DATE}}, has there been any change in the plan name of the health insurance {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} {has/have} through the program sponsored by a state or local government agency which provides hospital and physician benefits?

<b>Responses:</b>	YES	.....	1	PR340	(PR1300)
	NO	.....	2	BOX_210	(PR1315)
	REFUSED	.....	RF	BOX_210	(PR1315)
	DON'T KNOW	.....	DK	BOX_210	(PR1315)

**Programmer Instructions:** If coded '2' (NO), 'RF' (REFUSED), or 'DK' (DON'T KNOW), set previous round's insurer as 'CURRENT RD'S GOVT-HOSP/PHYS INSURER'. [Set Preload.Insurance.Insurer to Insurance.Insurer]

**Display Instructions:** Roster 1- Report

Roster definition:  
This item uses the insurance array to display RU-members. (Person.Fullname)

Roster filter:  
Display only those RU members who are "COVERED BY GOVT- HOSPITAL/PHYSICIAN" during the current round, that is either PR310\_01 – PR310\_N or PR320\_01-PR320\_N is coded '1' (YES) for this person..

Display first names only in the first sentence "Last time we recorded...."  
Substitute "you" for the person's first name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display RU members' first, middle, and last names (Person.FullName) in the second sentence "{Since {START DATE}/Between {START DATE} and {END DATE}}...." Substitute "you" for the person's name if the respondent is included in this list. See instructions above about when to use commas vs. "and" to separate names.

Display 'Last time.... {PRELOAD GOVT-HOSP/PHYS INSURER}.' if there was an insurer associated with Govt-Hospital/Physician in the previous round (Preload.Insurance.Insurer <> RF, DK or EMPTY). Otherwise, use a null display.

For 'PRELOAD GOVT-HOSP/PHYS INSURER', display the insurer recorded for Govt-Hospital/Physician during the previous round (Preload.Insurance.Insurer).

Display 'Since {START DATE}' if not round 5.  
Display 'Between {START DATE} and {END DATE}' if round 5.

Display 'has' if only one name is listed and that person is not the current respondent. Otherwise, display 'have'.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

Full Detail Spec

<b>PR340</b>	<b>(PR1300)</b>	<b>BLAISE NAME:</b> GovProgHMO		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	THMOSIGND	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (HMOHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

Under the program sponsored by a state or local government agency which provides hospital and physician benefits {{are/is}/{were/was}} {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} enrolled in an HMO, that is a Health Maintenance Organization {between{START DATE} and {END DATE}}?

[With an HMO, you must generally receive care from HMO physicians. If another doctor is seen, the expense is not covered unless you were referred by the HMO, or there was a medical emergency.]

HELP:F1

<b>Responses:</b>	YES, ALL ARE .....	1	PR360	(PR1310)
	YES, SOME ARE .....	2	PR360	(PR1310)
	NO, NONE ARE .....	3	PR350	(PR1305)
	REFUSED .....	RF	PR350	(PR1305)
	DON'T KNOW .....	DK	PR350	(PR1305)

**Display**

**Instructions:**

Roster 1- Report Roster definition:  
Use PR330 definition.

Roster filter:  
Use PR330 filter.

Display RU members' first, middle, and last names (Person.FullName)in the question text. Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display '{are/is}' if not round 5. Display '{were/was}' if round 5.

Display 'is' or 'was' if the list includes 1 person who is not the respondent. Otherwise, display 'are' or 'were'.

Display 'between {START DATE} and {END DATE}' if round 5. Otherwise, use a null display.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

Full Detail Spec

<b>PR350</b>	<b>(PR1305)</b>	<b>BLAISE NAME:</b> GovProgPrimaryMD		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	THMOSIGND_1	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available (PROGDRHelp)                       Show Card ( )                       Look Up File ( )

**Question Text:**

{Does/Between {START DATE} and {END DATE}, did} the program sponsored by a state or local government agency which provides hospital and physician benefits require {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} to sign up with a certain primary care doctor, group of doctors, or with a certain clinic which they must go to for all of their routine care?

PROBE: Do not include emergency care or care from a specialist they were referred to.

HELP:  
F1

<b>Responses:</b>	YES, ALL REQUIRED .....	1	PR360	(PR1310)
	YES, SOME REQUIRED .....	2	PR360	(PR1310)
	NO, NONE REQUIRED .....	3	BOX_210	(PR1315)
	REFUSED .....	RF	BOX_210	(PR1315)
	DON'T KNOW .....	DK	BOX_210	(PR1315)

**Programmer Instructions:** Note: If coded '3' (NO, NONE REQUIRED), 'RF' (REFUSED), or 'DK' (DON'T KNOW), there is no insurer associated with the current round for Govt-Hospital/Physician.

**Display Instructions:** Roster 1- Report

Roster definition:  
Use PR330 definition.

Roster filter:  
Use PR330 filter.

Display RU members' first, middle, and last names (Person.FullName) in the question text. Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display 'Does' if not round 5. Display 'Between {START DATE} and {END DATE}, did' if round 5.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

<b>PR360</b>	<b>(PR1310)</b>	<b>BLAISE NAME:</b> GovProgPlanName		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 40		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

What is the name of the {HMO/health insurance} from the program sponsored by a state or local government agency which provides hospital and physician benefits?

ENTER PLAN NAME

<b>Responses:</b>	.....	BOX_210	(PR1315)
	REFUSED .....	RF BOX_210	(PR1315)
	DON'T KNOW .....	DK BOX_210	(PR1315)

**Programmer Instructions:** Set Insurance.Insurer to PR360

**Display Instructions:** Display 'HMO' if PR330 is coded '1' (YES, ALL ARE) or '2' (YES, SOME ARE). Display 'health insurance' if PR350 coded '1' (YES, ALL REQUIRED) or '2' (YES, SOME REQUIRED).

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

---

**BOX\_210**      **(PR1315)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If round 2, round 3, or round 4, continue with PR370.  
Otherwise, (i.e., if round 5), go to BOX\_240.

Full Detail Spec

**PR370**

**(PR1320)**

**BLAISE NAME:** GovProgPayPrem

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TWHOCOVEDPA **Answers allowed:** 1 **ArrayMax:** **Max value:**

---

Help Available (PREMPAYHelp)  Show Card ( )  Look Up File ( )

**Question Text:**

Is there a monthly premium for {PERSON 1}, {PERSON 2}, {PERSON 3}, {PERSON 4}, {PERSON N} for the coverage through {{CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}/the program sponsored by a state or local government agency which provides hospital and physician benefits}?

[Do not include the cost of any copayments, coinsurance, or deductibles anyone in the family may have had to pay.]

READ IF NECESSARY: A monthly premium is a fixed amount of money people pay each month to have health coverage. It does not include copays or other expenses such as prescription costs.

HELP: F1

<b>Responses:</b>	YES, EVERYONE COVERED PAYS .....	1	BOX_220	(PR1330)
	YES, SOME COVERED PAY .....	2	PR380	(PR1325)
	NO, NO ONE COVERED PAYS .....	3	BOX_240	(PR1365)
	REFUSED .....	RF	BOX_240	(PR1365)
	DON'T KNOW .....	DK	BOX_240	(PR1365)



**Programmer Instructions:** Placeholder for MHOP specifications. This will be deleted once those specifications are available.  
If coded '1' (YES, EVERYONE COVERED PAYS) at PR370 (HOME.PRMEDPRE), code PRND.GOVMNTHP for each person in the roster at PR370 as '1' (PAYS FOR COVERAGE DURING THE CURRENT ROUND.)  
  
If coded '3' (NO, NO ONE COVERED PAYS) at PR370 (HOME.PRMEDPRE), code PRND.GOVMNTHP for each person in the roster at PR370 as '2' (DOES NOT PAY FOR COVERAGE DURING THE CURRENT ROUND.)  
  
If coded RF or DK or -9 (WHETHER EVERYONE IS COVERED IS MISSING) at PR370 (HOME.PRMEDPRE), code PRND.GOVMNTHP equal to the missing value in HOME.PRMEDPRE for each person in the PR370 roster.  
Leave PRND.MEDGOVP blank (no value) for any RU member not on the roster at PR370.

**Display Instructions:** Roster 1- Report  
  
Roster definition:  
Use PR330 definition.  
  
Roster filter:  
Use PR330 filter.  
  
Display RU members' first, middle, and last names (Person.FullName) in question text. Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".  
  
Display '{CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}' if there is a current round insurer associated with the Gov't-Hospital/Physician insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR330=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR360 was answered, the current insurer was set there). Otherwise, display 'the program sponsored by a state or local government agency which provides hospital and physician benefits '  
  
For '{CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}', display the actual plan name for the current round Gov't-Hospital/Physician insurer (Insurance.Insurer). This may be a preloaded value set to the current value or the value entered at PR360.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

Full Detail Spec

**PR380**

**(PR1325)**

**BLAISE NAME:** GovProgPayPremRoster

**Item Type:** Question **Field kind:** Datafield **ArrayMin:** **Min value:**

**Type Class:** Enumerated **Field Size:**

**Answer Type:** TFIRSTMIDLASTNA **Answers allowed:** 99 **ArrayMax:** **Max value:**

---

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

Who has a monthly premium for that coverage?

PROBE: Anyone else?

ENTER ALL THAT APPLY.

<b>Responses:</b>	{FIRST NAME [MIDDLE NAME] LAST NAME}1	..... 1	BOX_220	(PR1330)
	{FIRST NAME [MIDDLE NAME] LAST NAME}2	..... 2	BOX_220	(PR1330)
	{FIRST NAME [MIDDLE NAME] LAST NAME}3	..... 3	BOX_220	(PR1330)
	{FIRST NAME [MIDDLE NAME] LAST NAME}4	..... 4	BOX_220	(PR1330)
	{FIRST NAME [MIDDLE NAME] LAST NAME}N	..... 5	BOX_220	(PR1330)

**Programmer Instructions:** Roster Behavior:  
1. Multiple select allowed.

Following settings may be required during MHOP rather than CAPI:

Code PRND.GOVMNTHP as '1' (PAYS FOR COVERAGE DURING THE CURRENT ROUND) for all persons from the PR380 roster who are selected.

Code PRND.GOVMNTHP as '2' (DOES NOT PAY FOR COVERAGE DURING THE CURRENT ROUND) for all persons on the PR370 roster who are not selected.

Leave PRND.MEDGOVP blank (no value) for any RU member not on the roster at PR380.

**Display Instructions:** Roster 2 - no add/edit/delete.

Roster definition:  
Use PR330 definition.

Roster filter:  
Use PR330 filter.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

---

**BOX 220**      **(PR1330)**      **Item Type:** Route      **Type Class:** If Then

---

**Route Details:** If round 3, continue with PR390.  
Otherwise, go to PR410.

Full Detail Spec

**PR390**                      **(PR1335)**                      **BLAISE NAME:** GovProgAmt  
**Item Type:**                      Question                      **Field kind:** Datafield                      **ArrayMin:**                      **Min value:** 0  
**Type Class:**                      Real                      **Field Size:** 9,2  
**Answer Type:**                      {Continuous Answer.}                      **Answers allowed:** 1                      **ArrayMax:**                      **Max value:** 999999.99

---

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

How much is the premium for {the {CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}/that} coverage?

IF MORE THAN ONE PERSON PAYS A PREMIUM FOR THIS COVERAGE, SAY: Please give me the total amount for premiums paid by all individuals with this coverage.

USE CTRL+Z TO ACCESS CALCULATOR TO ADD ALL PREMIUMS.

ENTER AMOUNT

**Responses:**                      ..... PR400                      (PR1340)  
REFUSED                      ..... RF PR410                      (PR1350)  
DON'T KNOW                      ..... DK PR410                      (PR1350)

**Programmer Instructions:**                      Allow for the entry of dollars and cents.

**Display Instructions:**                      Display PR390, PR400 and PR400OS on the same form pane.

Display 'the {CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}' if there is a current round insurer associated with the Gov't-Hospital/Physician insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR330=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR360 was answered, the current insurer was set there). Otherwise, display 'that'.

For '{CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}', display the actual plan name for the current round Gov't-Hospital/Physician insurer (Insurance.Insurer). This may be a preloaded value set to the current value or the value entered at PR360.

**Testing/Editing Notes:**                      Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

Full Detail Spec

**PR400**

**(PR1340)**

**BLAISE NAME:** GovProgUnit

**Item Type:** Question      **Field kind:** Datafield      **ArrayMin:**      **Min value:**  
**Type Class:** Enumerated      **Field Size:**  
**Answer Type:** TCOVERAGETIME      **Answers allowed:** 1      **ArrayMax:**      **Max value:**

---

Help Available ( )                                       Show Card ( )                                       Look Up File ( )

**Question Text:**

[How much is the premium for {the {CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}/that} coverage?

IF MORE THAN ONE PERSON PAYS A PREMIUM FOR THIS COVERAGE, SAY: Please give me the total amount for premiums paid by all individuals with this coverage.

USE CTRL+Z TO ACCESS CALCULATOR TO ADD ALL PREMIUMS.]

Is that per year, per month, per week, or what?

ENTER UNIT OF COVERAGE

<b>Responses:</b>	PER YEAR .....	1	PR410	(PR1350)
	EVERY 3 MONTHS (QUARTERLY) .....	2	PR410	(PR1350)
	EVERY 2 MONTHS (BIMONTHLY) .....	3	PR410	(PR1350)
	PER MONTH .....	4	PR410	(PR1350)
	PER WEEK .....	5	PR410	(PR1350)
	EVERY 2 WEEKS (BIWEEKLY) .....	6	PR410	(PR1350)
	2 TIMES PER YEAR (SEMI-ANNUALLY) .....	7	PR410	(PR1350)
	2 TIMES PER MONTH (SEMI-MONTHLY) .....	8	PR410	(PR1350)
	OTHER .....	91	PR400OS	(PR1345)
	REFUSED .....	RF	PR410	(PR1350)
	DON'T KNOW .....	DK	PR410	(PR1350)

**Display Instructions:**

Display PR390, PR400 and PR400OS on the same form pane.

Display "How much ... ADD ALL PREMIUMS." in brackets and grayed out text.

Display 'the {CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}' if there is a current round insurer associated with the Gov't-Hospital/Physician insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR330=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR360 was answered, the current insurer was set there). Otherwise, display 'that'.

For '{CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}', display the actual plan name for the current round Gov't-Hospital/Physician insurer (Insurance.Insurer). This may be a preloaded value set to the current value or the value entered at PR360.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

<b>PR400OS</b>	<b>(PR1345)</b>	<b>BLAISE NAME:</b> GovProgUnitOS		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	String	<b>Field Size:</b> 30		
<b>Answer Type:</b>	{Continuous Answer.}	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available ( )                       Show Card ( )                       Look Up File ( )

**Question Text:**

[How much is the premium for {the {CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}/that} coverage?

IF MORE THAN ONE PERSON PAYS A PREMIUM FOR THIS COVERAGE, SAY: Please give me the total amount for premiums paid by all individuals with this coverage.

USE CTRL+Z TO ACCESS CALCULATOR TO ADD ALL PREMIUMS.]

SPECIFY: OTHER UNIT OF COVERAGE

**Responses:**

.....	PR410	(PR1350)
REFUSED .....	RF PR410	(PR1350)
DON'T KNOW .....	DK PR410	(PR1350)

**Display Instructions:**

Display PR390, PR400 and PR400OS on the same form pane.

Display “How much ... ADD ALL PREMIUMS.” in brackets and grayed out text.

Display 'the {CURRENT ROUND’S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}' if there is a current round insurer associated with the Gov’t-Hospital/Physician insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR330=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR360 was answered, the current insurer was set there). Otherwise, display 'that'.

For '{CURRENT ROUND’S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}', display the actual plan name for the current round Gov’t-Hospital/Physician insurer (Insurance.Insurer). This may be a preloaded value set to the current value or the value entered at PR360.

**Testing/Editing Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**PR410**

**(PR1350)**

**BLAISE NAME:** GovProgSubsdz

**Item Type:**

Question

**Field kind:** Datafield

**ArrayMin:**

**Min value:**

**Type Class:**

Enumerated

**Field Size:**

**Answer Type:**

TYESNO

**Answers allowed:** 1

**ArrayMax:**

**Max value:**

Help Available ( )

Show Card ( )

Look Up File ( )

**Question Text:**

{PLAN NAME: {CURRENT ROUND’S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}}

Is the cost of the premium subsidized based on family income?

**Responses:**

YES .....	1	BOX_230	(PR1355)
NO .....	2	BOX_230	(PR1355)
REFUSED .....	RF	BOX_230	(PR1355)
DON'T KNOW .....	DK	BOX_230	(PR1355)

**Display  
Instructions:**

Display 'PLAN NAME: {CURRENT ROUND'S INSURER FOR GOVT-HOSPITAL/PHYSICIAN}' if there is a current round insurer associated with the Gov't-Hospital/Physician insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR330=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR360 was answered, the current insurer was set there). Otherwise, use a null display.

For '{CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}', display the actual plan name for the current round Gov't-Hospital/Physician insurer (Insurance.Insurer). This may be a preloaded value set to the current value or the value entered at PR360.

**Testing/Editing  
Notes:**

Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**BOX 230**

**(PR1355)**

**Item Type:** Route

**Type Class:** If Then

---

**Route Details:**

[If round 3]  
and  
[If HX180 or HX280 was coded '1' (YES, PLAN IS EXCHANGE) the round the Gov't-Hospital/Physician insurance was created (Preload.Insurance.HX180AnsRndCreated or Preload.Insurance.HX280AnsRndCreated)] and  
[PR370 is coded '1' (YES, EVERYONE COVERED PAYS) or '2' (YES, SOME COVERED PAY),]  
continue with PR420.

Otherwise, go to BOX\_240.



Full Detail Spec

<b>PR420</b>	<b>(PR1360)</b>	<b>BLAISE NAME:</b> GovProgMetalPlan		
<b>Item Type:</b>	Question	<b>Field kind:</b> Datafield	<b>ArrayMin:</b>	<b>Min value:</b>
<b>Type Class:</b>	Enumerated	<b>Field Size:</b>		
<b>Answer Type:</b>	TPLANMETL	<b>Answers allowed:</b> 1	<b>ArrayMax:</b>	<b>Max value:</b>

Help Available (METALPLANSHelp)       Show Card ( )       Look Up File ( )

**Question Text:**

Is {the {CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN} plan/this plan} a platinum, gold, silver, bronze, or catastrophic plan?

HELP: F1

<b>Responses:</b>	PLATINUM PLAN .....	1	BOX_240	(PR1365)
	GOLD PLAN .....	2	BOX_240	(PR1365)
	SILVER PLAN .....	3	BOX_240	(PR1365)
	BRONZE PLAN .....	4	BOX_240	(PR1365)
	CATASTROPHIC PLAN .....	5	BOX_240	(PR1365)
	IF VOLUNTEERED: SOMETHING ELSE .....	6	BOX_240	(PR1365)
	REFUSED .....	RF	BOX_240	(PR1365)
	DON'T KNOW .....	DK	BOX_240	(PR1365)

**Display Instructions:**

Display 'the {CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN} plan'  
 if there is a current round insurer associated with the Gov't-Hospital/Physician insurance that is not 'RF' or 'DK' or EMPTY. (Check Insurance.Insurer – if PR330=2, RF, DK and there was a preloaded insurer, the preloaded insurer was set to the current insurer. Or if PR360 was answered, the current insurer was set there). Otherwise, display 'this plan'.

For '{CURRENT ROUND'S INSURER FOR GOVT- HOSPITAL/PHYSICIAN}', display the actual plan name for the current round Gov't-Hospital/Physician insurer (Insurance.Insurer). This may be a preloaded value set to the current value or the value entered at PR360.

**Testing/Editing Notes:** Variable collected at MEPSSpring2018.HX\_Main.PR\_Main  
 Variable stored at MEPSSpring2018.HX\_Main.PR\_Main

**BOX 240 (PR1365) Item Type:** Route      **Type Class:** If Then

**Route Details:** Return to the Health Insurance (HX) section.

[End of PR]