## **SpecWriter Data**

**Form Version:** 10/17/2017 4:06:21 PM

Report Type: Full Detail

Project Database: WESSQL6.MEPS\_V2

Language: English

Spec Label:

This is the cover page. Additional contents currently project specific.

MEPS\_V2
Full Detail Spec

BOX 00 (OM1005) Item Type: Route Type Class: If Then

**Route Details:** 01 Box = BOX 00, BOX 10, BOX 20, BOX 30, BOX 40, BOX 50, BOX 60

 $02 \text{ Loop} = \text{LOOP}\_10$ 

 $03 \text{ End Loop} = \text{END\_LP10}$ 

04 Single Select = OM10, OM30, OM40, OM50, OM60, OM70

10 Multiple Select with Fill in Answer Text = OM80

23 Text Field = OM90

24 Information Screen = OM20

Grid Type 1 = OM80

**BOX 10** (OM1010) Item Type: Route Type Class: If Then

**Route Details:** Context header display instructions:

Display PERS.FULLNAME, PRND.BEGREFMM, PRND.BEGREFDD,

PRND.ENDREFMM, PRND.ENDREFDD, PRND.ENDREFYY

If PRND dates are missing, use RU dates:

RUBEGMM, RUBEGDD, RUENDMM, RUENDDD

BOX 20 (OM1015) Item Type: Route Type Class: If Then

Route Details: If person currently looping on has been asked EE40 or EE50, or has a record for

GLASSES OR CONTACT LENSES created at EV20, where EV20=8 go to BOX\_30.

Otherwise, if RU member has not been asked about glasses/contact purchases at EE40 or EE50 and does not have GLASSES OR CONTACT LENSES record created,

go to OM10.

<u>OM10</u>	(OM1020)	BLAISE NAME: Glasses			
Item Type:	Question	Field kind: Datafield	ArrayMii	n: Min va	alue:
<b>Type Class:</b>	Enumerated	Field Size:			
<b>Answer Type:</b>	TYESNO	Answers allowed: 1	ArrayMa	x: Max v	alue:
☐ Help Available (	( )	☐ Show Card (	)	[	Look Up File ( )
Context Header:	{PERSON'S FI {END-DT}	RST MIDDLE AND LAST N	AME} {ST	TR-DT}	
<b>Question Text:</b>					
Did {you/{PERSON} DATE}}?	} purchase eyeglass	es or contact lenses {since {STAF	RT DATE}/b	etween {STAR	T DATE} and {END
Responses:	YES		1	BOX_30	(OM1025)
-	NO		2	BOX_30	(OM1025)
	REFUSED		RF	BOX_30	(OM1025)
	DON'T KNOW	<i>'</i>	DK	BOX_30	(OM1025)
Programmer Instructions:	If OM10 coded LENSES', go to	'1' (YES), create a record as o BOX_30.	OM-record	l for 'GLASSI	ES OR CONTACT
Display Instructions:	Display 'since {S DATE}' if round	START DATE}' if not round 5. D	isplay 'betw	een {START D	ATE} and {END
Testing/Editing Notes:		ted at MEPSSpring2018.OM_ at MEPSSpring2018_PersSec		n	
BOX 30	(OM1025)	Item Type: Route	Туре С	lass: If Then	
Route Details:		A30_N has at least 1 record f 20 and coded '9' (OTHER ME to OM30.			

**Full Detail Spec OM20** (OM1030)**BLAISE NAME:** HCareRec **Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TContinue Answers allowed:** 1 ArrayMax: Max value: ☐ Help Available ( )  $\square$  Show Card ( ) ☐ Look Up File ( ) {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT} **Context Header: Question Text:** Health care records were reported for {you/{PERSON}}. Please look at these records while answering the next set of questions. {Earlier, you mentioned {you/PERSON} } had medical purchases you wanted to talk about. This is the place where I can record that information. } PRESS 1 AND ENTER TO CONTINUE. **Responses: CONTINUE** OM30 (OM1035) ..... **Display** If a person level variable was previously set at EV25 for the person currently looping on, display **Instructions:** "Earlier you had mentioned {you/{PERSON} } had medical purchases..." Otherwise, use a null display.

Testing/Editing Variable collected at MEPSSpring2018.OM\_Main Variable stored at MEPSSpring2018\_PersSect.OM\_Main

<u>OM30</u>	(OM1035)	<b>BLAISE NAME:</b> Ambula	ance	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	<b>Answers allowed:</b> 3	ArrayMax:	Max value:
✓ Help Available	(OMTpHelp)	☐ Show Car	d ( )	Look Up File ( )
Context Header:	{PERSON'S F	TRST MIDDLE AND LAST N	NAME} {STR-D	OT} {END-DT}
Question Text:				
{Since {START DA' services?	ΓE}/Between {STA	RT DATE} and {END DATE}},	{have/has} {you/{	PERSON}} used any ambulance
				HELP:F1
Responses:	NOREFUSED	V	2 RF	
Programmer Instructions:	If coded '1', (Y	YES) create OM-record for "A	MBULANCE S	ERVICES".
Display Instructions:	Display 'Since { DATE}' if roun	{START DATE}' if not round 5. ld 5.	Display 'Between	{START DATE} and {END
Testing/Editing Notes:		cted at MEPSSpring2018.OM_d at MEPSSpring2018_PersSec		

<u>OM40</u>	<u>I40</u> <u>(OM1040)</u> <u>BLAISE NAME:</u> DisposSupplies				
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
<b>Answer Type:</b>	TYESNO	<b>Answers allowed:</b> 1	ArrayMax:	Max value:	
☐ Help Available (	)	✓ Show Card (OM	<b>I</b> -1)	☐ Look Up File ( )	
Context Header:	{PERSON'S FIF {END-DT}	RST MIDDLE AND LAST N	NAME} {STR-D	T}	
Question Text:					
	chased any disposab	DATE}/between {START DA' le supplies {that we haven't alro			
Responses:	YES		1		
-	NO		2		
	REFUSED		RF		
	DON'T KNOW		DK		
Programmer Instructions:	If coded '1' (YE	S), create OM-record for "D	ISPOSABLE SU	JPPLIES".	
Display Instructions:	Display 'since {STDATE}' if round	ΓART DATE}' if not round 5. I 5.	Display 'between {	START DATE} and {END	
		aven't already talked about as r the current round. Otherwise, u		or PM40 is coded '1' (YES) for	
Testing/Editing Notes:		ed at MEPSSpring2018.OM_ at MEPSSpring2018_PersSe			

## Other Medical Expenses (OM) Section

<u>OM50</u>	(OM1045)	<b>BLAISE NAME:</b> MedEq	uip		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min val	lue:
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	ax: Max va	lue:
☐ Help Available (	)	✓ Show Card (OM	I-2)		Look Up File ( )
Context Header:	{PERSON'S I {END-DT}	FIRST MIDDLE AND LAST N	NAME} {SI	ΓR-DT}	
Question Text:					
OM-2					
{your/{PERSON}'s} c  Responses:	YES			BOX_40	(OM1050)
	NO		2	BOX_40	(OM1050)
	REFUSED			BOX_40	(OM1050)
	DON'T KNO	W	DK	BOX_40	(OM1050)
Programmer Instructions:	If OM50 code go to BOX_4	ed '1' (YES), create OM-record 0.	for "LONG	G-TERM MED	ICAL EQUIPMENT'
Display Instructions:	Display 'since {END DATE}'	{START DATE}' if not round 5. I' if round 5.	Display 'betw	veen {START DA	ATE} and
		ve haven't already talked about as rethe current round. Otherwise, use a			coded '1' (YES) for th

BOX 40 (OM1050) Item Type: Route Type Class: If Then

Route Details: If at least one OM-record has been reported for this person (GLASSES/CONTACT

LENSES record created at EE40, EE50 or OM10 or OM30=1 'AMBULANCE SERVICES', OM40=1 'DISPOSABLE SUPPLIES', or OM50=1 'LONG-TERM

MEDICAL EQUIPMENT'), go to LOOP 10.

Otherwise, go to OM80.

<u>LOOP 10</u> (OM1055) Item Type: Route Type Class: Begin Loop

**Route Details:** For each OM-record reported, ask BOX 50-END LP10.

Loop definition: LOOP\_10 collects information on if glasses/contacts, ambulance services, disposable supplies, or long-term medical equipment were obtained at all during panel year 1 or 2, and collects charge payment information. This loop cycles on OM-record who meet the following condition:

-RU member reported any OM record type at OM30= '1' (AMBULANCE SERVICES), OM40='1' (DISPOSABLE SUPPLIES), OM50='3' (LONG-TERM MEDICAL

EQUIPMENT) OR RU member has an OM-record for "GLASSES/CONTACTS" created

at EE40, EE50, or OM10.

Loop by OM-record type in the following order: GLASSES OR CONTACT LENSES, AMBULANCE SERVICES, DISPOSABLE SUPPLIES, THEN LONG-TERM MEDICAL EQUIPMENT.

BOX 50 (OM1060) Item Type: Route Type Class: If Then

Route Details: If round 3 and persons reference period crosses between panelyear 1 and panelyear

2, continue with OM60. Otherwise, go to BOX\_60.

<u>OM60</u>	(OM1065)	<b>BLAISE NAME:</b> OMEY	ear1		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min	value:
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	ax: Ma	x value:
☐ Help Available (	)	☐ Show Card (	)		☐ Look Up File ( )
Context Header:	{PERSON'S F	IRST MIDDLE AND LAST N	NAME} {C	ME ITEM	GROUP}
Question Text:					
Did {you/{PERSON}} equipment/disposable		eglasses or contact lenses/ambular EL YEAR 1}?	nce services/	long-term me	edical
Responses:	YES		1	OM70	(OM1070)
	NO		2	OM70	(OM1070)
	REFUSED		RF	OM70	(OM1070)
	DON'T KNOW	<i>I</i>	DK	OM70	(OM1070)
Display Instructions:	lenses'.  If PERSON's cu If PERSON's cu If PERSON's cu medical equipme  If PERSON's cu display 'obtain'.	rrent OM-record being looped or	n is ambuland n is disposabl n is long-tern n is ambuland	ce services, d le supplies, d n medical equ ce services, d	isplay 'ambulance services'. isplay 'disposable supplies'. iipment, display 'long-term
Testing/Editing Notes:	Variable collec	EAR 1' display the first calendar yeted at MEPSSpring2018.OM_I at MEPSSpring2018_PersSe	_Main.OM_	_LOOP10[1	

<u>OM70</u>	(OM1070)	<b>BLAISE NAME:</b> OMEY	ear2		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min val	ue:
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	ax: Max va	lue:
☐ Help Available (	( )	☐ Show Card (	)		Look Up File ( )
Context Header:	{PERSON'S I	FIRST MIDDLE AND LAST I	NAME} {C	OME ITEM GRO	OUP}
Question Text:					
Did {you/{PERSON} equipment/disposable		reglasses or contact lenses/ambula NEL YEAR 2}?	nce services/l	long-term medica	1
Responses:	YES		1	BOX_60	(OM1075)
	NO		_	BOX_60	(OM1075)
	REFUSED			BOX_60	(OM1075)
	DON'T KNO	W	DK	BOX_60	(OM1075)
Instructions:	lenses'.  If PERSON's c  If PERSON's c  If PERSON's c  medical equipn  If PERSON's c  display 'obtain'	current OM-record being looped or	n is ambuland n is disposabl n is long-tern n is ambuland	ce services, displa le supplies, displa n medical equipme ce services, displa	y 'ambulance services'. y 'disposable supplies'. ent, display 'long-term
Testing/Editing Notes:		ected at MEPSSpring2018.OM ed at MEPSSpring2018_PersSe			)[14]
BOX 60	(OM1075)	Item Type: Route	Туре С	Class: If Then	
Route Details:		arge Payment section for this arge Payment section is com			

END LP10 (OM1080)**Item Type:** Route Type Class: End Loop **Route Details:** If there are more OM records to loop on for this person, return to LOOP\_10. Otherwise, if there are no more OM records to loop on for this person, go to OM80. **OM80** (OM1085)**BLAISE NAME:** CodeAllOMRec **Item Type:** Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TOMRecords Answers allowed:** 6 ArrayMax: Max value: □ Look Up File ( ) ☐ Help Available ( ) ☐ Show Card ( ) {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} **Context Header:** {END-DT} **Question Text:** PLEASE INDICATE ANY {ADDITIONAL} RECORDS USED FOR {PERSON} DURING UTILIZATION, CHARGE/PAYMENT, PRESCRIBED MEDICINES, AND OTHER MEDICAL EXPENSES. ENTER ALL THAT APPLY. **Responses:** CALENDAR WITH HEALTH CARE ..... 1 BOX\_70 (OM1091) ENTRIES FOR {PERSON} PROVIDER/INSURANCE STATEMENT 2 BOX 70 (OM1091) PATIENT PORTAL 3 BOX 70 (OM1091) PAYMENT RECORDS -----4 BOX 70 (OM1091) PRESCRIPTION MEDICINE BOTTLES, ..... 5 BOX\_70 (OM1091) TUBES, CONTAINERS, ETC OTHER TYPE OF RECORD ----- 7 OM90 (OM1090) NO OTHER RECORDS USED 8 BOX 70 (OM1091) **REFUSED** ----- RF **BOX** 70 (OM1091) ----- DK DON'T KNOW **BOX** 70 (OM1091)

( )

(OM1091)

**Full Detail Spec** 

**Programmer Instructions:** 

Preloaded grid type 1

Display "ADDITIONAL" if CA30 01= 1, CA30 02=1, CA30 03=1, CA30 04=1, CA30 05=1, or CA 30 07=1. Otherwise, use a null display.

**Display Instructions:** 

Col #1 Header: CA30 Responses

Instructions: Display the responses entered at the records grid CA30 01, CA30 02, CA30 03, CA30 04, CA30 05, and CA30 07. Do not display CA30 06. Display these previously recorded responses as prefilled values but not editable. Display the number associated with the event type: if CA30\_01=1, display "1", if CA30\_02=1, display "2", if CA30\_03=1, display "3", if CA30\_04=1, display "4", if CA30 05=1, display "5", if CA 30 07=1, display "7", if no records coded at CA30 01-CA30\_07, use

a null display. Display these numbers with a hyphen separating them for example: 1-3-5.

Col#2 Header: Additional Records

Instructions: Display the responses entered at OM80 (CodeAllOMRec).

Hard checks:

Cannot code OM80 (CodeAllOMRec) as 8 (NO OTHER RECORDS USED) in combination with any other codes. Display the following error message: "CANNOT CHOOSE "NO OTHER RECORDS USED" IN COMBINATION WITH OTHER RESPONSES. REVIEW YOUR RESPONSES AND

MAKE ANOTHER SELECTION."

**Testing/Editing Notes:** 

Variable collected at MEPSSpring2018.OM\_Main.OM\_RecordsTable.OM\_Records[1..1]

Variable stored at MEPSSpring2018

PersSect.OM Main.OM RecordsTable.OM Records[1..1]

**OM90** (OM1090) **BLAISE NAME:** OthOMRec **Item Type:** Question Field kind: Datafield

ArrayMin: Min value:

**Type Class:** String Field Size: 40

DON'T KNOW

**Answer Type:** {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value:

☐ Help Available (	)	☐ Show Card ( )		☐ Look Up File (
Context Header:	{PERSON'S FIRST MIDI {END-DT}	OLE AND LAST NAME} {S	TR-DT}	
Question Text: ENTER OTHER RECO	PRD.			
NOTE: BE AS SPECIF	IC AS POSSIBLE.			
Responses:			BOX_70	(OM1091)
	REFUSED	RF	BOX_70	(OM1091)

----- DK BOX 70

MEPS_V2
Full Detail Spec

Other Medical Expenses (OM) Section

Display Instructions:

Testing/Editing

Variable collected at MEPSSpring2018.OM\_Main

Notes:

Variable stored at MEPSSpring2018\_PersSect.OM\_Main

BOX 70 (OM1091) Item Type: Route Type Class: If Then

**Route Details:** Go to next section of the questionnaire.

[End of OM]