

Note

OSHA has completed a regulatory review of its existing safety and health standards in response to the President's Executive Order 13563, "Improving Regulation and Regulatory Review" (76 FR 3821). This review, the Standards Improvement Project-Phase IV (SIP-IV), was the fourth in a series of rulemaking actions to improve and streamline OSHA standards. OSHA's Standards Improvement Projects remove or revise individual requirements in safety and health standards that are confusing, outdated, duplicative or inconsistent. The goal of this rulemaking was to reduce regulatory burden while maintaining or enhancing worker safety and health.

As part of the SIP-IV rulemaking, OSHA revised a series of requirements addressing employee chest x-rays in the Agency's health standards, including the Coke Oven Emissions standard for general industry, 29 CFR 1910.1029. First, OSHA removed the requirement that employers provide periodic chest x-rays in several standards, including the Coke Oven Emissions standard for general industry. This change will eliminate worker unnecessary worker exposure to radiation, as well as reduce the cost to employers to provide periodic chest x-rays as part of the medical examinations. By removing the chest x-ray requirement, the estimated hour burden for medical examinations would be reduced by 15 minutes (.25 hour) since the examination would be shorter without the unnecessary chest x-ray and the worker would, therefore, spend less time away from the job.

Second, the Agency updated the chest x-ray requirements for several of its standards, including the Coke Ovens Emissions standard, by adding the option of digital radiography to its existing standards because digital radiography systems are rapidly replacing traditional analog film-based systems in medical facilities. OSHA is not taking burden hours for these updates to the chest x-ray requirements because the updates do not impact the time required for medical examinations.

The SIP-IV rulemaking also made some revisions that are unrelated to chest x-rays. Two of those changes affect the Agency's Coke Ovens Emissions standards. First, OSHA removed the provisions in its standards that require employers to collect and record employees' social security numbers. Second, since the provisions of the Coke Oven standard do not fit construction work, OSHA deleted the Coke Oven Emissions standard for construction, 29 CFR 1926.1129, and the reference to it in 29 CFR 1926.55. Neither the change to the social security number requirements, nor the changes related to the Coke Oven Emissions standard for construction, change the burden hours or cost estimates in this ICR.

This ICR seeks OMB approval for changes to the collection in accordance with the SIP-IV Final Rule. As noted above and described in more detail in this ICR, the SIP-IV Final Rule is expected to reduce the paperwork burden borne by employers.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

**INFORMATION COLLECTION REQUIREMENTS OF THE
COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)¹
(OMB CONTROL NO. 1218-0128 (May 2019))**

A. JUSTIFICATION

1. Explain the circumstances that make the collection of information necessary. Identify any legal or administrative requirements that necessitate the collection. Attach a copy of the appropriate section of each statute and regulation mandating or authorizing the collection of information.

The Occupational Safety and Health Act's (OSH Act) main objective is to ". . . assure so far as possible every working man and woman in the Nation safe and healthful working conditions and to preserve our human resources" (29 U.S.C. 651). To achieve this objective, the OSH Act specifically authorizes "the development and promulgation of occupational safety and health standards" (29 U.S.C. 651).

For toxic substances, the OSH Act contains specific statutory language. Thus, as appropriate, health standards must include provisions for monitoring and measuring worker exposure, medical examinations and other tests, control and technological procedures, suitable protective equipment, labels and other appropriate forms of warning, and precautions for safe use or exposure (29 U.S.C. 655 and 657). In this regard, the OSH Act mandates "regulations requiring employers to maintain accurate records of employee exposure to potentially toxic materials or other harmful physical agents which are required to be monitored and measured," and further requires that employers notify workers exposed to concentrations over prescribed limits of this fact, and of the corrective action they are taking (29 U.S.C. 657).

Under the authority granted by the OSH Act, the Occupational Safety and Health Administration (OSHA) published a health standard governing worker exposure to coke oven emissions, the Coke Oven Emissions Standard (the "COE Standard" or "Standard"), 29 CFR 1910.1029.² The purpose of the Standard is to reduce the incidence of cancer, especially lung cancer among workers exposed to coke oven emissions (COE). COE results primarily from the destructive

¹The purpose of this Supporting Statement is to analyze and describe burden hours and cost associated with provisions of this standard that contain paperwork requirements; this Supporting Statement does not provide information or guidance on how to comply with, or how to enforce, these provisions.

²29 CFR 1910.1029 is incorporated by reference in the Shipyard Employment standard (29 CFR parts 1915 and 1917). Prior to the SIP-IV Final Rule, which deleted the COE standard for construction, 29 CFR 1910.1029 was also incorporated by reference in 29 CFR 1926.1129.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

distillation or carbonization of coal during the production of coke, a process commonly found in the steel industry.

Exposure to coke oven emissions occurs to workers in the aluminum, steel, graphite, electrical, and construction industries. Chronic (long-term) exposure to coke oven emissions in humans results in conjunctivitis, severe dermatitis, and lesions of the respiratory system and digestive system. Cancer is the major concern from exposure to coke oven emissions. Epidemiologic studies of coke oven workers have reported an increase in cancer of the lung, trachea, bronchus, kidney, prostate, and other sites. Animal studies have reported tumors of the lung and skin from inhalation exposure to coal tar.

2. Indicate how, by whom, and for what purpose the information is to be used. Except for a new collection, indicate the actual use the agency has made of the information received from the current collection.

Exposure Monitoring and Measurement (§ 1910.1029(e))

Monitoring Program (§ 1910.1029(e)(1))

(i) Each employer who has a place of employment where coke oven emissions are present shall monitor employees employed in the regulated area to measure their exposure to coke oven emissions.

(ii) The employer shall obtain measurements which are representative of each employee's exposure to coke oven emissions over an eight-hour period. All measurements shall determine exposure without regard to the use of respiratory protection.

(iii) The employer shall collect fullshift (for at least seven continuous hours) personal samples, including at least one sample during each shift for each battery and each job classification within the regulated areas including at least the following job classifications: (a) Lidman; (b) Tar chaser; (c) Larry car operator; (d) Luterman; (e) Machine operator, coke side; (f) Benchman, coke side; (g) Benchman, pusher side; (h) Heater; (i) Quenching car operator; (j) Pusher machine operator; (k) Screening station operator; (l) Wharfman; (m) Oven patcher; (n) Oven repairman; (o) Spellman; and (p) Maintenance personnel.

(iv) The employer shall repeat the monitoring and measurements required by this paragraph (e) (1) at least every three months.

Purpose: Employers who expose workers to COE must perform exposure monitoring in

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

regulated areas³ to determine the extent of worker COE exposure. The employer shall obtain measurements which are representative of each worker's exposure to coke oven emissions over an eight-hour period. Employers must collect full-shift (i.e., for at least 7 continuous hours) personal samples, including at least 1 sample during each shift for each battery and each of the job classifications, without regard to the use of respiratory protection. Such monitoring assists employers in identifying areas of operation that may require additional efforts to reduce worker exposure and to come into compliance with the Standard. Exposure-monitoring results also assist employers in determining the need for engineering controls, instituting or modifying work practices, and in selecting appropriate respiratory protection to prevent workers from overexposure.

Employers must repeat exposure monitoring every 3 months for workers in COE regulated areas. The purpose of this periodic monitoring is because minor changes in processes, materials, or environmental conditions may increase the airborne concentration levels of COE. By using periodic monitoring, employers can also evaluate the effectiveness of selected control methods. In addition, these measurements remind both the employer and workers of the continuing need to protect against the hazards that could result from worker overexposure.

Redetermination (§ 1910.1029(e)(2)) Whenever there has been a production, process, or control change which may result in new or additional exposure to coke oven emissions, or whenever the employer has any other reason to suspect an increase in employee exposure, the employer shall repeat the monitoring and measurements required by paragraph (e)(1) of this section for those employees affected by such change or increase.

Purpose: The employer must perform additional monitoring if: a change occurs in COE-related production, processes, or controls that may result in new or additional worker exposure; or the employer has any other reason to suspect an increase in worker exposure. Such monitoring ensures that the work area is safe and alerts the employer that protection may still be needed.

Employee Notification (§ 1910.1029(e)(3))

(i) The employer must, within 15 working days after the receipt of the results of any monitoring performed under this section, notify each affected employee of these results either individually in writing or by posting the results in an appropriate location that is accessible to employees.

(ii) Whenever such results indicate that the representative employee exposure exceeds the

³Regulated areas consist of: the coke-oven battery, including topside and its machinery, pushside and its machinery, coke side and its machinery, battery ends, wharf, and screening station; and the beehive oven and its machinery (29 CFR 1910.1029 (d)).

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

permissible exposure limit, the employer shall, in such notification, inform each employee of that fact and of the corrective action being taken to reduce exposure to or below the permissible exposure limit.

Purpose: The employer must notify each affected worker in writing of the exposure-monitoring results within 15 working days after receiving the results. If the results exceed the permissible exposure limit (PEL), the employer must, in the written (or posted) notification of the results, inform each worker of the corrective actions the employer is taking to prevent worker overexposure.

The point of notification is to ensure that workers are aware of their exposures to OSHA-regulated substances. The Agency concluded that this goal can be met either through individual written notification or through posting the results in a location that is accessible to workers.

Compliance Program (§ 1910.1029(f)(6))

(i) Each employer shall establish and implement a written program to reduce exposures solely by means of the engineering and work practice controls required in paragraph (f) of this section.

(ii) The written program shall include at least the following:

(a) A description of each coke oven operation by battery, including work force and operating crew, coking time, operating procedures and maintenance practices;

(b) Engineering plans and other studies used to determine the controls for the coke battery;

(c) A report of the technology considered in meeting the permissible exposure limit;

(d) Monitoring data obtained in accordance with paragraph (e) of this section;

(e) A detailed schedule for the implementation of the engineering and work practice controls required in paragraph (f) of this section; and

(f) Other relevant information.

(iii) If, after implementing all controls required by paragraph (f)(2)–(f)(4) of this section, or after January 20, 1980, whichever is sooner, or after completion of a new or rehabilitated battery the permissible exposure limit is still exceeded, the employer shall develop a detailed written program and schedule for the implementation of any additional engineering controls and work practices necessary to reduce exposure to or below the permissible exposure limit.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

(iv) Written plans for such programs shall be submitted, upon request, to the Secretary and the Director, and shall be available at the worksite for examination and copying by the Secretary, the Director, and the authorized employee representative. The plans required under paragraph (f)(6) of this section shall be revised and updated at least annually to reflect the current status of the program.

Purpose: Employers must establish and implement a written program to reduce worker COE exposure to or below the PEL using the engineering and work-practice controls specified in paragraphs (e)(3)(ii),(f)(3)(i),(a), (b), (c), (f)(3)(ii),(f)(3)(iii)(b), and (f)(3)(iv) of the Standard. The written program must: Describe each coke-oven operation by battery, including work force and operating crew, coking time, mean to control coke oven emissions, operating procedures, and maintenance practices; engineering plans and other studies used to determine the controls for the coke battery; a report of the technology considered in meeting the PEL; monitoring data; and a detailed schedule for implementing the required engineering and work-practice controls. Written plans for such programs shall be submitted, upon request, to the Secretary and the director, and shall be available at the worksite for examination and copying by the Secretary, the Director, and the authorized worker representative. The plans required under paragraph (f)(6) of this section shall be revised and updated at least annually to reflect the current status of the program.

Respiratory Protection (§ 1910.1029(g))

(2) *Respirator program.* The employer must implement a respiratory protection program in accordance with § 1910.134(b) through (d) (except (d)(1)(iii)), and (f) through (m), which covers each employee required by this section to use a respirator.

Purpose: If respirators are required, the employer must establish a respiratory-protection program in accordance with 29 1910.134, paragraphs (b) through (d) (except (d)(1)(iii)), and (f) through (m). Paragraph (c) of 29 CFR 1910.134 requires employers to develop and implement a written respiratory-protection program with worksite-specific procedures, as well as elements for respirator use. The purpose of these requirements is to ensure that employers establish a standardized procedure for selecting, using, and maintaining respirators for each workplace in which respirators will be used. Developing written procedures ensures that employers implement a respirator program which covers each worker required to use a respirator. OSHA incurs the burden hours and costs resulting from these program requirements under the information collection request (ICR) for OSHA's Respiratory Protection Standard (29 CFR 1910.134), OMB Control Number 1218-0099.

Notification of Laundry Personnel (§ 1910.1029(h)(2)(vi))

The employer shall inform any person who cleans or launders protective clothing required by

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

this section of the potentially harmful effects of exposure to coke oven emissions.

Purpose: Employers must notify laundry personnel who clean or launder protective clothing of the potential harmful effects of COE. This information allows such personnel to protect themselves from COE exposure.

Medical Surveillance (§ 1910.1029(j))

General (§ 1910.1029(j)(1), (j)(2), and (j)(3))

(j) *Medical surveillance* — (1) *General requirements.* (i) Each employer shall institute a medical surveillance program for all employees who are employed in a regulated area at least 30 days per year.

(ii) This program shall provide each employee covered under paragraph (j)(1)(i) of this section with an opportunity for medical examinations in accordance with this paragraph (j).

(iii) The employer shall inform any employee who refuses any required medical examination of the possible health consequences of such refusal and shall obtain a signed statement from the employee indicating that the employee understands the risk involved in the refusal to be examined.

(iv) The employer shall assure that all medical examinations and procedures are performed by or under the supervision of a licensed physician, and are provided without cost to the employee.

(2) *Initial examinations.* At the time of initial assignment to a regulated area or upon the institution of the medical surveillance program, the employer shall provide a medical examination for employees covered under paragraph (j)(1)(i) of this section including at least the following elements:

(i) A work history and medical history which shall include smoking history and the presence and degree of respiratory symptoms, such as breathlessness, cough, sputum production, and wheezing;

(ii) 14- by 17-inch or other reasonably-sized standard film or digital posterior-anterior chest x-ray;

(iii) Pulmonary function tests including forced vital capacity (FVC) and forced expiratory volume at one second (FEV 1.0) with recording of type of equipment used;

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

(iv) Weight;

(v) A skin examination;

(vi) Urinalysis for sugar, albumin, and hematuria; and

(vii) A urinary cytology examination.

(3) *Periodic examinations.* (i) The employer shall provide the examinations specified in paragraphs (j)(2)(i) and (j)(2)(iii) through (vi) of this section at least annually for employees covered under paragraph (j)(1)(i) of this section.

(ii) The employer must provide the examinations specified in paragraphs (j)(2)(i) and (j)(2)(iii) through (vii) of this section at least annually for employees 45 years of age or older or with five (5) or more years employment in the regulated area.

(iii) Whenever an employee who is 45 years of age or older or with five (5) or more years employment in a regulated area transfers or is transferred from employment in a regulated area, the employer must continue to provide the examinations specified in paragraphs (j)(2)(i) and (j)(2)(iii) through (vii) of this section at least annually as long as that employee is employed by the same employer or a successor employer.

(iv) Whenever an employee has not taken the examinations specified in paragraphs (j)(3)(i)–(iii) of this section with the six (6) months preceding the termination of employment the employer shall provide such examinations to the employee upon termination of employment.

Purpose: Employers must implement a medical-surveillance program for workers who work in a regulated area for 30 or more days per year; these workers are referred to as "covered employees." The results of medical examinations administered under this program must be documented and maintained. Employers must inform any worker who refuses any required medical examination of the possible health consequences of such refusal and must obtain a signed statement from the worker indicating that the worker understands the risk involved in the refusal to be examined.

Documentation and maintenance of medical-examination results provide a continuous record of worker health. Physicians use these records to determine the extent to which workers have experienced COE-related health effects since their last examination. Further, if symptoms of organic damage appear, the physician often needs information about a worker's previous medical conditions to make an accurate diagnosis of the new condition, ascertain its apparent cause, and identify a course of treatment. Medical records also permit workers to determine whether or not

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

they need treatment, or to evaluate the effectiveness of their employer's exposure-reduction program.

Employers must provide an initial medical examination including work and medical history, and a standard posterior-anterior chest x-ray, pulmonary function tests (including FVC and FEV 1.0), weight, urinalysis, skin examination, and a urinary cytologic examination for each covered employee. Thereafter, employers must ensure that covered workers who are: 45 years of age or older, or who have 5 or more years of employment in a regulated area, receive an annual medical examination. Whenever a worker who is 45 years of age or older or with five (5) or more years employment in a regulated area transfers or is transferred from employment in a regulated area, the employer must continue to provide the examinations specified in paragraphs (j)(2)(i) through (j)(2)(vii) of this section at least annually as long as that worker is employed by the same employer or a successor employer. Additional tests such as lateral and oblique x-rays or additional pulmonary function tests may be performed if deemed necessary. Employers must also provide a medical examination for covered workers who have not had a medical examination within 6 months of terminating employment.

Information provided to the physician (§ 1910.1029(j)(4))

The employer shall provide the following information to the examining physician:

- (i) A copy of this regulation and its Appendixes;
- (ii) A description of the affected employee's duties as they relate to the employee's exposure;
- (iii) The employee's exposure level or estimated exposure level;
- (iv) A description of any personal protective equipment used or to be used; and
- (v) Information from previous medical examinations of the affected employee which is not readily available to the examining physician.

Purpose: The employer must provide physicians with the following information: a copy of the Standard, including the appendices; a description of the worker's duties as they relate to the worker's COE exposure; the worker's actual or estimated COE exposure; a description of personal-protective equipment used or to be used by the worker; and information from previous employment-related medical examinations of the worker that are not readily available to the physician.

Making the required information available to the physician will aid in the evaluation of the worker's health and fitness for specific job assignments involving COE exposure. As noted

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

earlier, if symptoms of organic damage appear, the physician often needs information about a worker's previous medical conditions to make an accurate diagnosis of the new condition, to ascertain its apparent cause, and to identify a course of treatment. Medical records also ensure that workers can determine whether or not treatment is needed, or to evaluate the effectiveness of the employer's exposure-reduction program.

Physician's Written Opinion (§ 1910.1029(j)(5))

(i) The employer shall obtain a written opinion from the examining physician which shall include:

(a) The results of the medical examinations;

(b) The physician's opinion as to whether the employee has any detected medical conditions which would place the employee at increased risk of material impairment of the employee's health from exposure to coke oven emissions;

(c) Any recommended limitations upon the employee's exposure to coke oven emissions or upon the use of protective clothing or equipment such as respirators; and

(d) A statement that the employee has been informed by the physician of the results of the medical examination and any medical conditions which require further explanation or treatment.

(ii) The employer shall instruct the physician not to reveal in the written opinion specific findings or diagnoses unrelated to occupational exposure.

(iii) The employer shall provide a copy of the written opinion to the affected employee.

Purpose: The employer must obtain and provide to the worker the physician's written opinion containing the following information: The results of the medical examination; the physician's opinion indicating if the worker has any medical conditions that may place the worker at increased risk of material impairment to health from continued COE exposure; any recommended limitations on the worker's COE exposure or on the use of protective clothing or equipment such as respirators; and a statement that the physician informed the worker of the results of the medical examination, including any medical conditions that require further explanation or treatment.

The purpose of requiring the employer to obtain a written opinion from the physician is to provide the employer with medical information to aid in determining the initial placement of workers, and to assess a worker's ability to use protective clothing and equipment. The

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

physician's opinion will also provide information to the employer about whether or not the worker has a condition indicating overexposure to COE. The requirement that a physician's opinion be written will ensure that the information is properly memorialized for later reference. The requirement to provide workers with a copy of the physician's written opinion will ensure that they are informed of the results of the medical examination so that they can assist in determining the need for, and evaluate the effectiveness of, treatment or other interventions.

Employee Information and Training (§ 1910.1029(k))

The requirements that employers provide training to workers under paragraph (k)(1)(i), (ii), (iii), (iv) are not considered to be a collection of information. OSHA is not taking burden for this activity under Item 12 of this Supporting Statement.

(2) Access to training materials. (i) The employer shall make a copy of this standard and its appendixes readily available to all employees who are employed in the regulated area.

(ii) The employer shall provide upon request all materials relating to the employee information and training program to the Secretary and the Director.

Purpose: Employers having the Standard readily available for workers helps ensure that they understand all provisions of the coke standard. An OSHA compliance officer reviews the training material to assess the employer's compliance with the training provisions of the standard.

Communication of Hazards (§ 1910.1029(l))

(1) *Hazard communication—general.* The employer shall include coke oven emissions in the program established to comply with the Hazard Communication Standard (HCS) (§ 1910.1200). The employer shall ensure that each employee has access to labels on containers of chemicals and substances associated with coke oven processes and to safety data sheets, and is trained in accordance with the provisions of HCS and paragraph (k) of this section. The employer shall ensure that at least the following hazard is addressed: Cancer.

(2) Signs. (i) The employer shall post signs in the regulated area bearing the legend:

DANGER
COKE OVEN EMISSIONS
MAY CAUSE CANCER
DO NOT EAT, DRINK, OR SMOKE
WEAR RESPIRATORY PROTECTION IN THIS AREA
AUTHORIZED PERSONNEL ONLY

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

(ii) In addition, the employer shall post signs in the areas where the permissible exposure limit is exceeded bearing the legend:

WEAR RESPIRATORY PROTECTION IN THIS AREA

(iii) The employer shall ensure that no statement appears on or near any sign required by this paragraph (l) which contradicts or detracts from the effects of the required sign.

(iv) The employer shall ensure that signs required by this paragraph (l)(2) are illuminated and cleaned as necessary so that the legend is readily visible.

(v) Prior to June 1, 2016, employers may use the following legend in lieu of that specified in paragraph (l)(2)(i) of this section:

DANGER
CANCER HAZARD
AUTHORIZED PERSONNEL ONLY
NO SMOKING OR EATING

(vi) Prior to June 1, 2016, employers may use the following legend in lieu of that specified in paragraph (l)(2)(ii) of this section:

DANGER
RESPIRATOR REQUIRED

(3) Labels. (i) The employer shall ensure that labels of containers of contaminated protective clothing and equipment include the following information:

CONTAMINATED WITH COKE EMISSIONS
MAY CAUSE CANCER
DO NOT REMOVE DUST BY BLOWING OR SHAKING

(ii) Prior to June 1, 2015, employers may include the following information on contaminated protective clothing and equipment in lieu of the labeling requirements in paragraph (l)(3)(i) of this section:

CAUTION

CLOTHING CONTAMINATED WITH COKE EMISSIONS
DO NOT REMOVE DUST BY BLOWING OR SHAKING

Purpose: The employer must post warning signs in regulated areas. Posting these signs serves to warn workers that they are in a hazardous area. Such signs warn workers that they can enter a regulated area only if they have authority to do so and a specific need exists to enter the area. Warning signs also supplement the training workers receive under the Standard.

Employers also must apply warning labels to all containers housing COE-contaminated protective clothing.” These hazard labels will alert personnel who launder protective clothing that the clothing is contaminated with COE, thereby allowing them to take necessary precautions to protect themselves from COE exposure.

Recordkeeping (§ 1910.1029(m))

Exposure Measurements and Medical Surveillance (§ 1910.1029(m)(1) and (m)(2))

(1) Exposure measurements. The employer shall establish and maintain an accurate record of all measurements taken to monitor employee exposure to coke oven emissions required in paragraph (e) of this section.

(i) This record shall include:

(a) Name and job classification of the employees monitored;

(b) The date(s), number, duration and results of each of the samples taken, including a description of the sampling procedure used to determine representative employee exposure where applicable;

(c) The type of respiratory protective devices worn, if any;

(d) A description of the sampling and analytical methods used and evidence of their accuracy;
and

(e) The environmental variables that could affect the measurement of employee exposure.

(ii) The employer shall maintain this record for at least 40 years or for the duration of employment plus 20 years, whichever is longer.

(2) Medical surveillance. The employer shall establish and maintain an accurate record for each

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

employee subject to medical surveillance as required by paragraph (j) of this section.

(i) The record shall include:

(a) The name and description of duties of the employee;

(b) A copy of the physician's written opinion;

(c) The signed statement of any refusal to take a medical examination under paragraph (j)(1)(ii) of this section; and

(d) Any employee medical complaints related to exposure to coke oven emissions.

(ii) The employer shall keep, or assure that the examining physician keeps, the following medical records:

(a) A copy of the medical examination results including medical and work history required under paragraph (j)(2) of this section;

(b) A description of the laboratory procedures used and a copy of any standards or guidelines used to interpret the test results;

(c) The initial x-ray;

(d) The x-rays for the most recent five (5) years;

(e) Any x-ray with a demonstrated abnormality and all subsequent x-rays;

(f) The initial cytologic examination slide and written description;

(g) The cytologic examination slide and written description for the most recent 10 years; and

(h) Any cytologic examination slides with demonstrated atypia, if such atypia persists for 3 years, and all subsequent slides and written descriptions.

(iii) The employer shall maintain medical records required under paragraph (m)(2) of this section for at least 40 years, or for the duration of employment plus 20 years, whichever is longer.

Purpose: Employers must establish and maintain exposure-monitoring and medical-surveillance records. This requirement provides both workers and employers with access to useful information. The exposure-monitoring and medical-surveillance records required by this

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

Standard will aid the worker and their physicians in determining whether or not treatment or other interventions are needed as a result of the worker's exposure to COE. The information also will enable employers to ensure that workers are not being overexposed to COE; such information may alert the employer to take additional steps to reduce COE exposures.

Exposure-monitoring records and medical-surveillance records must be kept for at least 40 years, or for the duration of employment plus 20 years, whichever is longer. Records must be kept for extended periods because of the long latency associated with the development of cancers resulting from COE exposure.

Availability (§ 1910.1029(m)(3))

(i) The employer shall make available upon request all records required to be maintained by paragraph (m) of this section to the Secretary and the Director for examination and copying.

(ii) Employee exposure measurement records and employee medical records required by this paragraph shall be provided upon request to employees, designated representatives, and the Assistant Secretary in accordance with 29 CFR 1910.1020(a)–(e) and (g)–(i).

Purpose: Employers must provide all records required by the Standard on request to OSHA and NIOSH for examination and copying. Moreover, each worker's exposure-monitoring and medical records shall be provided upon request to that worker and their designated representatives.

Transfer of Records (§ 1910.1029(m)(4))

§ 1910.1028(m)(4)

(i) Whenever the employer ceases to do business, the successor employer shall receive and retain all records required to be maintained by paragraph (m) of this section.

(ii) The employer shall comply with any additional requirements involving transfer of records set forth in 29 CFR 1910.1020(h).

Paragraph (h) of § 1910.1020 requires employers who cease to do business to transfer medical and exposure-monitoring records to the successor employer, who then must receive and maintain the records. If no successor employer is available, the employer must, at least three months before ceasing business, notify current workers who have records of their right to access these records.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

OSHA considers the employer's transfer of records to a successor employer to be usual and customary communications during the transition from one employer to a successor employer. In this regard, the employer would communicate the location of all records, including worker exposure-monitoring and medical records, at the facility to the successor employer during the transfer of business operations, as a matter of usual and customary business practice.

In addition, OSHA accounts for the burden hours and costs resulting from the worker notification requirements under the Information Collection Request (ICR) for its Access to Employee Exposure and Medical Records Standard (§ 1910.1020), OMB Control No. 1218-0065.

Purpose: Workers and their designated representatives may use these records to evaluate worker medical status over the course of employment, to determine the effectiveness of the employer's exposure reduction program, and for other reasons.

3. Describe whether, and to what extent, the collection of information involves the use of automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses, and the basis for the decision for adopting this means of collection. Also, describe any consideration of using information technology to reduce the burden.

Employers may use improved information technology when making, keeping, and preserving the required records. The Standard is written in performance-oriented language, i.e., in terms of what data to collect, not how to collect the data.

4. Describe efforts to identify duplication. Show specifically why any similar information already available cannot be used or modified for use of the purposes described in Item A.2 above.

The requirements to collect and maintain information are specific to each employer and worker involved, and no other source or agency duplicates these requirements or can make the required information available to OSHA (i.e., the required information is available only from employers).

5. If the collection of information impacts small businesses or other small entities, describe any methods used to minimize burden.

The information collection requirements of the Standard do not have a significant impact on a substantial number of small entities.

6. Describe the consequences to Federal program or policy activities if the collection is not conducted or is conducted less frequently, as well as any technical or legal obstacles to reducing burden.

The information collection frequencies specified by the Standard are the minimum necessary to ensure that employers and OSHA can effectively monitor the exposure and health status of workers exposed to COE.

7. Explain any special circumstances that would cause an information collection to be conducted in a manner:

- **Requiring respondents to report information to the agency more often than quarterly;**
- **Requiring respondents to prepare a written response to a collection of information in fewer than 30 days after receipt of it;**
- **Requiring respondents to submit more than an original and two copies of any document;**
- **Requiring respondents to retain records, other than health, medical, government contract, grant-in-aid, or tax records, for more than three years;**
- **In connection with a statistical survey that is not designed to produce valid and reliable results that can be generalized to the universe of study;**
- **Requiring the use of a statistical data classification that has not been reviewed and approved by OMB;**
- **That includes a pledge of confidentiality that is not supported by authority established in statute or regulation, that is not supported by disclosure and data security policies that are consistent with the pledge, or which unnecessarily impedes sharing of data with other agencies for compatible confidential use; or**
- **Requiring respondents to submit proprietary trade secret, or other confidential information unless the agency can demonstrate that it has instituted procedures to protect the information's confidentiality to the extent permitted by law.**

Employers are required to inform each worker either individually in writing or by posting the results of their exposure-monitoring results within 15 working days after receiving the results (29 CFR 1910.1029(e)(3)). If these results indicate worker exposures above the PEL, this written notification must state this fact and describe the corrective action the employer is taking to

reduce the worker's exposure to or below the PEL.

8. If applicable, provide a copy and identify the data and page number of publication in the Federal Register of the agency's notice, required by 5 CFR 1320.8(d), soliciting comments on the information collection prior to submission to OMB. Summarize public comments received in response to that notice and describe actions taken by the agency in response to these comments. Specifically address comments received on cost and hour burden.

Describe efforts to consult with persons outside the agency to obtain their views on the availability of data, frequency of collection, the clarity of instructions and recordkeeping, disclosure, or reporting format (if any), and on the data elements to be recorded, disclosed, or reported.

Consultation with representatives of those from whom information is to be obtained or those who must compile records should occur at least once every three years -- even if the collection of information activity is the same as in prior periods. There may be circumstances that may preclude consultation in a specific situation. These circumstances should be explained.

In accordance with 5 CFR 1320.11, OSHA has submitted a revised Coke Oven Emissions Standard (29 CFR 1910.1029) Information Collection Request (ICR) to the Office of Management and Budget (OMB) for the Standards Improvement Project-Phase IV (SIP-IV) rulemaking.

OSHA sought public comment on revisions to this package when the Agency published the SIP-IV NPRM on October 4, 2016 (81 FR 68504). The Agency received no comments in response to this notice during the comment period for the NPRM.

This ICR seeks OMB approval for changes to the collection in accordance with the SIP-IV Final Rule, which is one of OSHA's Standards Improvement Projects. These projects review existing safety and health standards in response to Executive Order 13563, "Improving Regulation and Regulatory Review" (76 FR 3821). They are intended to improve and streamline OSHA standards by removing or revising requirements that are confusing or outdated, or that duplicate, or are inconsistent with, other standards. The goal of the SIP-IV Final Rule is to reduce regulatory burden while maintaining or enhancing worker safety and health.

9. Explain any decision to provide any payment or gift to respondents, other than remuneration of contractors or grantees.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

The Agency will provide no payments or gifts to the respondents.

10. Describe any assurance of confidentiality provided to respondents and the basis for the assurance in statute, regulation, or agency policy.

To ensure that the personal information contained in medical records remains confidential, OSHA developed 29 CFR 1913.10 to regulate its access to these records.

11. Provide additional justification for any questions of a sensitive nature, such as sexual behavior and attitudes, religious beliefs, and other matters that are commonly considered private. This justification should include the reasons why the agency considers the questions necessary, the specific uses to be made of the information, the explanation to be given to persons from whom the information is requested, and any steps to be taken to obtain their consent.

None of the provisions in the Standard require sensitive information.

12. Provide estimates of the hour burden of the collection of information. The statement should:

- **Indicate the number of respondents, frequency of response, annual hour burden, and an explanation of how the burden was estimated. Unless directed to do so, agencies should not conduct special surveys to obtain information on which to base hour burden estimates. Consultation with a sample (fewer than 10) of potential respondents is desirable. If the hour burden on respondents is expected to vary widely because of differences in activity, size, or complexity, show the range of estimated hour burden, and explain the reasons for the variance. Generally, estimates should not include burden hours for customary and usual business practices.**
- **If this request for approval covers more than one form, provide separate hour burden estimates for each form and aggregate the hour burdens.**
- **Provide estimates of annualized costs to respondents for the hour burdens for collections of information, identifying and using appropriate wage rate categories.**

Wage Rates

In determining the wage rates for the various occupations that perform the information collection requirements, OSHA used the most recent data from *Occupational Employment Statistics*, Bureau of Labor Statistics (BLS), U.S. Department of Labor (DOL), May 2017. The specific wage rate for each occupation, which includes a fringe-benefit rate of 31.70 percent of total

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

compensation⁴, is provided as follow:

Table 1 -- Estimate Wage Rates

⁴This fringe-benefit rate comes from the total benefits percentage for private industry from *Employer Costs for Employee Compensation*, March 2018, U.S. Department of Labor, Bureau of Labor Statistics, p. 3, Table A. <https://www.bls.gov/news.release/ecec.nr0.htm>.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
 1218-0128
 May 2019

Occupation	SIC	Mean hourly rate	Fringe benefit	Wage rate
Supervisor/professional ⁵	51-1011	\$30.13	31.70% (1.4641)	\$44.11
Non-supervisory worker ⁶	51-0000	\$18.30	31.70% (1.4641) ⁷	\$26.79
Secretary ⁸	43-6014	\$17.75	31.70% (1.4641)	\$25.99
Industrial Hygienist ⁹	29-9011	\$35.38	31.70% (1.4641)	\$51.80

Number of Workers

In the 2015 Census Bureau, OSHA estimated there were 102,081 total workers in NAICS 331111 (Iron and Steel Mills), of which 7,289 (approximately 7.14% of 102,081) were employed in facilities producing “coke oven and blast furnace products” (NAICS 331111). Further, of these 7,289 workers, an estimated 3,426 (47% of 7,289) were employed in coke oven and blast furnace production capacities.¹⁰

⁵This mean hourly wage rate corresponds to SOC code 51-1011, “First-Line Supervisors/Managers of Production and Operating Workers.” (Source: *May 2017 National Occupational Employment and Wage Estimates, United States*, U.S. Department of Labor, Bureau of Labor Statistics.)

⁶This mean hourly wage rate corresponds to SOC code 51-0000, “Production Occupations.” (Source: *May 2017 National Occupational Employment and Wage Estimates, United States*, U.S. Department of Labor, Bureau of Labor Statistics.)

⁷Employer Costs for Employee Compensation (BLS 2017). The multiplier applied to base compensation to determine loaded wages is 1.4641 [1/(1-31.70 percent)]. Applying the multiplier (1.4641) to base compensation (\$18.30) results in loaded wages of \$26.79.

⁸This mean hourly wage rate corresponds to SOC code 43-6014, “Secretaries, Except Legal, Medical, and Executive.” (Source: *May 2017 National Occupational Employment and Wage Estimates, United States*, U.S. Department of Labor, Bureau of Labor Statistics.)

⁹This mean hourly wage rate corresponds to SOC code 29-9011, “Occupational Health and Safety Specialists.” (Source: *May 2017 National Occupational Employment and Wage Estimates, United States*, U.S. Department of Labor, Bureau of Labor Statistics.)

¹⁰Source: U.S. Census Bureau, 2015 Economic Census, Manufacturing Industry Series: Iron and Steel Mills: 2007 NAICS 331111 and 331112 are now combined into 2012 NAICS 331110. To get the updated number of employees in iron and steel mills, ERG obtained the ratio of employees in NAICS 331111 to the old total (NAICS 331111 and NAICS 331112) and applied it to the new total in NAICS 331110. (U.S. Census Bureau, 2015).

Burden-Hour and Cost Determinations

The following sections summarize the methodology used for estimating the number of burden hours and cost resulting from the information collection requirements of the COE Standard as shown in Table 2, *Summary of Burden Hours and Cost per Response*, is included as part of the Agency's response to Item 15, below. And Table 3, *Estimated Change in Burden Hours*, explains the reasons for change in burden hours for each of the following collection of information requirements found under item 15.

(A) Exposure-monitoring and Measurement (§ 1910.1029(e)(1))

1. Monitoring Program (§ 1910.1029(e)(1))

Employers must monitor worker exposure to COE in regulated areas. In doing so, they must collect full-shift (i.e., at least 7 continuous hours) personal samples, including at least 1 sample during each shift for each battery and each job classification listed in paragraph 1910.1029(e)(iii) of the Standard. In the 2009 ICR, OSHA estimated that there were 20 plants covered by the Standard which had a total of 58 batteries (an assumption of 2.9 batteries per plant).¹¹ For this ICR, OSHA estimates that there are 20 plants covered by the Standard which have a total of 55 batteries.¹²

Employers must repeat exposure-monitoring four times a year (once a quarter). Each battery operates three shifts daily with an average of 16 job classifications per shift; and an industrial hygienist on the plant staff takes four hours to collect and analyze each exposure-monitoring sample using equipment and materials available at the plant. Assuming the increase in batteries represents new production, initial exposure monitoring would also be conducted at each of the 3 new batteries. OSHA assumes that all workers in the new batteries are in regulated areas, and the initial monitoring is one of the quarterly monitoring instances required by the Standard.

Burden hours: 55 batteries x 16 job classifications/battery x 3 shifts x 4 samples/year x
4 hours/sample = 42,240 hours
Cost: 42,240 hours x \$51.80/hour = \$2,188,032

¹¹Source: American Coke and Coal Chemicals Institute, *Operating U.S. Coke Plants*. Data as of April 24, 2006. [http://www.accci.org/Coke_Plant_Listing.pdf]. David C. Ailor, Director of Regulatory Affairs, American Coke and Coal Chemicals Institute. *Principal Environmental Issues Facing the U.S. Coke Industry in 2003*. Presented October 8, 2003 [<http://www.accci.org/Ailor.pdf>].

¹²Source: American Coke and Coal Chemicals Institute, *U.S. & Canadian Coke Plants*, as of February 2016 [http://accci.org/documents/CokePlantListing_080316.pdf].

2. Redetermination (§ 1910.1029(e)(2))

Employers must perform additional monitoring if: a change occurs in COE-related production, processes, or controls that may result in new or additional exposure; or the employer has any reason to suspect an increase in worker exposure to COE. OSHA assumes that employers will conduct additional monitoring in 5% of the batteries once a year.

Burden hours: 55 batteries x .05 x 16 job classifications/battery x 3 shifts
x 4 hours/sample = 528 hours
Cost: 528 hours x \$51.80/hour = \$27,350

3. Notification of Workers (§ 1910.1029(e)(3))

Employers must notify each worker of their exposure measurements within 15 days after receipt of the results either individually with a written copy of their results or by posting the result in an appropriate location that is accessible to the worker. OSHA assumes the 20 plants would prefer to post the workers' results in a readily accessible location. OSHA estimates that a secretary would take 5 minutes (0.08 hour) to post the monitoring results.

Burden hours: 20 plants x 4 times per year x .08 hour = 6 hours
Cost: 6 hours x \$25.99 = \$156

(B) Compliance Program (§ 1910.1029 (f)(6))

The Agency assumes each of the remaining 20 plants covered by the Standard has some workers exposed above the PEL, and that these employers must review and revise their compliance programs annually. OSHA estimates that a supervisor can update a plan in 2 hours, and that a secretary will spend 1 hour preparing a plan. (\$109.3)

Burden hours: 20 plants x 1 (annually) x 3 hours = 60 hours
Cost: 60 hours x [(2 supervisor hours x \$44.11) + (1 secretary hour x \$25.99)]
= \$6,853

(C) Respiratory Protection (§ 1910.1029(g))

The Standard requires employers to implement a respiratory-protection program in accordance with the provisions of OSHA's Respiratory Protection Standard (29 CFR 1910.134). The burden for this requirement is taken under the ICR for the Respiratory Protection Standard, OMB Control Number 1218-0099.

(D) Notification of Laundry personnel (§ 1910.1029 (h)(2)(vi))

Employers must notify laundry personnel who clean or launder protective clothing of the potential hazards of COE exposure. OSHA assumes that each employer (or plant) would provide this notification in writing once a year, and that a secretary would take 5 minutes (.08 hour) to type and deliver the notice.

Burden hours: 20 employers x 1 notification/year x .08 hour = 2 hours
Cost: 2 hours x \$25.99 = \$52

(E) Medical Surveillance (§ 1910.1029(j))

1. General (§ 1910.1029(j)(1), (j)(2), and (j)(3))

Paragraph (j)(1)(ii) requires that the employer inform any worker who refuses any medical examination of possible health consequences of such refusal and obtain a signed statement from the worker indicating that the worker understands the risk involved in the refusal to be examined.

OSHA estimates there are 3,426 covered workers¹³ that may receive medical examinations. Assuming an annual separation rate of 27.10%, OSHA estimates a total of 928 new workers would be offered the option of receiving medical surveillance. For purposes of calculating burden hours and costs, the Agency believes no more than 1% would refuse to participate in COE medical surveillance program. OSHA estimates it would take a supervisor 30 minutes (.5 hour) to explain the possible medical consequences of a worker not participating, and to obtain the worker's signed statement that they understand the consequences of not participating in the medical surveillance program.

Burden hours: 9 non-participants x .5 hour = 5 hours
Cost: 5 hours x \$44.11 = \$221

All covered workers receive annual examinations as specified in paragraphs (j)(2)(i) and (j)(2)(iii)–(vi). For workers 45 years of age or older, or for workers with 5 or more years employment in regulated areas, they receive an additional urinary cytology examination ((j)(2)(vii)). The additional time for this test is negligible. Given the previous assumption that 9 workers may choose not to participate in the medical surveillance program, the Agency estimates 3,426 workers will receive annual medical examinations.

Also, OSHA estimates that 16.6% of the 3,426 workers receiving annual medical examinations (567) will require additional medical examinations. These examinations are administered if a

¹³Covered workers are workers who are employed in a regulated area at least 30 days per year.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

worker has not had an examination within six months. The total number of medical examinations is 3,984.

The burden hours for medical examinations represents the time a worker is away from the job. For the examinations administered under this Standard, the Agency estimates that a worker will be away from the job 1 hour and 40 minutes (1.67 hours).

Burden hours: 3,984 workers x 1.67 hour = 6,653 hours
Cost: 6,653 hours x \$26.79 = \$178,234

SIPS-IV FINAL

The rule removes the requirement for periodic chest x-rays from the annual exams after the initial examination has been given.

Initial and Additional Medical Examinations:

New employees would still receive chest x-rays (928 new employees - 9 non-participants) as well as those 567 employees who received additional medical examinations. Medical examinations having chest x-rays are estimated to take 1 hour and 40 minutes (1.67 hours).

Burden hours: 1,486 workers x 1.67 hour = 2,482 hours
Cost: 2,482 hours x \$26.79 = \$66,493

Periodic Medical Examinations

OSHA estimates that 2,498 workers would not receive chest x-rays as part of their annual medical examination. (3,984 total workers - minus 1,486 new and additional workers). This reduces the time for each exam by 15 minutes which means a worker will only have to be away from the job for 1 hour and 25 minutes.

Burden hours: 2,498 workers x 1.42 hour = 3,547 hours
Cost: 3,547 hours x \$26.79 = \$95,024

Total Burden Hours for Initial, Additional and Periodic Medical Examinations: 6,029 hours (A 624 burden hour reduction from the existing 6,653 burden hours).

Total Cost for Initial, Additional and Periodic Medical Examinations \$161,517 (A \$16,717 cost saving from the existing \$178,234).

2. Information Provided to the Physician (§ 1910.1029(j)(4))

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

Employers must provide the examining physician with specific information on each worker who receives a medical examination. The Agency assumes that, for each medical examination administered to a covered worker, it takes a secretary (at a wage rate of \$25.99 per hour) 5 minutes (.08 hour) to compile the required information and deliver it to the physician. Based on the analysis performed under "General" above, this Standard requires 3,984 medical examinations.

Burden hours: 3,984 examinations x .08 hour = 319 hours
Cost: 319 hours x \$25.99 = \$8,291

3. Physician's Written Opinion (§ 1910.1029(j)(5))

Employers must provide a copy of the physician's written opinion to each worker who receives a medical examination. OSHA assumes that a secretary will take 5 minutes (.08 hour) to deliver a copy of the physician's written opinion to each covered worker. Based on the analysis performed under "Information provided to the Physician" above, 3,984 medical examinations will be administered each year, resulting in the same number of opinions that must be delivered to covered workers.

Burden hours: 3,984 examinations x .08 hour = 319 hours
Cost: 319 hours x \$25.99 = \$8,291

(F) Employee Information and Training (§ 1910.1029(k))

The Standard's training requirements are not considered collection of information requirements; therefore, no burden hours are incurred from this provision.

(G) Precautionary Signs and Labels (§ 1910.1029(l))

The Standard requires employers to post warning signs in regulated areas. In addition, employers must apply warning labels to all containers housing COE-contaminated protective clothing. The Standard provides specific language for the required signs and labels; therefore no burden has been taken for this provision because OSHA is providing the required information. (See the final rule entitled "Controlling Paperwork Burden on the Public," 5 CFR 1320.3(c)(2)).

(H) Recordkeeping (§ 1910.1029(m))

1. Exposure Measurement (§ 1910.1029 (m)(1))

Employers must establish and maintain accurate records of all exposure-monitoring

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
1218-0128
May 2019

measurements taken to determine worker exposure to COE. If each of 3,417 covered workers receives 4 periodic exposure-monitoring records each year (3,417 workers x 4 measurements/year = 13,668 records), and 5% of these workers receive 1 redetermination each year (3,417 workers x 5% x 1 measurement/year = 171 records), the total number of records generated each year is 13,839 records. OSHA estimates that a secretary will take 5 minutes (.08 hour) to establish, update, and maintain each of these records.

Burden hours: 13,839 records x .08 hour = 1,107 hours
Cost: 1,107 hours x \$25.99 = \$28,771

2. Medical Surveillance (§ 1910.1029(m)(2))

As noted in the analysis conducted under “Information provided to the Physician” above, each year covered workers receive 3,984 medical examinations, resulting in the same number of medical records. OSHA estimates that a secretary would spend 5 minutes (.08 hour) establishing, updating, and maintaining each of these records.

Burden hours: 3,984 examinations x .08 hour = 319 hours
Cost: 319 hours x \$25.99 = \$8,291

3. Availability (§ 1910.1029(m)(3) and § 1910.1029(k)(2))

Employers must provide, on request, all records required by the Standard to OSHA and NIOSH for examination and copying. In addition, employers must provide worker medical and exposure-monitoring records to workers and worker representatives on request. Training materials must also be made available to workers employed in the regulated areas, OSHA, and NIOSH.

The Agency assumes that 10% of the covered workers (3,426 workers x 10% = 343 workers), which includes their designated representatives, will request access to medical, exposure-monitoring, or training materials each year. OSHA estimates that it will take a secretary 15 minutes (.25 hour) to make the records available to these workers.

Burden hours: 343 workers x .25 hour = 86 hours
Cost: 86 hours x \$25.99 = \$2,235

Table 2 – Summary of burden hours and cost per response.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
 1218-0128
 May 2019

Collection of Information	Number of Respondents	Frequency per respondent	Total Response	Time per response	Burden Hours	Wage Rate	Cost
	<i>A</i>	<i>b</i>	$c = a \times b$	<i>D</i>	$e = c \times d$	<i>F</i>	$g = e \times f$
(A) Exposure-monitoring and Measurement							
1. Monitoring Program	3,984	2.65060241	10,560	4 hours	42,240	\$51.80	\$2,188,032
2. Redetermination	3,984	0.033132530	132	4 hours	528	\$51.80	\$27,350
3. Employee Notification	3,984	0.020080321	80	0.08 hour	6	\$25.99	\$156
(B) Compliance Program	3,984	0.0050201	20	3 hours	60	\$114.21	\$6,853
(C) Respiratory Protection	3,984	0	0	0	0	0	0
(D) Notification to Laundry Personnel	3,984	0.0050201	20	0.08 hours	2	\$25.99	\$52
(E) Medical Surveillance	3,984	0.0022590	9	0.5 hour	5	\$44.11	\$221
1. General	3,984	0.37299197	1,486	1.67 hours	2,482	\$26.79	\$66,493
	3,984	0.624749	2,498	1.42 hours	3,547	\$26.79	\$95,024
2. Information Provided to the Physician	3,984	1	3,984	0.08 hour	319	\$25.99	\$8,291
3. Physician's Written Opinion	3,984	1	3,984	0.08 hour	319	\$25.99	\$8,291
(F) Employee Information and Training	3,984	0	0	0	0	0	0
(G) Precautionary Signs and	3,984	0	0	0	0	0	0

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
 1218-0128
 May 2019

Collection of Information	Number of Respondents	Frequency per respondent	Total Response	Time per response	Burden Hours	Wage Rate	Cost
	<i>A</i>	<i>b</i>	$c = a \times b$	<i>D</i>	$e = c \times d$	<i>F</i>	$g = e \times f$
Labels							
(H) Recordkeeping							
1. Exposure Measurement	3,984	3.473644578	13,839	0.08 hour	1,107	\$25.99	\$28,771
2. Medical Surveillance	3,984	1	3,984	0.08 hour	319	\$25.99	\$8,291
3. Availability	3,984	0.0860944	343	0.25	86	\$25.99	\$2,235
TOTAL			40,939		51,020		\$2,440,060

13. Provide an estimate of the total annual cost burden to respondents or recordkeepers resulting from the collection of information. (Do not include the cost of any hour burden shown in Items 12 and 14.)

- The cost estimate should be split into two components: (a) a total capital and start-up cost component (annualized over its expected useful life) and (b) a total operation and maintenance and purchase of services component. The estimates should take into account costs associated with generating, maintaining, and disclosing or providing the information. Include descriptions of methods used to estimate major cost factors including system and technology acquisition, expected useful life on capital equipment, the discount rate(s), and the time period over which costs will be incurred. Capital and start-up costs include, among other items, preparations for collecting information such as purchasing computers and software; monitoring, sampling, drilling and testing equipment; and record storage facilities.
- If cost estimates are expected to vary widely, agencies should present ranges of cost burdens and explain the reasons for the variance. The cost of purchasing or contracting out information collections services should be part of this cost burden estimate. In developing cost burden estimates, agencies may consult with a sample of respondents (fewer than 10), utilize the 60-day pre-OMB submission public comment process and use existing economic or regulatory impact analysis associated with the rulemaking containing the information collection, as appropriate.

- **Generally, estimates should not include purchases of equipment or services, or portions thereof, made: (1) prior to October 1, 1995, (2) to achieve regulatory compliance with requirements not associated with the information collection, (3) for reasons other than to provide information or keep records for the government, or (4) as part of customary and usual business or private practices.**

Medical Surveillance

Based on the analysis performed in the Medical Surveillance "General" above, OSHA estimates 3,984 medical examinations will be performed. Each medical examination would include the following: basic medical examination costing \$171.53; which includes the urinary cytology, and one x-ray costing \$73.11. The total cost per examination is \$244.64.¹⁴

Cost: 3,984 medical examinations x \$244.64 = \$974,646

SIPs IV FINAL

Chest x-rays are part of the initial and additional medical examinations:

Cost: 1,486 workers x \$244.64 = \$363,535

The rule removes the requirement for annual chest x-rays:

Cost: 2,498 workers x \$171.53 = \$428,482

Total Cost: \$792,017

The rule reduces medical examination costs from \$974,646 to \$792,017; a cost savings of \$182,629.

14. Provide estimates of annualized cost to the Federal government. Also, provide a description of the method used to estimate cost, which should include quantification of hours, operational expenses (such as equipment, overhead, printing, and support staff), and any other expense that would not have been incurred without this collection of information. Agencies may also aggregate cost estimates from Items 12, 13, and 14 in a single table.

¹⁴ *February 2017* (<http://www.bls.gov/cpi/cpid1402.pdf>). The Consumer Price Index (CPI) indicated an 11.2% increase in the price of professional medical services from March 2014 to 2017.

Usually, OSHA requests access to records during an inspection. Information collected by the Agency during the investigation is not subject to the PRA under 5 CFR 1320.4(a)(2). Therefore, OSHA takes no burden or cost in Item 14 of this Supporting Statement for disclosing information during an inspection.

15. Explain the reasons for any program changes or adjustments.

The Agency is requesting a program change decrease of 624 burden hours (from 51,644 hours to 51,020 hours). The program change decrease is due to a decrease in the number of workers receiving chest x-rays during periodic medical exams. Table 3, *Estimated Change in Burden Hours*, shows the changes in burden hours in detail by provision.

In addition, the estimated cost burden decreased as a result of the removal of periodic chest x-ray from medical examinations. As discussed in more detail in the Agency's response to Item 13, the cost decreased from \$974,646 to \$792,017— a cost savings of \$182,629.

As part of the SIP-IV rulemaking, OSHA is also removing the requirement that employers document employees' social security numbers (SSN) in their exposure and medical records. Time to document SSN in records is negligible and, therefore, the Agency is not requesting any changes in the burden hour or cost estimates as a result. OSHA is also not taking burden hours for its further updates to the chest x-ray requirements, which add the option of digital radiography, because those changes do not impact the time required for medical examinations.

Finally, the agency is deleting the Coke Oven Emissions standard, 29 CFR 1926.1129, and the reference to it in 29 CFR 1926.55, which was covered under this ICR. That deletion also results in no burden hour change.

Table 3 -- Estimated Change in Burden Hours

Information Collection Requirements	Current Burden Hours	Requested Burden Hours	Program Change	Reason for Adjustment
(A) Exposure-monitoring and Measurement				
1. Monitoring Program	42,240	42,240	0	No change

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
 1218-0128
 May 2019

2. Redetermination	528	528	0	No change
3. Employee Notification	6	6	0	No change.
(B) Compliance Program	60	60	0	No change.
(C) Respiratory Protection	0	0	0	No change.
(D) Notification to Laundry Personnel	2	2	0	No change.
(E) Medical Surveillance	5	5	0	The Agency still assumes that 1% will refuse an examination.
1. General	6,653	6,029	-624	The decrease in burden hours is a result of a program change. The Agency is no longer requiring x-rays as part of the annual periodic exams for employees.
2. Information Provided to the Physician	319	319	0	No change.
3. Physician's Written Opinion	319	319	0	No change.
(F) Employee Information and Training	0	0	0	No change.
(G) Precautionary Signs and Labels	0	0	0	No change.
(H) Recordkeeping				
1. Exposure Measurement	1,107	1,107	0	No change.
2. Medical Surveillance	319	319	0	No change.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)
 1218-0128
 May 2019

3. Availability	86	86	0	No change.
TOTAL	51,644	51,020	-624	

16. For collection of information whose results will be published, outline plans for tabulation and publication. Address any complex analytical techniques that will be used. Provide the time schedule for the entire project, including beginning and ending dates of the collection of information, completion of report, publication dates, and other actions.

The information collected under the COE Standard will not be published.

17. If seeking approval to not display the expiration date for OMB approval of the information collection, explain the reasons that display would be inappropriate.

OSHA lists current valid control numbers in §§ 1910.8, 1915.8, 1917.4, 1918.4, and 1926.5 and publishes the expiration date in the Federal Register notice announcing OMB approval of the information collection requirement. (See 5 CFR 1320.3(f)(3).) OSHA believes that this is the most appropriate and accurate mechanism to inform interested parties of these expiration dates.

18. Explain each exception to the certification statement.

OSHA is not seeking an exception to the certification statement.

B. COLLECTIONS OF INFORMATION EMPLOYING STATISTICAL METHODS

These collection of information requirements employ no statistical methods.

COKE OVEN EMISSIONS STANDARD (29 CFR 1910.1029)

1218-0128

May 2019