OMB Control Number: 0694-0139 Expiration Date: 3/31/201 Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports Exclusion Request Requirements: Only individuals or organizations operating in the United States that use steel products (e.g. flat, long, semi-finished, pipe and tube, and stainless) in business activities (e.g., construction, manufacturing, supplying steel product to users) in the United States may submit an Exclusion Request. For an Exclusion Request to be considered, the Exclusion Requester must provide factual information on 1) the single type of steel product it requires using a 10-digit HTSUS code, including its specific dimension; 2) the quantity of product required (stated in kilograms) under a one-year exclusion; 3) a full description of the properties of the steel product it seeks to import, including chemical composition, dimensions, strength, toughness, ductility, magnetic permeability, surface finish, coatings, and other relevant data. Exclusion Requests must be submitted using this Excel-based document. Paper submissions will not be accepted. A separate Exclusion Request must be submitted on each distinct type and dimension of steel product to be imported. All applicable question blocks in the form must be completed for the Exclusion Request to be accepted. Exclusion Requests will be denied if the applicant: 1) does not sufficiently address the specified reporting requirements; 2) cites the improper HTSUS code, or 3) provides incorrect product descriptions. Organizations electing to attach supporting documents must provide these documents in PDF format and it must not exceed 25 pages. All information submitted in the Exclusion Request is subject to public disclosure. Do not provide sensitive Personally Organizations should upload their completed Exclusion Request pertaining to a steel product to www.regulations.gov under Docket Number BIS-2018-0006. An Exclusion Request may be submitted at any time. Processing of an Exclusion Request will take approximately 90 business days. Notification of granted Exclusions will be posted on www.regulations.gov. For questions related directly to completing this form, contact BIS via email (steel232@bis.doc.gov) or telephone (202-482-5642). 10-Digit Harmonized Tariff Schedule Code of the United States (HTSUS) 1.a Identify the class of steel product for which the Exclusion is sought: for the single steel product covered by this request: Importer of Record for Organization Requesting an Exclusion **Requesting Organization Information** Full Organization Legal Name Full Organization Legal Name Street Address Street Address City City State State Zip Code 7in Code **Headquarters Country** Headquarters Country Point of Contact Name Point of Contact - Representative Name Phone Number Phone Number L.b E-mail Address E-mail Address Web Site Address Web Site Address Requester's Authorized Representative/Agent (If applicable) **Parent Company of Requesting Organization** Full Organization Legal Name Requester Point of Contact Name Street Address Point-of-Contact Organization Country Location State/Province Phone Number Zip Code/Postal Code E-mail Address Headquarters Country Web Site Address Web Site Address Other Information Does the parent organization hold ownership in (partially or completely), or is it otherwise If "Yes" - Identify Identify the country where the engaged as a: Steel Manufacturer; Steel Distributor; Steel Exporter or, Steel Importer? If the organization organization is headquartered "Yes" identify the activity. Comments: Total Requested Annual Exclusion Quantity in Kilograms (1 metric ton = 1.d Identify the primary type of steel activity of the Exclusion Requester: 1,000 kilograms) Comments Continued on Next Page

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued													
2.a	Average annual consumption for years 2015-2017 of the steel product that is subject of this Exclusion Request - Kilograms													
2 h	Explain why your o	explain why your organization requires an Exclusion using 1) the drop-down box to the right and 2) by providing written comments in the space provided below.												
2.b	Comments:	nents:												
2.c	2.c Identify the percentage of total steel product covered under this Exclusion Request not available from steel manufacturers in the United States:													
2.d	d Estimate the number of days required to take delivery of the steel product covered by this Exclusion Request, from the time the purchase order is issued by your organization:													
2.e	e Estimate the number of days required to manufacture the steel product covered by this Exclusion Request, from the time a binding purchase order is executed:													
2.f.	2.f. Estimate the number of days required to ship the steel product covered under this Exclusion Request, from the foreign port of departure to the Exclusion Requester's loading dock:													
2.g	Estimate the numb	per of distinct ship	ments from the fo	reign port(s) of dep	parture that will b	e needed for trans	porting to the Unit	ed States the stee	l product subject t	o this Exclusion Re	quest:			
	Identify the U.S. D	he U.S. Destination Port(s) of Entry through which the steel product subject to this Exclusion Request would be transported:												
2.h	Por	t 1	Poi	rt 2	Po	rt 3	Por	t 4	Poi	t 5	Poi	rt 6	Poi	rt 7
	Is the organization	making this Exclu	sion Request doin	g so on behalf of a	non-U.S. steel pro	ducer that does no	ot manufacture ste	el products in the	United States?					
2.i	If "Yes" identify th	e non-U.S. steel p	roducer						Identify the count	ry where the orga	nization is headqua	artered		
	Comments:													
						E	xclusion Request P	roduct Informatio	n					
				ete description of the is defined as follow		space provided be	low. * See explana	tion below.						
2.j														
	* With regard to the product for which an Exclusion is requested, such a description must be limited to a single product. The description must be limited solely to physical properties (e.g., chemical requirements, mechanical requirements, dimensions,													
		c.) and exact descriptive terms/phrases covering the product subject to the Exclusion Request (e.g., "hot-rolled," "seamless pipe," "suitable for use in boilers," "longitudinally submerged arc welded," etc.).												
	0.08%," etc.) will b	Il such physical properties must be defined based on actual, rather than nominal, measurements; references to specific dimensions (e.g., "cross-sectional diameter of 5.50 mm") or measurements (e.g., "yield strength of 300 MPa," "carbon content 0.08%," etc.) will be interpreted as meaning the exact dimension or measurement. Ranges (e.g., "cross-sectional diameter falling within the range 5.35 mm and 5.65 mm," "yield strength greater than or equal to 300 MPa," "carbon content less than or												
	equal to 0.1370, by	l to 0.15%, by weight," etc.) are allowed. Where a range is needed, it should be identified based on the end points of the range (as in the examples above), rather than through references to absolute or percentage tolerances.												
	Comments:													
							Organization	Designation		Organization	Designation		Organization	Designation
0.1			cifications for the projection of the projection	1			3			5				
2.k	k is the subject of this Exclusion Request, and provide the reference designation(s) for the identified standards organization(s), (e.g., ASTM A108-13):								4			6		
	Other (specify) Other (specify) Other (specify)													
							General Steel Pro	duct Description						
	Identify the classif	cation and prope	rties of the steel pr	roduct covered und	der this Exclusion F	Request. Other cla	ssification or prop	erties may be desc	cribed in the Comm	nent box below. (S	elect all that apply)		
	Slab	Blooms	Billets	Ingots	Flat	Long	Beams	Semi -Finished	Pipe	Tube	Stainless	Wire	Hot Rolled	Cold Rolled
2.1														
	Annealed	Plated	Electro- Plated	Galvanized	Electro- Galvanized	Zinc Plated	Aluminum Plated	Lead Plated	Tin Plated	Painted	Varnished	Plasticized	Pickled	Other (Use Comment Box)
	Comment:			. '								•		
	Continued on Next Page													

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued															
	dentify the chemical composition of the specific steel product for which your organization seeks an Exclusion. Numbers may appear rounded, but full values will be stored.															
		Chemical Composition														
	Chemical	Aluminum	Antimony	Bismuth	Boron	Carbon	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Molybdenum	Nickel		
	Minimum %															
	Maximum %															
3.a		Niobium	Nitrogen	Phosphorous	Selenium	Silicon	Sulfur	Tellurium	Titanium	Tungsten	Vanadium	Zirconium	[Other - List Below]	[Other - List Below]		
	Minimum %															
	Maximum %															
	Comments:															
	Provide the following information on the single steel product that is the subject of this Exclusion Request: 1) dimensional information for the single steel product and a single size not a range of products and or sizes (e.g., 19 mm dia. rebar - not 19, 22, 25, and 29 mm.) A separate Exclusion Request must be submitted for each steel product by physical dimension; 2) performance data for tensile strength, yield strength, hardness, impact, shear and test temperature. Numbers may appear rounded, but full values will be stored.															
			Steel Produ	ct Specifications (N	Aillimeters)	ers)			Strength			Toughness (If Applicable)				
3.b		Thickness	Inside Diameter	Outside Diameter	Length	Width	Height	Tensile Strength Mega Pascal (MPa)	Yield Strength Mega Pascal (MPa)	Hardness (specify method below - Brinnell, Rockwell, Vickers, etc.)	Test Type	Drop-Weight Tear Testing	Impact (Charpy) Testing	Other (specify type in comment box)		
											Temperature (°C)					
	Minimum										Joules					
	Maximum										% Shear					
	Comments:															
	Provide the following information on the single steel product that is the subject of this Exclusion Request: 1) performance data for ductility, magnetic permeability, surface finish; and 2) metal coating process, material type, weight, and thickness. Numbers may appear rounded, but full values will be stored.															
	may appear round	Clobal Ductility Local Ductility Magnetic Permeability Surface Finish Coating Type and Composition														
	-	Global Ductility (If Applicable)			(If Applicable)		(If Applicable)			(If Applicable)			ı			
3.c		Elongation %	Reduction -in-Area %	Hole Expansion %	Bendability (Bend Radius/Sheet Thickness [millimeter]	Magnetic Permeability [Epstein Test]	Magnetic Permeability [Greer Lab Method]	Stacked Wide Sheet [ASTM A804/ A804M-04 (2015)]	Profilometer - [SAE J911]	Coating Method	Coating Product Name and Abbreviation	Composition (e.g., Zn, Al, Si, Mg, other intentionally added elements or alloys)	Weight [Grams per Sq. Meter]	Coating Thickness [micrometers]		
	Minimum															
	Maximum															
	Select any additional processing methods used:								Other (specify)							
	Comments:						Confi									
Continued on Next Page																

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued											
	List the Commercia	the Commercial Name(s) of the single steel product that is the subject of this Exclusion Request.										
4.a												
	Comments:											
	State the 1) applic	ate the 1) application for the steel product (e.g., automotive, appliances, industrial products, structural, etc.) that is the subject of this Exclusion Request, and 2) why similar steel products manufactured in the United States, if available, are not suitable.										
4.b												
	If the Exclusion is r	needed to support U.S. national security requirements	(critical infrastructure or national de	fense systems), provide a detailed de	escription of the specific uses of this	single steel produc	t in the space below:					
4.c												
	Identify the source countries for the single steel product for which the Exclusion is requested, the annual quantity to be supplied in kilograms, and the name of the current manufacturer(s) of the steel product. If this steel product is not obtained directly from the manufacturer, identify the current supplier(s) and the country of the supplier(s). The Exclusion Request, if granted, will pertain solely to the identified supplier(s) listed in this form and the country of origin. NOTE: Steel products encompassing more than one 10-digit HTSUS code must submit a separate Exclusion Request for each pertinent code.											
		Country of Origin	Country of Export	Exclusion Quantity	Current Manufacturer		Current Supplier (if not obtained directly from manufacturer)					
4.d	1											
	2											
	3											
	4											
	5											
	- "	Product Availability Information Product Availability Information Product Availability Information Product Availability Information										
4.e	Does the Requeste	ster possess knowledge of any domestic U.S. parties that <u>currently</u> manufacture the described steel product in the United States?										
	Comment:											
	Does the Requeste	ster possess knowledge of any parties that <u>currently</u> manufacture the described steel product in a country exempted from this tariff? If yes, identify the country or countries below.										
4.f	Comment:											
	Is the Requester a	Requester aware of any manufacturers capable of producing a substitute for the steel product in the United States? If "Yes" provide supporting information (name and address) in the space below?										
4.g	Comment:											
	Has the Exclusion I the space below.	Requester attempted to <u>qualify any steel manufacture</u> Supporting documents must be submitted as a consolio	r in the <u>United States</u> as a supplier of dated PDF file and may not exceed 25	the steel product that is the subject pages.	of this Exclusion Request in the past	two years? If "Yes	" provide supporting information in					
	1			5								
4.h	3			7								
	4			8								
	Comment:											
	comment.			Continued on New Page								
				Continued on Next Page								

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued											
5.a	Has the Exclusion Requester <u>attempted to purchase the described steel product</u> that is the subject of this Exclusion Request, or a substitute, from a U.S. manufacturer in the past two years? If "Yes" identify the manufacturers, addresses, and your points of contact at the U.S. steel manufacturing organizations in the space below.											
J.a	Comment:											
		Requester <u>had supply contracts, or</u> idresses, and your points of contact		th steel producers that manufacture in tations in the space below.	n the United States t	he steel product id	entified in the Excl	usion Request? If "	Yes" identify the U.S. steel			
5.b												
_	Has the Exclusion standards/proced	Has the Exclusion Requester <u>determined that there is no U.S. manufacturer</u> that produces a near-equivalent steel product that would meet qualification requirements? If "Yes" identify in the space below the testing standards/procedures employed to make that determination (e.g., magnetic core loss, etc).										
5.c	Comment:											
	In the last two year below.	ars, has the Requester purchased a s	substitute steel product manufact	ured in the United States in place of the	ne steel product desc	ribed in the Exclus	ion Request? If "Ye	es" provide support	ing information in the space			
5.d	Comment:											
5.e	Provide a detailed explanation as to how U.S. Customs and Border Protection (CBP) will be able to reasonably distinguish the steel product subject to the Exclusion Request at time of entry, without adding undue burden to their current entry system and procedures.											
Sub disc	mission of Exclusior losure, regardless o	n Requests: All Exclusion Requests n f any statements by the Requester t	nust be fully completed and subm that some information should be t	nitted to www.regulations.gov under E treated otherwise. Any further inform	ocket Number BIS-20 ation required as a p	018-0006 using this part of this Exclusio	s Microsoft Excel e n Request will be o	lectronic form. All letermined and req	information submitted will be subje juested solely by the U.S. Departme	ct to public nt of Commerce.		
Sub may	mission of Support not exceed 25 pag	ing Documents (Attachments): Sup es.	porting attachments should be su	bmitted to www.regulations.gov as Pl	OF documents and m	ust be posted to w	ww.regulations.go	v under Docket Nu	mber BIS-2018-0006. Total support	ing submissions		
Oth	er Comments:											
	request is for a protations:	oduct from a country subject to quar	ntitative	I have additional information to p business confidential that is relev								
	Instruction: T	his Exclusion Request must	be signed by an organizat	ion official specifically author	ized to certify th	e document as	being accurat	e and complete	<u>.</u>			
				questionnaire is complete and cor			. It is a criminal	offense to willfu	ılly make a false statement or r	epresentation		
	to any department Company Name:	ent or agency of the United Sta	tes Government as to any m	atter within its jurisdiction. [18 U	.S.C. 1001 (1984 &	SUPP. 1197)]						
	Name of Authoriz	ing Official:			Title of Authorizin	ng Official:						
Phone Number:			Email of Autho	orizing Official:								
	If the Point of Con	tact is different from the Authorizin	g Official provide point-of-contact	information below.								
	Point-of-Contact N	Name:			Title							
	E-mail Address:				Phone Number							
				Paperwork Redu	uction Act Notice							
Per	the Paperwork Red	uction Act of 1995, public reporting	burden for this collection of infor	mation is estimated to average 4 hour	s per response, inclu	ding the time to re	view instructions.	search existing data	a sources, gather and maintain data	needed, and		

complete and review the collection of information. Send comments regarding this burden estimate or any other aspects of this collection of information, to 1401 Constitution Avenue, NW, HCHB 1093, Office of Technology Evaluation, Bureau of Industry and Security, U.S. Department of Commerce, Washington, DC 20230 attn: 0694-0139. Commerce may not collect this information, and you are not required to respond; unless this OMB number is displayed.