Overall Materity Practices Score Variable name for OVERALL MATERNITY PRACTICES SCORE: Total\_score

Mean of the 7 subscale scores.

# **Labor and Delivery Care Subscore**

| Measure   | Explanation  | Item   | Scoring algorithm   |
|---|--|--|---|
| Initial skin-to-skin contact  Initial breastfeeding opportunity | Reports how many patients experience mother-infant skin-to-skin contact for at least 30 minutes within 1 hour of uncomplicated vaginal birth.    | A5   | 100=Most<br>70=Many<br>30=Some<br>0=Few                   |
|   | Reports how many patients experience mother-infant skin-to-skin contact for at least 30 minutes within 2 hours for uncomplicated cesarean birth. | A11  | 100=Most<br>70=Many<br>30=Some<br>0=Few                   |
|   | Reports what percent of patients have the opportunity to breastfeed within 1 hour of uncomplicated vaginal birth                                 | A6   | 100=90%+<br>70=50-89%<br>30=10-49%<br>0=0-9%              |
|   | Reports what percent of patients have the opportunity to breastfeed within 2 hours of uncomplicated cesarean birth.                              | A12  | 100=90%+<br>70=50-89%<br>30=10-49%<br>0=0-9%              |
| Routine<br>procedures<br>performed skin-to-<br>skin             | Reports how often patients have routine infant procedures performed while mother and infant are skin-to-skin.                                    | A4   | 100=Almost Always<br>70=Often<br>30=Sometimes<br>0=Rarely |
| Labor and Delivery Care Subscale Score: LabDel_score            |  |  | Mean of the 5 item scores                                 |
| Labor and Delivery Care national percentile: LabDel_natl        |  | Percentile rank of all scores in nation  |   |
| Labor and Delivery Care state percentile: LabDel_state          |  | Percentile rank of all scores in state   |   |
| Labor and Delivery Care size percentile: LabDel_size            |  | Percentile rank of all scores among facilities reporting similar number of births per year |   |

## **Feeding of Breastfed Infants**

| Measure   | Explanation   | Item                                   | Scoring algorithm  |
|---|---|--|--|
| Initial feeding<br>received after birth                     | Reports what percent of breastfeeding patients receive breast milk as their first feeding after uncomplicated vaginal birth.  | А7                                     | 100=90%+<br>70=50-89%<br>30=10-49%<br>0=0-9%   |
|   | Reports what percent of breastfeeding patients receive breast milk as their first feeding after uncomplicated cesarean birth. | A13                                    | 100=90%+<br>70=50-89%<br>30=10-49%<br>0=0-9%   |
| Supplementary<br>feedings                                   | Reports what percent of breastfeeding infants receive non-breast milk feedings.   | A20                                    | 100=0-9%<br>70=10-49%<br>30=50-89%<br>0=90%+   |
|   | Reports whether breastfeeding patients receive glucose water and/or water.  | A21                                    | 100=Answer to both is No<br>0=At least one answer is Yes                                   |
|   | Feeding of Breastfed Infants Subscale Score: FeedBF_score   |  | Mean of the 4 item scores  |
|   | Feeding of Breastfed Infants national percentile: FeedBF_natl   |  | Percentile rank of all scores in nation  |
| Feeding of Breastfed Infants state percentile: FeedBF_state |   | Percentile rank of all scores in state |  |
|   | Feeding of Breastfed Infants size percentile: F   | eedBF_size                             | Percentile rank of all scores among facilities reporting similar number of births per year |

## **Breastfeeding Assistance**

| Measure   | Explanation  | Item  | Scoring algorithm   |
|---|--|---|---|
| Documentation of feeding decision                           | Reports how often infant feeding decisions are documented in hospital records.   | А3  | 100=Almost Always<br>70=Often<br>30=Sometimes<br>0=Rarely |
| Breastfeeding<br>advice &<br>counseling                     | Reports how many patients who are breastfeeding or intend to breastfeed are provided advice and instructions about breastfeeding.        | A15   | 100=Most<br>70=Many<br>30=Some<br>0=Few                   |
|   | Reports how many breastfeeding patients are taught to recognize and respond to infant feeding cues instead of feeding on a set schedule. | A16   | 100=Most<br>70=Many<br>30=Some<br>0=Few                   |
|   | Reports how often breastfeeding patients receive instructions to limit suckling at the breast to a specific length of time.              | A17   | 100=Rarely<br>70=Sometimes<br>30=Often<br>0=Almost always |
| Assessment & observation of breastfeeding sessions          | Reports how many breastfeeding patients received a directly observed breastfeeding assessment by hospital staff.                         | A18   | 100=Most<br>70=Many<br>30=Some<br>0=Few                   |
|   | Reports whether breastfeeding is assessed using a standardized or adapted assessment tool.   | A19   | 100=Yes<br>0=No   |
| Pacifier use  | Reports how many breastfeeding patients are given pacifiers by hospital staff.   | A24   | 100=Few<br>70=Some<br>30=Many<br>0=Most                   |
| Breastfeeding Assistance Score: BFAssist_score              |  |   | Mean of the 7 item scores.                                |
| Breastfeeding Assistance national percentile: BFAssist_natl |  | Percentile rank of all scores in nation   |   |
| Breastfeeding Assistance state percentile: BFAssist_state   |  | Percentile rank of all scores in state  |   |
| Breastfeeding Assistance size percentile: BFAssist_size     |  | Percentile rank of all scores among facilities reporting similar number of birth per year |   |

#### **Contact Between Mother and Infant**

| Measure   | Explanation   | Item  | Scoring algorithm                   |
|---|---|---|-------------------------------------|
|   |   |   | 100: No separation                  |
| Separation of mother & infant during transition                     | Reports how many minutes mother-infant patient pairs are              |   | 90: ≤30                             |
|   | separated after uncomplicated vaginal births during the transition    | A08a  | 70: 31-60                           |
|   | from labor and delivery care to their receiving patient care units.   |   | 30: 61-90                           |
|   |   |   | 0: >90                              |
|   |   |   | 100: No separation                  |
|   | Reports how many hours breastfeeding mother-infant patient pairs      |   | 90: <3                              |
|   | are separated at night.   | A28   | 70: 3-<5                            |
|   | are separated at hight.   |   | 30: 5-<8                            |
| Patient rooming-in  |   |   | 0: ≥8                               |
|   |   |   | 100=90%+                            |
|   | Reports what percent of mother-infant patient pairs room together     | A31   | 70=50-89%                           |
|   | 23 hours per day.   | 30=10-49%                                     |                                     |
|   |   |   | 0=0-9%                              |
|   | Reports the number of reasons that infant patients are removed        |   |                                     |
|   | from mothers' rooms. Potential reasons for removal included:          |   |                                     |
|   | pediatric rounds, change of shift, visiting hours, hearing test, heel |   | 100=0                               |
|   | stick, infant photos, infant's bath, mother bathing, mother out of    |   | 70=1-3                              |
|   | room. Only "mother bathing" and "mother out of room" were             | A30   |                                     |
| Instances of  | considered valid reasons for mother-infant separation. Individual     |   | 30=4-6                              |
| mother-infant   | reasons are counted (Few infants removed for the reason=0;            |   | 0=7                                 |
| separation  | Some/Many/Most infants removed for the reason=1) and then             |   |                                     |
| ·   | summed.   |   |                                     |
|   |   |   | 100=Most or All                     |
|   | Reports how many breastfeeding patients who are not rooming-in        | 420   | 70=Many                             |
|   | eceive their infant from the nursery for breastfeeding at night.      | A29   | 30=Some                             |
|   |   |   | 0=Few                               |
| Contact Between Mother and Infant Subscale Score: Contact_score     |   |   | Mean of the 5 item scores           |
| Contact Between Mother and Infant national percentile: Contact_natl |   |   |                                     |
| Contact Between Mother and Infant state percentile: Contact_state   |   | Percentile rank of all scores in state        |                                     |
|   |   |   | Percentile rank of all scores among |
|   | Contact Between Mother and Infant size percentile: C                  | facilities reporting similar number of births |                                     |
|   |   | per year                                      |                                     |

## **Facility Discharge Care**

| Measure  | Explanation   | Item                                    | Scoring algorithm  |
|--|---|---|--|
| Assurance of ambulatory breastfeeding support                        | Reports how many modes of post-discharge breastfeeding support patients are offered. To get credit for the mode, at least one support strategy within the mode had to be reported. Mode 1=Physical Contact (strategies: home visit, hospital postpartum followup visit);  Mode 2=Active Reaching Out (strategy: followup phone call to patient after discharge);  Mode 3=Referrals (strategies: hospital phone number to call, hospital-based support group, other breastfeeding support group, lactation consultant/specialist, WIC, outpatient clinic). | A33                                     | 100=All 3 modes 90=Modes 1 and 2 75=Modes 1 and 3 65=Mode 1 only 35=Modes 2 and 3 25=Mode 2 only 10=Mode 3 only 0=No modes |
| Distribution of<br>"discharge packs"<br>containing infant<br>formula | Reports whether breastfeeding patients are given "discharge packs" containing product marketing infant formula samples.   | A32                                     | 100=No<br>0=Yes  |
|  | Facility Discharge Care Subscale Score: Dx_score  |   | Mean of the 2 item scores  |
| Facility Discharge Care national percentile: Dx_natl                 |   | Percentile rank of all scores in nation |  |
|  | Facility Discharge Care state percentile  | e: Dx_state                             | Percentile rank of all scores in state   |
|  | Facility Discharge Care size percent  | ile: Dx_size                            | Percentile rank of all scores among facilities reporting similar number of births per year                                 |

# **Staff Training**

| Measure                                      | Explanation   | Item   | Scoring algorithm                             |
|--|---|--|---|
| _  |   | 100: 18+<br>75: 8 to 17<br>B1 50: 4 to 7<br>25: 1 to 3 |   |
| 1  | Reports how many hours of breastfeeding education are received                |  |   |
| staff  | by new nurses and other birth attendants <sup>†</sup> .                       |  | 25: 1 to 3                                    |
|  |   |  | 0: <1   |
|  | Reports how many hours of breastfeeding education current nurses              |  | 100: 5+                                       |
|  | and other birth attendants *received in the past year.                        | B5   | 50: 1 to 4                                    |
| Continuing                                   | and other birth attendants received in the past year.                         |  | 0: <1   |
| education                                    |   |  | 100=Most                                      |
| cadeation                                    | Reports how many nurses and other birth attendants <sup>†</sup> received any  | B4   | 70=Many                                       |
|  | breastfeeding education in the past year.                                     | D4   | 30=Some                                       |
|  |   |  | 0=Few   |
| Compotoncy                                   | Deposits how office accessed at how hinth attacked to the                     | В3   | 100: At least once a year                     |
| Competency assessment                        | Reports how often nurses and other birth attendants <sup>†</sup> are assessed |  | 50: Less than once a year                     |
| assessifient                                 | for competency in breastfeeding management and support.                       |  | 0: Not assessed                               |
|  | Staff Training Subscale Score:  | Mean of the 4 item scores                              |   |
|  | Staff Training national percentile: Train_natl                                |  | Percentile rank of all scores in nation       |
| Staff Training state percentile: Train_state |   | Percentile rank of all scores in state                 |   |
| Staff Training size percentile: Train_size   |   | Percentile rank of all scores among                    |   |
|  |   | : Train_size   | facilities reporting similar number of births |
|  |   |  | per year                                      |

<sup>†</sup>In free-standing birth centers, these questions were asked among "birth attendants" to accommodate the range of attendants to births in these facilities.

## Structural and Organizational Aspects of Care Delivery

| Measure Measure  | Explanation  | Item                                   | Scoring algorithm  |
|--|--|--|--|
| Breastfeeding policy   | Reports the number of model written breastfeeding policy elements in the facility's communication of breastfeeding policy. Aspects include: a) in-service training; b) prenatal breastfeeding classes; c) asking about mothers' feeding plans; d) initiating breastfeeding w/in 60 mins of uncomplicated vaginal birth; e) initiating breastfeeding after recovery for uncomplicated c-sections; f) showing mothers how to express milk and maintain lactation if separated from infant; g) giving only breast milk to breastfed infants; h) 24 hr / day rooming-in; i) breastfeeding on-demand and duration and frequency of feedings; j) pacifier use by breastfed infants; k) referral of mothers with breastfeeding problems; l) referral of mothers to appropriate community breastfeeding resources at discharge. Aspects worth 10 points each except: 10 points given for 'd' and/or 'e'; 10 points given for 'k' and/or 'l'. | B11                                    | 100=10<br>90=9<br>80=8<br>70=7<br>60=6<br>50=5<br>40=4<br>30=3<br>20=2<br>10=1<br>0=0  |
| Communication of breastfeeding policy                        | Reports how staff are informed about breastfeeding policies. Strategies for informing staff were divided into two modes - "in person" and "printed / online materials." Strategies categorized as being "in person" included: in-service training, new staff orientation, new staff training, and staff meeting. Strategies categorized as being "printed / online materials" included: policy is posted and newsletter. At least one strategy from the mode had to be reported for the mode to be counted.  | B12                                    | 100=In person & printed/online materials<br>70=In person only<br>30=Printed/online materials only<br>0=None  |
| Infant feeding documentation policy                          | Reports the hospital's policy for documentation of patient infant feeding plans and practices.   | C6                                     | 100=Any point during or post-stay<br>25=At admission only<br>0=No / not sure   |
| Employee<br>breastfeeding<br>support                         | Reports how many of 3 critical and 4 additional supports are provided to lactating staff after returning to work. Critical supports are: room to express milk [a]; electric breast pump for staff use [c]; permission to use work breaks to express milk [d]). Additional supports are: on-site child care [b]; breastfeeding support group for staff [e]; lactation consultant/specialist available for consult [f]; paid maternity leave other than accrued vacation or sick leave [g]. If yes to all 3 critical supports: 100. If yes to ≤2 critical supports, 35 points for each critical support and 5 points for each additional support. 0=no to all supports   | B13                                    | additional)  90=2 critical, 4 additional 85=2 critical, 3 additional 80=2 critical, 2 additional 75=2 critical, 1 additional 70=2 critical, 0 additional 70=2 critical, 4 additional 55=1 critical, 4 additional 50=1 critical, 3 additional 45=1 critical, 2 additional 40=1 critical, 1 additional 35=1 critical, 1 additional 35=1 critical, 2 additional 20=0 critical, 3 additional 15=0 critical, 3 additional 15=0 critical, 1 additional 5=0 critical, 1 additional 5=0 critical, 1 additional 0=No supports |
| Facility receipt of free infant formula                      | Reports whether the facility receives infant formula free of charge from manufacturers.  | A25                                    | 100=No<br>0=Yes / Not sure   |
| Prenatal<br>breastfeeding<br>instruction                     | Reports whether breastfeeding is a component of prenatal patient education opportunities.  | A01                                    | 100=Yes<br>0=No / Not Sure   |
| Coordination of  | Reports whether the facility has a designated person who oversees  | B08                                    | 100=Yes  |
| lactation care   | lactation care within the facility.  Structural & Organizational Subscale Score: St  | truct score                            | 0=No Mean of the 7 item scores   |
| Structural & Organizational national percentile: Struct_natl |  |  | Percentile rank of all scores in nation  |
| Structural & Organizational state percentile: Struct_state   |  | Percentile rank of all scores in state |  |
| Structural & Organizational size percentile: Struct_size     |  |  | Percentile rank of all scores among facilities reporting similar number of births per year   |