

Animal and Plant Health Inspection Service

Veterinary Services

# Goat 2019 VS Initial Questionnaire



National Animal Health Monitoring System

2150 Centre Ave Bldg B Fort Collins, CO 80526

Form Approved OMB Number 0579-0354 Expiration date:

	State FIPS: Operation	#: Interviewer:	Date:	
	Arrival time at operation:	-		
		Section A—Inventory		
1.	How many kids and goats do you have operation today?	ve on this		
	a. Preweaned Kids		g101	head
	b. Weaned Kids (less than 1 year o	ıld)	g102	head
	c. Adult does (1 year old or older)		g103	head
	d. Adult bucks and wethers (1 year	old or older)	g104	head
	e. Total [Add 1a to 1d.]		g105	head
			-	
	[IF no kids or goats, then go to Se	ction O.]		

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0579-0354. The time required to complete this information collection is estimated to average 1 hour and 15 minutes per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collected.

NAHMS-453 Date

# **Section B—Preventive Practices**

1.	Do	you have a written herd health management plan for your oper	ation?		g201		□₁Yes	□₃No
	If \	es, were any of the following resources used in the developme	nt of th	e plan?	?			
	a.	Veterinarian			g202		□₁ Yes	□₃ No
	b.	Extension (university)			g203		□₁ Yes	□ <sub>3</sub> No
	C.	Other producers			g204		□₁ Yes	□ <sub>3</sub> No
	d.	Reference materials (online or book)			g205		□₁ Yes	∏₃ No
	e.	Other (specify:) g206oth			g206		□₁ Yes	∏₃ No
2.		the last 12 months, did this operation normally require or perforr lividual animal testing for any of the following diseases:	n					
					dent goats herd		New add	
	a.	Caprine arthritis encephalitis (CAE)?g207/g215		<b>□</b> ₁ Υ€	es ∏₃ No		□₁ Yes	∏₃ No
	b.	Johne's (paratuberculosis)?g208/g216		<b>□</b> ₁ Υ€	es ∏₃ No		□₁ Yes	∏₃ No
	c.	Brucellosis?g209/g217		<b>□</b> ₁ Υ€	es ∏₃ No		□₁ Yes	∏₃ No
	d.	Q fever (coxiellosis)?g210/g218		<b>□</b> ₁ Υ€	es ∏₃ No		□₁ Yes	∏₃ No
	e.	Caseous lymphadenitis (boils, CL, abscesses)?g211/g219		[]₁ Y€	es ∏₃ No		□₁ Yes	∏₃ No
	f.	Scrapie?g212/g220		<b>□</b> ₁ Υ€	es ∏₃ No		□₁ Yes	∏₃ No
	g.	Tuberculosis?g213/g221		<b>□</b> ₁ Υ€	es ∏₃ No		□₁ Yes	∏₃ No
	h.	Other? (specify:) g214othg214/g222		<b>□</b> ₁ Υ∈	es ∏₃ No		□₁ Yes	∏₃ No
3.	boi	ring the previous 12 months, how many of your goats had absorbed ils, or lumps (typically on the head, neck, shoulder, or upper reastion 3 = 0, SKIP to question 5.]		?		g223	_	#
_								
4.		ere any of the following actions taken for animals with abscesse: ils, or lumps?	5,					
	a.	Call the veterinariang224		¹ Yes	∏₃ No			
	b.	Cull the animal to market or slaughterg225		¹ Yes	∏₃ No			
	c.	Isolate the goatsg226		¹ Yes	∏₃ No			
		i. If Yes, how many days was the goat isolated?				g227		(d)
	d.	Drain or lance the lumpsg228		¹ Yes	∏₃ No			
		i. If Yes, was the drainage disposed of away from the goat ra	aising a	areas?		g229	□₁ Yes	[]₃ <b>N</b> (
	e.	Lab tests for caseous lymphadenitis						
		(CL)/abscesses (e.g., culture, SHI test) g230		1 Yes	∏₃ No			
	f.	Treat with antibioticsg231		¹ Yes	∏₃ No			
	q.	Inject a substance into the abscess/lumpg232	Г	₁ Yes	∏₃ No			

h.	Other (specify:	) g233othg233	□₁ Yes	□ <sub>3</sub> No
----	-----------------	---------------	--------	-------------------

5. During the previous 12 months, did **any** adult or kid goats on your operation receive any vaccines?<sub>9240</sub>  $\square_1$  Yes  $\square_3$  No

#### [If question 5 = No, SKIP to question 9.]

6. Which of the following vaccines were used during the previous 12 months for [read column heading]: [Enter product code in appropriate columns for each vaccine used for the age groups listed. Use the Vaccine Reference Card attached to the back of the questionnaire. IF don't know product, write '99' in space for vaccine]

	Nursing kids	Weaned kids	Adult does	Adult bucks/ wethers	
CHECK box if you <b>didn't</b> have this class of goat →		<u></u> 1	<u>1</u>	<u></u> 1	g241/g265/g281/g297
CLOSTRIDIAL vaccines?	□₁Yes □₃No	□₁Yes □₃No	□₁Yes □₃No	□₁Yes □₃No	g242/g266g282/g298
[If column = Ye	s, enter product	code for vaccin	e used.]		
a. Clostridium type C and D for enterotoxemia (overeating disease, bloody scours, pulpy kidney disease) [Not as part of a 7/8 way.]     b. Tetanus (Cl. tetani) [Not as part of a					g244/g268/g284/g300 - - g245/g269g285/g301
7/8 way.]  c. 7- or 8 way vaccine (Blackleg, malignant edema, Clostridium chauvoei and/or Cl. septicum) and/or Cl. novyi and/or Cl. Sordellii and C D and T)					g246/g270/g286/g302
RESPIRATORY vaccines?	□₁Yes □₃No	□₁Yes □₃No	□₁Yes □₃No	□₁Yes □₃No	g247/g271/g287/g303
d. Pneumonia (Pasteurella/Mannheimia)					g248/g272/g288/g304
e. BRSV					g249/g273/g289/g305
f. Other respiratory vaccines					g250/g274/g290/g306
MASTITIS vaccines?			□₁Yes □₃No		g251
g. Staph. aureus					g252
h. Gram negative (E. coli, J5)					g253
i. Other mastitis vaccines					g254
ANTI-ABORTION vaccines?			□₁Yes □₃No		g255
j. EAE (Chlamydiophila abortus)					g256
k. Leptospirosis					g257
I. Campylobacter fetus/ jejuni (vibrio)					g258
OTHER vaccines?	□₁Yes □₃No	□₁Yes □₃No	□₁Yes □₃No	□₁ Yes □₃No	g259/g275/g291/g307
m. CL (Abscesses, caseous lymphadenitis) n. Sore mouth					g260/g276/g292/g308
(contagious ecthyma)					g261/g277/g293/g309
o. Rabies					g262/g278/g294/g310
p. Scour control					g263/g279/g295/g311
g. Other vaccines					g264/g280/g296/g312

#### [If question 6a (Clostridium C and D) and question 6c = missing for adult does, SKIP to question 8.] 7. How frequently were adult does vaccinated for Clostridium C and D? [Check one only.]. a313 $\square_1$ 3 to 4 times a year □₂ Twice a year ∏<sub>3</sub> Annually $\square_4$ Less often than annually 8. Who vaccinated goats for sore mouth during the previous 12 months and did they wear gloves when administering the vaccine? $\prod_1$ NA (sore mouth vaccine not used) **SKIP to question 9. Gave vaccine** If Yes, were gloves worn? Veterinarian.....g314/g318 □₁ Yes □□₃ No □₁ Yes □₂ DK □□₃ No ∏₁ Yes ∏∏₃ No $\Pi_1$ Yes $\Pi_2$ DK $\Pi\Pi_3$ No Owner/operator....g316/g320 □₁ Yes □□₃ No □₁ Yes □₂ DK □□₃ No Other (specify: \_\_\_\_\_\_) g317oth......g317/g321 □₁ Yes □□₃ No □₁ Yes □₂ DK □□₃ No [If question 8 is answered, SKIP to question 10.] 9. How important were the following reasons for **not** using sore mouth vaccine in your herd? High cost.....g322 □₁ Very ☐₂ Somewhat □<sub>3</sub> Not $\prod_2$ Somewhat Not easily obtainable.....g323 □₁ Very $\prod_3$ Not Mode of administration not convenient.....g324 □₁ Very $\prod_2$ Somewhat ∏₃ Not Vaccine is live.....g325 d. □₁ Very $\square_2$ Somewhat ∏₃ Not Other goat owner/producer recommended against it.....g326 □₁ Very $\square_2$ Somewhat □<sub>3</sub> Not f. Veterinarian recommended against it.....g327 □₁ Very □₂ Somewhat ∏₃ Not No history of sore mouth.....g328 ∏₁ Very $\prod_2$ Somewhat $\prod_3$ Not g. Did not know it was available.....g329 ∏₁ Very $\prod_2$ Somewhat ∏₃ Not 10. Do you currently have any of the following type(s) of herd health management or certification program(s) specifically to control or prevent Johne's disease in your herd? A unique program developed specifically for this operation.....g330 □ ₁ Yes ∏₃ No

A State-sponsored certification program.....g331

b.

□
₁ Yes

∏₁ Yes

∏₃ No

 $\prod_3$  No

	hich of the following measures do y hne's disease in your herd?	ou practice to prev	ent			
a.	Obtain newly acquired breeding of from Johne's-negative herds		□₁ Yes	∏₃ No	□₄ NA (no breeding does/bucks a	acquired)
b.	Use known, reputable source(s) goats (not sale barn)		□₁ Yes	∏₃ No	□₄ NA (no goats added)	
C.	Prohibit contact with goats from other operations	g335	□₁ Yes	∏₃ No		
d.	Do not expose kids to feces of in or unknown status does		□₁ Yes	∏₃ No	□₄ NA (no kids or no does)	
e.	Conduct definitive tests for Johne at necropsy		□₁ Yes	∏₃ No	□₄ Don't know	
f.	Other measures (specify:	) g338othg338	□₁ Yes	∏₃ No		
g.	Test any goats, sheep, or cows for	or Johne's g339	□₁ Yes	∏₃ No		
	a. The goat herd annually	□₁ Yes □₃ No gs	Ble Ot	What ty ecal bood her specify:	ype of test(s) are used: 1 Yes	
	b. Any goats with clinical signs (chronic weight loss despite a good appetite)	☐1 Yes ☐3 No ☐4 NA (no goats voiclinical signs) g341	with Bloom	ecal bood her pecify: _	☐1 Yes ☐3 NO g346f ☐1 Yes ☐3 NO g346b ☐1 Yes ☐3 NO g346o ☐1 yes ☐3 NO g346o ☐3 G3460th	
	c. All incoming goats	$\square_1$ Yes $\square_3$ No $\square_4$ NA (no goats added) $_{9^{342}}$	Ble Ot	ecal bod her specify: _	☐1 Yes ☐3 NO g347f ☐1 Yes ☐3 NO g347b ☐1 Yes ☐3 NO g347o ☐93470th	
	d. All incoming sheep	☐1 Yes ☐3 No ☐4 NA (no sheep added) 9343	Ble Ot	ecal bod her pecify: _	☐ <sub>1</sub> Yes ☐ <sub>3</sub> No <sub>g348f</sub> ☐ <sub>1</sub> Yes ☐ <sub>3</sub> No <sub>g348b</sub> ☐ <sub>1</sub> Yes ☐ <sub>3</sub> No <sub>g348o</sub> ☐ <sub>9348oth</sub>	
	e. All incoming cows	$\square_1$ Yes $\square_3$ No $\square_4$ NA (no cows added) $_{9^{344}}$	Fe Bl	ecal bood her pecify:	☐ Yes ☐ NO g349f ☐ Yes ☐ NO g349b ☐ Yes ☐ NO g349o ☐ yes ☐ 3 NO g349o ☐ g349oth	

12, In the previous 12 months, were any paid or unpaid personnel, including owners and family members, who had duties directly related to raising goats trained in the following procedures?

If Yes, enter the code indicating the **primary** person responsible for providing each type of training.

Trainiı	ng Personnel Codes
1 = Owner	4 = Veterinarian
2 = Manager/herdsman	5 = University/extension personnel
3 = Other employees	6 = Other (specify:) <sub>д356ОТН</sub>

Procedure	Training provided?	Training personnel code	
a. Identifying sick or injured animals	□₁Yes □₃No		G357/G366
b. Animal handling	□₁Yes □₃No		G358/G367
c. Euthanasia	□₁Yes □₂NA □₃No		G359/G368
d. Kid rearing practices	□₁ Yes □₂ NA □₃ No		G360/G369
e. Husbandry procedures (e.g., disbudding, castration, tattooing)	□₁Yes □₂NA □₃No		G361/G370
f. Transportation of goats	□₁Yes □₃No		G362/G371
g. Milking routines	□₁Yes □₂NA □₃No		G363/G372
h. Feeding and nutrition	□₁Yes □₃No		G364/G373
i. Goat behavior	□₁Yes □₃No		G365/G374
j. Other (Specify)	□₁Yes □₃No		G375OTH

# **Section C—Kidding Management**

1.	During the previous 12 months, were any kids born on this operation? <sub>9401</sub>	□₁ Yes	∏₃ No
No	te: All remaining questions refer to the last completed kidding period.		
[If	question 1 = No, SKIP to section D.]		
2.	During the most recently completed kidding period:		
	a. How many kids were born alive:g402		#
	b. How many kids were born dead:g403		#
	c. Total kids born (2a+2b)g404	_	#
3.	During the most recently completed kidding period:		
	a. How frequently (in hours) were kidding areas checked for newborns?9405	-	h
	b. How often were navels dipped on newborn kids with a		
	chlorhexidine or iodine solution? $g_{413}$ $\Box_1$ Always $\Box_2$ Sometimes	mes 🛚 3	Never
	c. Were kids physically separated from their dams prior to weaning off milk? <sub>9406</sub>	□₁ Yes	∏₃ No

4.	During the most recently completed kidding period, How following birth were buck and doe kids separated from their dams? [If <1 hour, enter closest quarter hour.]	
	a. Doe kidsg407/g409/g411	$\prod_1$ Removed immediately <b>OR</b> h <b>OR</b> d
	b. Buck kidsg408/g410/g412	☐₁ Removed immediately <b>OR</b> h <b>OR</b> d
	ote: For the purposes of the next three questions, kidd pecific areas to which does are moved to kid.	ling areas are
5.	During the most recently completed kidding period, did to use a separate area, specifically for kidding?	
[If	question 5 = No, SKIP to question 8.]	
6.	On average, how many hours or days are does in the se [Answer to nearest quarter hour if <1 h.]	eparate kidding area/pen?
	a. Prior to kidding [Enter 0 if moved during kidding.]	h <b>OR</b> d
	b. After kidding [Enter 0 if removed immediately after k	<i>idding.</i> ] h <b>OR</b> d
7.	During the most recently completed kidding period, how and disinfected? [Check one only for each column] Note: Cleaning is defined as removing all bedding and fe with clean bedding material.  Note: A chemical disinfectant includes: 1:10 bleach dilution SynPhenol-3®) or an accelerated hydrogen peroxide pro [Check one only for each column.]	ecal material and replacing ion, phenolic product (1 Stroke Environ® or
	Cleaning	Disinfection
	□₁ Never cleaned	□₁ Never disinfected
	$\square_2$ Cleaned once at the end of the kidding season	$\square_2$ Disinfected once at the end of the kidding season
	☐₃ Cleaned multiple times throughout the kidding season	☐3 Disinfected multiple times throughout the kidding season
	☐4 Cleaned after each kidding	☐₄ Disinfected after each kidding
		☐ <sub>5</sub> Other (specify:) g420oth g420
8.	What percentage of newborn does and bucks received of a. Hand feeding only; kids were separated from the monafter birth and hand fed (e.g., teat feeder/bottle/tube	Doe kids Buck kids others immediately
	b. Both nursing the doe and hand feeding	,
	c. Nursing only	
	c. Nursing only	100% 100%
[If	f questions 8c does and bucks = $100\%$ (nursing only),	
9.	During the most recently completed kidding period, how majority of newborn does and bucks get their first hand-full [If <1 hour, enter closest quarter hour.]	
	a. Doe kids	g436/g438

	b.	Buck kidsg437/g439	] <sub>1</sub> Fed immediately	<b>OR</b> h
10.	Hov	w were the newborn doe and buck kids that were hand fed colostrum (questi	on 8) normally fed?	
			Doe kids	Buck kids
			[Check one only.	[Check one only.]
	a.	Bottleg440/g	443	$\square_1$
	b.	Tube feeder (esophageal feeder)g441/g	444 🔲 2	$\square_2$
	c.	Bucketg442/g	445 3	<u></u> 3
11.		w many ounces of colostrum was normally by hand to newborn doe and buck kids		
			Doe kids	Buck kids
	a.	At the first feeding? [If allowed to nurse prior to hand feeding, enter 0.]		0Z
	b.	Total for all <b>subsequent</b> feedings in the first 24 h?g447/g450		0Z
	c.	Total in the first 24 h (should equal a + b)?g448/g451		0z
12.	wh	ring the most recently completed kidding period, for the <b>first</b> colostrum feedi at percentage of doe and buck kids on this operation assumed colostrum from the following sources (for kids that nursed at first fee	-	n option 12a)? <b>Buck kids</b>
	a.	Individual doe unpasteurized colostrumg452/g459		%
	b.	Individual doe pasteurized colostrumg453/g460		%
	c.	Pooled (mixed from multiple does) unpasteurized colostrumg454/g461		%
	d.	Pooled (mixed from multiple does) pasteurized colostrumg455/g462		%
	e.	Commercial colostrum replacer or supplementsg456/g463		%
	f.	Cow colostrumg457/g464		%
	g.	Other (specify:) g4580thg458/g465		%
			100%	100%
13.		at was the primary method used to store colostrum? neck one only.]		g466
		Do not store colostrum		
	$\square_2$	Stored without refrigeration		
	Пз	Stored in a refrigerator		
	<u></u> 4	Stored in a freezer		
	<u></u>	Other (specify:) g4660th		
14.		the most recent kid crop, what percentage of doe and buck kids eived the following liquid diet types:	Doe kids	Buck kids
	a.	Nursing onlyg467a/g478a		%
	b.	Nursed plus other liquid dietg467b/g478b		%

	C.	Other liquid diet onlyg467c/g478c		%
	d.	Totalg467d/g478d	100%	100%
[IF	14a	= 100% for both does and bucks, SKIP to section D.]		
15.	Wh	at percent of doe and buck kids received the following liquid diet types:	Doe kids	Buck kids
	a.	Unpasteurized goat milkg468/g479		%
	b.	Pasteurized goat milkg469/g480		%
	C.	Unpasteurized waste goat milkg470/g481		%
	d.	Pasteurized waste goat milkg471/g482		%
	e.	Cow milkg472/g483		%
	f.	Nonmedicated goat milk replacerg473/g484		%
	g.	Medicated goat milk replacerg474/g485		%
	h.	Nonmedicated cow milk replacerg475/g486		%
	i.	Medicated cow milk replacerg476/g487		%
	j.	Other (specify:) g4770thg477/g488		%
		[Total can be >100% if kids are fed multiple liquid diet types.]		
	Of	those kids that received medicated cow milk replacer feet those kids that received medicated cow milk replacer, which of the owing medications were in the milk replacer?  CTC (chlortetracycline)		-
	b.	OTC (oxytetracycline)	_	
	C.	NT, Neo-Terramycin®, Neo-Oxy (neomycin and oxytetracycline)	_	
	d.	Deccox® (decoquinate)	_	
		vatec® (lasalocid)		_2 DK
	f.	Other (specify:) g4940th		
17.		cluding kids that nursed <b>only</b> , what percentage of doe and buck kids re fed milk or milk replacer using the following equipment:		
			Doe kids	Buck kids
	a.	Bottleg495/g500		%
	b.	Bucketg496/g501		%
	C.	Trough or mob feeder (e.g., milk bar)g497/g502	<del></del>	%
	d.	In-line milk feeding system (free choice)g498/g503	<del></del>	%
	e.	Other (specify:) g4990thg499/g504		%
		[Total can be >100% if kids are fed with multiple methods.]		
18.		the most recent kid crop, how frequently was milk feeding equipment eaned and disinfected? [Check one only for each column.]		

A chemical disinfectant includes: 1:10 bleach dilution, phenolic product (1 Stroke Environ® or SynPhenol-3®) or an accelerated hydrogen peroxide product (Intervention®)

9

	leaning (rinsed with water ± soap)	Disinfection		
Ш	1 Never cleaned	□₁ Never disinfected		
	After the kids were weaned and moved	$\square_2$ After the kids were weaned and	moved	
	Less than once a day	□₃ Less than once a day		
	Once a day	□₄ Once a day		
	5 After each feeding	□ <sub>5</sub> After each feeding		
	6 Other (specify:) g505oth g505	☐ <sub>6</sub> Other (specify:	) g506oth	g506
	Section D	—Parasite Control		
	hich of the following categories best describes your use ard/eye color score? [Check one only.]	e of the FAMACHA©		g601
	$I_1$ Had not heard of the FAMACHA© card before this st	udy		
С	${\sf I}_2$ Have seen or heard about the FAMACHA© card, but	do not use		
	13 Have used the FAMACHA© card some			
	$_{ m I_4}$ Regularly use the FAMACHA© card as management	tool		
_	14 Regularly use the PAMACHA® Card as management	tooi		
qu	estion 1 = 1 or 2, SKIP to question 3.]			
D	o you use the FAMACHA© card to:			
a	Identify or cull worm-susceptible goats or kids?	g602	□₁ Yes	∏₃ No
b	Selectively deworm goats or kids (e.g., only goats with certain scores are dewormed)?	g603	□₁ Yes	∏₃ No
C.			_ ∏₁ Yes	_ ∏₃ No
	· · · · · · · · · · · · · · · · · · ·	_, ,	<u> </u>	
	ring the previous 12 months, how many <b>goats</b> were <b>tes</b>			ш
	ring the previous 12 months, how many <b>goats</b> were <b>tes</b> ernal parasites by any fecal test method listed in questio		g605	#
inte			g605 _	#
qu D	ernal parasites by any fecal test method listed in questio	n 4 below?g <b>tests</b> were performed		
qu D	ernal parasites by any fecal test method listed in question settion 3 = 0, SKIP to question 6.]  uring the previous 12 months, how many of the following on goats in your herd? (Count each test separately. For expitation, put "40" in 4.a. below)	g <b>tests</b> were performed example, if you have 20 goats and each	n one was tes	sted twic
qu D o flo	ernal parasites by any fecal test method listed in question estion 3 = 0, SKIP to question 6.]  uring the previous 12 months, how many of the following goats in your herd? (Count each test separately. For extation, put "40" in 4.a. below)  Fecal flotation or fecal egg count (not as part of a fecal	g <b>tests</b> were performed example, if you have 20 goats and each	n one was tes	sted twic
qu D o flo	ernal parasites by any fecal test method listed in question settion 3 = 0, SKIP to question 6.]  uring the previous 12 months, how many of the following goats in your herd? (Count each test separately. For expanding, put "40" in 4.a. below)  Fecal flotation or fecal egg count (not as part of a fecal flotation or fecal egg count (not as part of a fecal flotation)	g <b>tests</b> were performed example, if you have 20 goats and each all egg count reduction test)before and after deworming)	one was tes	sted twic
qu Do flo	ernal parasites by any fecal test method listed in question estion 3 = 0, SKIP to question 6.]  uring the previous 12 months, how many of the following goats in your herd? (Count each test separately. For estation, put "40" in 4.a. below)  Fecal flotation or fecal egg count (not as part of a fecal egg count reduction test (fecal egg count both [Count pre- and post-deworming as one.]	g <b>tests</b> were performed example, if you have 20 goats and each all egg count reduction test)before and after deworming)	n one was tes g606	ted twic
qu Do flo	ernal parasites by any fecal test method listed in question estion 3 = 0, SKIP to question 6.]  uring the previous 12 months, how many of the following goats in your herd? (Count each test separately. For expectation, put "40" in 4.a. below)  Fecal flotation or fecal egg count (not as part of a fecal egg count reduction test (fecal egg count both [Count pre- and post-deworming as one.]  DrenchRite® (lab test for resistance to dewormers)	g <b>tests</b> were performed example, if you have 20 goats and each al egg count reduction test)before and after deworming)	one was tes g606 - g607 -	######################################
qu Do flo a b	ernal parasites by any fecal test method listed in question estion 3 = 0, SKIP to question 6.]  uring the previous 12 months, how many of the following goats in your herd? (Count each test separately. For estation, put "40" in 4.a. below)  Fecal flotation or fecal egg count (not as part of a fecal egg count reduction test (fecal egg count both [Count pre- and post-deworming as one.]  DrenchRite® (lab test for resistance to dewormers)	g <b>tests</b> were performed example, if you have 20 goats and each al egg count reduction test)before and after deworming)	one was tes g606 - g607 -	######################################
qu Do flo	ernal parasites by any fecal test method listed in question estion 3 = 0, SKIP to question 6.]  uring the previous 12 months, how many of the following goats in your herd? (Count each test separately. For expectation, put "40" in 4.a. below)  Fecal flotation or fecal egg count (not as part of a fecal egg count reduction test (fecal egg count both [Count pre- and post-deworming as one.]  DrenchRite® (lab test for resistance to dewormers)	g <b>tests</b> were performed example, if you have 20 goats and each al egg count reduction test)before and after deworming)	one was tes g606 - g607 -	
pinte qu Door floor a b c d da Door floor da Door floor da Door da Doo	estion 3 = 0, SKIP to question 6.]  uring the previous 12 months, how many of the following goats in your herd? (Count each test separately. For extation, put "40" in 4.a. below)  Fecal flotation or fecal egg count (not as part of a fecal egg count reduction test (fecal egg count both [Count pre- and post-deworming as one.]  DrenchRite® (lab test for resistance to dewormers)  Other (specify:	g <b>tests</b> were performed example, if you have 20 goats and each all egg count reduction test)	one was tes g606 - g607 -	######################################
pinte qu Door floor a b c d da Door floor da Door floor da Door da Doo	estion 3 = 0, SKIP to question 6.]  uring the previous 12 months, how many of the following goats in your herd? (Count each test separately. For extation, put "40" in 4.a. below)  Fecal flotation or fecal egg count (not as part of a fecal egg count reduction test (fecal egg count both [Count pre- and post-deworming as one.]  DrenchRite® (lab test for resistance to dewormers)  Other (specify:	g <b>tests</b> were performed example, if you have 20 goats and each all egg count reduction test)	one was tes g606 - g607 -	######################################

☐₃ State/university laboratory

	∐4	Private laboratory			
	<b>□</b> 4	Other (specify:) g610oth			
		ring the <b>previous 3 years</b> , did you <b>deworm</b> any goats th medications or natural/alternative dewormers?	g611	□₁ Yes	∏₃ No
[If q	lue	stion 6 = No, SKIP to question 11.]			
		ring the previous <b>12 months,</b> how many kids d adult goats on this operation were:			
			Kids	Adu	lts
	a.	Never dewormedg612/g615			_#
	b.	Dewormed onceg613/g616			_#
	C.	Dewormed twiceg614/g617			_#
	d.	Dewormed three or more timesg618/g619			_#
Ίf α	ше	stion-7b-7d for both kids and adults=0 (never dewormed), SKIP to question 11	1		
4	ļuc.	Short-ru for both kids and addits-o (never dewormed), Skir to question 11	]		
		d you use any of the following products to treat for <b>worms</b> (do not include atment for <i>Coccidia</i> ) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the <b>Anthelmin</b> t	tic Referenc	e Card.]	
		atment for Coccidia) during the previous 12 months?		e <b>Card</b> .] ′es	∏₄ DK
	trea	atment for Coccidia) during the previous 12 months? [For help categorizing specific products into anthelmintic class use the <b>Anthelmin</b>		-	∏₄ DK
	trea	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the <b>Anthelmin</b> High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	<u>□</u> 1 Y	-	
	trea	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Anthelmin High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	□1 Y	'es	□ <sub>4</sub> DK
	trea	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Anthelmin  High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	□1 Y □1 Y □1 Y	'es □₃ No 'es □₃ No	4 DK 4 DK
	trea	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Anthelmini  High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	□1 Y □1 Y □1 Y □1 Y	'es □₃ No 'es □₃ No 'es □₃ No	□ <sub>4</sub> DK □ <sub>4</sub> DK □ <sub>4</sub> DK
	trea	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Ant	1 Y	es □₃ No es □₃ No es □₃ No	□ <sub>4</sub> DK □ <sub>4</sub> DK □ <sub>4</sub> DK □ <sub>4</sub> DK
	a. b.	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Anthelmint  High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	1 Y	es □₃ No	□4 DK □4 DK □4 DK □4 DK □4 DK
	a. b.	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Ant	_1 Y _1 Y _1 Y _1 Y _1 Y _1 Y aste _2 Injec	es □₃ No	□4 DK
	a. b.	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Anthelminian High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	_1 Y _1 Y _1 Y _1 Y _1 Y aste _2 Injec _1 Y	es □₃ No	□4 DK
	a. b.	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Anthelminian High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	_1 Y _1 Y _1 Y _1 Y _1 Y aste _2 Injec _1 Y _3 Other (sp	res □₃ No	□4 DK
	a. b.	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Anthelminian High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	□1 Y □1 Y □1 Y □1 Y □1 Y □1 Y aste □2 Inject □1 Y □1 Y □1 Y	es □₃ No	□4 DK
	a. b.	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Anthelmini  High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	1 Y 1 Y 1 Y 1 Y aste2 Injec 1 Y 3 Other (sp 1 Y 1 Or	res □₃ No	□4 DK
	a. b. c.	atment for Coccidia) during the previous 12 months?  [For help categorizing specific products into anthelmintic class use the Anthelminic High tannin concentrate plants (e.g., lespedeza, birdsfoot trefoil)	1 Y	res □₃ No	□4 DK

	Deworming reason list for question 10					
1	All goats treated on a regular schedule as a preventative measure (e.g., seasonally, annually)					
2	Worms were seen					
3	When the goat's hair coat or body condition are poor					
4	Fecal consistency (diarrhea)					
5	Based on fecal tests (e.g., fecal floats, FECRT)					
6	Based on FAMACHA card system/eye anemia score					
7	Bottlejaw					
8	Other (specify:) g635oth					

10.		the reasons in the deworming reason list, choose the top three reasons, order of importance, that you use to decide which goats to deworm.		
				Code
	a.	Most important reason	g636	
	b.	Second most important reason	g637	
	C.	Third most important reason	g638	
11.		ring the previous 12 months, did you do any of the following part of your internal parasite control program?		
	a.	Rotate pasturesg639	ts not on p	asture
	b.	Select for parasite-resistant goats or cull worm-susceptible goatsg640	□₁ Yes	[]₃ <b>N</b> (
	C.	Use a higher dose of dewormer in goats than the labeled dose recommended for sheepg641	□₁ Yes	[]₃ No
	d.	Give a combination of two or more dewormer drugs at onceg642	□₁ Yes	[]₃ <b>N</b> (
	e.	Rotate dewormersg643	□₁ Yes	[]₃ <b>N</b> (
	f.	Graze multiple species on the same pasture $g_{644}$ $\square_1$ Yes $\square_3$ No $\square_4$ NA (goal of the same pasture)	ts not on p	asture
	g.	Leave animals in a dry lot after deworming for 24 to 48 hg645	□₁ Yes	[]₃ <b>N</b> (
	h.	Change kidding season to reduce the risk of high parasite exposureg646	□₁ Yes	[]₃ <b>N</b> (
	i.	Provide additional protein supplement to increase resistanceg647	□₁ Yes	[]₃ <b>N</b> (
	j.	Feed a biological control product such as BioWorma® (Duddingtonia flargrans)g648	□₁ Yes	[]₃ <b>N</b> (
	k.	Other (specify:) g6490thg649	□₁ Yes	∏₃ No

12. During the previous 12 months, have you observed any of the following

CALCITIAL PALASICS OIL YOUL GOALS	external	parasites	on	vour	goats
-----------------------------------	----------	-----------	----	------	-------

a. Lice?g650	□₁ Yes	∏₃ No
b. Mites?g651	□₁ Yes	[]₃ No
c. Ticks?g652	□₁ Yes	∏₃ No

	Section E—Go	oat and Herd F	lealth		
[	How many of your operation's does were in milk during the include all does whether nursing kids or being milked. Courteren if she kidded twice in the 12-month period.]	nt each doe only d	nce,	<sub></sub>	_ head
lf qu	uestion 1 = zero, SKIP to question 4.]				
	How many of the does in milk (question 1), had clinical mas  702 □□D/K□□ head	titis (abnormal mil	k or swollen udder	r) in the previo	ous 12 mo
lf qu	uestion 2 = 0 or Don't know, SKIP to question 4.]				
	How was mastitis <b>most often</b> diagnosed on this operation or	during the			g703
	1 Visual observation of udder and/or milk				
	$_{ m 2}$ California mastitis test (CMT) or somatic cell count (SC	C)			
	]₃ Culture of milk				
	] <sub>4</sub> Other (specify:) <sub>97030</sub>	th			
. [	Did any bred does abort during the previous 12 months?	a704	П₁ Yes П₃ No	∏₄NA (no bre	ed does)
		g		□4. n . (e s	<i>-</i> a a a a a a a a a a a a a a a a a a a
ır qu	uestion 4 = No or NA, SKIP to question 7.]				
5. <b>\</b>	Were any of the following steps taken for aborting doe	s?			
	a. Removed placentas or fetuses as soon as possible		g705	□₁ Yes	[]₃ No
b	o. Cleaned the area by removing bedding and/or dirt		g706	□₁ Yes	∏₃ No
C	c. Disinfected the area		g707	□₁ Yes	∏₃ No
C	d. Physically separated does that aborted from other does		g708	□₁ Yes	∏₃ No
	If Yes, were they: [Check one only.]				g709
	$\square_1$ Permanently removed from the herd [SKIP to question	n 6.]			
	$\square_2$ Not returned to the herd for the rest of the kidding sea	ason [SKIP to que	stion 6.]		
	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	any days		g710 _	d
	Were the abortions suspected to be caused by any of the fo f Yes, were causes diagnosed by a veterinarian or laborato				
		Abor suspected to the foll		If Yo diagnose vet or	ed by a
а	a. Campylobacteriosis (vibrio abortion) <sub>9711/97</sub>	¹¹9 □₁ Yes	□ <sub>2</sub> DK □□ <sub>3</sub> No	□₁ Yes	∏₃ No
b	o. Chlamydiosis (enzootic abortion) <sub>9712/97</sub>	r <sub>20</sub> □₁ Yes	□₂ DK □□₃ No	□₁ Yes	∏₃ No
C	C. Toxoplasmosisg713/g7	r <sub>21</sub>	□ <sub>2</sub> DK □□ <sub>3</sub> No	□₁ Yes	∏₃ No
c	d. Q feverg714/g7	r <sub>22</sub> ∏₁ Yes	□₂ DK □□₃ No	□₁ Yes	∏₃ No

□₁ Yes □₂ DK □□₃ No

□₁ Yes □₂ DK □□₃ No

Salmonellosis....g715/g723

□₁ Yes □₃ No

∏₃ No

□₁ Yes

	g.	Cache Valley virus	g717/g725	<b>□</b> 1 Y	es	[] <sub>2</sub> D	K ∏∏₃ No	□1 Y€	es	∏₃ No
	h.	Other (specify:) g7180th	g718/g726	[]₁ Y	es	[] <sub>2</sub> D	K ∏∏₃ No	□1 Y€	es	∏₃ No
7.	wei	icate if, during the previous <b>3 years</b> , any of the re present (suspected or confirmed) in your he neck No if you have no reason to suspect that the ease has been in your herd.]	rd.							
					in th	ne he he pr	ed to be rd during evious ears	dia vet	by	osed a arian
	a.	Caprine arthritis encephalitis (CAE)?	g727/g73	32	□ <sub>1</sub> `	Yes	∏₃ No	□1 Y€	es	∏₃ No
	b.	Caseous lymphadenitis (boils, CL, abscesses	<b>5)?</b> g728/g73	33	<u>_1</u> `	Yes	∏₃ No	□1 Y€	es	∏₃ No
	C.	Johne's (paratuberculosis)?	g729/g73	34	□ <sub>1</sub> `	Yes	∏₃ No	□1 Y€	es	∏₃ No
	d.	Q fever (coxiellosis)?	g730/g73	35	<u>_1</u> `	Yes	∏₃ No	□1 Y€	es	∏₃ No
	e.	Sore mouth (orf, contagious ecthyma)?	g731/g73	86	<u>_1</u> `	Yes	<b>□</b> ₃ No	□1 Y€	es	∏₃ No
[If c	ques	stion 7e = No, SKIP to question 10.]								
8.		w many goats and kids in your herd had sore r spected or confirmed) during the previous 12 r				g	737/g738	hea	ad	□₁ DK
[If c	ques	stion 8 = zero or Don't know, SKIP to questi	on 10.]							
9.	Ho	w many of those died? [Should be ≤question 8	.]					g739 _		_ head
9.	Hov	w many of those died? [Should be ≤question 8	.]					g739 _		_ head
		w many of those died? [Should be ≤question 8 ve you or any of your family members or e						II	F YI	ES,
				been i	nfec		vith:	II Diag	nos	_
	На		employees ever	been i	nfec	ted v	vith:	II Diag	nos doc	ES, sed by
	Ha a.	ve you or any of your family members or e	employees ever	been i	nfec	ted v d with	vith:	ll Diag a (	nos doc es	ES, sed by tor?
10.	Ha a. b.	ve you or any of your family members or e Q fever? Sore mouth (orf)?	employees ever <sub>9740/g742</sub> <sub>9741/g743</sub>	been i Info □₁ Yes □₁ Yes	infec ected  z	ted vitled witles of the original original original original original original original original original orig	vith: n: □□₃ No □□₃ No	II Diag a ( □₁ Y □₁ Y	nos doc es es	ES, sed by tor? □₃ No □₃ No
10.	Ha a. b.	ve you or any of your family members or e	employees ever <sub>9740/g742</sub> <sub>9741/g743</sub>	been i Info □₁ Yes □₁ Yes	infec ected  z	ted vitled witles of the original original original original original original original original original orig	vith: n: □□₃ No □□₃ No	II Diag a ( □1 Y	nos doc es es	ES, sed by tor? □₃ No
10. 11.	Ha a. b.	ve you or any of your family members or e Q fever? Sore mouth (orf)?	employees ever <sub>9740/g742</sub> <sub>9741/g743</sub>	been i Info □₁ Yes □₁ Yes	infec ected  z	ted vitled witles of the original original original original original original original original original orig	vith: <b>1:</b> □□₃ No □□₃ No	II Diag a ( □₁ Y □₁ Y	nos doc es es	ES, sed by tor? □₃ No □₃ No
10.	a. b.	Of ever?	employees ever <sub>9740/g742</sub> <sub>g741/g743</sub> iven any injection	been i Info □1 Yes □1 Yes □1 Yes	nfecected and a second and a second and a second	ted vitled witles of the control of	vith: n: □□₃ No □□₃ No	II Diag a ( □₁ Y □₁ Y	es es es	ES, sed by tor? □₃ No □₃ No
11. [if (	a. b. Dui	Q fever?Sore mouth (orf)?ring the previous 12 months, were any goats g	employees ever <sub>9740/g742</sub> <sub>g741/g743</sub> iven any injection	been i Info □1 Yes □1 Yes □1 Yes	nfecected and a second and a second and a second	ted vitled witles of the control of	vith: n: □□₃ No □□₃ No	II Diag a ( _1 Y _1 Y	es es es	ES, sed by tor? □₃ No □₃ No
11. [if (	a. b. Dui	Q fever?	employees everg740/g742g741/g743 iven any injection	been i  Info  □1 Yes □1 Yes □1 Yes	nfecected and a second and a second and a second	ted vitled witles of the control of	vith: n: □□₃ No □□₃ No	II Diag a ( _1 Y _1 Y	es es es	ES, sed by tor? □₃ No □₃ No
11. [if (	a. b. Duit For Ween	Q fever?  Sore mouth (orf)?  ring the previous 12 months, were any goats g stion 11 = No, SKIP to question 14.]  r each goat injected, was a new needle used?.  stion 12 = Yes, SKIP to question 14.]	employees ever	been i  Info  □1 Yes □1 Yes □1 Yes □1 Yes □1 Yes	nfec	ted vitled witles of the control of	vith: n: □□₃ No □□₃ No	II Diag a ( _1 Y _1 Y _1 Y	es es es	ES, sed by tor?  3 No 3 No 3 No

[If question 14 = No, SKIP to section F.]

1 =	١٨/٠	as shared equipment cleaned prior to use?			□ Voc	
15.		as shared equipment cleaned prior to use?			□₁ Yes	∏₃ No
		Yes, which of the following <b>best</b> describes this op ocedures? [Check one only.]	eration's (	cleaning		g749
	$\square_1$	Wash equipment with water (with or without so	ap) or stea	m only		
	<u></u>	Chemically disinfect only				
	Пз	Wash and chemically disinfect equipment				
	<b>□</b> 4	Other (specify:	· · · · · · · · · · · · · · · · · · ·	g749oth		
		Section F—	Antimic	obial Use in Feed and Wa	ter	
Not	te: T	The following questions ask about <b>all kids and a</b>	dult goats	. Feed includes milk, milk replace	er and starter.	
1.		ring the period from September 1, 2018, through e a coccidiostat in the feed (including milk, milk r			□₁Yes	□₃No
[If o	que	stion 1 = No, SKIP to question 3.]				
2.		nich of the following coccidiostats were used in fe				
	(in	cluding milk, milk replacer, or starter) <b>or drinkin</b>	g water?	Feed	Water	
	a.	Ionophores (Rumensin®, Bovatec®)	a802			
	b.	Decoquinate (Deccox®)				
	C.	Amprolium (Corid®)			□₁Yes □₃N	lo
	d.	Sulfa drugs (Albon®, Sulmet®, etc.)			□₁Yes □₃N	
		If 2d=Yes,	g806/g813	# adults treated	# adults treated	i
			g807/g814	# kids treated	# kids treated	
			g808/g815		Avg # d treate	
	e.	Other (specify: ) g809oth	g809/g816			
		, , , , , , , , , , , , , , , , , , , ,	5,,5010	1.22 —0.22	13.	
3.		ring the period from September 1, 2018, through eration use any ionophores as growth promotant			□₁Yes □₃	. No
	υp.	eranen det an, ionophioree de grendi promotant		goz/	<b>—</b> 1.55 <b>—</b> 3	, . • •

	in drinking water to prevent, co	ontrol or treat a disease or disorder?	g818	□1 Y€	es ∏₃ No	
[If o	question 4 = No, SKIP to ques	tion 6.]				
5.	or treat a disease or disorder? For each goat type mark the re	ugh August 31, 2019, what goat types were given antibeason(s) for administration, and write in the code for the oats given antibiotics, and the average number of days	e primary aı	ntibiotic us	ed ( <b>Antibi</b> o	otic
	Goat type given antibiotics in water	Reason (Disease/disorder ) for giving antibiotics	Code for primary antibiotic used in water	No. of animals	Avg. No. of days	
	Kids 🛘 Yes 🔻 No g819	Respiratory disease 🗓 Yes 📋 Nog821r	g823r	l ——-	g827r	
	If No, SKIP to next goat	Digestive disease ☐ 1 Yes ☐ No 9821d	g823d	g825d	g827d	
	type.	Other 🛘 1 Yes 🔻 🗓 3 No g8210	g823o	g825o		
		(specify:) g8210th			g827o	
	Adults 🛘 Yes 🖟 Nog820	Respiratory disease 🗓 Yes 🗒 No 9822r	g822r	I	g828r	
	If No, SKIP to question 6.	Digestive disease □□₁ Yes □₃ No g822d	g822d	g824d	g828d	
	in ito, sixii to question o.	Other 🗓 Yes 🗓 No 98220	g822o	g824o		
		(specify:) g8220th			g828o	
[If (	antibiotics, other than ionophor to prevent, control, or treat a di question 6 = No, SKIP to secti From September 1, 2018, throu replacer or starter)?  For each goat type mark the re	igh August 31, 2019, were <b>any kids or adults</b> given a res, in <b>feed</b> (including milk, milk replacer or starter) sease/disorder?	piotics in <b>fe</b> o e primary and sused for e	ntibiotic us	– ng milk, mi ed ( <b>Antibic</b>	otic
G	oat type given antibiotics in feed	Reason (Disease/Disorder) for giving antibiotics	code for primary antibiotic used in feed	No. of animals	Avg. No.	
	reweaned kids 🛛 Yes 🗓 No	Respiratory disease ☐₁ Yes ☐₃ No g833r	g836r	g839r		
g83	U	Digestive disease       □₁ Yes       □₃ No g833d         Other       □₁ Yes       □₃ No g833o	g836d	g839d	g842r 	
lf	No, SKIP to next goat type.	(specify:) g8330th	g836o	g839o	g842d	

Respiratory disease 🛮 Yes 🗓 No 9834r

4. From September 1, 2018, through August 31, 2019, were kids or adults given any antibiotics

Weaned kids ☐1 Yes

∏₃ No

g837r

		Digestive disease 🛛 1	Yes 3 No g834d	g837d	g840d
If No	, SKIP to next goat type.	Other 🛛 1	Yes	g837o	g840o g843d
		(specify:) g834	oth		
Adult	s	Respiratory disease []	1 Yes   ☐3 No g835r	g838r	g841r
		Digestive disease 🛛 1	Yes  ☐₃ No g835d	g838d	g841d g844r
If No	, SKIP to section G.		Yes	g838o	g8410
		(specify:) g834	oth		
					g844o
		Section G—He	alth Conditions	and Losses	
		Section 6—He	aitii Conditions	and Losses	
1 Fr	om Contombor 1, 2019, throu	igh August 21, 2010, ha	www.many.kida.and.ad	Vi 11+	
	om September 1, 2018, throu			Juli	
_	oats were lost, stolen, died, or		uses?		
[E	xclude kids born dead and sl	augnterea goats.j			
			If total head >	0, how many of the to	tal head were:
				Predator	Nonpredator
		Total head	Lost/stolen	(died/euthanized)	(died/euthanized)
a.	Preweaned kidsg901/g906/g	911/g916			head
b.	Weaned kidsg902/g907/g	912/g917			head
C.	Adult doesg903/g908/g	<del></del>			head
				<del></del>	
d.	Adult bucks/wethersg904/g909/	g914/g919			head
e.	Total lossesg905/g910/g	915/g920			head
	ow many of those adult goats uestion 1e Nonpredator total)				hood
	uesiiiii te wombedaiot lolali	-were necroosied to del	ennine me cause o	rueall/ ng	21 head

For the remainder of this section, it is possible for a single goat to have had more than one condition, such as diarrhea and an abortion. Even if a goat died having experienced two or more conditions during the previous 12 months, the death or removal (culled) should be listed as due to a single primary cause.

### Use the Antibiotics Reference Card to help answer questions 4, 6, and 8.

#### [If question 3 = No, SKIP to question 5.]

4. How many **different preweaned kids** became affected with the following conditions? Of those affected preweaned kids, how many received an antibiotic, what was the primary antibiotic used, how many died and how many were removed (culled)?

Note: **Do not** include antibiotics administered in the feed (including milk, milk replacer or starter) or drinking water. Include intramammary antibiotics, antibiotics used topically, and antibiotics used by injection, bolus, or drench.

Only answer for treatment uses, do not include prevention.

1	2	3	4	5	6
	No. of different preweaned kids affected in previous 12 months?	Of the (col 2) preweaned kids, how many received an antibiotic to treat the condition at least once during the previous 12 months?	Code for primary antibiotic used	Of the (col 2) preweaned kids, how many died or were euthanized primarily due to this condition? [must be less than or equal to 1a	kids, how many were removed
	g922	g923		nonpredator]	
Condition	[Enter 0 if none.]	[Enter 0 if none.]			
a. Digestive issues (e.g., scours, overeating/enterotoxemia, coccidia)	g937	g946	g954	q962	g972
o. Navel infection	g938	g947	g955	, and the second	g972 g973
c. Kidding problems or other perinatal conditions (e.g., floppy kid syndrome, weak kids)		-			
d. Eye conditions (e.g., pinkeye,	g939	g948	g956	g964	g974
conjunctivitis)	g940	g949	g957	g965	g975
e. Respiratory problems (e.g., pneumonia, shipping fever, runny nose)	g941	q950	q958	<b>a</b> 966	q976
Lameness (e.g., joint swelling, wound, trauma)	g941 g942	g950 g951	g959		g977
g. Weather-related, starvation causes (e.g., chilling, drowning, lightning)	g942 g943	goox	good	g968	g978
n. Other known conditions, (specify:) <sub>g9440th</sub>	g944	g952	g960	g969	g979
. Unknown conditions (e.g., found dead)	g945	g953	g961	g970	g980

. Total			
. Total		g971	g981

Total = 1a (nonpredator)

5.	During the period from September 1, 2018, through August 31, 2019,		
	were there any <b>weaned kids</b> on this operation?g982	□₁ Yes	∏₃ No

## [If question 5 = No, SKIP to question 7.]

6. How many **different weaned kids** became affected with the following conditions? Of those affected weaned kids, how many received an antibiotic, what was the primary antibiotic used, how many died and how many were removed (culled)?

Note: **Do not** include antibiotics administered in the feed or drinking water. Include intramammary antibiotics, antibiotics used topically, and antibiotics used by injection, bolus, or drench. Only answer for treatment uses, do not include prevention.

1	2	3	4	5	6
	weaned kids affected in	Of the (col 2) weaned kids, how many received an antibiotic to treat the condition at least once during the previous 12 months?	Code for PRIMARY antibiotic used	Of the (col 2) weaned kids, how many died or were euthanized primarily due to this condition? [must be less than or equal to 1b nonpredator]	Of the (col 2) weaned kids, how many were removed primarily due to this condition?
	g924	g925			
Condition	[Enter 0 if none.]	[Enter 0 if none.]			
a. Digestive: intestinal worms	g983			g1009	g1020
Other digestive problems (e.g.,					
scours, overeating /enterotoxemia)	g984	g993	g1001	g1010	g1021
c. Pinkeye	g985	g994	g1002	g1011	g1022
Respiratory problems (e.g.,     pneumonia, shipping fever, runny     nose)					
e. Lameness: Footrot	g986	, in the second	g1003		g1023
	g987	g996	g1004	g1013	g1024
. Other Lameness (e.g., joint swelling, wound)					
g. Central nervous system signs (e.g., uncoordinated, staggering, swaying, falling down, circling, blindness)	g988		g1005		g1025
n. Weather-related and poising/toxicity causes (e.g., chilling, drowning,	g989		g1006		g1026
lightning, noxious feeds/weeds)	g990			g1016	g1027
. Other known conditions (specify:					
) g101oth	g991	g999	g1007		g1028
. Unknown conditions (e.g., found dead)	g992	g1000	g1008		g1029
k. Total				g1019 Total = Ih	g1030

Total = lb (nonpredator)

7.	During the period from September 1, 2018, through August 31, 2019, were there		
	any <b>adult does</b> on the operation?g1031	□₁ Yes	∏₃ No

#### [If question 7 = No, SKIP to question 9.]

8. How many **different adult does** became affected with the following conditions? Of those affected adult does, how many received an antibiotic, what was the primary antibiotic used, how many died and how many were removed (culled)?

Note: **Do not** include antibiotics administered in the feed or drinking water. Include intramammary antibiotics, antibiotics used topically, and antibiotics used by injection, bolus, or drench.

Only answer for treatment uses, do not include prevention.

1	2	3	4	5	6
Condition	No. of different adult does affected in previous 12 months?	Of the (col 2) adult does, how many received an antibiotic to treat the condition at least once during the previous 12 months?	Code for PRIMARY antibiotic used	Of the (col 2) adult does, how many died or were euthanized primarily due to this condition? [must be less than or equal to 1c nonpredator]	Of the (col 2) adult does, how many were removed primarily due to this condition?
	none.]				
a. Digestive: intestinal worms	g1032			g1076	g1092
<ul> <li>Other digestive problems (e.g., scours, overeating/enterotoxemia</li> </ul>	-1000	T-10.40	-1000	-1077	-1000
c. Pinkeye	g1033 g1034	g1048 g1049	g1062 g1063	g1077 g1078	g1093 g1094
Central nervous system signs (e.g., uncoordinated, staggering, swaying, falling down, circling, blindness)	g1034	g1050	g1064	g1070	g1094
e. Respiratory problems (e.g., pneumonia,	_	•	-	-	•
shipping fever, runny nose)	g1036	g1051	g1065	g1080	g1096
Reproductive problems: abortions     Other reproductive problems (e.g., retained placenta/uterine infection,	g1037	g1052	g1066	g1081	g1097
dystocia)	g1038	g1053	g1067	g1082	g1098
Mastitis     Metabolic problems (e.g., milk fever, twin kid disease, pregnancy toxemia)     Lameness: Footrot	g1039 g1040 g1041	g1054 g1055 g1056	g1068 g1069 g1070	g1083 g1084 g1085	g1099 g1100 g1101
<ul><li>c. Other Lameness (e.g., joint swelling, wound)</li></ul>	g1042	g1057	g1070	g1085	g1102
<ul> <li>Weather-related causes or poisoning/toxicity (e.g., chilling, drowning, lightning, noxious feeds/weeds)</li> </ul>	g1043			g1087	g1103
n. Chronic weight loss	g1044	g1058	g1072	g1088	g1104
n. Other known conditions (specify:) g1045oth	g1045	g1059	g1073	g1089	g1105
Unknown conditions (e.g., found dead)	g1046	g1060	g1074	g1090	g1106
p. Total	g1047	g1061	g1075	g1091	g1107

Total	=	C
(nonpre	da	tor)

9. During the period from September 1, 2018, through August 31, 2019, were there any **adult bucks/wethers** on the operation?..... $\square_1$  Yes  $\square_3$  No

#### [If question 9 = No, SKIP to Section H.]

10. How many **different adult bucks/wethers** became affected with the following conditions? Of those affected adult bucks/wethers, how many received an antibiotic, what was the primary antibiotic used, how many died and how many were removed (culled)?

Note: **Do not** include antibiotics administered in the feed or drinking water. Include intramammary antibiotics, antibiotics used topically, and antibiotics used by injection, bolus, or drench. Only answer for treatment uses, do not include prevention.

1	2	3	4	5	6
	No. of different adult bucks/wethers affected in previous 12 months?	Of the (col 2) adult bucks/wethers, how many received an antibiotic to treat the condition at least once during the previous 12 months?	Code for PRIMARY antibiotic used	Of the (col 2) adult bucks/wethers, how many died or were euthanized primarily due to this condition? [must be less than or equal	Of the (col 2) adult bucks/wethers, how many were removed primarily due to this condition?
	g926	007		to 1d nonpredator]	
	[Enter 0 if	g927		Horipredatory	
Condition	none.]	[Enter 0 if none.]			
a. Digestive: intestinal worms	g1109			g1141	g1154
o. Other digestive problems (e.g., scours,					
overeating/enterotoxemia	g1110	g1121	g1131	g1142	g1155
c. Pinkeye	g1111	g1122	g1132	g1143	g1156
Central nervous system signs (e.g., uncoordinated, staggering, swaying, falling down, circling, blindness)					
e. Respiratory problems (e.g., pneumonia,	g1112	g1123	g1133	g1144	g1157
shipping fever, runny nose)	g1113	g1124	g1134	g1145	g1158
. Reproductive problems: other (e.g., penile or testicular disorders, urinary calculi)					
a. Lameness: Footrot	g1114	g1125	g1135	_	g1159
Lameness (e.g., joint swelling, wound)	g1115	g1126	g1136	_	g1160
. Weather-related causes and poisoning/toxicity (e.g., chilling, drowning, lightning, noxious feeds/weeds)	g1116	g1127	g1137	g1148	g1161 g1162
. Chronic weight loss	g1118	g1128	g1138		g1163
k. Other known conditions (specify ) g11190th	g1119	g1129	g1139	g1151	g1164
. Unknown conditions (e.g. found dead)	g1120	g1130	g1140	g1152	g1165
n. Total				g1153	g1166
				Total - 1d	

Total = 1d (nonpredator)



Animal and Plant Health Inspection Service

Veterinary Services

# NAHMS Goat 2019 Dairy Operation Questionnaire

National Animal Health Monitoring System

2150 Centre Ave, Bldg B Fort Collins, CO 80526

Form Approved
OMB Number 0579-0004
Approval expires: xxxx

# **Section H— Dairy Inventory**

1.	Did you milk any does during the previous 12 months?d101	□₁ Yes	∏₃ No		
[If (	question 1 = No, go to Section O]				
2.	How many total dairy goats (does), whether dry or in milk, were present on September 1, 2019?		_ head		
[If (	question 2 is less than 5 head, go to Section O]				
3.	How many total dairy goats (does) were <b>milked</b> on this operation on September 1, 2019?		_ head		
4.	The number of <b>dry dairy adult does</b> on September 1, 2019, was: [question 2 - question 3]		_ head		
ō.	How many first-lactation does born on this operation were added to the milking herd from September 1, 2018, through August 31, 2019? [Include kid does that were born on the operation and raised off site.]		_ head		
ŝ.	How many purchased/leased <b>does</b> were added to the milking herd from September 1, 2018, through August 31, 2019?		_ head		
7.	How many adult dairy does were permanently removed (culled) from the herd from September 1, 2018, through August 31, 2019? [Exclude does that died.]		_ head		
3.	How many adult dairy does died from September 1, 2018, through August 31, 2019?d108		_ head		
9.	What was the peak number of does milked on this operation at any time from September 1, 2018, through August 31, 2019?		_ head		
10.	Is the milk produced on your operation weighed: d111 [Select one only.] $\Box_1$ Daily $\Box_2$ Monthly $\Box_3$ Less frequently the	an monthl	y ∏₄Neve	ər	
[If (	Question 10=Never or milk is not weighed throughout the entire lactation then	skip to se	ction I.]		
res	cording to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is spond to a collection of information unless it displays a valid OMB control number. The valid OMB control ormation collection is 0579-0004. The time required to complete this information collection is estimated to	number for tl	to nis day		

minutes per response, including the time to review instructions, search existing data resources, gather the data needed, and

complete and review the information collected.

1.	Of the						
2.		ing the previous 12 months, did this operation duce any certified organic dairy milk?d202	□₁ Yes	<u></u> 3	No		
3.	Duri	ng the previous 12 months, did your operation milk any dairy <b>cows</b> ? <sub>d204</sub>	□₁ Yes	<u></u> 3	No		
4.		at is the average number of days post kidding does are put into the milking string?d205	-		_ d		
5.		at is the average length of lactation (days milked) for the ority of your does?d206	-		_ d		
6.	any	at is the maximum length of lactation (days milked) for doe milked in the last 12 months?d207 te: Some does could have been milked for more than 365 days.)	-		_ d		
7.	Wha	at is the average number of days does are dry?d208	-		_ d		
1.	(in r	Section J—Kidding Management ing the previous 12 months, what was the average kidding interval months) for dairy does? [Kidding interval is the time from one ling to the next kidding for an individual doe.]	t 	1	mo		
2.		ing the previous 12 months, what was the average age (in months) airy does at the time of first kidding?		r	mo		
3.	follo	ing the previous 12 months, did this operation use any of the wing methods to estimate colostrum quality?  Visual appearance	□₁ Yes	<u></u> 3 <b>N</b>	No		
	b.	Volume of first milking colostrum (in pounds)d304	□₁ Yes	$\square_3$	No		
	C.	Colostrometerd305	□₁ Yes	<b></b> 3 ∣	No		
	d.	Brix refractometer (handheld measuring device)d306	□₁ Yes	<u></u> 3	No		
	e.	Other (specify:) d306othd306	□₁ Yes	<u></u> 3	No		
4.	Wha	at is the typical feeding protocol during the first 4 weeks of life?		Γ			
		Milk Consumption Record	]		NAHMS-4	54	

**Date** 

			Amount of milk o	fforod at a	asch fooding	Erc	allonov	$\neg$	
Kid	we	ek of life	Amount of milk o	unces)	cacii iceuiliy		equency es per day)		
1 <sup>st</sup>			☐₁ Left with dam	OR _	0Z	,		d	309/d313/d317/d321
2 <sup>nd</sup>			$\square_1$ Left with dam	OR	0z			d	310/d314/d318/d322
3 <sup>rd</sup>			$\square_1$ Left with dam	OR _	OZ			d	311/d315/d319/d323
4 <sup>th</sup>			$\square_1$ Left with dam	OR _	0z			d	312/d316/d320/d324
—— 1.	Du	ring the prev	vious 12 months, wha		Section K—		arketing		
	pro	duced on th	is operation was:	<b>,</b>					
	a.	Fed to kids	5?					d401	%
	b.	Fed to other	er livestock on this op	peration?				. d402	%
	C.	Consumed	as unpasteurized/ra	w milk by	employees or	family?		.d403	%
1	d.	Consumed	as pasteurized milk	by employ	ees or family?			. d404	%
	e.	Made into	cheese on the farm?					. d405	%
	f.		other milk products (					. d406	%
	g.	Sold, trade	ed, or given away as	liquid milk?	>			. d407	%
			-	·					100%
FIE ~		-tion 1 m - C	CIVID to avantion	0.1					
LIT C	que	stion 1g = t	), SKIP to question	<b>პ.</b> ]					
2. V	Vha	t percentage	e of <b>liquid milk</b> was	sold, trade	d, or given aw	ay for:			
	a.	Human co	nsumption?					. d408	%
	b.	Pet consur	nption?					. d409	%
	C.	Livestock of	consumption?					. d410	%
	d.	Making into	cheese?					. d411	%
	e.	Making into	o other milk products	(e.g., cand	dy, yogurt, ice	cream, so	oap)?	.d412	%
		ŭ	·			,	1,		100%
						М	ilk		eese or other ilk products
3.		• .	vious 12 months, wer sold, traded, or given	, ,		□₁ Yes	[]₃ No[]₁ Ye	es	∏₃ No
	[If	Milk colum	n = No and Cheese	or other n	nilk products	= No, SK	IP to Questi	on 5	i.]
	If Y	es, were th	ne products sold, tra	aded or gi	ven away:				
	a.	-	the public (including arkets, etc.)?			□₁ Yes	[]₃ No[]₁ Ye	es	∏₃ No
	b.		stablishments, restau mercial sales?		d416/d421	□₁ Yes	∏₃ No∏₁ Ye	es	∏₃ No

	C.	To a cooperative or as part of a cooperative? $_{d417/d422}$ $\square_1$ Yes $\square_3$ No $\square_1$ Ye	es ∏₃ No	O	
	d.	To a wholesaler, dealer, or processor	_		
		(e.g., cheese plant)?d418/d423	es ∏₃ No	0	
	e.				
4.		ring the previous 12 months, did the buyer(s) of the <b>goat milk goat milk products</b> ever pay a premium for:			
	a.	High protein content?d425	□₁ Yes	∏₃ No	
	b.	Low bacteria counts?d426	□₁ Yes	∏₃ No	
	С.	Low somatic cell count?d427	□₁ Yes	□₃ No	
	d.	Out-of-season milk?d428	□₁ Yes	∐₃ No	
	e.	Other? (specify:) d4290thd429	□₁ Yes	□₃ No	
5.		ring the previous 12 months, did this operation <b>routinely</b> form <b>on-farm</b> pasteurization of goat milk intended for human			
		nsumption? [Pasteurization means to follow the Pasteurized k Ordinance (PMO) time and temperature guidelines to ensure			
		struction of certain microorganisms.]	□₁ Yes	∏₃ No	
6.	Du	ring the previous 12 months, did you market any raw (unpasteurized)			
	goa	at milk or raw goat milk products intended for human consumption?			
	[Ind	clude direct purchase and goat shares.]d431	□₁ Yes	∏₃ No	
7.	Du	ring the previous 12 months, did this operation participate in a:			
	a.	Dairy Herd Improvement Association (DHIA) program?d432	□₁ Yes	∏₃ No	
	b.	Other Quality assurance program (a program to improve milk product quality through assessments and monitoring)?d433	□₁ Yes	∏₃ No	
		product quality through assessments and monitoring):	<u>□</u> 1 103	□3 110	
		Section L—Milking Procedures	3		
1.	Wh	nat is the primary method by which does are milked on this operation?			
		neck one only.]		d501	
		Hand			
	$\square_2$	Machine—bucket milker			
	<u></u> 3	Machine—pipeline			
[If	que	stion 1 = 1 or 2, SKIP to question 3.]			
2.	Wh	nich of the following best describes the primary milking parlor on this operation?			
		neck one only.]		d502	
	$\square_1$	Side by side (parallel)			

	□ <sub>2</sub> Herrir	ngbone (fishbone)		
	∏₃ Rotar	y (carousel)		
	□₄ Other	(specify:) d50	2oth	
3.	How man [Check o	y times per day were does <b>usually</b> mil ne only.]	ked during the previous 12 months?	d503
	□₁ Less	often than once a day		
	□₂ Once	a day		
	∏₃ Twice	e a day		
	□ <sub>4</sub> More	often than twice a day		
4.	Who milk	ed the majority of does on this operation	on during the previous 12 months?	d504
	□₁ Owne	er(s)/operator(s)		
	□₂ Famil	y member(s) of owner		
	∏₃ Hired	worker(s) (nonfamily member)		
	□₄ Other	(specify:	) d504oth	
5.	-	e previous 12 months, how often did mosable gloves when milking?		∏₃ Never
6.	How frequ [Check or	uently are milkers trained on milking pr ne only.]	ocedures?	506
	□₁ As ne	ew milkers only		
	□₂ Less	often than once a year		
	☐₃ Once	a year		
	□₄ More	often than once a year		
	□₅ No tra	aining for milkers		
7.	Does this	operation clip/singe the hair on udders	s of milking does?d507	es ∏₃ No
		Codes for		
	At leach m	-	4 = Other (specify: 5 = Not performed	) d508oth
	At least or	nce a week	5 – Not performed	
8.	During the	e previous 12 months, which frequency ation's use of forestripping for:	/ best describes	Code
	a. Fresh	ı does	d508	
	b. Does	with mastitis	HEU O	
		ner does	d510	

[If questions 8a, 8b, 8c ALL = 5, SKIP to question 10.]

9.	vvn	nen was forestripping performed? [Cneck one only.]	d511
	$\square_1$	Before teat washing	
	$\square_2$	After teat washing	
	<u></u> 3	No teat washing	
[If o	ques	stion 9 = 3 (No teat washing), SKIP to question 11.]	
10.		ring the previous 12 months, which of the following best describes w teats were usually <b>washed</b> prior to milking? [Check one only.]	dE10
		No washing	d512
	П2	Commercial udder/ teat wipes	
	2 3	Udder/teat wash or disinfectant solution used with single-use cloth/paper towels	
	3 ∏₄	Udder/teat wash or disinfectant solution used with multiple-use cloth/paper towels	
	∏₅	Washed with water only	
	_	Other (specify:) d512oth	
11.		ring the previous 12 months, which of the following best describes w teats were usually <b>dried</b> prior to milking? [Check one only.]	d513
	$\square_1$	Teats not dried prior to milking	
	$\square_2$	Single-use cloth/paper towel	
	]3	Multiple-use cloth/paper towel	
	<u></u> 4	Other (specify:) d513oth	
12.	Dui	ring the previous 12 months, were teats typically	
	pre	e-dipped prior to milking?	∏₃ No
13.		ring the previous 12 months, which of the following best describes	
		primary post-milking procedure used for teat disinfection?  neck one only.]	d515
	$\square_1$	Dip teats with commercial postdip product	
	$\square_2$	Dip teats with nonlabeled/homemade solution	
	<u></u> 3	Spray teats with commercial postdip product	
	<u></u> 4	Foam teats with commercial postdip	
	<u></u>	No post-milking teat disinfection	
	$\Box_6$	Other (specify:) d5150th	

14.		ich of the following best describes the order in which goats are milked?  deck one only.]			
		No particular order			
	<u></u>	Based on age only			
	Пз	Based on health only			
	<u></u>	Based on age and health			
	<u></u>	Based on production level			
	<b>□</b> 6	Other (specify:) d5160th			
		Section M—Milk Quality			
1.	During the previous 12 months, did you routinely perform somatic cell count (SCC) testing on the milk from your herd? $_{d601}$ $\square_1$ Yes $\square_3$ No				
[If (	ques	stion 1 = No, SKIP to question 3.]			
2.		at was the herd average somatic cell count (cells/mL) milk tested during the previous 12 months?,000			
3.	During the previous 12 months, did this operation test milk on-farm for antibiotic residues? $603$ $\square_1$ Yes $\square_3$ No $\square_4$ NA (no antibiotics used)				
[If (	ques	stion 3 = No or NA, SKIP to question 6.]			
4.		ich of the following antibiotic residue testing kits did this operation use st commonly during the previous 12 months? [Check one only.]			
		Snap® kit (beta lactam or tetracycline)			
	$\square_2$	Delvotest®			
	Пз	CITE Probe®			
	<b>□</b> <sub>4</sub>	Charm Farm			
	<u></u>	Pensyme® Milk Test			
	<u></u>	Other (specify:) d604oth			
5.	We	re milk samples tested for antibiotic residues from:			
	a.	Fresh does?d605			
	b.	Individual does recently treated with antibiotics? d606 1 Yes 3 No 4 NA (removed from milking herd or no does treated)			
	c.	Bulk tank—before processor pickup? $\square_{d607}$ $\square_1$ Yes $\square_3$ No $\square_4$ NA (no bulk tank)			

	d.	String samples (samples representing a group/pen of does)	d608	□₁ Yes	∏₃ No
	e.	Other? (specify:) d609oth	d609	□₁ Yes	∏₃ No
6.		ring the previous 12 months, were any cultures rformed on milk produced by this operation?	d610	□₁ Yes	∏₃ No
[If	que	stion 6 = No, SKIP to question 11.]			
7.		ring the previous 12 months, were milk cultures rformed on the following:			
	a.	Milk from individual does?	d611	□₁ Yes	∏₃ No
	b.	Bulk-tank milk?	′es ∏₃ No	□₄NA (no b	ulk tank)
	c.	String samples (samples representing a group/pen of does)?	d613	□₁ Yes	∏₃ No
[If	que	stion 7a = No, SKIP to question 9.]			
8.		ring the previous 12 months, what type of does were typically ected for milk culturing?			
	a.	Fresh does	d614	□₁ Yes	∏₃ No
	b.	All clinical mastitis cases	d615	□₁ Yes	∏₃ No
	C.	Chronic clinical mastitis cases	d616	□₁ Yes	∏₃ No
	d.	Clinical mastitis cases that did not respond to treatment	d617	□₁ Yes	∏₃ No
	e.	High somatic cell count does	d618	□₁ Yes	∏₃ No
	f.	Other (specify:) d619oth	d619	□₁ Yes	∏₃ No
9. [	Durir	ng the previous 12 months, were any of the milk cultures perfor	med by:		
	a.	Farm personnel, done on-farm?	d620	□₁ Yes	∏₃ No
	b.	A State or university diagnostic laboratory?	d621	□₁ Yes	∏₃ No
	C.	A commercial lab?	d622	□₁ Yes	∏₃ No
	d.	A private veterinary lab (veterinary clinic)?	d623	□₁ Yes	∏₃ No
10.		ring the previous 12 months, were any of the following ganisms identified from milk that was cultured?			
	a.	Coagulase neg staph (CNS) non-aureusd624	□₁ Ye	s 🗓 DK	∏₃ No
	b.	Staph. aureusd625	□₁ Ye	s 🗓 DK	∏₃ No
	C.	Mannheimia spp. (Pasteurella)d626	□₁ Ye	s 🗓 DK	<b>□</b> ₃ No
	d.	Mycoplasma sppd627	□₁ Ye	s ∏₂ DK	∏₃ No

	e.	E. coli/Pseudomonas/Klebsiella other gram negd628	□₁ Yes	□₂ DK	∏₃ No	
	f.	Strep. Agalactiaed629	□₁ Yes	□₂ DK	□₃ No	
	g.	Environmental strep (Strep. spp.) non-agalactiaed630	□₁ Yes	□₂ DK	□₃ No	
	h.	Other (specify:) d6310thd631	□₁ Yes	□ <sub>2</sub> DK	∏₃ No	
11.		ring the previous 12 months, by which method were goats h clinical mastitis usually milked? [Check one only.]			d632	
		No known does with mastitis in the previous 12 months				
	$\square_2$	NA (any does with mastitis are dried off)				
	<b>□</b> 3	At the end of milking				
	<b>□</b> 4	In a separate string from healthy goats				
	<u></u>	Using a separate milking unit from healthy goats				
	<b>□</b> 6	No specific procedure followed				
	<b>□</b> <sub>7</sub>	Other (specify:) d632oth				
[If	que	stion 11 = 1 (no known mastitic does), SKIP to section N.]				
12	Du	ring the previous 12 months, did the mastitis treatment protocol involve				
Treatment						
	a.	Intramammary (IMM) antibiotics (exclude dry doe treatment)?	d633	□₁ Yes	∏₃ No	
		i. IF yes, number of does treated with IMM antibiotics: # do	es			
	b.	Oral or injectable antibiotics?	.d634	□₁ Yes	∏₃ No	
	c.	Organic/homeopathic remedies?	.d635	□₁ Yes	∏₃ No	
	d.	Pain medications (anti-inflammatories, analgesics)?	.d636	□₁ Yes	∏₃ No	
	e.	Other? (specify:) d637oth	.d637	□₁ Yes	□₃ No	
	Ма	nagement				
	f.	Frequent stripping of affected udder half?	.d638	□₁ Yes	∏₃ No	
	g.	Early dry-off?	. d639	□₁ Yes	∏₃ No	
	h.	Moving does to a separate milking pen?	.d640	□₁ Yes	∏₃ No	
	i.	Other? (specify:) d6410th	d641	□₁ Yes	∏₃ No	
[If	que	stion 12a = No (no IMM antibiotics used), SKIP to section N.]				
13.	Tre	eatment with IMM antibiotics for mastitis was based on:				
	a.	Veterinary recommendation	.d642	□₁ Yes	∏₃ No	
	h	Decommendation from other producers	-10.40	□ Voc	$\Box$ - No	

	b.	Previous treatment effectiveness	4644	□₁ Yes	∏₃ No	
	С.	Previous culture and antimicrobial sensitivity results		□₁ Yes	□₃ No	
		·		_		
	d.	Individual doe culture results before therapy		□₁ Yes	∏₃ No	
	e.	Other (specify:) d647oth	d647	□₁ Yes	∏₃ No	
14.	Ма	does treated during the previous 12 months with IMM antibiotics f stitis (Q12 ai), what percentage were given the following antibiotic ndrawal time was used for each?				
			Percent		d <b>rawal</b> <b>e</b> (d)	
	a.	Spectramast® LC (ceftiofur hydrochloride)d648/d657			<b>c</b> (u)	
	b.	ToDay® /Cefa-Lak® (cephapirin)d649/d658				
	c.	DariClox® (cloxacillin)d650/d659				
	d.	Pirsue® (pirlimycin hydrochloride)d651/d660				
	e.	Masti-Clear™ (penicillin)d652/d661				
	f.	Polymast™ (hetacillin potassium)d653/d662				
	g.	Amoximast® (amoxicillin)d654/d663				
	h.	Hetacin-K® (hetacillin potassium)d655d664				
	i.	Other (specify:) d6560thd656/d665				
		Total	≥100%			
15.		w were IMM antibiotics typically administered to mastitic does?  neck one only.]  The whole tube administered into one teat			d666	
	П	A tube split between the two teats				
	_	Other (specify:) d666oth				
		Section N—Dry Doe	Procedures	6		
1.		ring the previous 12 months, what percentage of does were ed off based on the following protocols?				
	a.	Set schedule (e.g., so many days prior to kidding)		d701 _	%	
	b.	Milk production level		d702 _	%	
	C.	Presence of mastitis or high somatic cell count		d703 _	%	
	d.	Other reason (specify:) d7040th		d704 _	%	
2.	Dui	Total ring the previous 12 months, what percentage of does were			100%	

	drie	ed off using the following methods?			
	a.	Abruptly stop milking		d705 _	%
	b.	Skip milkings before complete dry off (e.g., milk once a day for a number of days)		d706 _	%
	c.	Other (specify:) d7070th		d707 _	%
		Total			100%
3.		ring the previous 12 months, which of the following management actices did this operation routinely use at dry off?			
	a.	Perform California Mastitis Test (CMT) or other individual-doe SCC test	d708	□₁ Yes	∏₃ No
	b.	Reduce the quality/energy content of feed	d709	□₁ Yes	∏₃ No
	C.	Reduce access to feed	d710	□₁ Yes	∏₃ No
	d.	Reduce access to water	d711	□₁ Yes	∏₃ No
4.		ring the previous 12 months, were intramammary antibiotics ed at dry off on any does?	d712	□₁ Yes	∏₃ No
[If	que	stion 4 = No, SKIP to question 8.]			
5.		ring the previous 12 months, approximately what percentage does were treated with dry-doe IMM antibiotics at dry off?		d713 _	%
6.	We	ere IMM antibiotics given to any does at dry off because of:			
	a.	High somatic cell count (SCC)?	d714	□₁ Yes	∏₃ No
	b.	History of mastitis (clinical/chronic)?	d715	□₁ Yes	∏₃ No
	C.	Low milk production?	d716	□₁ Yes	∏₃ No
	d.	Adverse weather?	d717	□₁ Yes	∏₃ No
	e.	Other? (specify:) d7180th	d718	□₁ Yes	∏₃ No
7.	ant	does treated during the previous 12 months with dry-doe IMM tibiotics, what percentage were given the following antibiotics d what withdrawal time was used for each?			
				Withdr	
	a.	Spectramast® DC (ceftiofur hydrochloride)d719/d728	rcent	time	(u) 
	b.	Tomorrow®/Cefa-Dri (cephapirin benzathine)d720/d729			
	C.	Bovaclox™, Dry-Clox®, Dry-Clox® intramammary infusion, Orbenin®-DC (cloxacillin benzathine) <sub>d721/d730</sub>			
	d.	Gallimycin-Dry (erythromycin)d722/d731			

e.	Biodry® (novobiocin)d723/d732			
f.	Vet Go Dry™/ Hanford's US (penicillin G procaine)d724/d733			
g.	Quartermaster® Dry Doe Treatment (penicillin G procaine/dihydrostreptomycin)d725/d734			
h.	Albadry Plus® Suspension (penicillin G procaine/novobiocin)d726/d735			
i.	Other (specify:) d727othd727/d736			
	Total [may be >100% if used more than one at dry off]	≥ 100%		
	ring the previous 12 months, were internal or external	d737	∏₁ Yes 〔	J₂ No

8.

Section O: Office Use Only
Operation #:\_\_\_\_\_ Interviewer:\_\_\_

	State FIPS:	Operation #:	Interviewer:_		Date:		
	2-digits	4-digits	Initi	als	(mm/	dd/yy)	
1.	Total time for interview (include time questionnaire). If more than one dat			git	ime	min	
2.	Total travel time (round trip). If more enter the combined time			gtt	ime .	min	
3.	Data collector(s): [Enter the number	r for each category.]					
	Federal VMO Federal		Other (s	pecify) gvm	o/gaht/gst/goth		
4.	Enter response code 99 if questionnaire is completed or enter one code of 00–07 that best describes the reason why the owner is not participatinggrco						
	99 = Survey completed 00 = Inaccessible after five contact	attampte		Conta	ct attempt his	story	
	01 = Poor time of year or no time	·	<b>Date</b> (mm/dd)	Time (am/pm)	Action	Outcome	
	02 = Does not want anyone on oper 03 = Bad experience with government					Left msg on machine	غ خ
	04 = Does not want to do another s						
	information 05 = Told NASS they did not want to	o he contacted					
	06 = Ineligible (no goats)	o be contacted					
	07 = Other reason (explain below)		gdate	gtime	gaction	goutco	
5.	This operation plans to complete the following biologics testing:  Pre- and post parasite testing.  Scrapie genetic resistance testing/serum banking/nasal swabs/vaginal swabs						
6.	Which of the following best describe with this operation?			g	pos _	code	
	1 = Owner 2 = Manager 3 = Family member (other than own 4 = Other hired employee 5 = Other (specify:						
7.	Producer data quality	gp	dq □₁ Go	od to excell	ent □2 OK	□₃ Poor	
8.	Did the respondent use written or coanswering this survey?			(	grec $\square_1$ Y	′es □₃No	
Co	mments regarding this questionnaire	or operation:					
VN	IO or AHT signature:						

TO BE COMPLETED BY THE COORDINATOR:

Field data quality...... $\square_1$  Good to excellent  $\square_2$  OK  $\square_3$  Poor