MCH Jurisdictional Survey Crosswalk of Survey Questions to National Outcome and Performance Measures*

#	National Performance Measure	Survey Questions
1	Percent of women, ages 18 through 44, with a preventive medical visit in the past year	L1, NM11, NM12, MI2, MI3, MI4,
4	A)Percent of infants who are ever breastfed and B) Percent of infants breastfed exclusively through 6 months Percent of early ferm births (37 38 weeks sestation)	£5, C6, MC3
5	A) Percent of infants placed to sleep on their backs, B) Percent of infants placed to sleep on a separate approved sleep surface, C) Percent of infants placed to sleep without soft objects or loose bedding	C4, GM13, GM14
1 ₆ 3	Percent of children, meeting the criteria developed for school readiness (SEVELOPMENTAL)	Ы3, №, Мс1, МI20,
14	Refreemings footh indition pages eathrough 17, who have decayed teeth or cavities in the past year	B& 1, PR15
7	Rate of hospitalization for non-fatal injury per 100,000 children, ages 0 through 9; and rate of hospitalization for non-fatal injury per 100,000 children, ages 10 through 19	D12
8	8.1 Percent of children, ages 6 through 11, who are physically active at least 60 minutes per day; and percent of adolescents, ages 12 through 17, who are physically active at least 60 minutes per day	A2 4, A25, A32, A33, A34, A35, A36, A43,
9	Percent of adolescents, ages 12 through 17, who are bullied or who bully others	AS5, AS6, NM13, NM14, PA2, PA3, PR13, PR14
10	Percent of adolescents, ages 12 through 17, with a preventive medical visit in the past year	1011,109,1 PR3, PR4,
11	Percent of children with and without special health care needs, ages 0 through 17, who have a medical home	E1, E2, E3, E4, E5, E6
12	Percent of adolescents with and without special health care needs, ages 12 through 17, who received services necessary to make transitions to adult health care	PR9 PR10 VI4, VI5, E7, E8, E9, E10 VI6, VI7
13.1	Percent of women who had a dental visit during pregnancy;	L4
1 ₹: 2	Percent of canildranges of thickness of the control	B5 , D9, D10
14.1 14.2	Percent of women who smoke during pregnancy; and Percent of children, ages 3 through 17, with a mental/behavioral condition who receive treatment or Percent of children, ages of through 17, who live in households where someone smokes	L7, L9, L10 A14 ₂ ,A2 ⁵ , L9,340 ^{A47} ,
15	Percent of children, ages 0 through 17, who are continuously and adequately insured	F1, F2, F3, F4, F5, F6, G1, G2, G3, G4 B10, B11
20	Percent of children, ages 2 through 4, and adolescents, ages 10 through 17, who are obese (BMI at or above the 95th percentile)	D3, D4
21	Percent of children, ages 0 through 17, without health insurance	F1, F2, F3
24	Percent of women who experience postpartum depressive symptoms following a recent live birth	NM7, NM8, GM3,
25	Percent of children, ages 0 through 17, who were not able to obtain needed health care in the last year	D10, D11