Table of Contents:

Section 1	Program, Patient and Record Identification	2-152
Section 2	Patient Demographic Information	2-152
Section 3	Patient Navigation	2-155
Section 4	Cervical Screening Information	2-155
Section 5	Breast Screening Information	2-161
Section 6	Cervical Final Diagnosis Information	2-168
Section 7	Cervical Cancer Treatment Information	2-169
Section 8	Breast Final Diagnosis Information	2-170
Section 9	Breast Cancer Treatment Information	2-171
Section 10	Cervical Cancer Registry Data	2-171
Section 11	Breast Cancer Registry Data	2-174

Item I	Number		С	olumn	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
All Pati	ients Sec	etion: This section must be co	mpleted	for ea	ch MI	DE record when NBCCEDP funds are used to pay for all or part of at	least one of the screening or diagnostic procedure(s).
. Progr	am, Patien	t and Record Location					
1.01	1.01	State, Territorial, or Tribal Program	2	1	2	FIPS Code, Right Justify (i.e. California = $\square 6$ and Texas = 48 , where $\square = a$ blank character.	Valid code for your program.
1.02	2.01	Unique Patient ID Number	15	3	17	If Social Security Number (SSN) is used, it must be encoded. The ID number should be unique and constant for each patient in order to track the patient over time. This field should not contain any identifiable information, including partial names or dates.	
						Alphanumeric (no special symbols), left justify.	
						Alphabetic characters must be entered consistently in uppercase or lowercase for all records for each patient.	
1.03	2.02	Record Identifier	8	18	25	Right Justify. This field will be used to uniquely identify one record among many for a woman. This could be a cycle number, a visit date, or a record number. In this context, record and screening cycle have the same meaning.	
. Patier	nt Demogra	phic Information					
2.01	3.01	County of Residence	3	26	28	FIPS Code, Right Justify . (If unknown, blank fill.) Not required if Zip Code of residence is reported.	Valid FIPS code for the county.
2.02	3.02	State or Territory of Residence	2	29	30	FIPS Code, Right Justify . (If unknown, blank fill.)	Valid FIPS code for the state or territory.
2.03	3.03	ZIP Code of Residence	5	31	35	Right Justify. (If unknown, blank fill) Not required if county of residence is reported.	Valid 5 digit numeric zip code.
2.04	3.04	Date of Birth	6	36	41	MMYYYY (i.e. Jan 1942 = 011942). If unknown, blank fill.	Check for validity, i.e. no one too old or too young at date of enrollment. See edit guidelines for dates at the end of this document.

Item I	Number		С	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
2.05	3.05	Hispanic or Latino Origin (self reported)	1	42	42	1. Yes 2. No 3. Unknown	Range check.
2.06. 1	3.06.1	Race 1 (self reported)	1	43	43	1. White 2. Black or African American 3. Asian 4. Native Hawaiian or Other Pacific Islander 5. American Indian or Alaska Native 7. Unknown 8. Asian/Pacific Islander (v4.1 only)* *8 - Asian/Pacific Islander (v4.1 only) may only be reported for data collected prior to 10/01/2002.	Range check. This race field should be populated first. If a woman self identifies more than one race, then each race identified should be reported in a separate race field. Report up to five (5) separate races. It is recommended that your Program no longer collect 'Other' race on your data collection forms. However, if your Program collects 'Other' as a race category, please export this to '7' (Unknown) in the MDEs.
2.06. 2	3.06.2	Race 2 (self reported)	1	44	44	White Black or African American Asian Native Hawaiian or Other Pacific Islander American Indian or Alaska Native Nuknown	This field should be left blank, unless the woman reports more than one race.
2.06.3	3.06.3	Race 3 (self reported)	1	45	45	White Black or African American Asian Native Hawaiian or Other Pacific Islander American Indian or Alaska Native Nuknown	This field should be left blank, unless the woman reports more than two races.
2.06.4	3.06.4	Race 4 (self reported)	1	46	46	White Black or African American Asian Native Hawaiian or Other Pacific Islander American Indian or Alaska Native Tunknown	This field should be left blank, unless the woman reports more than three races.

Item I	Number		C	olumn	l						
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns				
2.06.5	3.06.5	Race 5 (self reported)	1	47	47	White Black or African American Asian Native Hawaiian or Other Pacific Islander American Indian or Alaska Native Unknown	This field should be left blank, unless the woman reports more than four races.				
3. Patier	nt Navigatio	on									
3.01	NEW	Patient Navigation Paid by NBCCEDP funds	1	48	48	1. Yes with CDC funds 2. No 3. Unknown	New variable - data collection for this field is effective 01/01/2019. Historical data should be coded as '3' Unknown. If patient navigation is delivered (consistent with CDC policy) using CDC funds to support the navigation (e.g. reimbursement fee-for-service, paid for staff delivering PN), select '1' Yes. '2' should be selected if CDC funds were not used for patient navigation '3' Unknown or not applicable				
4. Cervi	Cervical Screening Information										
4.01	5.01	Previous Pap Test	1	49	49	1. Yes 2. No 3. Unknown	Range check.				

Item N	lumber		С	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
4.02	5.02	Date of Previous Pap Test	6	50	55	If "Previous Pap Test" = '1' then enter MMYYYY (if known) or blank fill (if unknown). If "Previous Pap Test" = '2' or '3', blank fill.	If not blank, must be a valid date. Check the skip pattern.
4.03	5.03	Indication for Pap Test	1	56	56	1. Screening 2. Surveillance 3. Non-program Pap, Referred in for diagnostic evaluation 4. No Pap, Direct to Diagnostics for short-term follow-up 5. No Cervical Service 9. Unknown	If Indication for Pap Test is '5' then items 4.04 – 4.13 should be blank. Data collection for this field is effective 01/01/2009. Historical data can be reported if accurately collected; otherwise, code as '9' (Unknown). Only the value labels changed for this variable. The conversion is 1 to 1. '1' (Screening) should be reported for a Pap test performed as part of a routine screening schedule. Items 4.04 – 4.13 should be reported as appropriate. Item 4.06 should be blank. '2' (Surveillance) should be reported for a Pap test performed on a woman under management for a cervical abnormality detected prior to this cycle. Items 4.04 – 4.13 should be reported as appropriate. Item 4.06 should be blank. '3' (Referred) should be reported when a patient has had a Pap test performed outside of the Program, and is referred to the Program for diagnostic work-up. Referral Date (4.06) must be completed, and a valid Pap test Result should be provided: (4.07) '1'-'11' or '14'. '4' (Not Done) should be reported when the patient does not have a Pap test and goes directly to HPV testing or Diagnostic Work-up. Items 4.05 – 4.09 should be blank. '5' (No Cervical Service) should be reported when no cervical services are provided or reported in this record, only breast services. Items 4.04 – 4.13 should be blank.

Item I	Number		С	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
4.04	NEW	Cervical Service Paid by NBCCEDP Funds	1	57	57	1. Yes 2. No 3. Unknown	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '3' (Unknown). This field should be left blank if "Indication for Pap Test" (4.03) is '5'. If Pap test, HPV test, or at least one cervical diagnostic procedure was paid by NBCCEDP Funds, then this field should be set to '1' (Yes).
4.05	NEW	Risk for Cervical Cancer	1	58	58	1. Average 2. High/Increased 3. Not assessed 9. Unknown	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '9' (Unknown). This field should be left blank if "Indication for Pap Test" (4.03) is '5'. '1' (Average) should be reported if risk was assessed and determined to be average risk. '2' (High/Increased) should be reported if risk was assessed and determined to be high risk (prior DES exposure and immunocompromised patients). '3' (Not assessed) should be reported if risk was not assessed, family history was not taken, and/or genetic testing was not done. '9' (Unknown) should be reported if risk is unknown.

Item I	Number		С	olumn	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
4.06	5.04	Cervical Diagnostic Referral Date	8	59	66	If "Indication for Pap Test" = '3', enter MMDDYYYY; otherwise leave blank	Data collection for this field is effective 01/01/2009. Historical data can be reported if accurately collected; otherwise, leave blank. If not blank, must be a valid date. Check the skip pattern. See edit guidelines for skip patterns at the end of this document. This field should indicate the enrollment date for a patient referred in to the program for diagnostic evaluation following an abnormal Pap test provided outside of the program.
4.07	New	Result of Pap Test Simplified categories from all Bethesda Reporting Systems	2	67	68	1. Negative for intraepithelial lesion or malignancy 2. Infection/Inflammation/Reactive Changes (Beth1991) 3. Atypical squamous cells of undetermined significance (ASC-US) 4. Low Grade SIL (including HPV changes) 5. Atypical squamous cells cannot exclude HSIL (ASC-HBeth2001) 6. High Grade SIL 7. Squamous Cell Carcinoma 8. Atypical Glandular Cells (Beth2014) 9. Adenocarcinoma in situ (AIS) (Beth2014) 10. Adenocarcinoma (Beth2014) 11. Other 12. Unsatisfactory 13. Result Pending 14. Result unknown, presumed abnormal, Pap test from non-program funded source	New variable on this field is effective 01/01/2019. Please reference MDE v6 to v7 Conversion Specifications to map historical data. This field should be left blank if "Indication for Pap Test" (4.03) is '4' or '5'. If the result of this Pap test is a , '5', '6', '7', '8', '9','10', or '14' the Cervical Diagnosis Information Section MUST be completed and "Diagnostic work-up planned for cervical dysplasia or cancer" (4.13) set to '1'. If the result is a '1', '2', '3', or '4' and the clinician chooses to do a diagnostic work-up, the Cervical Diagnosis Information Section MUST also be completed and "Diagnostic work-up planned for cervical dysplasia or cancer" (4.13) set to '1'. This field should = '14' only when "Indication for Pap test" (4.03) is 3 (Non-program Pap, Referred in for diagnostic evaluation) and the actual result of the Pap test is not known.
4.08	5.10	Other Pap Test Result	20	69	88	If "Result of Pap Test" = '11', enter "Result" in free text format.	This field should be left blank if "Indication for Pap Test" (4.03) is '4' or '5'.

Item	Number		C	olumn	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
4.09	5.11	Date of Pap Test	8	89	96	If "Result of Pap Test" ≤ '12', enter MMDDYYYY. If you know the date for '13' or '14', enter MMDDYYYY, otherwise blank fill.	This field should be left blank if "Indication for Pap Test" (4.03) is '4' or '5'.
4.10	New	Indication for HPV Test	1	97	97	1. Co-Test/Screening 2. Triage 3. Test not done 9. Unknown	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '9' (Unknown). This field should be left blank if "Indication for Pap Test" (4.03) is '5'. '1' (Co-Test/Screening) should be reported if HPV test is performed in combination with Pap test as part of cervical cancer screening. '2' (Triage) should be reported if HPV test is performed as a follow-up test after a screening Pap test (also called reflex HPV testing). '3' (Test not done)
4.11	5.13	HPV Test Result	1	98	98	Positive Regative Unknown	Data collection for this field is effective 01/01/2009. Historical data can be reported if accurately collected; otherwise, leave blank. This field should be left blank if "Indication for Pap Test" (4.03) is '5'. This field should be left blank if "Indication for HPV Test" (4.10) is '3'.

Item I	Number		c	Column			
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
4.12	5.14	Date of HPV Test	8	99	106	If "HPV Test Result" = '1', '2' or '9', then enter MMDDYYYY Date of HPV Test is the date of the sample collection.	Data collection for this field is effective 01/01/2009. Historical data can be reported if accurately collected; otherwise, leave blank.
							This field should be left blank if "Indication for Pap Test" (4.03) is '5'.
							This field should be left blank if "Indication for HPV Test" (4.10) is '3'.

Item Number		'	Columr	•		
New Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
4.13 5.16	Diagnostic Work-up Planned for Cervical Dysplasia or Cancer	1	107	107	 Diagnostic work-up planned on basis of abnormal Pap test or pelvic exam Diagnostic work-up not planned Diagnostic work-up plan not yet determined 	If "Indication for Pap Test" (4.03) is '1', '2', '3', '4', or 's this field must be completed; otherwise, leave blank. If this field is coded as '1', the Cervical Diagnosis Information Section must be completed. If this field is coded as '2' or '3', the Cervical Diagnosis Information Section must be blank.

Item N	lumber		C	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
5.01	6.03	Indication for Initial Mammogram	1	108	108	1. Screening 2. Diagnostic 3. Non-program mammogram, CBE only, Referred in for diagnostic evaluation 4. No mammogram, Direct to diagnostics for short-term follow-up 5. No Breast Service 9. Unknown	If Indication for Initial Mammogram is '5' then items 5.02 – 5.09 should be blank. Only the value labels changed for this variable. The conversion is 1 to 1. Data collection for this field is effective 01/01/2009, but no records should be blank. Historical data can be reported if accurately collected; otherwise, report a cycle with mammogram data as '9' (Unknown). A cycle with cervical only data should be reported as '5' (No Breast Service). '1' (Screening) should be reported for a mammogram performed as part of a routine or annual screening schedule and in the absence of symptoms or a recent positive CBE. '2' (Diagnostic) should be reported for a mammogram performed as additional evaluation of a recent mammogram prior to this cycle, evaluation of current symptoms or abnormal CBE finding, or prior history of breast cancer. '3' (Referred) should be reported when a patient has had a mammogram performed outside of the Program, and is referred to the Program for diagnostic work-up. Referral Date (5.03) must be completed, and a valid Mammogram Result (5.05) of '1' – '5', '7', '11', or '14' should be reported. '4' (Not Done) should be reported when the patient only received a CBE; or when the patient does not have an initial mammogram performed and goes directly to Diagnostic Work-up. Items 5.05 – 5.06 should be blank. '5' (No Breast Service) should be reported when no breast services are provided or reported in this record, only cervical services. Items 5.02 – 5.09 should be blank.

Item I	Number		c	Column			
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
5.02	NEW	Breast Service Paid by NBCCEDP Funds	1	109	109	1. Yes 2. No 3. Unknown	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '3' (Unknown). This field should be left blank if "Indication for Mammogram" (5.01) is '5'.
							diagnostic procedures was paid by NBCCEDP Funds, then this field should be set to '1' (Yes).
5.03	6.04	Breast Diagnostic Referral Date	8	110	117	If "Indication for Initial Mammogram" (5.01) = '3', enter MMDDYYYY.	Data collection for this field is effective 01/01/2009. Historical data can be reported if accurately collected; otherwise, leave blank.
						If "Indication for Initial Mammogram" (5.01) = '4' then 5.03 MAY be completed as MMDDYYYY; otherwise leave blank.	

Item I	Number		c	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
5.04	NEW	Risk for Breast Cancer	1	118	118	1. Average 2. High/Increased 3. Not Assessed 9. Unknown	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '9' (Unknown). This field should be left blank if "Indication for Mammogram" (5.01) is '5'. '1' (Average) should be reported if risk was assessed and determined to be average risk. '2' (High/Increased) should be reported if risk was assessed and determined to be high risk (Woman with BRCA mutation, a first-degree relative who is a BRCA carrier, a lifetime risk of 20-25% or greater as defined by risk assessment models, radiation treatment to the chest between ages 10-30, or personal or family history of genetic syndromes like Li-Fraumeni syndrome.)

Item I	Number		C	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
5.05	6.05	Initial Mammography Test Result (includes all mammograms which were the first mammogram of a screening cycle) Categories from the American College of Radiology Breast Imaging Reporting and Database System	2	119	120	 Negative (BI-RADS 1) Benign Finding (BI-RADS 2) *Probably Benign – Initial short interval follow-up suggested (BI-RADS 3) Suspicious Abnormality - Biopsy should be considered (BI-RADS 4) Highly Suggestive of Malignancy - Appropriate action should be taken (BI-RADS 5) Unsatisfactory - This applies if the mammogram was technically unsatisfactory and could not be interpreted by radiologist. Result pending Result unknown, presumed abnormal, mammogram from non-program funded source Need evaluation or film comparison (BI-RADS 0) *Based on new BI-RADS guidance from the Fourth Edition 2003, (3) Probably Benign should not be reported as the initial mammogram result unless a complete work-up was performed prior to the screening cycle either within or outside of the program. Please refer to the Field Description in the Data User's Manual for further details. 	This field should be left blank if "Indication for Mammogram" (5.01) is '4' or '5'. If the result of the initial mammogram is '4', '5', '11' or '14', the "Additional procedures needed to complete breast cycle" (5.09) should = '1'. A result of '7' (Unsatisfactory) indicates that the cycle should be considered complete, and a new cycle will begin with the repeat mammogram. This variable should be the initial result of the first mammographic film only. If any additional imaging is needed, to obtain a final imaging result or if a film comparison is necessary to obtain a final imaging result, then report '14'. This field should = '11' only when "Indication for Initial Mammogram" (5.01) is '3' (Non-program mammogram, CBE only, Referred in for diagnostic evaluation) and the actual result of the initial mammogram is not known. Historical data coded as '6' or '13' should be coded as '14' (Need evaluation or film comparison).
5.06	6.06	Date of Initial Mammogram	8	121	128	If "Initial Mammography Test Result" ≤ '5', '7', or '14' enter MMDDYYYY. If you know the date for '10' or '11', enter MMDDYYYY, otherwise blank fill.	If not blank, must be a valid date This field should be left blank if "Indication for Mammogram" (5.01) is '4' or '5'.

Item I	Number		С	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
5.07	4.02	Clinical Breast Exam	1	129	129	Normal/Benign findings - schedule for routine CBE in one year Abnormality suspicious for cancer – diagnostic evaluation needed Not performed	Historical values of '1' and '2' should be converted to the same values. Historical values of '3' and '4' should be coded as '5'. This field should be left blank if "Indication for Mammogram" (5.01) is '5'.
5.08	4.03	Date of Clinical Breast Exam	8	130	137	If "Clinical Breast Exam" = '1' or '2', enter MMDDYYYY If "Clinical Breast Exam" = 5 blank fill.	This field should be left blank if "Indication for Mammogram" (5.01) is '5'. If "Clinical Breast Exam" (5.07) = '1' or '2', enter MMDDYYYY If "Clinical Breast Exam" (5.07) = '5', blank fill.
5.09	6.08	Additional Procedures Needed to Complete Breast Cycle	1	138	138	 Additional procedures needed or planned. Additional procedures not needed or planned. Need or plan for additional procedures not yet determined 	If "Indication for Mammogram" (5.01) is '1', '2', '3', '4' or '9' this field must be completed; otherwise, leave blank. If this field is coded as '1', the Breast Diagnosis Information Section must be completed. If this field is coded as '2' or '3', the Breast Diagnosis Information Section must be blank. If "Indication for Initial Mammogram" (5.01) is '3', then this field must = '1' (Additional procedures needed or planned) and the Breast Diagnosis Information Section must be completed. If "Indication for Initial Mammogram" (5.01) is '4' and "Clinical Breast Exam" (5.07) is '5' then this field must = '1' (Additional procedures needed or planned) and the Breast Diagnosis Information Section must be completed.

Item I	Number		С	olumr	ı		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
5.10	6.09	MDE Version Number	2	139	140	21. For CBE data collected through 9/30/1994 70. For all data collected	Note that the period in the version number is not included. For example, version 7.0 will be submitted as '70'. Only certain records with historical CBE data should use '21'
6. Cervi	cal Final Dia	agnosis Information					
6.01	8.01	Status of Final Diagnosis	1	141	141	1. Work-up complete 2. Work-up pending 3. Lost to follow-up 4. Work-up refused 9. Irreconcilable A response of "9" will be used for those records, which after clinical review; it was determined that there was no sufficient way to translate the clinical scenario into the MDE data record. An example would be: If the clinician refers the woman for short-term follow-up instead of following the guideline for immediate diagnostic work-up, enter a '9' to indicate a closed cycle with an irreconcilable status.	Range check. A status of "Work-up complete" means that the diagnostic testing is complete, and that "Final Diagnosis" (6.02) and "Date of Final Diagnosis" (6.04) are known.

Item I	Number		C	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
6.02	8.02	Final Diagnosis	1	142	142	Normal/Benign reaction/inflammation HPV/Condylomata/Atypia CIN1/mild dysplasia (biopsy diagnosis) CIN2/moderate dysplasia (biopsy diagnosis) CIN3/severe dysplasia/Carcinoma in situ (Stage 0) or Adenocarcinoma In Situ of the cervix (AIS) (biopsy diagnosis) Invasive Cervical Carcinoma (biopsy diagnosis) Other Low grade SIL (biopsy diagnosis) High grade SIL (biopsy diagnosis)	Range check. Low grade SIL and High grade SIL are provided as alternatives to diagnoses 2-5 and only one diagnosis should be submitted. Invasive Adenocarcinoma of the cervix should be coded as a '6' (Invasive Cervical Carcinoma). Adenocarcinoma In Situ (AIS) of the cervix should be coded as '5' (CIN3/severe dysplasia/CIS/AIS).
6.03	8.03	Final Diagnosis - Other	20	143	162	Free text format, Description of "Final Diagnosis - Other".	Check the skip pattern.
6.04	8.04	Date of Final Diagnosis	8	163	170	If Status of Final Diagnosis (6.01) = '1' enter MMDDYYYY, the date of diagnosis of cancer or precancerous lesion or date the decision made that no cancer present. If Status of Final Diagnosis (6.01) = '2' then blank fill. If Status of Final Diagnosis (6.01) = '3', '4' or '9' then enter MMDDYYYY, the date of administrative closeout.	Check the skip pattern. If not blank, should be ≥ "Date of Pap Test" (4.09) in All Patients Section. See edit guidelines for dates at the end of this document.

^{7.} Cervical Cancer Treatment Information – This section is completed based on the results of MDE Item 6.02 (Final Diagnosis).

Item I	Number		C	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
7.01	9.01	Status of Treatment	1	171	171	1. Treatment started 2. Treatment pending 3. Lost to follow-up 4. Treatment refused 5. Treatment not needed	A woman should be classified as having started treatment when the Program has confirmed that a plan for treatment of the cancer or precancerous lesion has been developed and started. Range and skip pattern check. If Final Diagnosis (6.02) = '4', '5', '6', or '9' then complete 7.01 and 7.02. If Final Diagnosis (6.02) = '2', '3', '7', or '8' then 7.01 and 7.02 MAY be completed. If Final Diagnosis (6.02) = '1', then 7.01 and 7.02 should be left blank. If a woman dies before treatment has started, enter a '3' (Lost to follow-up).
7.02	9.02	Date of Treatment Status	8	172	179	If Status of Treatment (7.01) = '1' enter MMDDYYYY, the date that treatment of cancer or precancerous lesion began. If Status of Treatment (7.01) = '2' then blank fill. If Status of Treatment (7.01) = '3', '4', or '5' then enter MMDDYYYY, the date of administrative closeout.	Check the skip pattern. If not blank, should be ≥ "Date of Final Diagnosis" (6.04).
8. Breas	st Final Diag	gnosis Information					
8.01	12.01	Status of Final Diagnosis / Imaging	1	180	180	1. Work-up complete 2. Work-up pending 3. Lost to follow-up 4. Work-up refused 9. Irreconcilable A response of '9' will be used for those records, which after clinical review; it was determined that there was no sufficient way to translate the clinical scenario into the MDE data record. An example would be: If the clinician refers the woman for short-term follow-up instead of following the guideline for immediate diagnostic work-up, enter a '9' to indicate a closed cycle with an irreconcilable status.	Range check. A status of "Work-up complete" means that all additional imaging and diagnostic testing (if applicable) is complete, and that the "Final Diagnosis" (8.02) and "Date of Final Diagnosis" (8.03) are known.

Item I	Number		C	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
8.02	12.02	Final Diagnosis	1	181	181	1. Carcinoma In Situ, Other* 2. Invasive Breast Cancer 3. Breast Cancer Not Diagnosed 4. Lobular Carcinoma In Situ (LCIS) - (Stage 0) 5. Ductal Carcinoma In Situ (DCIS) - (Stage 0) *Category (1) - CIS, Other is not a current reporting option for Final Diagnosis. It was used to report CIS diagnoses prior to 10/01/1999.	Range check. If a patient gets a final imaging outcome that requires no further diagnostic procedures, then this field should be coded as '3' (Breast Cancer Not Diagnosed).
8.03	12.03	Date of Final Diagnosis / Imaging	8	182	189	If Status of Final Diagnosis/Imaging (8.01) = '1', then enter MMDDYYYY, the date of diagnosis of cancer or date that decision made that no cancer present. If Status of Final Diagnosis/Imaging (8.01) = '2', then blank fill. If Status of Final Diagnosis/Imaging (8.01) = '3', '4' or '9' then enter MMDDYYYY, the administrative date of closeout of this episode.	Check the skip pattern. If not blank, should be ≥ "Date of Initial Mammogram" (5.06) or "Clinical Breast Exam Date" (5.08) in Breast Screening Information Section. See edit guidelines for dates at the end of this document. The "Date of Final Diagnosis/Imaging" (8.03) should be the date of the definitive procedure indicating cancer or not cancer.
9. Breas	t Cancer Tr	reatment Information – This se	ction is	compl	eted b	ased on the results of Final Diagnosis (8.02).	
9.01	13.01	Status of Treatment	1			1. Treatment started 2. Treatment pending 3. Lost to follow-up 4. Treatment refused 5. Treatment not needed If a woman dies before treatment has started, enter a '3' (Lost to follow-up).	Range and skip pattern check. A woman should be classified as having started treatment when the Program has confirmed that a plan for treatment of the cancer or precancerous lesion has been developed and started. If Final Diagnosis (8.02) = '1', '2' or '5' then complete 9.01 and 9.02. If Final Diagnosis (8.02) = '4', then 9.01 and 9.02 MAY be completed. If Final Diagnosis (8.02) = '3', then 9.01 and 9.02 should be blank.

Item I	Number		c	Columr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
9.02	13.02	Date of Treatment Status	8	191	198	If Status of Treatment (9.01) = '1', then enter MMDDYYYY, the date that treatment for cancer began. If Status of Treatment (9.01) = '2', then blank fill. If Status of Treatment (9.01) = '3', '4', or '5' then enter MMDDYYYY, the date of administrative closeout.	Check the skip pattern. If not blank, should be ≥ "Date of Final Diagnosis" (8.03).
complete	ed. This se		uired t	hroug	n a St	(Invasive Cervical Carcinoma) and the patient was screened as a cate Central Cancer Registry or an equivalent data source approvat www.naaccr.org .	
10.01	14.01	Registry Linkage Status	1	199	199	Linkage process pending Linkage process complete, record matched Linkage process attempted, record not matched	Range check.
10.02	14.02	Registry Date of Diagnosis [NAACCR data item #390]	8	200	207	MMDDYYYY	Leave blank if 10.01 = 1, 3. If not blank, must be a valid date.
10.03	14.05	Registry Summary Stage [NAACCR data item: #764 When 10.02 ≥ 1/1/2018 #3020 When 10.02 =	1	208	208	O. In situ (IS) 1. Localized (L) 2. Regional, direct extension only (RE) 3. Regional, regional lymph nodes only (RN) 4. Regional, extension and nodes (RE+RN) 5. Regional, NOS (RNOS) 7. Distant (D) 8. Not Applicable (NA) 9. Unknown/unstaged (U)	Range check. Leave blank if 10.01 = 1, 3. Note: These NAACCR data items are specific to definitions in place for the calendar year of the Registry Date of Diagnosis (10.02).

Item I	Number		c	columr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
10.04	14.06	Registry Collaborative Stage (CS) – Derived AJCC Stage Group [NAACCR data item: #3000 when 10.02 is between years 2004-2009 (AJCC 6th Edition) #3430 when 10.02 is between years 2010-2015 (AJCC 7th Edition)	2	209	210	Range: 00-99	Leave blank if 10.01 = 1, 3. Complete only if Registry Date of Diagnosis (10.02) = 1/1/2004 – 12/31/2015; otherwise leave blank. Complete CS-Derived AJCC Stage Group 6th Edition as available since not required by NPCR registries. While CS-Derived AJCC Stage Group expanded from 2-digits in the 6th Edition to 3-digits in the 7th Edition, the CDC does not plan to expand to 3-digis in the MDEs at this time. When reporting AJCC 7th, edition cases from 2010 forward, the MDEs will collect the first 2-digits of the 3-digit code which provide a general classification. Programs are encouraged to consult with their IT staff/system vendor and their Cancer Registry to assess the feasibility and need to expand this field to 3-digits in their database system. Programs are advised to truncate the 3-digit value when creating the MDE file by reporting the first two digits and dropping the last of the three digits.
10.05	NEW	Registry TNM Edition Number [NAACCR #1060]	2	211	212	00 Not staged (cases that have AJCC staging scheme and staging was not done) 01 First Edition 02 Second Edition (published 1983) 03 Third Edition (published 1988) 04 Fourth Edition (published 1992), recommended for use for cases diagnosed 1993-1997 05 Fifth Edition (published 1997), recommended for use for cases diagnosed 1998-2002 06 Sixth Edition (published 2002), recommended for use for cases diagnosed 2003-2009 07 Seventh Edition (published 2009), recommended for use with cases diagnosed 2010-2017 08 Eighth Edition (published 2017), recommended for use with cases diagnosed 2018+ 88 Not applicable (cases that do not have an AJCC staging scheme) 99 Edition Unknown	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '99'(Unknown). Leave blank if 10.01 = 1, 3; This field is required to be reported from CoC facilities only, as available from others starting with cases diagnosed ≥ 1/1/2018.

Item I	Number		С	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
10.06	NEW	Registry TNM pathologic stage group [NAACCR data item #1014]	1	213	213	1. pStage 0 (0, 0A, 0IS) 2. pStage I (1, 1A, 1A1, 1A2, 1B, 1B1, 1B2, 1C, IS) 3. pStage II (2, 2A, 2A1, 2A2, 2B, 2C) 4. pStage III (3, 3A, 3B, 3C, 3C1, 3C2) 5. pStage IV (4, 4A, 4A1, 4A2, 4B, 4C) 6.Occult (OC) 7. Not Applicable (88) 8. Unknown (99)	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '8' (Unknown). Leave blank if 10.01 = 1, 3. This field is required to be reported from CoC facilities only, as available from others starting with cases diagnosed ≥ 1/1/2018
10.07	NEW	Registry TNM clinical stage group [NAACCR data item #1004]	1	214	214	1. cStage 0 (0, 0A, 0IS) 2. cStage I (1,1A, 1A1, 1A2, 1B, 1B1, 1B2, 1C,1S) 3. cStage II (2,2A, 2A1, 2A2, 2B, 2C) 4. cStage III (3, 3A, 3B, 3C, 3C1, 3C2) 5. cStage IV (4, 4A, 4A1, 4A2, 4B, 4C) 6.Occult (OC) 7. Not Applicable (88) 8. Unknown (99)	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '8' (Unknown). Leave blank if 10.01 = 1, 3. This field is required to be reported from CoC facilities only, as available from others starting with cases diagnosed ≥ 1/1/2018.

^{11.} Breast Cancer Registry Data – If Final Diagnosis (8.02) is a '1' (Carcinoma In Situ, Other), '2' (Invasive Breast Cancer), '4' (Lobular Carcinoma In Situ) or '5' (Ductal Carcinoma In Situ) and the patient was screened as of January 1, 2004, then this section must be completed. This section is reserved for data acquired through a State Central Cancer Registry or an equivalent data source approved by CDC/IMS.

NAACCR Record Data Standards and Data Dictionary are available at www.naaccr.org.

11.01	15.01	Registry Linkage Status	1	215		Pending linkage Linked, matched Linked, not matched	Range check.
11.02	15.02	Registry Date of Diagnosis [NAACCR data item #390]	8	216	223		Leave blank if 11.01 = 1, 3. If not blank, must be a valid date.

Item I	Number		c	olumr	1		
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
11.03	15.05	Registry Summary Stage [NAACCR data item: #764 When 11.02 ≥ 1/1/2018 #3020 When 11.02 = 1/1/2004 - 12/31/2017 #759 When 11.02 = 1/1/01- 12/31/03 #760 When 11.02 ≤ 12/31/2000]	1	224	224	O. In situ (IS) 1. Localized (L) 2. Regional, direct extension only (RE) 3. Regional, regional lymph nodes only (RN) 4. Regional, extension and nodes (RE+RN) 5. Regional, NOS (RNOS) 7. Distant (D) 8. Not Applicable (NA) 9. Unknown/unstaged (U)	Range check. Leave blank if 11.01 = 1, 3. Note: These NAACCR data items are specific to definitions in place for the calendar year of the Registry Date of Diagnosis (11.02).
11.04	15.06	Registry Collaborative Stage (CS) – Derived AJCC Stage Group NAACCR data item #3000 when 11.02 is between years 2004-2009 (AJCC 6th Edition) #3430 when 11.02 is between years 2010-2015 (AJCC 7th Edition)	2	225	226	Right Justify With Leading Zeroes Range: 00-99	Leave blank if 11.01 = 1, 3. Complete only if Registry Date of Diagnosis (11.02) = 1/1/2004 – 12/31/2015; otherwise leave blank. Complete CS-Derived AJCC Stage Group 6th Edition as available since not required by NPCR registries. While CS-Derived AJCC Stage Group expanded from 2-digits in the 6th Edition to 3-digits in the 7th Edition, the CDC does not plan to expand to 3-digis in the MDEs at this time. When reporting AJCC 7th, edition cases from 2010 forward, the MDEs will collect the first 2-digits of the 3-digit code which provide a general classification. Programs are encouraged to consult with their IT staff/system vendor and their Cancer Registry to assess the feasibility and need to expand this field to 3-digits in their database system. Programs are advised to truncate the 3-digit value when creating the MDE file by reporting the first two digits and dropping the last of the three digits.

Item Number			Column				
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns
11.05	NEW	Registry TNM Edition Number [NAACCR data item #1060]	2	227	228	00 Not staged (cases that have AJCC staging scheme and staging was not done) 01 First Edition 02 Second Edition (published 1983) 03 Third Edition (published 1988) 04 Fourth Edition (published 1992), recommended for use for cases diagnosed 1993-1997 05 Fifth Edition (published 1997), recommended for use for cases diagnosed 1998-2002 06 Sixth Edition (published 2002), recommended for use for cases diagnosed 2003-2009 07 Seventh Edition (published 2009), recommended for use with cases diagnosed 2010-2017 08 Eighth Edition (published 2017), recommended for use with cases diagnosed 2018+ 88 Not applicable (cases that do not have an AJCC staging scheme) 99 Edition Unknown	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '99'(Unknown). Leave blank if 11.01 = 1, 3 This field is required to be reported from CoC facilities only, as available from others starting with cases diagnosed ≥ 1/1/2018.
11.06	NEW	Registry TNM pathologic stage group [NAACCR data item #1014]	1	229	229	1. pStage 0 (0, 0A, 0IS) 2. pStage I (1, 1A, 1A1, 1A2, 1B, 1B1, 1B2, 1C, IS) 3. pStage II (2, 2A, 2A1, 2A2, 2B, 2C) 4. pStage III (3, 3A, 3B, 3C, 3C1, 3C2) 5. pStage IV (4, 4A, 4A1, 4A2, 4B, 4C) 6.Occult (OC) 7. Not Applicable (88) 8. Unknown (99)	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '8' (Unknown). Leave blank if 11.01 = 1, 3 This field is required to be reported from CoC facilities only, as available from others starting with cases diagnosed ≥ 1/1/2018.
11.07	NEW	Registry TNM clinical stage group [NAACCR data item #1004]	1	230	230	1. cStage 0 (0, 0A, 0IS) 2. cStage I (1,1A, 1A1, 1A2, 1B, 1B1, 1B2, 1C,1S) 3. cStage II (2,2A, 2A1, 2A2, 2B, 2C) 4. cStage III (3, 3A, 3B, 3C, 3C1, 3C2) 5. cStage IV (4, 4A, 4A1, 4A2, 4B, 4C) 6.Occult (OC) 7. Not Applicable (88) 8. Unknown (99)	New variable - data collection for this field is effective 01/01/2019. Historical data can be reported if accurately collected; otherwise, code as '8' (Unknown). Leave blank if 11.01 = 1, 3 This field is required to be reported from CoC facilities only, as available from others starting with cases diagnosed ≥ 1/1/2018.

Item Number			Column								
New	Old	Variable Name	Length	Begin	End	Codes / Format / Comments	Edit Checks/Skip Patterns				
99. End of Record Mark – Completed for each MDE record											
		End of Record/Newline	1	231	231	Character that ends the current record and begins a new line of text.	Example: Carriage Return-Line Feed				

General edit quidelines for:

Dates: If your data processing system does not store dates as complete dates (i.e. they are separate month, day, and year fields), you need to verify the individual fields. The month needs to be between 1 and 12 and the day, if specified, between 1 and 31 and appropriate for the month (i.e. no June 31). A common situation for some dates could be that the year is known, but the month or day is not. If this occurs, please blank fill only the unknown fields.

Correct date sequences: A correct sequence of dates that track screening, diagnosis, and treatment is very important. These relationships have been specified in the edit section above. Please check these date relationships to ensure that the date sequences are reasonable.

Range checks: These are performed on fields like Hispanic Origin (2.05), Race (2.06.x),, etc. where specific values are requested. A simple check of these data before they are submitted will ensure that, for example, Hispanic Origin only has values of '1' to '3' as specified in the MDE documentation.

Skip patterns: There are fields in the MDEs that are supposed to be completed under certain circumstances and left blank in others. For example, Clinical Breast Exam Date (5.08) should only be completed if Clinical Breast Exam (5.07) is a '1' or '2'. Thus please check to see that if, for example, 10 women have a '1' or a '2' for Clinical Breast Exam, that there are no more than 10 Clinical Breast Exam Dates (5.08).