

Fumigant Management Plans (FMP) Information and Templates.

<https://www.epa.gov/soil-fumigants/fumigant-management-plan-templates-phase-2-files-listed-chemical>

These screenshots were taken on 4/1/2019.



Environmental Topics Laws & Regulations About EPA Search EPA.gov

Soil Fumigants

CONTACT US SHARE

- [Soil Fumigants Home](#)
- [About Soil Fumigants](#)
- [Fumigant Management Plans](#)
- [Fumigant Safety Measures](#)
- [Buffer Zone Requirements](#)
- [— Calculating Buffer Zones](#)
- [Tarps and Tarp Credits](#)
- [Soil Fumigant Training](#)
- [Emergency Preparedness and Response](#)
- [Community Outreach and Education](#)

Fumigant Management Plan Templates – Phase 2 Files Listed by Chemical

EPA created templates in PDF and Word formats for the management plan for each soil fumigant.

- The PDF templates are for users to print and fill out by hand.
- The Word templates are for users to fill out on the computer.

The agency also created samples for each chemical of filled-out:

- Fumigant management plans (FMP).
- Post-Application Summary reports.
- Related forms.

The latter two items are included in the fumigant management plan sample.

Since label requirements vary based on the soil fumigant, please use the appropriate chemical-specific templates. Note that phase 2 labels can be identified by the presence of a "Terms used in this labeling" section.

Related Information

Templates for Phase 1 labels

SEARCH EPA ARCHIVE

Chemicals	PDF Documents	Word Documents	Sample
Chloropicrin only	<ul style="list-style-type: none"> • FMP Template • Post-application Summary Template 	<ul style="list-style-type: none"> • FMP Template (DOCX) (4 pp, 50 K) • Handler Information (DOCX) (1 pg, 28 K) • Post-application Summary Template (DOCX) (3 pp, 28 K) • Air Monitoring (DOCX) (1 pg, 30 K) • Drip Application Monitoring (DOCX) (1 pg, 16 K) 	<ul style="list-style-type: none"> • FMP Template Sample

Attachment G -- EPA ICR No. 2451.02; OMB Control No. 2070-0197

<p>Chloropicrin and 1,3-D</p>	<ul style="list-style-type: none"> • FMP Template • Post-application Summary Template 	<ul style="list-style-type: none"> • FMP Template (DOCX) (4 pp, 49 K) • Handler Information (DOCX) (1 pg, 28 K) • Post-application Summary Template (DOCX) (4 pp, 37 K) • Air Monitoring (DOCX) (1 pg, 30 K) • Drip Application Monitoring (DOCX) (1 pg, 20 K) 	<ul style="list-style-type: none"> • FMP Template Sample
<p>Dazomet</p>	<ul style="list-style-type: none"> • FMP Template • Post-application Summary Template 	<ul style="list-style-type: none"> • FMP Template (DOCX) (4 pp, 49 K) • Handler Information (DOCX) (1 pg, 27 K) • Post-application Summary Template (DOCX) (3 pp, 25 K) • Air Monitoring (DOCX) (2 pp, 29 K) 	<ul style="list-style-type: none"> • FMP Template Sample
<p>Dimethyl Disulfide (DMDS)</p>	<ul style="list-style-type: none"> • FMP Template • Post-application Summary Template 	<ul style="list-style-type: none"> • FMP Template (DOCX) (4 pp, 43 K) • Handler Information (DOCX) (1 pg, 23 K) • Post-application Summary Template (DOCX) (3 pp, 24 K) • Air Monitoring (DOCX) (1 pg, 31 K) • Drip Application Monitoring (DOCX) (1 pg, 21 K) 	<ul style="list-style-type: none"> • FMP Template Sample
<p>Metam Sodium/Potassium</p>	<ul style="list-style-type: none"> • FMP Template • Post-application Summary Template 	<ul style="list-style-type: none"> • FMP Template (DOCX) (4 pp, 49 K) • Handler Information (DOCX) (1 pg, 86 K) • Post-application Summary Template (DOCX) (3 pp, 37 K) • Air Monitoring (DOCX) (1 pg, 30 K) • Water Run Monitoring (DOCX) (1 pg, 66 K) 	<ul style="list-style-type: none"> • FMP Template Sample

Attachment G -- EPA ICR No. 2451.02; OMB Control No. 2070-0197

Methyl Bromide	<ul style="list-style-type: none">• FMP Template• Post-application Summary Template	<ul style="list-style-type: none">• FMP Template (DOCX) (4 pp, 180 K)• Handler Information (DOCX) (1 pg, 28 K)• Post-application Summary Template (DOCX) (3 pp, 111 K)• Air Monitoring (DOCX) (1 pg, 30 K)• Air Monitoring Prior to Tarp Removal (DOCX) (1 pg, 15 K)• Air Monitoring Prior to Re-entry into Residential Structures within the Buffer Zone (DOCX) (1 pg, 16 K)	<ul style="list-style-type: none">• FMP Template Sample
----------------	--	--	---

[Contact Us](#) to ask a question, provide feedback, or report a problem.