#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
1.	All	N/A	Version 3.0	Version 4.0	Updated version number.
2.	Admission	9	9. Race/Ethnicity (Check all that apply) American Indian or Alaska Native A. Asian B. Black or African American C. Hispanic or Latino D. Native Hawaiian or Other Pacific Islander E. White F.	Deleted	Item 9. Race/Ethnicity is deleted and replaced with items A1005. Ethnicity and A1010. Race.
3.	Admission	15A	15A. Admit From (01-Home (private home/apt., board/care, assisted living, group home, transitional living); 02-Short-term General Hospital; 03 - Skilled Nursing Facility (SNF); 04 - Intermediate care; 06 -Home under care of organized home health service organization; 50 -Hospice (home);51 - Hospice (institutional facility); 61 -Swing bed; 62 -Another Inpatient Rehabilitation Facility; 63 -Long-Term Care Hospital (LTCH);64 -Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility; 66 -Critical Access Hospital; 99 -Not Listed)	15A. Admit From (01. Home (e.g. private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements); 02. Short-term General Hospital; 03. Skilled Nursing Facility (SNF); 04: Intermediate care; 06. Home under care of organized home health service organization; 50. Hospice (home); 51. Hospice (medical facility); 61. Swing Bed; 62. Another Inpatient Rehabilitation Facility; 63. Long-Term Care Hospital (LTCH); 64. Medicaid Nursing Facility; 65. Inpatient Psychiatric Facility; 66. Critical Access Hospital (CAH); 99. Not Listed	Revised for PAC alignment.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
4.	Discharge	44D	44D. Patient's discharge destination/living setting, using codes below: (answer only if 44C = 1; if 44C = 0, skip to item 46) (01- Home (private home/apt., board/care, assisted living, group home, transitional living); 02- Short-term General Hospital; 03 - Skilled Nursing Facility (SNF); 04 - Intermediate care; 06 - Home under care of organized home health service organization; 50 - Hospice (home); 51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another Inpatient Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH); 64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility; 66 - Critical Access Hospital; 99 - Not Listed)	44D. Patient's discharge destination/living setting, using codes below: (answer only if 44C = 1; if 44C = 0, skip to item 46) (01. Home (e.g. private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements); 02. Short-term General Hospital; 03. Skilled Nursing Facility (SNF); 04: Intermediate care; 06. Home under care of organized home health service organization; 50. Hospice (home); 51. Hospice (medical facility); 61. Swing Bed; 62. Another Inpatient Rehabilitation Facility; 63. Long-Term Care Hospital (LTCH); 64. Medicaid Nursing Facility; 65. Inpatient Psychiatric Facility; 66. Critical Access Hospital (CAH); 99. Not Listed	Revised for Transfer of Health Information measure calculation and PAC alignment.
5.	Admission	Section	N/A – new section	Section A. Administrative Information	Adding new section to accommodate new items.
6.	Admission	A1005	N/A – new item	A1005. Ethnicity Are you Hispanic, Latino/a, or Spanish origin? ↓ Check all that apply A. No, not of Hispanic, Latino/a, or Spanish origin B. Yes, Mexican, Mexican American, Chicano/a C. Yes, Puerto Rican D. Yes, Cuban E. Yes, Another Hispanic, Latino, or Spanish origin X. Patient unable to respond	Item 9. Race/Ethnicity is deleted and replaced with A1005. Ethnicity. Proposed as SPADE in the FY 2020 IRF PPS proposed rule. Aligns with 2011 HHS race and ethnicity data standards for person-level data collection, while maintaining the 1997 OMB minimum data standards for race and ethnicity.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
7.	Admission	A1010	N/A – new item	A1010. Race	Item 9. Race/Ethnicity is
				What is your race?	deleted and replaced with
				↓ Check all that apply	A1010. Race. Proposed as
				A. White	SPADE in the FY 2020 IRF PPS
				B. Black or African American	proposed rule. Aligns with
				C. American Indian or Alaska Native	2011 HHS race and ethnicity
				D. Asian Indian	data standards for person-level
				E. Chinese	data collection, while
				F. Filipino	maintaining the 1997 OMB
				G. Japanese	minimum data standards for
				H. Korean	race and ethnicity.
				I. Vietnamese	
				J. Other Asian	
				K. Native Hawaiian	
				L. Guamanian or Chamorro	
				M. Samoan	
				N. Other Pacific Islander	
				X. Patient unable to respond	
8.	Admission,	A1110	N/A – new item	A1110. Language	Proposed as SPADE in the FY
	Discharge	A1110A		A. What is your preferred language?	2020 IRF PPS proposed rule.
		A1110B			
				B. Do you need or want an interpreter to	
				communicate with a doctor or health care	
				staff?	
				0. No	
				1. Yes	
				9. Unable to determine	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
9.	Admission, Discharge	A1250	N/A – new item	A1250. Transportation Has lack of transportation kept you from medical appointments, meetings, work, or from getting things needed for daily living? ↓ Check all that apply A. Yes, it has kept me from medical appointments or from getting my medications B. Yes, it has kept me from non-medical meetings, appointments, work, or from getting things that I need C. No D. Patient unable to respond	Proposed as SPADE in the FY 2020 IRF PPS proposed rule. Consistent with Healthy People 2020 priority to address patients' social determinants of health.
10.	Discharge	A2121	N/A – new item	A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge At the time of discharge to another provider, did your facility provide the patient's current reconciled medication list to the subsequent provider? O. No – Current reconciled medication list not provided to the subsequent provider 1. Yes – Current reconciled medication list provided to the subsequent provider	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
11.	Discharge	A2122	N/A – new item	A2122. Provision of Current Reconciled Medication List to Patient at Discharge At the time of discharge, did your facility provide the patient's current reconciled medication list to the patient, family and/or caregiver? O. No – Current reconciled medication list not provided to the patient, family and/or caregiver 1. Yes – Current reconciled medication list provided to the patient, family and/or caregiver	New data element added for the Transfer of Health Information quality measures.
12.	Discharge	A2123A1 A2123A2 A2123B1 A2123B2 A2123C1 A2123C2 A2123D1 A2123D2 A2123E1 A2123E2	N/A – new item	A2123. Route of Current Reconciled Medication List Transmission Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider and/or patient/family/caregiver. 1. To subsequent provider 2. To patient/family/caregiver ↓ Check all that apply A. Electronic Health Record B. Health Information Exchange Organization C. Verbal (e.g., in-person, telephone, video conferencing) D. Paper-based (e.g., fax, copies, printouts) E. Other Methods (e.g., texting, email, CDs)	New data element added for the Transfer of Health Information quality measures.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
	Admission	B0200	N/A – new item	Ability to hear (with hearing aid or hearing appliances if normally used) 0. Adequate - no difficulty in normal conversation, social interaction, listening to TV 1. Minimal difficulty - difficulty in some environments (e.g., when person speaks softly or setting is noisy) 2. Moderate difficulty - speaker has to increase volume and speak distinctly 3. Highly impaired - absence of useful hearing	Added to assess Hearing in Section B – Speech, Hearing, and Vision. MDS currently assesses this but it is missing from previous versions of IRF-PAI. National Beta Test data supports cross-setting reliability and feasibility.
14.	Admission	B1000	N/A – new item	 B1000. Vision Ability to see in adequate light (with glasses or other visual appliances) 0. Adequate - sees fine detail, such as regular print in newspapers/books 1. Impaired - sees large print, but not regular print in newspapers/books 2. Moderately impaired - limited vision; not able to see newspaper headlines but can identify objects 3. Highly impaired - object identification in question, but eyes appear to follow objects 4. Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects 	Added to assess Vision in Section B – Speech, Hearing, and Vision. MDS currently assesses this but it is missing from previous versions of IRF-PAI. National Beta Test data supports cross-setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
15.	Admission, Discharge	B1300	N/A – new item	How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy? O. Never Rarely Sometimes Often Always Patient unable to respond	Proposed as SPADE in the FY 2020 IRF PPS proposed rule. Recommended for inclusion in Medicare data by HHS and the National Academies of Sciences, Engineering and Medicine (NASEM).
16.	Discharge	C0100	N/A – new item	C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted? (3-day assessment period) Attempt to conduct interview with all patients. 0. No (patient is rarely/never understood) → Skip to XXXX 1. Yes → Continue to C0200, Repetition of Three Words	Added BIMS to Cognitive Patterns section on discharge of the IRF-PAI to assess mental status. Most public comments supportive of including BIMS. TEP supported use of BIMS. Testing supports use of MDS version of BIMS. National Beta Test data supports cross- setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
17.	Discharge	C0200	N/A – new item	C0200. Repetition of Three Words	Added BIMS to Cognitive
					Patterns section on discharge
				Ask patient: "I am going to say three words	of the IRF-PAI to assess mental
				for you to remember. Please repeat the	status. Most public comments
				words after I have said all three. The words	supportive of including BIMS.
				are: sock, blue and bed. Now tell me the	TEP supported use of BIMS.
				three words."	Testing supports use of MDS
					version of BIMS. National Beta
				Number of words repeated after first	Test data supports cross-
				attempt	setting reliability and
				3. Three	feasibility.
				2. Two	
				1. One	
				0. None	
				After the patient's first attempt, repeat the	
				words using cues ("sock, something to wear;	
				blue, a color; bed, a piece of furniture"). You	
				may repeat the words up to two more	
				times.	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
18.	Discharge	C0300	N/A – new item	C0300. Temporal Orientation (orientation	Added BIMS to Cognitive
		C0300A		to year, month, and day)	Patterns section on discharge
		C0300B			of the IRF-PAI to assess mental
		C0300C		Ask patient: "Please tell me what year it is	status. Most public comments
				right now."	supportive of including BIMS.
				A. Able to report correct year	TEP supported use of BIMS.
				3. Correct	Testing supports use of MDS
				2. Missed by 1 year	version of BIMS. National Beta
				1. Missed by 2 - 5 years	Test data supports cross-
				0. Missed by > 5 years or no answer	setting reliability and
					feasibility.
				Ask patient: "What month are we in right	
				now?"	
				B. Able to report correct month	
				2. Accurate within 5 days	
				1. Missed by 6 days to 1 month	
				0. Missed by > 1 month or no answer	
				Ask patient: "What day of the week is	
				today?"	
				C. Able to report correct day of the week	
				1. Correct	
				0. Incorrect or no answer	

#		/ Text	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
# 19.	Discharge Affe	N/A – new item	Ask patient: "Let's go back to an earlier question. What were those three words that I asked you to repeat?" If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word. A. Able to recall "sock" 2. Yes, no cue required 1. Yes, after cueing ("something to wear") 0. No - could not recall B. Able to recall "blue" 2. Yes, no cue required 1. Yes, after cueing ("a color") 0. No - could not recall C. Able to recall "bed" 2. Yes, no cue required 1. Yes, after cueing ("a piece of	Change / Comments Added BIMS to Cognitive Patterns section on discharge of the IRF-PAI to assess mental status. Most public comments supportive of including BIMS. TEP supported use of BIMS. Testing supports use of MDS version of BIMS. National Beta Test data supports cross- setting reliability and feasibility.
			2. Yes, no cue required	

	Admission/	Item / Text		IRF-PAI Version 4.0 (Note: Modifications to	Rationale for
#	Discharge	Affected	IRF-PAI Version 3.0	existing items highlighted in yellow)	Change / Comments
20.	Discharge	C0500	N/A – new item	C0500. BIMS Summary Score	Added BIMS to Cognitive
					Patterns section on discharge
				Add scores for questions C0200-C0400 and	of the IRF-PAI to assess mental
				fill in total score (00-15)	status. Most public comments
				Enter 99 if the patient was unable to	supportive of including BIMS.
				complete the interview	TEP supported use of BIMS.
					Testing supports use of MDS
					version of BIMS. National Beta
					Test data supports cross-
					setting reliability and
					feasibility.
21.	Admission	C1310A	N/A – new item	C1310. Signs and Symptoms of Delirium	TEP supportive of CAM use
		C1310B		(from CAM©)	across settings. National Beta
		C1310C		Code after completing Brief Interview for	Test data supports cross-
		C1310D		Mental Status or Staff Assessment and	setting reliability and feasibility
				reviewing medical record.	of CAM.
				A. Acute Onset Mental Status Change	
				Is there evidence of an acute change in	
				mental status from the patient's baseline?	
				0. No	
				1. Yes	
				Enter Codes in Boxes	
				B. Inattention - Did the patient have	
				difficulty focusing attention, for	
				example, being easily distractible or	
				having difficulty keeping track of what	
				was being said?	
				C. Disorganized thinking - Was the	
				patient 's thinking disorganized or	
				incoherent (rambling or irrelevant	
				conversation, unclear or illogical flow	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
				of ideas, or unpredictable switching from subject to subject)? D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? • vigilant – startled easily to any sound or touch • lethargic – repeatedly dozed off when being asked questions, but responded to voice or touch • stuporous – very difficult to arouse and keep aroused for the interview • comatose – could not be aroused Coding: 0. Behavior not present 1. Behavior continuously present, does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in severity)	
22.	Discharge	C1310A C1310B C1310C C1310D	N/A – new item	C1310. Signs and Symptoms of Delirium (from CAM©) Code after completing Brief Interview for Mental Status and reviewing medical record. A. Acute Onset Mental Status Change Is there evidence of an acute change in mental status from the patient's baseline? 0. No 1. Yes	TEP supportive of CAM use across settings. National Beta Test data supports crosssetting reliability and feasibility of CAM.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
				Enter Codes in Boxes B. Inattention - Did the patient have difficulty focusing attention, for example, being easily distractible or having difficulty keeping track of what was being said? C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject). D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? • vigilant – startled easily to any sound or touch • lethargic – repeatedly dozed off when being asked questions, but responded to voice or touch • stuporous – very difficult to arouse and keep aroused for the interview • comatose – could not be aroused	
				Coding: 0. Behavior not present 1. Behavior continuously present,	
				does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in severity)	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
23.	Admission, Discharge	CAM © Footnote	Adapted with permission from: Inouye SK et al, Clarifying confusion: The Confusion Assessment Method. A new method for detection of delirium. Annals of Internal Medicine. 1990; 113: 941-948. Confusion Assessment Method: Training Manual and Coding Guide, Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission.	Confusion Assessment Method. ©1988, 2003, Hospital Elder Life Program. All rights reserved. Adopted from: Inouye SK et al. Ann Intern Med. 1990; 113:941-8. Used with permission.	TEP supportive of CAM use.
24.	Admission, Discharge	D0150 D0150A1 D0150A2 D0150B1 D0150B2 D0150C1 D0150C2 D0150D1 D0150D2 D0150E1 D0150E2 D0150F1 D0150F2 D0150G1 D0150G2 D0150H1 D0150H2 D0150H2 D0150I1 D0150I2	N/A – new item	D0150. Patient Mood Interview (PHQ-2 to 9) Say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?" If symptom is present, enter 1 (yes) in column 1, Symptom Presence. If yes in column 1, then ask the patient: "About how often have you been bothered by this?" Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency. 1. Symptom Presence 0. No (enter 0 in column 2) 1. Yes (enter 0-3 in column 2) 9. No response (leave column 2 blank)	Adding PHQ-2 to 9 to IRF-PAI. Stakeholder and expert input, including public comments and the TEP, supportive of using PHQ-2 as gateway to full PHQ-9 depression screening. This approach reduces burden while ensuring that patients with some depressive symptoms are screening with full PHQ-9. Results of the National Beta Test support the PHQ-2 to 9 as feasible and reliable across PAC settings.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
#			IRF-PAI Version 3.0		
				dead, or of hurting yourself in some way	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
25.	Admission, Discharge	D0160	N/A – new item	Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).	Adding PHQ-2 to 9 to IRF- PAI.
26.	Admission, Discharge	D0700	N/A – new item	D0700. Social Isolation How often do you feel lonely or isolated from those around you? 0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 9. Patient unable to respond	Proposed as SPADE in the FY 2020 IRF PPS proposed rule. Recommended for inclusion in Medicare data by HHS and the NASEM.
27.	Admission, Discharge	J0510	N/A – new item	J0510. Pain Effect on Sleep Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?" 0. Does not apply − I have not had any pain or hurting in the past 5 days → Skip to XXXX 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost Constantly 9. Unable to answer	TEP comments and National Beta Test data supports crosssetting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
28.		J0520	N/A – new item	J0520. Pain Interference with Therapy Activities Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?" 0. Does not apply – I have not received rehabilitation therapy in the past 5 days 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost Constantly 9. Unable to answer	TEP comments and National Beta Test data supports crosssetting reliability and feasibility.
29.	Admission, Discharge	J0530	N/A – new item	J0530. Pain Interference with Day-to-Day Activities Ask patient: "Over the past 5 days, how often have you limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?" 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost Constantly 9. Unable to answer	TEP comments and National Beta Test data supports cross-setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
30.	Admission	K0110 K0110A K0110B K0110C	K0110. Swallowing/Nutritional Status (3-day assessment period) Indicate the patient's usual ability to swallow. ↓ Check all that apply. A. Regular food - Solids and liquids swallowed safely without supervision or modified food or liquid consistency. B. Modified food consistency/supervision - Patient requires modified food or liquid consistency and/or needs supervision during eating for safety. C. Tube/parenteral feeding - Tube/parenteral feeding used wholly or partially as a means of sustenance.	Deleted	Replaced with item K0520. Nutritional Approaches to align with MDS' assessment of nutritional status.
31.	Admission	K0520 K0520A K0520B K0520C K0520D K0520Z	N/A – new item	 K0520. Nutritional Approaches Check all of the following nutritional approaches that apply on admission. ↓ Check all that apply A. Parenteral/IV feeding B. Feeding tube (e.g., nasogastric or abdominal (PEG)) C. Mechanically altered diet – require change in texture of food or liquids (e.g., pureed food, thickened liquids) D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol) Z. None of the above 	Included to align with MDS' assessment of nutritional status. Item K0520 will mirror the MDS.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
32.	Discharge	K0520	N/A – new item	K0520. Nutritional Approaches	Included to align with MDS'
		K0520A1			assessment of nutritional
		K0520A2		1. Last 7 days	status. Item K0520 will mirror
		K0520B1		Check all of the nutritional approaches	the MDS.
		K0520B2		that were received in the last 7 days	
		K0520C1		2. At discharge	
		K0520C2		Check all of the nutritional approaches	
		K0520D1		that were being received at discharge	
		K0520D2		l Charle all that are the	
		K0520Z1		↓ Check all that apply A Parantary (N) fooding	
		K0520Z2		A. Parenteral/IV feeding	
				B. Feeding tube (e.g., nasogastric or abdominal (PEG))	
				C. Mechanically altered diet – require	
				change in texture of food or liquids	
				(e.g., pureed food, thickened liquids)	
				D. Therapeutic diet (e.g., low salt,	
				diabetic, low cholesterol)	
				Z. None of the above	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
33.	Admission	N0415	N/A – new item	N0415. High-Risk Drug Classes: Use and	TEP comments and National
		N0415A1		Indication	Beta Test data supports cross-
		N0415A2		1. Is taking	setting reliability and
		N0415E1		Check if the patient is taking any	feasibility.
		N0415E2		medications in the following drug	
		N0415F1		classes	
		N0415F2		2. Indication noted	
		N0415H1		If Column 1 is checked, check if there is	
		N0415H2		an indication noted for all medications	
		N0415I1		in the drug class	
		N0415I2			
		N0415J1		↓ Check all that apply	
		N0415J2		A. Antipsychotic	
				E. Anticoagulant	
				F. Antibiotic	
				H. Opioid	
				I. Antiplatelet	
				J. Hypoglycemic (including insulin)	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
34.	Discharge	N0420A1 N0420A2 N0420E1 N0420E2 N0420F1 N0420F2 N0420H1 N0420H2 N0420I1 N0420I2 N0420J1 N0420J2	N/A – new item	N0420. High-Risk Drug Classes: Use and Indication 1. Is taking Check if the patient is taking any medications in the following drug classes 2. Indication noted If Column 1 is checked, check if there is an indication noted for all medications in the drug class ↓ Check all that apply A. Antipsychotic E. Anticoagulant F. Antibiotic H. Opioid I. Antiplatelet J. Hypoglycemic (including insulin)	TEP comments and National Beta Test data supports crosssetting reliability and feasibility.
35.	Admission	O0100N O0110	O0100. Special Treatments, Procedures, and Programs Check if treatment applies at admission O0100N. Total Parenteral Nutrition	O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply on admission.	TEP comments and National Beta Test data supports cross- setting reliability and feasibility.
36.	Discharge	O0110	N/A – new item	O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply at discharge. ◆ Check all that apply	TEP comments and National Beta Test data supports cross- setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
37.	Admission,	O0110A1a	N/A – new item	Cancer Treatments	Included to align with the MDS,
	Discharge;	O0110A2a			and public comment and
	note: "a" is	O0110A3a		A1. Chemotherapy	subject matter experts support
	used for item	O0110A10a		A2. IV	breaking the parent item
	numbering	O0110B1a		A3. Oral	"chemotherapy" into type of
	for			A10. Other	chemotherapy to distinguish
	admission	O0110A1b			patient complexity/burden of
	while "b" is	O0110A2b		B1. Radiation	care.
	used for item	O0110A3b			
	numbering	O0110A10b			
	for discharge	O0110B1b			

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0 (Note: Modifications to existing items highlighted in yellow)	Rationale for Change / Comments
38.	Admission,	O0110C1a	N/A – new item	Respiratory Therapies	Included to align with the MDS,
	Discharge;	O0110C2a			and public comment and
	note: "a" is	O0110C3a		C1. Oxygen Therapy	subject matter experts
	used for item	O0110C4a		C2. Continuous	support: breaking the parent
	numbering	O0110D1a		C3. Intermittent	item "oxygen therapy" into
	for	O0110D2a		C4. High-concentration	continuous vs. intermittent to
	admission	O0110D3a			distinguish patient
	while "b" is	O0110E1a		D1. Suctioning	complexity/burden of care;
	used for item	O0110F1a		D2. Scheduled	breaking the parent item
	numbering	O0110G1a		D3. As needed	"suctioning" into frequency of
	for discharge	O0110G2a			suctioning to distinguish
		O0110G3a		E1. Tracheostomy Care	patient complexity/burden of
					care. In public comment, there
		O0110C1b		F1. Invasive Mechanical Ventilator	was support for breaking the
		O0110C2b		(ventilator or respirator)	parent item into 2 response
		O0110C3b			options (BiPAP and CPAP).
		O0110C4b		G1. Non-invasive Mechanical Ventilator	
		O0110D1b		G2. BiPAP	
		O0110D2b		G3. CPAP	
		O0110D3b			
		O0110E1b			
		O0110F1b			
		O0110G1b			
		O0110G2b			
		O0110G3b			

	Admission/	Item / Text		IRF-PAI Version 4.0 (Note: Modifications to	Rationale for
#	Discharge	Affected	IRF-PAI Version 3.0	existing items highlighted in yellow)	Change / Comments
39.	Admission,	O0110AH1a	N/A – new item	Other	In public comment, there was
	Discharge;	O0110AH2a			support for: further delineating
	note: "a" is	O0110H3a		H1. IV Medications	types of IV medications (and
	used for item	O0110H4a		H2. Vasoactive medications	the new vasoactive medication
	numbering	O0110H10a		H3. Antibiotics	item, O0110H2, is included in
	for	O0110I1a		H4. Anticoagulation	the LTCH ventilator liberation
	admission	O0110J1a		H10. Other	quality measures); breaking
	while "b" is	O0110J2a			out the dialysis parent item
	used for item			I1. Transfusions	into type of dialysis; breaking
	numbering	O0110O1a			out the IV access parent item
	for discharge			J1. Dialysis	(which appears on the MDS)
		O0110O3a		J2. Hemodialysis	into types of IV access.
		O0110O4a		J3. Peritoneal dialysis	
		O0110Z1a			
				O1. IV Access	
		O0110H1b		O2. Peripheral IV	
		O0110H2b		O3. Midline	
		O0110H3b		O4. Central line (e.g., PICC,	
		O0110H4b		tunneled, port)	
		O0110H10b			
		O0110I1b		None of the Above	
		O0110J1b			
		O0110J2b		Z1. None of the above	
		O0110J3b			
		0011001b			
		O0110O2b			
		0011003b			
		O0110O4b			
		O0110Z1b			