



# THE GREENCHILL PARTNERSHIP

## GreenChill Installed Refrigerant and Emissions Corporate

### I. General Partner Information

Company Name:

This Reporting Year:

\* Selected by the Partner - Partner may select the first reporting year or up to two years prior to the first reporting year.

**Provide this data aggregated across**

### II. Corporate-Wide Installed Refrigerant

Note: Report aggregate information for all retail stores under the same Partner and/or banner name. Include offices, break-rooms, etc. co-located inside retail stores. Do not include separate office buildings, distribution centers, warehouses, etc. Do not include refrigerant stored in cylinders on or off site. Include other refrigerants not listed by using extra lines at the bottom of the table.

Refrigerant	Commercial Refrigeration		Air-Conditioning
	Charge ≥ 50 Pounds	Charge < 50 Pounds	
	REQUIRED	OPTIONAL	OPTIONAL
EP-88			
R-11			
R-12			
R-13			
R-134a			
R-143A			
R-22			
R-23			
R-290 (Propane)			
R-401A (MP 39)			

### III. Corporate

Note: Report break-rooms, warehouses, emissions from other refrigerants

R-401B (MP 66)			
R-402A (HP 80)			
R-402B (HP 81)			
R-404A (HP 62)			
R-407A (Klea 60)			
R-407B (Klea 61)			
R-407C (Klea 66; Suva 9000)			
R-407F (Gen. Performax LT)			
R-408A (FX-10)			
R-409A (FX-56)			
R-410A (AZ-20, Puron)			
R-414A (GHG-X4)			
R-414B (Hot Shot)			
R-416A (FR 12)			
R-417A (NU-22, Isceon MO29)			
R-421A (Choice R421A)			
R-422A (Isceon 79)			
R-422B (XAC1)			
R-422C (XLT1)			
R-422D (Isceon MO29)			
R-427A (Forane 427A)			
R-437A (ISCEON MO49 Plus)			
R-438A (ISCEON MO99)			
R-441A (HC blend)			
R-448A (Solstice N-40)			
R-449A (Opteon XP 40)			
R-449B (Forane 449B)			
R-450A (Solstice N-13)			
R-502			
R-507A (AZ-50)			
R-513A (Opteon XP 10)			
R-600a (Isobutane)			
R-717 (NH3)			
R-744 (CO2)			
[INSERT OTHER]			
[INSERT OTHER]			
[INSERT OTHER]			
[INSERT OTHER]			
[INSERT OTHER]			
[INSERT OTHER]			
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>
	<b>0</b>		
		<b>0</b>	

Reported values are in (select one):

**Pounds**

***I certify with my signature that the data reported herein represent the best faith effort to obtain and report accurate information."***

Signature: \_\_\_\_\_

Name (please print): \_\_\_\_\_

Please return completed forms by **March 31, 2017** by email to:

You may also

Joe Donahue, Abt Associates

[Joe\\_Donahue@abtassoc.com](mailto:Joe_Donahue@abtassoc.com)

Phone: 303-381-8205

OMB Control No.: 2060-0702 | Approval Expires: 31 May 2019

*The public reporting and recordkeeping burden for this collection of information is estimated to average [4.2 hours] per response. Send comments and suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collect Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.*



## Annual Report for Food Retail Partners

<b>Number of Stores:</b>	<b>Partner Base Year:*</b>

**all stores.**

### Store-Wide Refrigerant Emissions

Provide aggregate information for all retail stores under the same Partner and/or banner name. Include offices, etc. co-located inside retail stores. Do not include separate office buildings, distribution centers, etc. Do not include refrigerant recovered/recycled from equipment retired, but do include known emissions from those systems. Do not include first-fill charging when installing new systems or after remodels. Include refrigerants not listed by using extra lines at the bottom of the table.

Refrigerant	Commercial Refrigeration		Air-Conditioning
	Charge ≥ 50 Pounds	Charge < 50 Pounds	
	REQUIRED	OPTIONAL	OPTIONAL
EP-88			
R-11			
R-12			
R-13			
R-134a			
R-143A			
R-22			
R-23			
R-290 (Propane)			
R-401A (MP 39)			

R-401B (MP 66)			
R-402A (HP 80)			
R-402B (HP 81)			
R-404A (HP 62)			
R-407A (Klea 60)			
R-407B (Klea 61)			
R-407C (Klea 66; Suva 9000)			
R-407F (Gen. Performax LT)			
R-408A (FX-10)			
R-409A (FX-56)			
R-410A (AZ-20, Puron)			
R-414A (GHG-X4)			
R-414B (Hot Shot)			
R-416A (FR 12)			
R-417A (NU-22, Isceon MO29)			
R-421A (Choice R421A)			
R-422A (Isceon 79)			
R-422B (XAC1)			
R-422C (XLT1)			
R-422D (Isceon MO29)			
R-427A (Forane 427A)			
R-437A (ISCEON MO49 Plus)			
R-438A (ISCEON MO99)			
R-441A (HC blend)			
R-448A (Solstice N-40)			
R-449A (Opteon XP 40)			
R-449B (Forane 449B)			
R-450A (Solstice N-13)			
R-502			
R-507A (AZ-50)			
R-513A (Opteon XP 10)			
R-600a (Isobutane)			
R-717 (NH3)			
R-744 (CO2)			
[INSERT OTHER]			
[INSERT OTHER]			
[INSERT OTHER]			
[INSERT OTHER]			
[INSERT OTHER]			
[INSERT OTHER]			
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>
	<b>0</b>		
		<b>0</b>	

Reported values are in:

**Pounds**



**Reporting Party's best estimates and are the result of a good**

Date: \_\_\_\_\_

Send a copy of completed forms by email to EPA:

Tom Land, EPA GreenChill Partnership

[land.tom@epa.gov](mailto:land.tom@epa.gov)

Phone: 202-343-9185

EPA Form No.: 5900-213

Comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any other information should be sent to the Information Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW,