OMB Control Number: 0694-0139

## Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports

Exclusion Request Requirements: Only individuals or organizations operating in the United States that use steel products (e.g. flat, long, semi-finished, pipe and tube, and stainless) in business activities (e.g., construction, manufacturing, supplying steel product to users) in the United States may submit an Exclusion Request. For an Exclusion Request to be considered, the Exclusion Requester must provide factual information on 1) the single type of steel product it requires using a 10-digit HTSUS code, including its specific dimension; 2) the quantity of product required (stated in kilograms) under a one-year exclusion; 3) a full description of the properties of the steel product it seeks to import, including chemical composition, dimensions, strength, toughness, ductility, magnetic permeability, surface finish, coatings, and other relevant data. Exclusion Requests must be submitted using this Excel-based document. Paper submissions will not be accepted.

A separate Exclusion Request must be submitted on each distinct type and dimension of steel product to be imported. All applicable question blocks in the form must be completed for the Exclusion Request to be accepted. Exclusion Requests will be denied if the applicant: 1) does not sufficiently address the specified reporting requirements; 2) cites the improper HTSUS code, or 3) provides incorrect product descriptions.

Organizations electing to attach supporting documents must provide these documents in PDF format and it must not exceed 25 pages. All information submitted in the Exclusion Request is subject to public disclosure. Do not provide sensitive Personally Identifiable Information.

Organizations should upload their completed Exclusion Request pertaining to a steel product to www.regulations.gov under Docket Number BIS-2018-0006. An Exclusion Request may be submitted at any time. Processing of an Exclusion Request will take approximately 90 business days. Notification of granted Exclusions will be posted on www.regulations.gov. For questions related directly to completing this form, contact BIS via email (steel232@bis.doc.gov) or telephone (202-482-5642).

1.a	Identify the class of steel product for which the Exclusion		10-Digit Harmonized Tariff Schedule Code of the United States (HTSUS) for the single steel product covered by this request: (See https://www.usitc.gov/)							
	R	Importer of Record for Organization Requesting an Exclusion								
	Full Organization Legal Name		Full Organization Legal Name							
	Street Address					Street Address				
	City					City				
	State					State				
	Zip Code		Zip Code							
	Headquarters Country					Headquarters Country				
	Point of Contact Name		Point of Contact - Representative Na	ame						
	Phone Number					Phone Number				
1.b	E-mail Address					E-mail Address				
	Web Site Address					Web Site Address				
	Pare	Requester's Authorized Representative/Agent (If applicable)								
	Full Organization Legal Name	rganization Legal Name								
	Street Address					Point-of-Contact Organization				
	City					Country Location				
	State/Province					Phone Number				
	Zip Code/Postal Code				E-mail Address					
	Headquarters Country					Web Site Address				
	Web Site Address					Other Information				
Does the parent organization hold ownership in (partia engaged as a: Steel Manufacturer; Steel Distributor; St 1.c "Yes" identify the activity.		lly or completely) eel Exporter or, St	or is it otherwise eel Importer? If		If "Yes" - Identify the organization		Identify the countr organization is hea	ry where the adquartered		
	Comments:									
1.d	d Identify the primary type of steel activity of the Exclusion Requester:				Total Requested A 1,000 kilograms)	l Annual Exclusion Quantity in Kilograms (1 metric ton = )				
	Comments:			Continued	w Novt Dage					
				Continuea o	on Next Page					

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued													
2.2	2.a Average annual consumption for years 2015-2017 of the steel product that is subject of this Exclusion Request - Kilograms													
		organization requ	ires an Exclusion us	sing 1) the drop-do	wn box to the righ	nt and 2) by providi	ng written comme	nts in the space p	rovided below.					
2.t	Comments:													
2.c Identify the percentage of total steel product covered under this Exclusion Request not available from steel manufacturers in the United States:														
2.0	Estimate the num	ber of days requi	red to take delivery	of the steel produ	ct covered by this	Exclusion Request	, from the time the	purchase order is	s issued by your or	ganization:				
2.e Estimate the number of days required to manufacture the steel product covered by this Exclusion Request, from the time a binding purchase order is executed:														
2.f. Estimate the number of days required to ship the steel product covered under this Exclusion Request, from the foreign port of departure to the Exclusion Requester's loading dock:														
2.8	; Estimate the num								el product subject	to this Exclusion Re	equest:			
2.1			) of Entry through v	vhich the steel proo rt 2	-	s Exclusion Reques rt 3		orted: rt 4	Pr	rt 5	Pc	ort 6	Po	rt 7
2.1		"	FU	112	FU	11.5	FU	14	ru	11.5	FU	110	FU	117
	Is the organization	making this Excl	usion Request doin	g so on behalf of a	non-U.S. steel pro	oducer that does no	ot manufacture ste	el products in the	United States?					
2.i	If "Yes" identify th	ne non-U.S. steel	producer						Identify the coun	try where the orga	nization is headqu	artered		
	Comments:													
			•			E	xclusion Request F	Product Information	on					
			rovide a full, comple is being requested			space provided be	low. * See explana	tion below.						
2.j														
			nich an Exclusion is hrases covering the										nical requirements	, dimensions,
			e defined based on								-		f 300 MPa " "carbo	on content
	0.08%," etc.) will b	e interpreted as	meaning the exact e allowed. Where	dimension or meas	surement. Ranges	s (e.g., "cross-sectio	onal diameter fallin	g within the range	e 5.35 mm and 5.6	5 mm," "yield stren	ngth greater than	or equal to 300 MP	a," "carbon conte	
	Comments:													
	comments.						Organization	Designation		Organization	Designation		Organization	Designation
	Identify the standa	ards organization	s that have set spec	cifications for the p	roduct type that	1	organization	Designation			Designation	5	organization	Designation
2.	identified standard	ds organization(s)	lest, and provide th I,	e reference design	ation(s) for the					1				
	(e.g., ASTM A108-	13):				Other (specify)			Other (specify	*		Other (specify)		
						Other (speerly)		oduct Description				Other (specify)		
Identify the classification and properties of the steel product covered under this Exclusion Request. Other classification or properties may be described in the Comment box below. (Select all that apply)														
	Slab	Blooms	Billets	Ingots	Flat	Long	Beams	Semi	Pipe	Tube	Stainless	Wire	Hot Rolled	Cold Rolled
	-	bioonis	Dilicto	ingots		Long	Deams	-Finished	Tipe	Tube	Stamess	Wite	Hot Rolled	
2.1	Annealed	Plated	Electro-	Galvanized	Electro-	Zinc Plated	Aluminum	Lead Plated	Tin Plated	Painted	Varnished	Plasticized	Pickled	Other (Use
	Annealeu	Fiateu	Plated	Gaivallizeu	Galvanized	Zinc Plateu	Plated	Leau Plateu	ThirPlateu	Failleu	varilisileu	Flasticizeu	FICKIEU	Comment Box)
	Comment:													
	Continued on Next Page													

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued													
	Identify the chemi	cal composition o	f the specific steel	product for which	your organization	seeks an Exclusion	. Numbers may ap	opear rounded, but	full values will be	stored.				
	Chemical Composition													
	Chemical	Aluminum	Antimony	Bismuth	Boron	Carbon	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Molybdenum	Nickel
	Minimum %													
	Maximum %													
3.a		Niobium	Nitrogen	Phosphorous	Selenium	Silicon	Sulfur	Tellurium	Titanium	Tungsten	Vanadium	Zirconium	[Other - List Below]	[Other - List Below]
	Minimum %													
	Maximum %													
	Comments:													
	Provide the following information on the single steel product that is the subject of this Exclusion Request: 1) dimensional information for the single steel product and a single size not a range of products and or sizes (e.g., 19 mm dia. rebar - not 19, 22, 25, and 29 mm.) A separate Exclusion Request must be submitted for each steel product by physical dimension; 2) performance data for tensile strength, yield strength, hardness, impact, shear and test temperature. Numbers may appear rounded, but full values will be stored.													
			Steel Produ	ct Specifications (N	Aillimeters)			Strength			Toughness (If Applicable)			
3.b		Thickness	Inside Diameter	Outside Diameter	Length	Width	Height	Tensile Strength Mega Pascal (MPa)	Yield Strength Mega Pascal (MPa)	Hardness (specify method below - Brinnell, Rockwell, Vickers, etc.)	Test Type	Drop-Weight Tear Testing	Impact (Charpy) Testing	Other (specify type in comment box)
											Temperature (°C)			
	Minimum										Joules			
	Maximum										% Shear			
	Comments:													
	Provide the follow may appear round			roduct that is the s	ubject of this Excl	usion Request: 1) p	performance data t	for ductility, magne	etic permeability, s	urface finish; and :	2) metal coating p	rocess, material typ	pe, weight, and thi	ckness. Numbers
		Global I	Global Ductility Local Ductility Magnetic Permeab (If Applicable) (If Applicable)				agnetic Permeabil (If Applicable)	ity Surface Finish (If Applicable)			Coating Type and Composition (If Applicable)			
3.c		Elongation %	Reduction -in-Area %	Hole Expansion %	Bendability (Bend Radius/Sheet Thickness [millimeter]	Magnetic Permeability [Epstein Test]	Magnetic Permeability [Greer Lab Method]	Stacked Wide Sheet [ASTM A804/ A804M-04 (2015)]	Profilometer - [SAE J911]	Coating Method	Coating Product Name and Abbreviation	Composition (e.g., Zn, Al, Si, Mg, other intentionally added elements or alloys)	Weight [Grams per Sq. Meter]	Coating Thickness [micrometers]
	Minimum													
	Maximum													
	Select any add	litional processing r	nethods used:									Other (specify)		
	Comments:			L										
	Continued on Next Page													

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued											
	List the Commercial Name(s) of the single steel product that is the subject of this Exclusion Request.											
4.a												
	Comments:		L.									
	State the 1) applic	ate the 1) application for the steel product (e.g., automotive, appliances, industrial products, structural, etc.) that is the subject of this Exclusion Request, and 2) why similar steel products manufactured in the United States, if available, are not suitable.										
4.b												
1.0		needed to support U.S. national security requirements	(critical infrastructure or national de	fense systems), provide a detailed de	escription of the specific uses of this s	ingle steel product	t in the space below:					
4.c												
	from the manufac	countries for the single steel product for which the Ex- curer, identify the current supplier(s) and the country of	of the supplier(s). The Exclusion Requ	uest, if granted, will pertain solely to	the identified supplier(s) listed in this	form and the cour	ntry of origin.	obtained directly				
	NOTE: Steel produ	cts encompassing more than one 10-digit HTSUS code	must submit a separate Exclusion Re	equest for each pertinent code.								
		Country of Origin	Country of Export	Exclusion Quantity Current Manufac		turer Current Suppli						
4.d	1	, ,					(if not obtained directly from n	nanufacturer)				
	2											
	3											
	4											
	5											
				Product Availability Information								
4.e	Does the Requeste	sester possess knowledge of any domestic U.S. parties that <u>currently</u> manufacture the described steel product in the United States?										
	Comment:											
	Does the Request	ther parsage knowledge of any parties that currently manufacture the described steel product in a country exempted from this tariff2 If use identify the country or countries below										
4.f		ster possess knowledge of any parties that <u>currently</u> manufacture the described steel product in a country exempted from this tariff? If yes, identify the country or countries below.										
	Comment:											
		ware of any manufacturers <u>capable of producing</u> a sub	stitute for the steel product in the U	nited States? If "Yes" provide suppor	ting information (name and address)	in the space below	/?					
4.g	Comment:											
		Requester attempted to <u>qualify any steel manufacture</u>			of this Exclusion Request in the past	two years? If "Yes	" provide supporting information in					
	the space below.	Supporting documents must be submitted as a consoli	dated PDF file and may not exceed 25	5 pages.								
4 6	2			6								
4.h	3			7								
	4			8								
	Comment:											
				Continued on Next Page								

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued										
5.a	and your points of	Has the Exclusion Requester attempted to purchase the described steel product that is the subject of this Exclusion Request, or a substitute, from a U.S. manufacturer in the past two years? If "Yes" identify the manufacturers, addresses, and your points of contact at the U.S. steel manufacturing organizations in the space below.									
	Comment:										
5.b	manufacturers, ac	ne Exclusion Requester had supply contracts, or does it have current contracts, with steel producers that manufacture in the United States the steel product identified in the Exclusion Request? If "Yes" identify the U.S. steel facturers, addresses, and your points of contact at the U.S. manufacturing organizations in the space below.									
011											
5.0	standards/proced	Requester <u>determ</u> ures employed to i	ined that there is no U.S. m nake that determination (e	<u>anufacturer</u> that produce .g., magnetic core loss, et	es a near-equivalent steel product c).	hat would meet qualification requir	ements? If "Yes" ident	ify in the space below the testin	Ig		
0.0	Comment:										
5.d	below.	rs, has the Reques	ter purchased a <u>substitute</u>	<u>steel product</u> manufactu	red in the United States in place of	the steel product described in the E	xclusion Request? If "Y	es" provide supporting informat	tion in the space		
	Comment:										
5.€	procedures.	explanation as to	າວw U.S. Customs and Boro	ler Protection (CBP) will b	e able to reasonably distinguish th	e steel product subject to the Exclus	ion Request at time of	entry, without adding undue bu	urden to their current en	try system and	
Submission of Exclusion Requests: All Exclusion Requests must be fully completed and submitted to www.regulations.gov under Docket Number BIS-2018-0006 using this Microsoft Excel electronic form. All information submitted will be subject to public disclosure, regardless of any statements by the Requester that some information should be treated otherwise. Any further information required as a part of this Exclusion Request will be determined and requested solely by the U.S. Department of Commerce.											
Submission of Supporting Documents (Attachments): Supporting attachments should be submitted to www.regulations.gov as PDF documents and must be posted to www.regulations.gov under Docket Number BIS-2018-0006. Total supporting submissions may not exceed 25 pages.											
Oth	Other Comments:										
	This request is for a product from a country subject to quantitative I have additional information to provide that is proprietary or otherwise business confidential that is relevant and necessary to this submission:										
		his Evolusion	Poquest must be sign	ed by an organizati	on official specifically outb	vrized to cortify the decumer	t as being accure	te and complete			
	Instruction: This Exclusion Request must be signed by an organization official specifically authorized to certify the document as being accurate and complete.										

CERTIFICATION							
The undersigned certifies that the information herein supplied in response to this questionnaire is complete and correct to the best of his/her knowledge. It is a criminal offense to willfully make a false statement or representation to any department or agency of the United States Government as to any matter within its jurisdiction. [18 U.S.C. 1001 (1984 & SUPP. 1197)]							
Company Name:							
Name of Authorizing Official:		Title of Authorizing Official:					
Phone Number:	Email of Authorizing Official:						
If the Point of Contact is different from the Authorizing Official provide point-of-contact information below.							
Point-of-Contact Name:		Title					
E-mail Address:		Phone Number					
Paperwork Reduction Act Notice							
the Paperwork Reduction Act of 1995, public reporting burden for this collection of information is estimated to average 4 hours per response, including the time to review instructions, search existing data sources, gather and maintain data needed, and plete and review the collection of information. Send comments regarding this burden estimate or any other aspects of this collection of information, to 1401 Constitution Avenue, NW, HCHB 1093, Office of Technology Evaluation, Bureau of Industry and urity, U.S. Department of Commerce, Washington, DC 20230 attn: 0694-0139. Commerce may not collect this information, and you are not required to respond; unless this OMB number is displayed.							