

SpecWriter Data

Form Version: 10/13/2017 2:16:44 PM
Report Type: Full Detail
Project Database: WESSQL6.MEPS_V2
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

Full Detail Spec

AC20	(AC1025)	BLAISE NAME: GoFirst		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON’S FIRST MIDDLE AND LAST NAME}

Question Text:

Would {you/{PERSON}} go to one of these places first or most often if {you/he/she} {are/is} sick?

Responses:	YES	1	AC30	(AC1030)
	NO	2	AC40	(AC1035)
	REFUSED	RF	END_LP10	(AC1120)
	DON'T KNOW	DK	END_LP10	(AC1120)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPSSpring2018.AC_Main.AC_Loop10[1..25]
 Variable stored at MEPSSpring2018.AC_Main.AC_Loop10[1..25]

Full Detail Spec

AC30	(AC1030)	BLAISE NAME: USCLoctr		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TGroup	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON’S FIRST MIDDLE AND LAST NAME}

Question Text:

Does the medical provider {you/{PERSON}} usually see have his or her own practice that is not part of a group practice, health center, clinic, or other facility?

Responses:	OWN PRACTICE, NOT PART OF GROUP/FACILITY 1	BOX_30	(AC1036)
	PRACTICE IS ASSOCIATED WITH GROUP/FACILITY 2	BOX_30	(AC1036)
	REFUSED	RF	BOX_30	(AC1036)
	DON'T KNOW	DK	BOX_30	(AC1036)

Display Instructions: For response 1 "OWN PRACTICE, NOT PART OF GROUP/FACILITY", display the word "NOT" with an underline.

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop10[1..25]
 Variable stored at MEPSSpring2018.AC_Main.AC_Loop10[1..25]

Full Detail Spec

AC40

(AC1035)

BLAISE NAME: WhyNoUSC

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TY_NO_USC **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available (USCHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

What is the main reason {you/{PERSON}} {do/does} not have a usual source of health care?

HELP: F1

- Responses:**
- SELDOM OR NEVER GETS SICK 1 END_LP10 (AC1120)
 - RECENTLY MOVED INTO AREA 2 END_LP10 (AC1120)
 - JUST CHANGED INSURANCE PLANS 3 END_LP10 (AC1120)
 - NO HEALTH INSURANCE, OTHER 4 END_LP10 (AC1120)
 - INSURANCE RELATED REASON
 - DON'T KNOW WHERE TO GO FOR CARE 5 END_LP10 (AC1120)
 - USUAL SOURCE OF MEDICAL CARE IN 6 END_LP10 (AC1120)
 - THIS AREA IS NO LONGER AVAILABLE
 - LIKES TO GO TO DIFFERENT PLACES 7 END_LP10 (AC1120)
 - FOR DIFFERENT HEALTH NEEDS
 - DON'T USE DOCTORS/TREAT MYSELF 8 END_LP10 (AC1120)
 - COST OF MEDICAL CARE 9 END_LP10 (AC1120)
 - OTHER REASON 91 END_LP10 (AC1120)
 - REFUSED RF END_LP10 (AC1120)
 - DON'T KNOW DK END_LP10 (AC1120)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop10[1..25]
Variable stored at MEPSSpring2018.AC_Main.AC_Loop10[1..25]

BOX 30

(AC1036)

Item Type: Route

Type Class: If Then

Route Details: Ask the provider roster (PV) section.

At the completion of the provider roster (PV) section, continue with BOX_40.

BOX 40

(AC1055)

Item Type: Route

Type Class: If Then

Route Details:

If provider added or selected at PV30LU is a person provider, that person provider will be considered the 'USC (USUAL SOURCE OF CARE PROVIDER) PROVIDER' for this person for this round.

If provider added or selected at PV30LU is a facility provider and PV70=0, that facility provider will be considered the 'USC (USUAL SOURCE OF CARE PROVIDER) PROVIDER' for this person for this round.

If provider added or selected at PV30LU is a facility provider and PV70 ≠ 0 or empty, the entry at PV70, in conjunction with the facility provider at PV30LU, will be the 'USC (USUAL SOURCE OF CARE PROVIDER) PROVIDER' for this person for this round.

If the USC provider is a person provider, then the USC type is PERSON-TYPE PROVIDER.

If the USC provider is a facility provider and PV70=0, then the USC type is a FACILITY-TYPE PROVIDER.

If the USC provider is a facility provider and PV70≠0 or empty, then the USC type is a PERSON-IN-FACILITY-TYPE PROVIDER and the entry entered at PV70 will be considered the USC in conjunction with the facility provider selected or added at PV30LU.

If USC provider selected at PV30LU is a FACILITY-TYPE PROVIDER or a PERSON-IN-FACILITY-TYPE PROVIDER and AC50 was not already asked for this USC provider in an earlier loop, or in round 2 if round 4 or if it's round 4 and in round 2, this item was coded as missing (RF, DK), go to AC50.

Otherwise, if USC provider selected at PV30LU is (a PERSON-TYPE PROVIDER) or (a FACILITY-TYPE PROVIDER or a PERSON IN FACILITY TYPE PROVIDER and AC50 has already been asked for this USC provider in an earlier loop, or in round 2 if round 4 (Preload.PlaceType)), go to AC60.

Full Detail Spec

AC60

(AC1065)

BLAISE NAME: TimeProv

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TGETTOTAK **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}}

Question Text:

How long does it usually take {you/{PERSON}} to get to {PROVIDER}?

Responses:

LESS THAN 15 MINUTES	1	BOX_50	(AC1070)
16 TO 30 MINUTES	2	BOX_50	(AC1070)
31 TO 60 MINUTES (1 HOUR)	3	BOX_50	(AC1070)
61 TO 90 MINUTES	4	BOX_50	(AC1070)
91 TO 120 MINUTES (2 HOURS)	5	BOX_50	(AC1070)
MORE THAN 120 MINUTES (2 HOURS)	6	BOX_50	(AC1070)
REFUSED	RF	BOX_50	(AC1070)
DON'T KNOW	DK	BOX_50	(AC1070)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop10[1..25]
Variable stored at MEPSSpring2018.AC_Main.AC_Loop10[1..25]

BOX 50 **(AC1070)** **Item Type:** Route **Type Class:** If Then

Route Details: If this USC provider is a 'PERSON-TYPE-PROVIDER' OR 'PERSON IN FACILITY-TYPE-PROVIDER' **and**

- If (Round 2) and (AC70 was not asked for this USC provider in an earlier loop)
or
- If (Round 4) and (AC70 was not asked in Round 2 for this USC provider [Preload.ProvDoc = empty]) and (AC70 was not asked for this USC provider in an earlier loop in Round 4)
or
- If (Round 4) and (AC70 was coded as refused or don't know for this USC provider in Round 2 [Preload.ProvDoc = RF, DK]) and (AC70 was not asked for this USC provider in an earlier loop in Round 4)
or
- If (Round 4) and (AC70 was coded '1' (YES) and AC90 was coded as refused or don't know for this USC provider in Round 2 [Preload.ProvDoc = Yes and Preload.ProvSpecIt=DK, RF]) and (AC70 was not asked for this USC provider in an earlier loop in Round 4)
or
- If (Round 4) and (AC70 was coded '2' (NO) and AC80 was coded as refused or don't know for this USC provider in Round 2 [Preload.ProvDoc = No and Preload.ProvOthType=DK, RF]) and (AC70 was not asked for this USC provider in an earlier loop in Round 4), continue with AC70.

Otherwise, go to BOX_60.

AC70	(AC1075)	BLAISE NAME: ProvDoc		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available (MDDOTypes) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}}

Question Text:
Is {PROVIDER} a medical doctor?

HELP: F1

Responses:	YES	1	AC80	(AC1080)
	NO	2	AC90	(AC1090)
	REFUSED	RF	AC100	(AC1100)
	DON'T KNOW	DK	AC100	(AC1100)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPSSpring2018.AC_Main.AC_Loop10[1..25]
Variable stored at MEPSSpring2018.AC_Main.AC_Loop10[1..25]

AC80	(AC1080)	BLAISE NAME: ProvOthType		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TOTHTYPE	Answers allowed: 1	ArrayMax:	Max value:

Help Available (ProvOthTypeHelp) Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

Is {PROVIDER} a nurse, nurse practitioner, physician's assistant, midwife, or some other kind of person?

SELECT 'CHIROPRACTOR' IF CHIROPRACTOR VOLUNTEERED AS TYPE OF MEDICAL PERSON.

HELP: F1

Responses:	NURSE	1	BOX_60	(AC1096)
	NURSE PRACTITIONER	2	BOX_60	(AC1096)
	PHYSICIAN'S ASSISTANT	3	BOX_60	(AC1096)
	MIDWIFE	4	BOX_60	(AC1096)
	CHIROPRACTOR	5	BOX_60	(AC1096)
	OTHER	91	AC800S	(AC1085)
	REFUSED	RF	BOX_60	(AC1096)
	DON'T KNOW	DK	BOX_60	(AC1096)

**Display
Instructions:** Display AC80 and AC800S on the same form pane.

**Testing/Editing
Notes:** Variable collected at MEPSSpring2018.AC_Main.AC_Loop10[1..25]
Variable stored at MEPSSpring2018.AC_Main.AC_Loop10[1..25]

Full Detail Spec

AC100	(AC1100)	BLAISE NAME: ProvHispLat		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....}
 {NAME OF FACILITY}

Question Text:

Is {PROVIDER} Hispanic or Latino?

Responses:	YES	1	BOX_70	(AC1101)
	NO	2	BOX_70	(AC1101)
	REFUSED	RF	BOX_70	(AC1101)
	DON'T KNOW	DK	BOX_70	(AC1101)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop10[1..25]
 Variable stored at MEPSSpring2018.AC_Main.AC_Loop10[1..25]

BOX_70 **(AC1101)** **Item Type:** Route **Type Class:** If Then

Route Details: If this USC provider is a 'PERSON-TYPE-PROVIDER' or 'PERSON IN FACILITY TYPE-PROVIDER' and (AC110 not already answered this round for this same USC provider in an earlier cycle) or (if round 4 and Preload.AskProvRace=1 (YES) (i.e., AC110 never asked, or RF, DK in round 2) for this same USC provider)], go to AC110.

 Otherwise, go to BOX_80.

AC110	(AC1110)	BLAISE NAME: ProvRace		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	Tbw_AC19	Answers allowed: 6	ArrayMax:	Max value:

Help Available () Show Card (AC-1) Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}{{NAME OF MEDICAL CARE PROVIDER.....}
 {NAME OF FACILITY}

Question Text:

📖 AC-1.

What is {PROVIDER}'s race?

ENTER ALL THAT APPLY.

Responses:	WHITE	1	BOX_80	(AC1111)
	BLACK/AFRICAN AMERICAN	2	BOX_80	(AC1111)
	ASIAN	3	BOX_80	(AC1111)
	INDIAN/NATIVE AMERICAN/ALASKA NATIVE	4	BOX_80	(AC1111)
	OTHER PACIFIC ISLANDER	5	BOX_80	(AC1111)
	SOME OTHER RACE	91	BOX_80	(AC1111)
	REFUSED	RF	BOX_80	(AC1111)
	DON'T KNOW	DK	BOX_80	(AC1111)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPSSpring2018.AC_Main.AC_Loop10[1..25]
 Variable stored at MEPSSpring2018.AC_Main.AC_Loop10[1..25]

BOX_80 **(AC1111)** **Item Type:** Route **Type Class:** If Then

Route Details: If this USC provider is a 'PERSON-TYPE-PROVIDER' or 'PERSON IN FACILITY TYPE-PROVIDER'
 and (AC120 not already answered this round for this same USC provider in an earlier
 cycle) or (if round 4 and Preload.ProvGender=DK, RF, or EMPTY (i.e., AC120 never asked in
 round2) for this same USC provider)], go to AC120.

Otherwise, go to END_LP10.

BOX 90 **(AC1121)** **Item Type:** Route **Type Class:** If Then

Route Details: If at least one provider was selected or added as a 'USC provider' on the RU- medical-providers-roster, continue with LOOP_20.

Otherwise, go to AC210.

LOOP 20 **(AC1130)** **Item Type:** Route **Type Class:** Begin Loop

Route Details: For each element in the RU-medical-providers-roster, ask AC140 - END_LP20.

Loop definition: LOOP_20 collects detailed information on each unique usual source of care provider identified for this RU. This loop cycles on providers who meet the following condition:

-Provider was selected or added as 'USC provider' during the current round for a current RU member.

Note: if the USC provider being looped on is a 'PERSON IN FACILITY-TYPE-PROVIDER' the context header in LOOP_20 will display the name of facility selected or added at PV30LU. if the USC provider being looped on is a 'FACILITY- TYPE- PROVIDER', the context header in LOOP_20 will display the facility-provider name. If the USC provider being looped on is 'PERSON-TYPE PROVIDER' the context header in LOOP_20 will display the person-provider name.

For 'PROVIDER' in the question text, display the name of the facility if the USC type is a FACILITY TYPE PROVIDER, display the name of the person provider, if the USC type is a PERSON TYPE PROVIDER, and display the name entered at PV70, if the USC type is PERSON IN FACILITY TYPE PROVIDER.

Full Detail Spec

AC140

(AC1140)

BLAISE NAME: PhoneDfclt

Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TAPPDIF	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (AC-2) Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....}
 {NAME OF FACILITY}

Question Text:

📖AC-2.

The next few questions ask about the experience {{PERSON 1},} {PERSON 2},} {PERSON 3},} {PERSON 4},} {PERSON N},} {or their parents} (have/has) had with {PROVIDER} . Please think about their overall experiences when answering the following questions.

How difficult is it to contact {a medical person at} {PROVIDER} during regular business hours over the telephone about a health problem?

Would you say it is very difficult, somewhat difficult, not too difficult, or not at all difficult?

Responses:

VERY DIFFICULT	1
SOMEWHAT DIFFICULT	2
NOT TOO DIFFICULT	3
NOT AT ALL DIFFICULT	4
REFUSED	RF
DON'T KNOW	DK

Programmer Instructions: If AC50 was coded '2' (HOSPITAL EMERGENCY ROOM) for this USC provider, go to AC160.

Otherwise, continue with AC150.

Display Instructions: Display 'a medical person at' if USC provider being looped on is a 'FACILITY-TYPE-PROVIDER'. Otherwise, use a null display.

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName). Display "you" rather than the respondent's name, when respondent's name is included in the list. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop20[1..25]
Variable stored at MEPSSpring2018.AC_Main.AC_Loop20[1..25]

Full Detail Spec

AC150	(AC1145)	BLAISE NAME: OffHours		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....}{NAME OF FACILITY}

Question Text:

Does {PROVIDER} have office hours at night or on weekends?

Responses:	YES	1	AC160	(AC1150)
	NO	2	AC160	(AC1150)
	REFUSED	RF	AC160	(AC1150)
	DON'T KNOW	DK	AC160	(AC1150)

**Display
Instructions:**

**Testing/Editing
Notes:** Variable collected at MEPSSpring2018.AC_Main.AC_Loop20[1..25]
 Variable stored at MEPSSpring2018.AC_Main.AC_Loop20[1..25]

Full Detail Spec

AC160	(AC1150)	BLAISE NAME: AfterHours		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TAPPDIFF	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (AC-2) Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....}{NAME OF FACILITY}

Question Text:

AC-2.

How difficult is it to contact {a medical person at} {PROVIDER} after their regular hours in case of urgent medical needs?

Would you say it is very difficult, somewhat difficult, not too difficult, or not at all difficult?

Responses:	VERY DIFFICULT	1	AC170	(AC1155)
	SOMEWHAT DIFFICULT	2	AC170	(AC1155)
	NOT TOO DIFFICULT	3	AC170	(AC1155)
	NOT AT ALL DIFFICULT	4	AC170	(AC1155)
	REFUSED	RF	AC170	(AC1155)
	DON'T KNOW	DK	AC170	(AC1155)

Display Instructions: Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'. Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop20[1..25]
Variable stored at MEPSSpring2018.AC_Main.AC_Loop20[1..25]

Full Detail Spec

AC170	(AC1155)	BLAISE NAME: OthTrtmt		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

Does {someone at} {PROVIDER} usually ask about prescription medications and treatments other doctors may give them?

Responses:	YES	1	AC180	(AC1160)
	NO	2	AC180	(AC1160)
	REFUSED	RF	AC180	(AC1160)
	DON'T KNOW	DK	AC180	(AC1160)

Display Instructions: Display 'someone at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'.
Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop20[1..25]
Variable stored at MEPSSpring2018.AC_Main.AC_Loop20[1..25]

Full Detail Spec

AC180	(AC1160)	BLAISE NAME: AskChoose		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TALUSUALY	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (AC-3) Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

 AC-3.

If there were a choice between treatments, how often would {a medical person at} {PROVIDER} ask {{PERSON 1},} {PERSON 2},} {PERSON 3},} {PERSON 4},} {PERSON N},} {or their parents} to help make the decision?

Would you say never, sometimes, usually, or always?

Responses:	NEVER	1	AC190	(AC1165)
	SOMETIMES	2	AC190	(AC1165)
	USUALLY	3	AC190	(AC1165)
	ALWAYS	4	AC190	(AC1165)
	REFUSED	RF	AC190	(AC1165)
	DON'T KNOW	DK	AC190	(AC1165)

Display Instructions:

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName).

Display "you" rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name, when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'. Otherwise, use a null display.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.AC_Main.AC_Loop20[1..25]

Variable stored at MEPSSpring2018.AC_Main.AC_Loop20[1..25]

**Display
Instructions:**

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member's first, middle, and last names (Person.FullName).

Display "you" rather than the respondent's name, when respondent's name is included in the list.

Display reference person's name, when the respondent is a proxy. Separate each name with a comma and before the last RU member's name display an "and".

Roster filter:

Display all persons on the RU-members-roster who identified provider being asked about as person's USC provider for the current round.

Display "or their parents" if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Display 'a medical person at' if USC provider being looped on is a 'FACILITY- TYPE- PROVIDER'.

**Testing/Editing
Notes:**

Variable collected at MEPSSpring2018.AC_Main.AC_Loop20[1..25]

Variable stored at MEPSSpring2018.AC_Main.AC_Loop20[1..25]

BOX 100

(AC1166)

Item Type: Route

Type Class: If Then

Route Details:

If at least one person who identified the USC provider currently being looped on as their USC provider AND RE1170_09 was coded '3' (NOT WELL) or '4' (NOT AT ALL) in any round for that person (preload.EngCompLevel), continue with AC200.

Otherwise, go to END_LP20.

Full Detail Spec

AC200	(AC1175)	BLAISE NAME: LangPref		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {NAME OF MEDICAL CARE PROVIDER.....} {NAME OF FACILITY}

Question Text:

Does {someone at} {PROVIDER} speak the language {{PERSON 1},} {{PERSON 2},} {{PERSON 3},} {{PERSON 4},} {{and} PERSON N} {or their parents} prefer(s) or provide translator services for them?

Responses:

YES	1	END_LP20	(AC1180)
NO	2	END_LP20	(AC1180)
REFUSED	RF	END_LP20	(AC1180)
DON'T KNOW	DK	END_LP20	(AC1180)

Display Instructions:

Display 'someone at' if USC provider being looped on is a 'FACILITY-TYPE- PROVIDER.' Otherwise, use a null display.

Roster definition: Roster 1 - Report

This item displays RU-members-roster for display. Display RU member’s first, middle, and last names (Person.FullName). Display “you” rather than the respondent’s name, when respondent’s name is included in the list.

Display reference person’s name, when the respondent is a proxy. Separate each name with a comma and before the last RU member’s name display an “and”.

Roster filter:

Display all persons on the RU-members-roster who:
 - Identified provider being asked about as person's USC provider for the current round and
 -Coded RE1170_09 as '3' (NOT WELL) or '4' (NOT AT ALL) in any round.

Display “or their parents” if all the RU members displayed in the roster are <=17 years old (or age category 1-3), otherwise, use a null display.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.AC_Main.AC_Loop20[1..25]
 Variable stored at MEPSSpring2018.AC_Main.AC_Loop20[1..25]

END_LP20 **(AC1180)** **Item Type:** Route **Type Class:** End Loop

Route Details: Cycle on next provider in the RU-medical-providers-roster who meets the conditions stated in the loop definition.

If no other providers meet the stated conditions, end LOOP_20 and continue with AC210.

AC210 **(AC1185)** **BLAISE NAME:** NeedDNTrtmt
Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**
Type Class: Enumerated **Field Size:**
Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available () Show Card () Look Up File ()

Question Text:

In the last 12 months, did anyone in the household or their dentist believe they needed any dental care, tests, or treatment?

Responses: YES 1 AC220 (AC1190)
 NO 2 BOX_110 (AC1215)
 REFUSED RF BOX_110 (AC1215)
 DON'T KNOW DK BOX_110 (AC1215)

Programmer Instructions:

If coded '1' (yes) and a MULTI-PERSON RU, continue with AC220.

If coded '1' (yes) and a SINGLE-PERSON RU, automatically code person at AC220 and go to LOOP_30.

If coded '1' (yes) and a SINGLE-PERSON RU where person is deceased or institutionalized, automatically code person at AC220 and go to BOX_110.

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main
 Variable stored at MEPSSpring2018.AC_Main

LOOP_30 **(AC1195)** **Item Type:** Route **Type Class:** Begin Loop

Route Details: For each element in the RU-members-roster, ask AC230 - END_LP30.

Loop definition: LOOP_30 collects the main reason for unable to obtain or delay in receiving dental care. This loop cycles on RU members who meet the following conditions:
 -Person is not deceased (PersRndStatus≠Deceased)
 -Person is not institutionalized (PersRndStatus≠Institutionalized)
 -Person believed they needed dental care (i.e., person was selected or auto-coded at AC220)

AC230	(AC1196)	BLAISE NAME: UnabDN12Mon		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

In the last 12 months, {were/was} {you/{PERSON}} unable to obtain dental care, tests, or treatments {you/they} or a dentist believed necessary?

Responses:	YES	1	AC240	(AC1197)
	NO	2	AC240	(AC1197)
	REFUSED	RF	AC240	(AC1197)
	DON'T KNOW	DK	AC240	(AC1197)

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop30[1..25]
 Variable stored at MEPSSpring2018.AC_Main.AC_Loop30[1..25]

Full Detail Spec

AC240

(AC1197)

BLAISE NAME: DelayDNTTrtmt

Item Type: Question **Field kind:** Datafield **ArrayMin:** **Min value:**

Type Class: Enumerated **Field Size:**

Answer Type: TYESNO **Answers allowed:** 1 **ArrayMax:** **Max value:**

Help Available ()

Show Card ()

Look Up File ()

Context Header: Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

In the last 12 months, {were/was} {you/{PERSON}} delayed in getting dental care, tests, or treatments {you/they} or a dentist believed necessary?

Responses: YES 1
NO 2
REFUSED RF
DONT KNOW DK

Programmer Instructions: If AC230 or AC240 coded '1'(YES) continue with AC250. Otherwise, go to END_LP30.

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop30[1..25]
Variable stored at MEPSSpring2018.AC_Main.AC_Loop30[1..25]

Full Detail Spec

AC250	(AC1205)	BLAISE NAME: ResnDelayDN		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TRSNOTRET	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card (AC-4) Look Up File ()

Context Header: {PERSON’S FIRST MIDDLE AND LAST NAME}

Question Text:

AC-4.

Which of these best describes the main reason {you/{PERSON}} {were/was} {unable to obtain}{or}/ {delayed in getting}} dental care, tests, or treatments {you/he/she} or a dentist believed necessary?

Responses:

COULDN'T AFFORD CARE	1	END_LP30	(AC1210)
INSURANCE COMPANY WOULDN'T APPROVE, COVER, OR PAY FOR CARE	2	END_LP30	(AC1210)
OTHER	91	END_LP30	(AC1210)
REFUSED	RF	END_LP30	(AC1210)
DON'T KNOW	DK	END_LP30	(AC1210)

Display Instructions: Display 'unable to obtain' if AC230 is coded '1' (YES). Display 'delayed in getting' if AC240 is coded '1' (YES). If both AC230 and AC240 are coded '1' (YES), display "unable to obtain or delayed in getting".

Testing/Editing Notes: Variable collected at MEPSSpring2018.AC_Main.AC_Loop30[1..25]
Variable stored at MEPSSpring2018.AC_Main.AC_Loop30[1..25]

END_LP30	(AC1210)	Item Type: Route	Type Class: End Loop
-----------------	-----------------	-------------------------	-----------------------------

Route Details: Cycle on next person in the RU-members-roster who meets the conditions stated in the loop definition.

If no other persons meet the stated conditions, end LOOP_30 and continue with BOX_110.

BOX 110

(AC1215)

Item Type: Route

Type Class: If Then

Route Details: Go to next questionnaire section.

[End of AC]