SpecWriter Data

Form Version:9/22/2017 1:51:40 PMReport Type:Full DetailProject Database:WESSQL6.MEPS_V2Language:English

Spec Label:

This is the cover page. Additional contents currently project specific.

<u>BOX 00</u>	<u>(FF1000)</u>	Item Type: Route	Type Class: If Then
Route Details:	04 Single S 06 Single S 11 Multiple 18 Dollar It 19 Numeric 23 Text Fie 24 Informa 30 Multiple	e lect = FF40, FF60, FF90, F e lect with Fill in Answer Text Select with Add/Edit/Delete ems Not Allowing Cents = FF Field = FF50, FF70 ld = FF30, FF110 tion Screen = FF80 Select with Fill in Answer Tex FF10, FF20 FF170	= FF170
<u>OX_10</u>	<u>(FF1001)</u>	Item Type: Route	Type Class: If Then

Route Details: Throughout the Flat Fee (FF) section, entry of all dollar amounts will include only whole dollars. Entry of cents will be disallowed.

Context Header Display Instructions: Display PERS.FULLNAME, PROV.PROVNAME, EVPV.EVNTTYPE, EVPV.EVNTBEGM, EVPV.EVNTBEGD, EVPV.EVNTBEGY, EVPV.EVNTENDM, EVPV.EVNTENDD, EVPV.EVNTENDY, FFEE.FFEENAME. Display EVPV.EVNTENDM, EVPV.EVNTENDD, and EVPV.EVNTENDY for IC or HS events, only.

For '{STR-DT}' display the person's reference period start date.

<u>BOX_20</u>	<u>(FF1005)</u>	Item Type: Route	Type Class: If Then
Route Details:	FF20.	e groups already on PERSON continue with FF10.	NS -FLAT-FEE-GROUPS -ROS TER, go to

MEPS_V2 Flat Fee (FF) Section **Full Detail Spec FF10** BLAISE NAME: FFeeGrp (FF1015) Min value: Item Type: Question Field kind: Datafield ArrayMin: **Type Class:** Enumerated Field Size: Answer Type: TFlatFee Answers allowed: 1 ArrayMax: Max value: Help Available () \Box Show Card () \Box Look Up File () {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE **Context Header:** PROVIDER.} {EV} {EVN-DT}

Question Text:

Let me review the groups of health care events I have recorded for {you/{PERSON}}. Please tell me if any of these groups include the charge that covered {this hospital stay/this visit}/the services received at home}.

REVIEW FLAT FEE GROUPS WITH RESPONDENT. SELECT FLAT FEE GROUP COVERED BY SAME CHARGE AS EVENT BEING ASKED ABOUT.

Responses:	ADD GROUP	 FF20	(FF1020)
	{FLAT FEE GROUP} 1	 BOX_60	(FF1160)
	{FLAT FEE GROUP} 2	 BOX_60	(FF1160)
	{FLAT FEE GROUP} 3	 BOX_60	(FF1160)
	{FLAT FEE GROUP} 4	 BOX_60	(FF1160)
	{FLAT FEE GROUP} N	 BOX_60	(FF1160)

 Programmer
 Since this roster will include all flat fee groups, current round single events can be added to any flat fee group created during the current round or a previous round (FlatFeeGroup[I].FFeeName).

Roster Behavior: 1.Only single select allowed.

Display Instructions:

Roster 2- No Add/Edit/Delete

Roster Definition: Display the person's-flat-fee-groups-roster (FFEE, FFEENAME) for selection.

Roster Filter: No filter; display all.

Display 'this hospital stay' if event type is HS.

Display 'this visit' if event type is ER, OP, MV, or DN.

Display 'the services received at home' if event type is HH.

MEPS_V2 Flat Fee (FF) Section **Full Detail Spec BLAISE NAME:** FFeeRoster **FF20** (FF1020) **Item Type:** Question Field kind: Datafield **ArrayMin:** Min value: **Type Class:** Enumerated Field Size: **Answer Type:** Answers allowed: 1 Max value: {User Defined.} ArrayMax: Help Available () □ Show Card (\Box Look Up File ()) {PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE **Context Header:** PROVIDER.} {EV} {EVN-DT} **Question Text:** Let me review the list of health care events I have recorded for {you/{PERSON}}. Please tell me which of these were included in the same charge that covered {this hospital stay/this visit/the services received at home}.

REVIEW EVENTS WITH RESPONDENT. SELECT EVENTS COVERED BY SAME CHARGE AS EVENT BEING ASKED ABOUT.

ENTER ALL THAT APPLY.

MEDICAL PROVIDER DOCTOR OR EVENT TYPE ADMIT DATE DISCHARGE DATE DEPARTMENT NAME EVENT OUTSIDE REFERENCE PERIOD 0 MEDICAL PROVIDER } {DOC OR DEPT} EVENT TYPE { ADMIT DATE } {DISCHARGE DATE}1 MEDICAL PROVIDER } DOC OR DEPT EVENT TYPE { ADMIT DATE } DISCHARGE DATE 2 EVENT TYPE } { ADMIT DATE } DISCHARGE DATE 3 MEDICAL PROVIDER } DOC OR DEPT EVENT TYPE { ADMIT DATE } DISCHARGE DATE 4 MEDICAL PROVIDER } DOC OR DEPT {event type}{admit date} {DISCHARGE DATE N {MEDICAL PROVIDER} {DOC OR DEPT}

Responses:

Programmer RH Instructions:	F/DK not allowed.
Instructions:	 isplay the roster in nonproportional text. oster 1 - Report Roster Definition: This item displays all medical events on person's-medical-events- roster for selection in the info pane. The 5 columns to be displayed are: MEDICAL PROVIDER, DOCTOR OR DEPARTMENT NAME, EVENT TYPE, ADMIT DATE, DISCHARGE DATE. For MEDICAL PROVIDER, display the name of provider associated with this event (EVNT.LORPNAME), if PV70 has a value, display the doctor or department associated with this event, display the two-letter event abbreviation (EVNT.EVNTPYE) for EVENT TYPE, for Admit date display the month, day, and year of medical events (EVNT.EVNTEBGM,EVNT.EVNTBEGD,EVNT,EVNTBEGY), and the discharge date for HS events (EVNT.EVNTENDM,EVNT.EVNTBEDD,EVNT.EVNTENDY). For MV, ER, OP, or DN, events display the visit date for {ADMIT DATE} and use a null display for {DISCHARGE DATE}. For HS events display the hospital stay admit date for {ADMIT DATE} and the hospital stay discharge date for the {DISCHARGE DATE}. Roster Filter: Display events that meet the following conditions: Event is not the event currently looping on. Event is not already included in a flat fee group or a repeat visit group. Event is not already coded (VERIFIED) as a copayment. Event is not an HS event with a discharge date coded '95' (STILL IN HOSPITAL). Event is not an HH event with event date = interview month. Event is not an HH event type 'INFORMAL' or 'VOLUNTEERED: MEAL DELIVERY SERVICE.' Event is not an OM event.

Testing/Editing	Variable collected at MEPSSpring2018.FF_Main
Notes:	Variable stored at MEPSSpring2018_Event.FF_Main

MEPS_V2				Flat Fee (FF) Section		
Full Detail Spec						
<u>FF30</u>	<u>(FF1035)</u>	BLAISE NAME: FFeeN	ame			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	String	Field Size: 30				
Answer Type:	{Continuous Answe	er. } Answers allowed: 1	ArrayMax:	Max value:		
□ Help Available ()	\Box Show Card ()	□ Look Up File ()		
Context Header:	{PERSON'S FIRS	T MIDDLE AND LAST	NAME}			
Question Text:						
-	CORD 'NAME OF FL	AT FEE GROUP' FOR EVE	NTS SELECTED	IN PREVIOUS QUESTION:		
Responses:						
Ducanoman	If Dound 1 contin	ue with EE40				
Programmer Instructions:	If Round 1, contin	ue with FF40.				
	If Round 5, go to FF60.					
	Otherwise, go toF	F80.				
	Write flat fee grou	p to person's-flat-fee-grou	ips-roster.			
Display						
Instructions:						

MEPS_V2 Flat Fee (FF) Section **Full Detail Spec** BLAISE NAME: FFeeVstBefStart **FF40** (FF1045) Item Type: Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: Help Available () \Box Show Card (\Box Look Up File ()) {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} **Context Header:** FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP..} **Question Text:** Did the charge which included the services for {FLAT FEE GROUP} cover any visits before {START DATE}? YES **Responses:** FF50 (FF1050) NO FF80 (FF1080) RF REFUSED **FF80** (FF1080) DON'T KNOW ----- DK FF80 (FF1080) Display For {FLAT FEE GROUP}, display the name of the flat fee group selected at FF10 or entered at FF30. **Instructions: Testing/Editing** Variable collected at MEPSSpring2018.FF_Main

Variable stored at MEPSSpring2018_Event.FF_Main

Notes:

MEPS_V2					Flat Fee (FF) Sec	tion
Full Detail Spec						
<u>FF50</u>	<u>(FF1050)</u> Bl	LAISE NAME: FFeeVi	sBef			
Item Type:	Question I	Field kind: Datafield	ArrayMi	n: Min	value: 1	
Type Class:	Integer I	Field Size: 2				
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMa	x: Ma	x value: 99	
Help Available ()	\Box Show Card ()		□ Look Up File ()
Context Header:		MIDDLE AND LAST 1 {NAME OF FLAT FE				
Question Text:						
How many visits did	{you/{PERSON}} have b	efore {START DATE}?				
ENTER NUMBER OF	F VISITS:					
Responses:				FF80	(FF1080)	
Responses.				FF80	(FF1080)	
				FF80	(FF1080)	
Display Instructions:						
Testing/Editing Notes:		MEPSSpring2018.FF_ EPSSpring2018_Event.				

MEPS_V2 Flat Fee (FF) Section **Full Detail Spec** BLAISE NAME: FFeeVisAft **FF60** (FF1070) Item Type: Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated **Field Size: Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: Help Available () \Box Show Card (\Box Look Up File ()) {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} **Context Header:** FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP} **Question Text:** Will the charge which includes the services for {FLAT FEE GROUP} cover any visits after December 31, {YEAR}? YES **Responses: FF70** (FF1075) NO **FF80** (FF1080) RF (FF1080) REFUSED **FF80** DON'T KNOW DK FF80 (FF1080) Display For {FLAT FEE GROUP}, display the name of the flat fee group selected at FF10 or entered at FF30. **Instructions:** (For specifications purposes only; CAPI handles automatically): for 'YEAR' in question text, display the second year of the panel.

MEPS_V2							Flat Fe	e (FF) Sec	ction
Full Detail Spec									
<u>FF70</u>	<u>(FF1075)</u>	BLA	ISE NAME: FF	eeNumVisA	Aft				
Item Type:	Question	Fie	ld kind: Datafie	ld Arra	yMi	n:	Min value: 1		
Type Class:	Integer	Fie	ld Size: 2						
Answer Type:	{Continuous A	Answer.} A	Answers allowed	:1 Arra	уМа	ix:	Max value: 99		
Help Available ()		□ Show Car	d ()			🗌 Look	Up File ()
Context Header:			IDDLE AND LA NAME OF FLAT						
Question Text:									
Approximately, how m	nany visits will {	you/ {PERS	ON} have after D	ecember 31,	{YE	EAR}?			
NUMBER OF VISITS	:								
Responses:						FF8() (F	F1080)	
-	REFUSED				RF	FF8() (F	F1080)	
	DON'T KNC)W]	DK	FF80) (F	F1080)	
Programmer Instructions:	Hard Range:	TBD							
Display Instructions:	(For specificat the second yea			dles automat	ically	y): for	'YEAR' in question	n text, displ	ay
Testing/Editing Notes:			EPSSpring2018. Spring2018_Ev		in				

MEPS_V2				Flat Fee (FF) Section
Full Detail Spec				
<u>FF80</u>	<u>(FF1080)</u>	BLAISE NAME: FFeeIn	tro	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:
✓ Help Available	(CPayIntroHelp)	\Box Show C	ard ()	Look Up File ()
Context Header:		ST MIDDLE AND LAST 1 AT FEE EVENT GROUP}	NAME} {STR-D	PT} FLAT FEE GROUP:
Question Text:				
Now I'd like to ask {you/{PERSON}}.	you about the charg	es for the services for {FLA	T FEE GROUP	} for
PRESS 1 AND EN	TER TO CONTINU	JE.		
				HELP:F1
Responses:	CONTINUE		FF9	90 (FF1085)
Display Instructions:	For '{FLAT FEE at FF30.	E GROUP}' display the name	e of the flat fee g	roup selected at FF10 or entered
Testing/Editing Notes:		ed at MEPSSpring2018.FF_ at MEPSSpring2018_Event.		

MEPS_V2				-	Flat Fee (FF) Section
Full Detail Spec					
<u>FF90</u>	<u>(FF1085)</u>	BLAISE NAME: FFeeR	cvBill		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min val	ue:
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO4	Answers allowed: 1	ArrayMa	ax: Max va	lue:
✓ Help Available	(RcvBillHelp)	\Box Show Ca	ard ()		Look Up File ()
Context Header:		RST MIDDLE AND LAST LAT FEE EVENT GROUP}	NAME} {S	TR-DT} FLAT	FEE GROUP:
Question Text:					
{Have/Has} {you/{ statement, for the se		yone in the family) received FEE GROUP}?	anything in	writing, such as	a bill, receipt, or
				HELP:	F1
Responses:	YES, AND DO AVAILABLE	CUMENTATION	1	BOX_30	(FF1105)
	YES, BUT DO AVAILABLE	CUMENTATION NOT	2	BOX_30	(FF1105)
	NO		3	FF100	(FF1090)
	REFUSED		RF	FF100	(FF1090)
	DON'T KNOW	<i></i>	DK	FF100	(FF1090)
Display Instructions:	For '{FLAT FE at FF30.	E GROUP}' display the nam	ne of the flat	fee group select	ted at FF10 or entered

Testing/Editing	Variable collected at MEPSSpring2018.FF_Main
Notes:	Variable stored at MEPSSpring2018_Event.FF_Main

MEPS_V2 Flat Fee (FF) Section **Full Detail Spec** <u>FF100</u> (FF1090) BLAISE NAME: FFeeYNoBill Item Type: Min value: Question Field kind: Datafield ArrayMin: **Type Class:** Enumerated Field Size: Answer Type: TNotReceivedWriting Answers allowed: 1 ArrayMax: Max value:

Help Available (YNoBillHelp)

✓ Show Card (CP-1)

 \Box Look Up File ()

Context Header:

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP}

Question Text:

CP-1.

Please look at card CP-1. Why {have/has} {you/{PERSON}} (or anyone in the family) not received anything in writing?

HELP:F1

Responses:	PAID AT TIME OF VISIT	1	BOX_30	(FF1105)
	MADE A COPAYMENT	2	BOX_30	(FF1105)
	BILL SENT DIRECTLY TO OTHER	3	FF110	(FF1095)
	SOURCE			
	BILL HAS NOT ARRIVED	4	BOX_30	(FF1105)
	NO BILL SENT: HMO PLAN	5	BOX_30	(FF1105)
	NO BILL SENT: VA (VETERANS ADMINISTRATION)/CHAMPVA	6	BOX_30	(FF1105)
	NO BILL SENT: MILITARY FACILITY	7	BOX_30	(FF1105)
	NO BILL SENT: PUBLIC	8	BOX_30	(FF1105)
	ASSISTANCE/MEDICAID/SCHIP			
	NO BILL SENT: INDIAN HEALTH	9	BOX_30	(FF1105)
	SERVICE (IHS)			
	NO BILL SENT: WORKER'S	10	BOX_30	(FF1105)
	COMPENSATION			
	NO BILL SENT: PRIVATE HEALTH CENTER/CLINIC	11	BOX_30	(FF1105)
	NO BILL SENT: PUBLIC CLINIC/HEALTH	12	BOX_30	(FF1105)
	CENTER OR PRIVATE CHARITY		B B B B B B B B B B	(777)
	NO CHARGE: TELEPHONE CALL		BOX_60	(FF1160)
	FREE FROM PROVIDER		BOX_60	(FF1160)
	GOVERNMENT-FINANCED RESEARCH	15	BOX_60	(FF1160)
	AND CLINICAL TRIALS			
	REFUSED		BOX_30	(FF1105)
	DON'T KNOW	DK	BOX_30	(FF1105)

Flat Fee (FF) Section

MEPS_V2 Full Detail Spec

Display Instructions:

Testing/Editing	Variable collected at MEPSSpring2018.FF_Main
Notes:	Variable stored at MEPSSpring2018_Event.FF_Main

<u>FF110</u>	(FF1095) BLAISE NAME: FFeeWhereBill				
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	String	Field Size: 45			
Answer Type:	{Continuous Answer.} Answers allowed: 1		ArrayMax:	Max value:	
Help Available ()	\Box Show Card ()	\Box Look Up File ()	

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP}

Question Text:

To whom was the bill sent?

RECORD VERBATIM.

Responses:			FF120	(FF1100)
	REFUSED	RF	FF120	(FF1100)
	DON'T KNOW	DK	FF120	(FF1100)

Display Instructions:

MEPS_V2					Flat Fee (FF) Sect	tion
Full Detail Spec						
<u>FF120</u>	<u>(FF1100)</u>	BLAISE NAME: FfeeW	hereBillTp			
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min	value:	
Type Class:	Enumerated	Field Size:				
Answer Type:	TWHOBILLC	Answers allowed: 1	ArrayMa	ax: Max	value:	
✓ Help Available	(WhereBillTpHelp)		Card ()		□ Look Up File ()
Context Header:		ST MIDDLE AND LAST T FEE EVENT GROUP}	NAME} {S	TR-DT} FLA	AT FEE GROUP:	
Question Text:						
INTERVIEWER: S	SELECT TYPE OF C	RGANIZATION TO WH	IOM BILL V	WAS SENT:		
				HEL	.P: F1	
Responses:	НМО		1	BOX 30	(FF1105)	
	VA (VETERANS ADMINISTRATI		2	BOX_30	(FF1105)	
		, 	3	BOX_30	(FF1105)	
	OTHER MILITA	RY	4	BOX_30	(FF1105)	
	PUBLIC ASSIST	ANCE/MEDICAID/SCHI	P 5	BOX_30	(FF1105)	
	WORKER'S COM	IPENSATION	6	BOX_30	(FF1105)	
	PRIVATE INSUF	RANCE COMPANY	7	BOX_30	(FF1105)	
	INDIAN HEALT	H SERVICE (IHS)	8	BOX_30	(FF1105)	
	OTHER			BOX_30	(FF1105)	
	REFUSED		RF	BOX_30	(FF1105)	
	DON'T KNOW		DK	BOX_30	(FF1105)	

Display Instructions:

MEPS_V2 Flat Fee (FF) Section **Full Detail Spec** Item Type: Route Type Class: If Then **BOX 30** (FF1105) **Route Details:** If FF90 is coded '1' (YES, AND DOCUMENTATION AVAILABLE) or '2' (YES, BUT DOCUMENTATION NOT AVAILABLE); or If FF100 is coded '1' (PAID AT TIME OF VISIT), '2' (MADE A COPAYMENT), '4' (BILL HAS NOT ARRIVED), 'DK' (DON'T KNOW), or 'RF' (REFUSED); or If FF120 is coded '3' (TRICARE), '91' (OTHER), 'DK' (DON'T KNOW), or 'RF' (REFUSED); Go to FF130. Otherwise, go to FF150 **FF130** BLAISE NAME: FFeeKnowTotal (FF1110) Field kind: Datafield ArrayMin: Min value: **Item Type:** Question Field Size: **Type Class:** Enumerated Answer Type: **TYESNO** Answers allowed: 1 ArrayMax: Max value: ✓ Help Available (EvpvChrgHelp) \Box Show Card () \Box Look Up File () **Context Header:** {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP: {NAME OF FLAT FEE EVENT GROUP} **Question Text:** Do you know the total charge for the services for {FLAT FEE GROUP}? HELP: F1 **Responses:** YES FF140 (FF1115) NO (FF1120) REFUSED (FF1120) DK FF150 DON'T KNOW (FF1120) Display For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered **Instructions:** at FF30. **Testing/Editing** Variable collected at MEPSSpring2018.FF_Main Variable stored at MEPSSpring2018 Event.FF Main Notes:

MEPS_V2					Flat Fee (FF) Sect	tion
Full Detail Spec <u>FF140</u>	<u>(FF1115)</u>	BLAISE NA	ME• FFeeT	otChro		
Item Type: Type Class:	Question Integer	Field kind: Field Size:	Datafield	ArrayMin:	Min value: -1	
Answer Type:	{Continuous A	Answer. } Answers	er.} Answers allowed: 1		Max value: 999999	
✓ Help Available	(EvpvChrgHelp)	□ Show C	ard ()	□ Look Up File ()
Context Header:	•	FIRST MIDDLE A		NAME} {STR-D	OT} FLAT FEE GROUP:	
Ouestion Text:						

How much was the total charge, including any amounts that may be paid by health insurance or other sources?

{Include charges for procedures such as x-rays, lab tests, or diagnostic procedures that are listed separately on the bill or statement.}

IF WORKING FROM DOCUMENTATION, ENTER TOTAL CHARGES. DO NOT DEDUCT DISCOUNTS OR DISALLOWED OR DENIED CHARGES.

HELP: F1

Responses:							
	REFUSED	RF					
	DON'T KNOW	DK					
Programmer Instructions:	If the amount is \$0, go to E	OX_60. Otherwise, go to FF150.					
instructions:		Soft check: If amount is > \$100,000, display the following message: "VALUE IS HIGHER THAN USUAL. VERIFY AND CORRECT IF NEEDED."					
	Hard check: Amount canno	ot be < 0.					
Display Instructions:	are listed separately on the	r procedures such as x-rays, lab tests, or diagnostic procedures that bill or statement." if FF90 is coded '1' (YES, AND MLABLE). Otherwise, use a null display.					
Testing/Editing Notes:	Variable collected at MEPs Variable stored at MEPSS						

MEPS_V2						Flat Fee (FF) Sec	tion
Full Detail Spec							
<u>FF150</u>	<u>(FF1120)</u>	BLAISE NAM	IE: FFeeAr	ntUPay			
Item Type:	Question	Field kind: 1	Datafield	ArrayMi	n: Min	value: -1	
Type Class:	Integer	Field Size: 6	5				
Answer Type:	{Continuous Ans	swer. } Answers a	llowed: 1	ArrayMa	x: Ma	x value: 999999	
Help Available	(AmtUPayHelp)		□ Show C	ard ()		□ Look Up File ()
Context Header:		RST MIDDLE AN LAT FEE EVENT		NAME} {S]	R-DT} FL	AT FEE GROUP:	
Question Text:							
How much of the {{ reimbursements?	AMT TOT CH}/	total charge} did a	nyone in th	e family pay	v 'out-of-poo	cket,' that is, before an	ıy
IF AMOUNT PAID	IS NOTHING, E	NTER 0.					
ENTER AMOUNT					HEL	.P: F1	
Responses:					FF160	(FF1125)	
	REFUSED			RF	FF160	(FF1125)	
	DON'T KNOW			DK	FF160	(FF1125)	
Programmer Instructions:		mount is > \$10,00 VERIFY AND (-	VALUE IS HIGHER	-
Display Instructions:	charge' if FF13 asked.	30 is coded '2' (NO	D), 'RF' (RI	EFUSED), '	DK' (DON	e at FF140. Display 't 'T KNOW), or is not	
Testing/Editing		CH} display the do ted at MEPSSprin			FF140.		
Notes:		at MEPSSpring20					

MEPS_V2				I	Flat Fee (FF) Section
Full Detail Spec					
<u>FF160</u>	<u>(FF1125)</u>	BLAISE NAME: FFeeA	nySrcPay		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min valı	ue:
Type Class:	Enumerated	Field Size:			
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	ax: Max val	lue:
Help Available (AnySrcPayHelp)	\Box Show C	Card ()		Look Up File ()
Context Header:		ST MIDDLE AND LAST I T FEE EVENT GROUP}	NAME} {S'	FR-DT} FLAT I	FEE GROUP:
Question Text:					
Has any private insu services for {FLAT		IO, Medicare, Medicaid, or	any other s	source made any	payments for the
				HELP: I	71
Responses:	YES		1	FF170	(FF1130)
	NO		2	BOX_40	(FF1145)
	REFUSED		RF	BOX_40	(FF1145)
	DON'T KNOW		DK	BOX_40	(FF1145)
Display Instructions:	For '{FLAT FEE GR FF30.	OUP}' display the name of	the flat fee	group selected	at FF10 or entered at

Testing/Editing	Variable collected at MEPSSpring2018.FF_Main
Notes:	Variable stored at MEPSSpring2018_Event.FF_Main

MEPS_V2 Flat Fee (FF) Section **Full Detail Spec** <u>FF170</u> (FF1130) **BLAISE NAME: FFeeSOPRoster** Item Type: Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: Answer Type: **TSOURCEPYM** Answers allowed: 1 ArrayMax: Max value: \Box Help Available () \Box Show Card () \Box Look Up File () {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP: **Context Header:** {NAME OF FLAT FEE EVENT GROUP} **Question Text:** Who else paid? PROBE: Anyone else? ENTER ALL THAT APPLY. CTRL-A: ADD CTRL-E: EDIT CTRL-D: DELETE **Responses:** {Name of Source of Payment}1 1 FF180 (FF1135) {Name of Source of Payment} 2 FF180 (FF1135) {Name of Source of Payment} 3 (FF1135) {Name of Source of Payment} 4 (FF1135) {Name of Source of Payment} N 5 FF180 (FF1135)

Empty

EMPTY

Programmer Instructions:

1. Multiple select allowed.

Roster behavior:

2. Multiple add allowed.

3. Pressing CTRL-A displays a pop-up with a blank text entry field and a selectable pick list of 15 common sources of payment. (See below for a detailed list). The interviewer can type a new source or select one from the list. Upon return to FF170, the added source will appear on the roster as selected.

GOVERNMENT SOURCES:

- 'Medicare'
- 'Medicaid{/STATE NAME FOR MEDICAID}'
- 'SCHIP/{STATE NAME FOR CHIP}'
- 'VA (VETERAN'S ADMINISTRATION)/CHAMPVA'
- 'Tricare'
- 'Military Facility'
- 'Indian Health Service'
- 'Worker's Compensation'
- PRIVATE SOURCES:
- 'AARP'
- 'Aetna'
- 'Blue Cross/Blue Shield'
- 'Cigna'
- 'Delta Dental'
- 'Kaiser/Kaiser Permanente'
- 'United Healthcare'
- Other Source not listed

4. Limited delete allowed. If interviewer adds a source of payment, delete is possible for that source only, as long as the interviewer has not left the screen. If delete is attempted when it is not allowed, CAPI displays the following error message: 'DELETE ALLOWED ONLY WHEN SOURCE IS FIRST ENTERED.'

If 'Other Source not listed' is selected, CAPI should display a text box for entry.

Write sources selected to the Event's-Sources-of- Payment-roster

If at least one source is added or selected during the current round, the flag SOPFlag should be set to YES.

Roster definition: Display the RU-Sources-Of-Payment-roster for selection. Display payment source name (SRCS.SRCNAME)
Roster filter: Display all sources of payment except PERSON/FAMILY
Display '/STATE NAME FOR MEDICAID' (substituting the real state name for program) if the state in which interview being conducted does not use the name 'Medicaid'. Otherwise, use a null display. For the specific name to use by state, see the plan fill file.

Display 'STATE NAME FOR CHIP' under all conditions (substituting the real state name for program).

For the specific name to use by state, see the plan fill file.

Testing/Editing	Variable collected at MEPSSpring2018.FF_Main
Notes:	Variable stored at MEPSSpring2018_Event.FF_Main

<u>FF180</u>	(FF1135) BLAISE NAME: PayFAmtPaid				
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: -99999	
Type Class:	Integer	Field Size: 6			
Answer Type:	{Continuous Answer.} Answers allowed: 1		ArrayMax:	Max value: 999999	
□ Help Available ()	\Box Show Card ()	🗌 Look Up File ()
Context Header:	· ·	FIRST MIDDLE AND LAST FLAT FEE EVENT GROUP}	NAME} {STR-E	DT} FLAT FEE GROUP:	
Question Text:					
How much did {SO	URCE} pay?				
ENTER AMOUNT.					
TOTAL CHARGE:	\${TOTAL CH	ARGE}			

Responses:		
	REFUSED	RF
	DON'T KNOW	DK

Programmer Instructions:	 Preloaded Grid Type 2- including FF180 Soft check: If amount entered is > \$10,000, display the following message: "VALUE IS HIGHER THAN USUAL. VERIFY AND CORRECT IF NEEDED." Flag all sources and associated amounts as 'payment'. 1. Interviewer enters a dollar amount for each source displayed. Amounts can be changed as many times as necessary before the interviewer leaves the screen. 2. The PERSON/FAMILY amount paid cell is protected and prefilled with the family out-of-pocket payment amount entered at FF150; no changes are allowed to this amount. Soft Check: If any source coded '\$0', display the following message: "IF {SOURCE} DID NOT PAY ANY PART OF THE TOTAL CHARGE, CORRECT THE SOURCES THAT MADE DIRECT PAYMENTS TO THIS PROVIDER AT FF160 (FFeeAnySrcPay) OR FF170 (FFeeSOPRoster). IF {SOURCE} IS THE ONLY SOURCE OF DIRECT PAYMENT, GO TO FF160 (FFeeAnySrcPay) AND CODE '2' (NO). IF THERE ARE OTHER SOURCES OF PAYMENT, GO TO FF170 (FFeeSOPRoster) AND DELETE {SOURCE} FROM THE LIST OF SOURCES OF DIRECT PAYMENT. IF RESPONDENT DOES NOT KNOW HOW MUCH{SOURCE} PAID, CODE "DK" AT FF180 (PayFAmtPaid)." CAPI displays 	
Display Instructions: Testing/Editing Notes:	 FF160 (FFeeAnySrcPay), FF170 (FFeeSOPRoster), and FF180 (PayFAmtPaid) as options to return to. Roster 1- Report Roster definition: Display the Event's-Sources-of-Payment-roster for entry of payment amount in the form pane. Display payment source name. Roster Filter: Display all sources selected at FF170 for this event-provider pair and the 'PERSON/FAMILY' record. For TOTAL CHARGE, display amount entered at FF140, otherwise, display "N/A" if FF140 =empty, DK, RF. Variable collected at MEPSSpring2018.FF_Main.FF180Grid.FF180Grid[125] Variable stored at MEPSSpring2018_Event.FF_Main.FF180Grid.FF180Grid[125] 	

MEPS_V2 Full Detail Spec			Flat Fee (FF) Sectio		
<u>BOX 40</u>	<u>(FF1145)</u>	Item Type: Route	Type Class: If Then		
Route Details:	If FF140 (TOTAL CHARGE) or 'AMOUNT PAID' by any source of direct payment (all payments sources, including PERSON/FAMILY entered or displayed at FF180) is coded 'RF' (REFUSED) or 'DK' (DON'T KNOW), go to BOX_60. Otherwise, continue with BOX_50.				
<u>BOX 50</u>	<u>(FF1150)</u>	Item Type: Route	Type Class: If Then		
Route Details:	Determine if there is an underpayment. Subtract the total payment (PERSON/FAMILY entered at FF150 plus all payments sources entered at FF180) from the total charge entere at FF140.				
	Determine what 3% of the total charge is. Compare that value with \$5 and determine which of these two values is greater. CAPI will use the greater value to compare against the remainder.				
	If the value of the remainder is > 3% OR \$5 (whichever is higher) of the total charge, continue with FF190. Otherwise, go to BOX_60.				
	NOTE: Negative values (overpayments) are not eligible for FF190.				

MEPS_V2 Flat Fee (FF) Section **Full Detail Spec** BLAISE NAME: FFeeElsePay **FF190** (FF1155) Item Type: Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 Max value: ArrayMax: Help Available () \Box Show Card (\Box Look Up File ()) {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} FLAT FEE GROUP: **Context Header:** {NAME OF FLAT FEE EVENT GROUP} **Question Text:** Does anyone in the family or any other source expect to make additional payments for the services for {FLAT FEE GROUP}? YES **Responses:** BOX_60 (FF1160) NO BOX_60 (FF1160) REFUSED RF BOX 60 (FF1160) ----- DK DON'T KNOW **BOX 60** (FF1160) Display For '{FLAT FEE GROUP}' display the name of the flat fee group selected at FF10 or entered at **Instructions:** FF30. **Testing/Editing** Variable collected at MEPSSpring2018.FF Main Notes: Variable stored at MEPSSpring2018 Event.FF Main **BOX 60** (FF1160) Item Type: Route Type Class: If Then **Route Details:** If the event provider pair that launched the flat fee section represents a HS event and HS50 is coded '4' (GIVE BIRTH TO A BABY) or '5' (TO BE BORN) OR a MV event and MV100 is coded '2' (SOMEWHERE ELSE), go to the EF section. Otherwise, return to the Event Driver for this Event-Provider Pair. Flag the status of CP as 'Processed' for all event-provider pairs in the flat fee group.

[End of FF]