

SpecWriter Data

Form Version: 8/18/2017 2:42:29 PM
Report Type: Full Detail
Project Database: WESSQL6.MEPS_V2
Language: English
Spec Label:

This is the cover page. Additional contents currently project specific.

BOX_00 **(QS1000)** **Item Type:** Route **Type Class:** If Then

Route Details: 01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40, BOX_50, BOX_60
02 Loop = LOOP_10
03 End Loop = END_LP10
04 Single Select = QS20_01, QS20_02, QS20_04, QS20_05, QS20_06
20 OS Text Field = QS20_03, QS20_07
24 Information Screen = QS10, QS20_08

Programmer Instructions: Placeholder for question types.

BOX_10 **(QS1005)** **Item Type:** Route **Type Class:** If Then

Route Details: Context header display instructions:
Display RU member's first, middle, and last name (Person.FullName)

BOX 20 **(QS1010)** **Item Type:** Route **Type Class:** If Then

Route Details: Note: AHRQ will determine what hard copy materials are distributed and followed-up on during each round. This section needs to be configurable to allow for the addition of other supplemental materials as they are needed in future panels.

The QS section is currently asked in Rounds 2 – 5. If it is Round 1, continue to the next section in the questionnaire.

DCS Collection Rules:
DCS: Distribution only in Rounds 3 and 5 for all panel years.

SAQ Collection Rules for Spring 2018 only:
SAQ (core + CAHPS): Follow-up in Panel 22, Round 3 and Panel 21, Round 5.

SAQ Collection Rules Beginning in Fall 2018 (P23R2/P22R4) and Later:
SAQ (core + CAHPS): Distribution in Rounds 2 and follow-up in Round 3 for Panels whose R1 collection occurred in an odd year (FirstPanYear=odd).

SAQ (core + CAHPS): Distribution in Rounds 4 and follow-up in Round 5 for Panels whose R1 collection occurred in an even year (FirstPanYear=even).

PSAQ (core + prevention): Distribution in Rounds 2 and follow-up in Round 3 for Panels whose R1 collection occurred in an even year (FirstPanYear=even).

PSAQ (core + prevention): Distribution in Rounds 4 and follow-up in Round 5 for Panels whose R1 collection occurred in an odd year (FirstPanYear=odd).

BOX 30 **(QS1015)** **Item Type:** Route **Type Class:** If Then

Route Details: If at least one RU member where
DCSFlag=YES
OR
SAQFlag=YES
OR
SAQFlagFlwUp=YES
OR
PSAQFlag=YES
OR
PSAQFlagFlwUp=YES

Continue with QS10.

Otherwise, go to BOX_60.

Programmer Instructions: Determine the number of DCS's and (P)SAQ's required for this household: Set flags as described for each RU member that meets the required criteria.

DCS (rounds 3 and 5)

-If Round 3 or Round 5
AND
-person is => 18 years of age or in age categories 4-9
AND
-person is a current RU member (included in person array)
AND
-person is Key (CtrlPersKey=Yes)
AND
-person is not deceased (PersRndStatus ≠Deceased)
AND
- 'DIABETES' is on person's-medical-conditions-roster and was created in the PE section (in any round), then set Person.DCSFlag=YES.

SAQ (rounds 2 and 4, core+CAHPS)

-[(If round 2 and panel year is odd (FirstPanYear=odd)) OR (If round 4 and panel year is even (FirstPanYear=even))]
AND
-person is a current RU member (included in person array)
AND
- person is Key (CtrlPersKey=Yes)
AND
-person is not deceased or institutionalized (PersRndStatus ≠Deceased or institutionalized)
AND
-person is in the RU at the round 2 or 4 interview date (EndRefDt = EndRefM, EndRefD, EndRefY).
AND
-RU member is => 18 years of age or in age categories 4-9 on July 1, {YEAR}, where 'YEAR' is the first calendar year of the panel (FirstPanYear), if round 2 or on July 1, {YEAR}, where 'YEAR' is the second calendar year of the panel (SecondPanYear), if round 4, or has turned 18 between July 1, {YEAR}, where 'YEAR' is the first calendar year of the panel, and the date of the interview if round 2, or July 1, {year}, where 'YEAR' is the second calendar year of the panel, and the date of the interview if round 4, then set Person.SAQFlag=YES.

SAQ Follow-up (rounds 3 and 5, core+CAHPS)

-[(If Panel 22, Round 3 or Panel 21, Round 5) or (If round 3 and panel year is odd (FirstPanYear=odd)) OR (If round 5 and panel year is even (FirstPanYear=even))]

AND

-person is a current RU member (included in person array)

AND

-person was prompted for an SAQ in Round 2 (if Round 3) or 4 (if Round 5) and that SAQ is outstanding [PL_Person.SAQRecCtrlStatus= '3' (REFUSED), '5' (BLANK), '6' (WRONG TYPE), '7' (WRONG YEAR USED), '8' (NOT RECEIVED)], then set Person.SAQFlagFlwUp=YES.

PSAQ (rounds 2 and 4, core+prevention)

-[(If round 2 and panel year is even (FirstPanYear=even)) OR (If round 4 and panel year is odd (FirstPanYear=odd))]

AND

-person is a current RU member (included in person array)

AND

- person is Key (CtrlPersKey=Yes)

AND

-person is not deceased or institutionalized (PersRndStatus ≠Deceased or institutionalized)

AND

-person is in the RU at the round 2 or 4 interview date (EndRefDt = EndRefM, EndRefD, EndRefY).

AND

-RU member is = > 18 years of age or in age categories 4-9 on July 1, {YEAR}, where 'YEAR' is the first calendar year of the panel (FirstPanYear), if round 2 or on July 1, {YEAR}, where 'YEAR' is the second calendar year of the panel (SecondPanYear), if round 4, or has turned 18 between July 1, {YEAR}, where 'YEAR' is the first calendar year of the panel, and the date of the interview if round 2, or July 1, {year}, where 'YEAR' is the second calendar year of the panel, and the date of the interview if round 4, then set Person.PSAQFlag=YES.

PSAQ Follow-up (rounds 3 and 5, core+prevention)

-[(If round 3 and panel year is even (FirstPanYear=even)) OR (If round 5 and panel year is odd (FirstPanYear=odd))]

AND

-person is a current RU member (included in person array)

AND

-person was prompted for an PSAQ in Round 2 (if Round 3) or 4 (if Round 5) and that PSAQ is outstanding [PL_Person.PSAQRecCtrlStatus= '3' (REFUSED), '5' (BLANK), '6' (WRONG TYPE), '7' (WRONG YEAR USED), '8' (NOT RECEIVED)], then set Person.PSAQFlagFlwUp=YES.

LOOP_10

(QS1025)

Item Type: Route

Type Class: Begin Loop

Route Details:

For each element in the RU-members-roster, ask BOX_40 - END_LP10.

Loop definition: LOOP_10 distributes all hardcopy materials to each eligible RU member.
This loop cycles on persons who meet the following conditions:

RU member has at least one of the following flags set for in the current round:

- Person.DCSFlag=YES
- OR
- Person.SAQFlag=YES
- OR
- Person.SAQFlagFlwUp=YES
- OR
- Person.PSAQFlag=YES
- OR
- Person.PSAQFlagFlwUp=YES

Continue with BOX_40

BOX 40 **(QS1030)** **Item Type:** Route **Type Class:** If Then

Route Details: Continue with QS20_01 if Person.DCSFlag=YES. Otherwise, go to QS20_04.

Display Instructions:
Each flag that has been set should display a row for the corresponding hardcopy questionnaire.

- Display "DCS" on Col #1, Row #1 as an uneditable, protected cell
- Display "SAQ" on Col#1, Row #2 as an uneditable, protected cell
- Display "PSAQ" on Col#1, Row #3 as an uneditable, protected cell

Row #1 should display as active if Person.DCSFlag=YES.

Row #2 should display as active if Person.SAQFlag=Yes or Person.SAQFlwUpFlag=YES.

Row #3 should display as active if Person.PSAQFlag=Yes or Person.PSAQFlwUpFlag=YES.

(NOTE: An RU member will never have BOTH the SAQ and PSAQ active in the same round.)

Roster Report 1
Format the form pane column headers as follows:

Roster Definition: Display the hardcopy materials required for this RU member set at BOX_30

Col#2 Header: DCS Self or Proxy (QS20_01)
Col#3 Header: Proxy Reason (QS20_02)
Col#4 Header: Proxy Other (QS20_03)
Col#5 Header: {SAQ/PSAQ} Prompt (QS20_04)
Col#6 Header: Status of {SAQ/PSAQ} (QS20_05)
Col#7 Header: Reason for Refusal (QS20_06)
Col#8 Header: Other Reason for Refusal (QS20_07)
Col#9 Header: Distribute DCS/{SAQ/PSAQ} (QS20_08)

Programmer Instructions: For each flag RU member has set (Person.DCSFlag= YES, Person.SAQFlag=YES, Person.SAQFlagFlwUp=YES, Person.PSAQFlag=YES, Person.PSAQFlagFlwUp=YES) configure the QS20 grid in the following manner:

The grid should be Preloaded Grid Type 1: forced navigation, including QS20_01, QS20_02, QS20_03, QS20_04, QS20_05, QS20_06, QS20_07, and QS20_08.

NOTE TO PROGRAMMERS: This grid needs to be configurable to accommodate the addition of other required hardcopy materials as requested by the client in future panels.

Programmer Instructions: RF/DK not allowed.

Display Instructions:

Display 'CURRENT' if the person being asked about is a current RU member (Display 'CURRENT' if the person being asked about is a current RU member (person included on person array) and is not institutionalized or deceased (PersRndStatus≠ Institutionalized or Deceased). Display "INSTITUTIONALIZED" if the person being asked about is institutionalized (PersRndStatus=Institutionalized) for the current round.

Display "In this next section, I will be distributing {and collecting} some hardcopy materials for {you and} members your household. Let's start with {you/{PERSON}}." If first cycle of Loop_10. Otherwise, display "I now have some hard copy materials for {you/{PERSON}}."

Display "and collecting" if at least one person in the RU has Person.SAQFlag=YES, or Person.SAQFlagFlwUp=YES or Person.PSAQFlag=YES or Person.PSAQFlagFlwUp=YES in the current round. Otherwise, use a null display.

Display 'you and' if the respondent has a Person.DCSFlag=YES, or Person.SAQFlag=YES, or Person.SAQFlagFlwUp=YES or Person.PSAQFlag=YES or Person.PSAQFlagFlwUp=YES in the current round. Otherwise, use a null display.

Display 'During an earlier interview, it' if diabetes was not created during the current round for the person being looped on. Display 'It' if diabetes created during the current round for the person being looped on.

Display "ACTION: PERSON IS INSTITUTIONALIZED AND MAY REQUIRE PROXY DCS." if the person being asked about is institutionalized (PersRndStatus=Institutionalized) for the current round. Otherwise, use a null display.

The label ACTION: should be displayed in the traditional interviewer instruction font size – but in red. The text after "ACTION" should be displayed in the traditional blue interviewer instruction size and color.

Testing/Editing Notes:

Variable collected at MEPSSpring2018.QS_Main.AuxQS_Loop10.QS20.QS20Grid[1..3]
Variable stored at MEPSSpring2018.QS_Main.QS_Loop10[1..25].QS20.QS20Grid[1..3]

Programmer Instructions: RF/DK not allowed.

Display Instructions:

Display “In this next section, I will be distributing {and collecting} some hardcopy materials for {you and} members your household. Let’s start with {you/{PERSON}}.” If first cycle of Loop_10 and QS20_01 was not on route for the person being looped on.

Display “I now have some hard copy materials for {you/{PERSON}}.” If not first cycle of Loop_10 and QS20_01 was not on route for the person being looped on. Otherwise (i.e., QS20_01 was on route), use a null display.

Display “and collecting” if at least one person in the RU has Person.SAQFlag=YES, or Person.SAQFlagFlwUp=YES or Person.PSAQFlag=YES or Person.PSAQFlagFlwUp=YES in the current round. Otherwise, use a null display.

Display ‘you and’ if the respondent has a Person.SAQFlag=YES, or Person.SAQFlagFlwUp=YES or Person.PSAQFlag=YES or Person.PSAQFlagFlwUp=YES in the current round. Otherwise, use a null display.

Display “Now” if QS20_01 was on route for the person being looped on. Otherwise, use a null display.

Display “{SAQ/PSAQ} STATUS FROM PREVIOUS ROUND: {PREVIOUS ROUND STATUS -40}” if Round 3 or 5 and person was prompted for an SAQ/PSAQ in Round 2 or 4 and that SAQ/PSAQ is outstanding (Person.SAQFlagFlwUp=YES or Person.PSAQFlagFlwUp=Yes). Otherwise, use a null display.

Display “SAQ” if Person.SAQFlag=YES or Person.SAQFlagFlwUp=YES for the person being looped on.

Display “PSAQ” if Person.PSAQFlag=YES or Person.PSAQFlagFlwUp=YES for the person being looped on.

For ‘PREVIOUS ROUND STATUS-40’, display the following text:

- If PL_Person.SAQRecCtrlStatus=3 display 'REFUSED'.
- If PL_Person.SAQRecCtrlStatus=5 display 'BLANK'.
- If PL_Person.SAQRecCtrlStatus=6 display 'WRONG TYPE'.
- If PL_Person.SAQRecCtrlStatus=7 display 'WRONG YEAR USED'.
- If PL_Person.SAQRecCtrlStatus=8 display 'NOT RECEIVED'.
- If PL_Person.PSAQRecCtrlStatus=3 display 'REFUSED'.
- If PL_Person.PSAQRecCtrlStatus=5 display 'BLANK'.
- If PL_Person.PSAQRecCtrlStatus=6 display 'WRONG TYPE'.
- If PL_Person.PSAQRecCtrlStatus=7 display 'WRONG YEAR USED'.
- If PL_Person.PSAQRecCtrlStatus=8 display 'NOT RECEIVED'.

Display “COLLECT {MALE (BLUE)/FEMALE (PURPLE)} PSAQ. IF INCORRECT COLOR PSAQ COMPLETED, CODE ‘2’ (NEEDS REPLACEMENT) TO FILL OUT CORRECT COLOR PSAQ..” If Person.PSAQFlag=YES or Person.PSAQFlagFlwUp=YES for the person being looped on. Otherwise, use a null display.

Display “MALE (BLUE)” if person being looped on is male. Otherwise, display “FEMALE (PURPLE)”.

If Person.SAQFlagFlwUp=YES or Person.PSAQFlagFlwUp=YES and (person is NOT in the RU at the round 3 or 5 interview date (EndRefDt ≠ EndRefM, EndRefD, EndRefY)), then display FI instruction "PERSON...NEW DOCUMENT." and response option '3' (NOT COMPLETED, NO REPLACEMENT NECESSARY). Otherwise, use a null display.

Display "DECEASED" if PersRndStatus=Deceased. Display "INSTITUTIONALIZED" if PersRndStatus=Institutionalized. Otherwise, display "PARTIALLY ELIGIBLE - MOVED FROM RU."

Display "CTRL-S: SWITCH TO DISTRIBUTE DOCS FOR A DIFFERENT PERSON." If QS20_01 was not on route for the person being looped on. Otherwise, use a null display.

Testing/Editing Notes: Variable collected at MEPSSpring2018.QS_Main.AuxQS_Loop10.QS20.QS20Grid[1..3]
Variable stored at MEPSSpring2018.QS_Main.QS_Loop10[1..25].QS20.QS20Grid[1..3]

QS20_05	(QS1055)	BLAISE NAME: FormCollect		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TSAQCOMP	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:
COLLECT {PERSON}'S COMPLETED {SAQ/PSAQ}.

Responses:	COMPLETED AND GIVEN TO INTERVIEWER	..1	BOX_50	(QS1075)
	{NOT COMPLETED, WILL PICK UP AT A LATER DATE} 2	BOX_50	(QS1075)
	{NOT COMPLETED, WILL MAIL TO OFFICE}	3	BOX_50	(QS1075)
	{MAILED TO SAQ RESPONDENT} 4	BOX_50	(QS1075)
	REFUSED TO COMPLETE (NO FORM LEFT)	. 5	QS20_06	(QS1060)
	NOT COMPLETED, COLLECT UPDATED STATUS AT RESPONDENT FORM SECTION 6	BOX_50	(QS1075)
	OTHER 91		

Programmer Instructions: RF/DK not allowed.

Display Instructions: Do not display response categories 2, 3, or 4. Those are reserved for the Respondent Form (RF) Section.

Display "SAQ" if Person.SAQFlag=YES or Person.SAQFlagFlwUp=YES for the person being looped on.

Display "PSAQ" if Person.PSAQFlag=YES or Person.PSAQFlagFlwUp=YES for the person being looped on.

Testing/Editing Notes: Variable collected at MEPSSpring2018.QS_Main.AuxQS_Loop10.QS20.QS20Grid[1..3]
Variable stored at MEPSSpring2018.QS_Main.QS_Loop10[1..25].QS20.QS20Grid[1..3]

QS20_06	(QS1060)	BLAISE NAME: FormRfResn		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TSAQREF	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:

SELECT MAIN REASON FOR REFUSAL:

Responses:	TOO BUSY/NOT INTERESTED	1	BOX_50	(QS1075)
	TOO PERSONAL/SENSITIVE	2	BOX_50	(QS1075)
	INFORMATION			
	TOO MUCH OF A PHYSICAL/MENTAL	3	BOX_50	(QS1075)
	HARDSHIP			
	HAS ALREADY GIVEN ENOUGH	4	BOX_50	(QS1075)
	INFORMATION			
	WANTS MORE INFORMATION	5	BOX_50	(QS1075)
	NOT INTERESTED	6	BOX_50	(QS1075)
	NO REASON GIVEN	7	BOX_50	(QS1075)
	OTHER	91	QS20_07	(QS1065)

Programmer Instructions: RF/DK not allowed.

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.QS_Main.AuxQS_Loop10.QS20.QS20Grid[1..3]
Variable stored at MEPSSpring2018.QS_Main.QS_Loop10[1..25].QS20.QS20Grid[1..3]

QS20_07	(QS1065)	BLAISE NAME: FormRfOS		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 45		
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON'S FIRST MIDDLE AND LAST NAME}

Question Text:
ENTER OTHER REASON FOR REFUSAL:

Responses: END_LP10 (QS1080)

Programmer Instructions: RF/DK not allowed.

Display Instructions:

Testing/Editing Notes: Variable collected at MEPSSpring2018.QS_Main.AuxQS_Loop10.QS20.QS20Grid[1..3]
Variable stored at MEPSSpring2018.QS_Main.QS_Loop10[1..25].QS20.QS20Grid[1..3]

Full Detail Spec

QS20_08	(QS1070)	BLAISE NAME: FormPrep		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:

Help Available () Show Card () Look Up File ()

Context Header: {PERSON’S FIRST, MIDDLE, AND LAST NAME}

Question Text:

{PREPARE {SELF/PROXY} DIABETES CARE SUPPLEMENT (DCS) FOR {PERSON}: WRITE IN PERSON’S NAME, DOB, PID, AND RUID.

NAME: {FIRST NAME} {MIDDLE NAME} {LAST NAME}
 DOB: {MM/DD/YYYY} PID: {PID}
 RU ID: {RU ID}

STATUS: {CURRENT/INSTITUTIONALIZED}

HAND PREPARED {SELF/PROXY} DCS TO RESPONDENT AND SAY:

We hope that {you/{PERSON}}/you or someone else in the family} would be able to fill out this short questionnaire on the care {you/{PERSON}} {get/gets} for diabetes. {You/He/She} can give it to me before I leave today, or I can pick it up later.

{PREPARE {MALE (BLUE)/FEMALE (PURPLE)} {SAQ/PSAQ} FOR {PERSON} USING THE INFORMATION BELOW:

REGION: {REGION} RU ID: {RU ID} PID: {PID}
 NAME: {FIRST NAME} {MIDDLE NAME} {LAST NAME}
 DOB: {MM/DD/YYYY}

HAND PREPARED {SAQ/PSAQ} TO RESPONDENT AND SAY:

We hope {you/{PERSON}} will be able to fill out this short questionnaire about {health and health opinions/health choices}. {You/He/She} can give it to me before I leave today, or I can pick it up later.

PRESS 1 AND ENTER TO CONTINUE.

Responses: CONTINUE BOX_50 (QS1075)

**Programmer
Instructions:**

When asking about DCS for this RU member display 'PREPARE {SELF/PROXY} DIABETES... or I can pick it up later.' Do not display the other fills on SAQ. When asking about SAQ use a null display.

Display 'SELF' and '{you/{PERSON}}' if QS10_01 is coded '1' (SELF).

Display 'PROXY' and 'you or someone else in the family' if QS10_01 is coded '2' (PROXY).

Display date of birth for person being asked about for 'MM/DD/YYYY.' Display PID of person being asked about for 'PID'.

Display the RU ID for the current case for 'RUID'.

Display 'CURRENT' if the person being asked about is a current RU member (person included on person array) and is not institutionalized or deceased (PersRndStatus≠ Institutionalized or Deceased). Display "INSTITUTIONALIZED" if the person being asked about is institutionalized (PersRndStatus=Institutionalized).

When asking about SAQ/PSAQ for this RU member display 'PREPARE {MALE (BLUE)/FEMALE (PURPLE)} {SAQ/PSAQ}FOR {PERSON}...or I can pick it up later.' Do not display the other fills on DCS. When asking about DCS use a null display.

Display region for the current case being asked about for 'REGION'. Display the RU ID for the current case for 'RUID'.

Display PID of RU member being asked about for 'PID'.

Display date of birth for RU member being asked about for 'MM/DD/YYYY.'

RF/DK not allowed.

**Display
Instructions:**

When asking about the DCS, display all the fill text in bold black, "FIRST NAME", "MIDDLE NAME", "LAST NAME", "MM/DD/YYYY", "PID", "RUID" "CURRENT/INSTITUTIONALIZED". All other text should adhere to the UI document specifications.

When asking about the SAQ/PSAQ, display all the fill text in bold black: "REGION", "RUID", "PID" "FIRST NAME", "MIDDLE NAME", "LAST NAME", "MM/DD/YYYY". All other text should adhere to the UI document specifications.

Display "{MALE (BLUE)/FEMALE (PURPLE)}" If Person.PSAQFlag=YES or Person.PSAQFlagFlwUp=YES for the person being looped on. Otherwise, use a null display.

Display "MALE (BLUE)" if person being looped on is male. Otherwise, display "FEMALE (PURPLE)".

Display "SAQ" if Person.SAQFlag=YES or Person.SAQFlagFlwUp=YES for the person being looped on.

Display "PSAQ" if Person.PSAQFlag=YES or Person.PSAQFlagFlwUp=YES for the person being looped on.

"Display 'health and health opinions' when asking about the SAQ. Display 'health choices'

when asking about PSAQ.

Testing/Editing Notes: Variable collected at MEPSSpring2018.QS_Main.AuxQS_Loop10.QS20.QS20Grid[1..3]
Variable stored at MEPSSpring2018.QS_Main.QS_Loop10[1..25].QS20.QS20Grid[1..3]

BOX 50 **(QS1075)** **Item Type:** Route **Type Class:** If Then

Route Details: If Row #1 (DCS) completed and Person.SAQFlag=Yes or Person.SAQFlagFlwUp=Yes or Person.PSAQFlag=Yes or Person.PSAQFlagFlwUp=Yes, go to QS20_04 to complete Row #2/Row #3 (SAQ/PSAQ) for this person.

If all rows and cells are completed for this person, continue with END_LP10.

END_LP10 **(QS1080)** **Item Type:** Route **Type Class:** End Loop

Route Details: Cycle on the next RU member that meets the conditions of LOOP_10.
If no more RU members meet those criteria, continue with BOX_60.

BOX 60 **(QS1085)** **Item Type:** Route **Type Class:** If Then

Route Details: Go to the next questionnaire section.

[End of QS]