COVER SHEET

NSCS Field Test- Enumeration

Blaise Item-Level Specifications Report

Items contained in this report:

- Front
- FAQs
- Household Roster
- Contact Information
- NEWHHR
- BNoninterview
- Control Card
- BSetupRoster
- BNCVS1
- Setup of Incident Roster
- BNCVS2
- BUndup
- 2016 Core change questions
- Placeholder for current supplement
- BInform
- BPhoneContactInfo
- BPhone_Lang_PersonLevel
- BNonEnglish
- BBack
- Setup of Editing/Coding Roster
- Supplement Debriefing Instruments
- DRAFT SPECS

Last Modified: Tuesday, May 13, 2014

RESPLINE Field

Front.Variables.RESPLINE

Description: This is the line number of the household respondent

Form Pane Label:

SAS Name:

Tag Name: RESPLINE

Inherited Universe:

Universe:

Universe Description:

Question Text:

Type: Classification

Length: 2

Don't Know
Refuse
Empty
On Input

Store Instructions: For INCSAM eq 1, RESPLINE eq PICK1STHHRESP

For INCSAME eq 0, RESPLINE comes from the input file variable HHLD_R (RT 8500/pos. 23-24). RESPLINE can also be updated in the instrument when the interviewer chooses a household respondent that is different from the one on the input file. A new HHR can be choosen in the instrument at the HELLO_ALT2 or OTHR_NAME_LAST screens or from the NEW HHR tab.

Block Instructions:

Block

Household Roster

Household Roster

Description: Tab to display the household roster

Tab Name: HH Roster
Fly Over Name:
Universe Type: If

Inherited Universe:
Universe:

Universe:

Array:

Survey: NCVS 2016 Core Changes Section: Household Roster

HH Roster (Tab)

Household Roster.HH Roster (Tab)

Description: Tab that displays the household roster

Form Pane Label: FR01b_SHOWROSCP

SAS Name: Tag Name: Inherited Universe:

Universe: On path when the tab is selected with mouse click or \

when SHIFT+F1 are depressed at the same time.

Universe Description: Tab is displayed when selected using the mouse or via the keyboard by depressing

SHIFT+F1 at the same time.

Question Text: Status of household composition

+ INTERVIEW PERIOD: ^INTVNMBR

HHR	LN	NAME	REL	MEMBER	SEX	AGE
STATUS	PHONE #					
^HHR_LNO	^D_LNO	^NAME	^REL	^MEMBER	^SEX_C	^AGS
^PNEED	^RESPPHONEN	IIIM				

Fills: INTVNMBR

Instructions: Fill INTVNMBR with the value in the variable INTNMBR

Fills: HHR LNO

Instructions: If L_NO eq RESPLINE file "X"

Else leave "empty'.

Fills: D_LNO

Instructions: If L_NO eq PER leave D_LNO blank

Else if A_SELFPROXY eq 4 store L_NO in D_LNO Else if PERFIXINC ge 1 store I_PLN in D_LNO

Fills: NAME

Instructions: Fill NAME with the variable NAME (combines FNAME<>LNAME).

Fills: REL

Survey: NCVS 2016 Core Changes Section: Household Roster

Instructions: If RELREF eq 11 fill REL with "Husband"

Elseif RELREF eq 12 fill REL with "Wife"
Elseif RELREF eq 13 fill REL with "Son"
Elseif RELREF eq 14 fill REL with "Daughtr"
Elseif RELREF eq 15 fill REL with "Father"
Elseif RELREF eq 16 fill REL with "Mother"
Elseif RELREF eq 17 fill REL with "Brother"
Elseif RELREF eq 18 fill REL with "Sister"
Elseif RELREF eq 19 fill REL with "Oth Rel"
Elseif RELREF eq 20 fill REL with "Non Rel"
Elseif RELREF eq 21 fill REL with "Ref Per"

Fills: MEMBER

Instructions: If MEMBER eq 1 fill MEMBER with "Member"

Else fill MEMBER with "NonMember"

Fills: SEX_C

Instructions: If SEX eq 1 fill SEX_C with "M"

Elseif SEX eq 2 fill SEX_C with "F"

Else fill SEX C with "D"

Fills: AGS

Instructions: If AGE eq RF or AGERNG eq RF fill AGS with "Ref"

If AGE eq DK or AGERNG eq DK fill AGS with "DK"

If AGERNG eq 1 fill AGS with "0-11"

If AGERNG eq 2 fill AGS with "12-13"

If AGERNG eq 3 fill AGS with "14-15"

If AGERNG eq 4 fill AGS with "16-17"

If AGERNG eq 5 fill AGS with "18-65"

If AGERNG eq 6 fill AGS with "66+"

Else fill AGS with (the variable) AGE

Fills: PNEED

Instructions: If PELIG eq 1 fill PNEED with "NEED SELF"

Elseif PELIG eq 3 fill PNEED with "NEED PROXY" Elseif PELIG eq 4 fill PNEED with "Partial-Int"

If PELIG eq 5 and NONINTFLAG eq 1 fill PNEED with "Ref by other"

Elseif PELIG eq 5 fill PNEED with "REFUSED"
Elseif PELIG eq 6 fill PNEED with "DONE-Int"
Elseif PELIG eq 7 fill PNEED with "DONE-Nonint"
Elseif PELIG eq 8 fill PNEED with "Under 12"

Elseif DELUNDEL eq 1 fill PNEED with "*Moved Out"

Survey: NCVS 2016 Core Changes Section: Household Roster

Elseif DELUNDEL eq 2 fill PNEED with "*Deleted"
Elseif DELUNDEL eq 3 fill PNEED with "*Deceased"
Elseif PELIG eq 9 fill PNEED with "Nonmember"

Fills: RESPPHONENUM

Instructions: Fill RESPPHONENUM with the value in the variable RESPPHONE

Type: Enumerated

Length: 1

Answer List: Enter_1_ To_Continue

Value:	Mnemonic:	Description:	
1		Enter 1 to Continue	
	□R	on't Know efuse mpty	
	□ o □ o	n Input n Output	
	Array: □		

Special Instructions: The household roster should display all persons on the roster, whether household members or not.

Displaying nonmembers should help decrease the instances of FRs adding a duplicate person to the roster because the person who was a nonmember last enumeration is now back as a household member. If the FR cannot see that this person is already on the roster (as a nonmember), then they will add the person as a duplicate. This goes against survey procedures and lessens our ability to track victims across the time the household is in sample.

Skip Instructions: Back to the item where the FR left off (on the main path).

Survey: NCVS 2016 Core Changes Section: Contact Information Blaise Item-Level Specifications Report Spider Version 1.6.2

Block

Contact Information

Contact Information

Description: Tab to contain co	ontact information for victims
Tab Name: Fly Over Name: Universe Type: If	
Inherited Universe:	
Universe:	
Universe Description:	
Array: 🗌	
Block Instructions:	

ContactTab Field

Contact Information.ContactTab

Description: Contact information for respondents

Form Pane Label: contact SAS Name: contact

Tag Name: ContactTab

Inherited Universe:

Universe:

Universe Description:

Question Text: Useful resources for respondents who are in need of assistance:

National Domestic Violence Hotline 1-800-799-SAFE 1-800-787-3224 (TTY)

National Center for Victims of Crime 1-202-467-8700 http://victimsofcrime.org/

Child Help National Child Abuse Hotline 1-800-4-A-CHILD

Eldercare Locator 1-800-677-1116

Type: Enumerated

Length: 1

Answer List: Enter_1_ To_Continue

Value:	Mnemonic:	Description:
1		Enter 1 to Continue
	□R	on't Know efuse mpty
	□o □o	n Input n Output
	Array: 🗌	

Last Modified: Wednesday, December 17, 2014

Survey: NCVS 2016 Core Changes Section: NEWHHR Blaise Item-Level Specifications Report Spider Version 1.6.2

Block NEWHHR
NEWHHR

Description: Pick new household respondent when you haven't reached a complete interview with the current household respondent.

Tab Name: New household respondent

Fly Over Name: Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Last Modified: Tuesday, August 3, 2010 Page 815 of 1853

Last Modified: Thursday, January 29, 2015

CONDITION

Description: Condition 1-3

Form Pane Label: CONDITION

SAS Name:

Tag Name: CONDITION

Inherited Universe:

Universe:

Universe Description:

Question Text:

Type: Length:

Value:	Mnemonic:	Description:
1	Condition 1	Condition 1
2	Condition 2	Condition 2
3	Condition 3	Condition 3

Skip Instructions: IF CONDITION 1GO TO StartIntro_C1

IF CONDITION 2 GO TO StartIntro_C2
IF CONDITION 3 GO TO STARTINTRO

Field

STARTINTRO_C1

Description: Intro for Condition 1

Form Pane Label: STARTINTRO

SAS Name:

Tag Name: STARTINTRO

Inherited Universe:

Universe: Condition 1

Universe Description:

Question Text:

Thank you for participating in the National Survey of Crime and Safety sponsored by the Bureau of Justice Statistics at the US Department of Justice.

Read as needed: The survey questions asks for information about people's experiences with victimization and crime in the past year. The results will be used to help improve the way the government measures crime.

Skip Instructions: Control Card

Field

STARTINTRO_C2

Description: Intro for Condition 24

Form Pane Label: STARTINTRO

SAS Name:

Tag Name: STARTINTRO

Inherited Universe:

Universe: Condition 24

Universe Description:

Question Text:

Thank you for participating in the National Survey of Crime and Safety sponsored by the Bureau of Justice Statistics at the US Department of Justice.

Read as needed: The survey questions asks for information about people's perceptions of community safety, their local police, and their experiences with victimization and crime in the past year. The results will be used to help improve the way the government measures crime.

Skip Instructions: Control Card

Blaise Item-Level Specifications Report Spider Version 1.6.2

Survey: NCVS 2016 Core Changes Section: BNoninterview

Field STARTINTRO

Description: Intro for Condition 3 crime questions

Form Pane Label: STARTINTRO

SAS Name:

Tag Name: STARTINTRO

Inherited Universe:

Universe: Condition 3

Universe Description:

Question Text:

Thank you for participating in this study. The study is called the National Survey of Crime and Safety and is sponsored by the Bureau of Justice Statistics at the US Department of Justice. It asks for information about people's perceptions of community safety, their local police, and their experiences with victimization and crime in the past year. The results will be used to help improve the way the government measures crime

Skip Instructions: START_STOLEN

Survey: NCVS 2016 Core Changes Section: BNoninterview

Field

START_STOLEN

Description: Anything stolen

Form Pane Label: START_STOLEN SAS Name:

Tag Name: START_STOLEN

Inherited Universe:

Universe:

Universe Description:

Question Text: +

In the past 12 months, has anything been stolen from you or anyone else who lives here?

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Skip Instructions: START_BROKEN

Survey: NCVS 2016 Core Changes Section: BNoninterview

Field

START_BROKE

Ν

Description: Broken into

Form Pane Label: START_BROKEN SAS Name:

Tag Name: START_BROKEN

Inherited Universe:

Universe:

Universe Description:

Question Text: +

In the past 12 months, has anyone broken in or tried to break into your home?

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Skip Instructions: START_ATTACK

Field

START_ATTACK

Description: Been attacked

Form Pane Label: START_ATTACK SAS Name:

Tag Name: START_ATTACK

Inherited Universe:

Universe:

Universe Description:

Question Text: +

In the past 12 months, has anyone attacked or tried to attack you or anyone else who lives here?

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Skip Instructions: START_SAFE

Survey: NCVS 2016 Core Changes Section: BNoninterview

Field START_SAFE

Description: Safe in community

Form Pane Label: START_SAFE SAS Name:

Tag Name: START_SAFE

Inherited Universe:

Universe:

Universe Description:

Question Text: +

On the whole, how much of the time is the community where you

live safe?

Read answer list

Type: Length:

Answer List: START_SAFE

Value:	Mnemonic:	Description:
1	Always safe	Always safe
2	Mostly safe	Mostly safe
3	Sometimes safe	Sometimes safe
4	Rarely safe	Rarely safe
5	Never safe	Never safe

Skip Instructions: START_AFRAID

Survey: NCVS 2016 Core Changes Section: BNoninterview

Field START_AFRAID

Description: Afraid to walk alone

Form Pane Label: START_AFRAID SAS Name:

Tag Name: START_AFRAID

Inherited Universe:

Universe:

Universe Description:

Question Text: +

Is there any place within a mile of your home where you would be afraid to walk alone at night?

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Skip Instructions: Control Card

Blaise Item-Level Specifications Report Spider Version 1.6.2

Block Control Card
Control Card

Description: Collection of household characteristics and collection/updating of person level characteristics of the household roster\

(Household respondent only)

Tab Name: Control Card

Fly Over Name: Universe Type: If

Inherited Universe:

Universe: WEBEC ne 1 and SKIPMID ne 1

Universe Description:

Array: 🗌

Block Instructions:

Last Modified: Friday, March 10, 2006 Page 875 of 1853

Blaise Item-Level Specifications Report Spider Version 1.6.2

BHousingUnit Block

Control Card.BHousingUnit

Description: Control card housing unit characteristics questions

Tab Name: Housing Unit Characteristics

Fly Over Name: Universe Type: If

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WEBEC ne 1

Universe Description:

Array: 🗌

Block Instructions:

Last Modified: Thursday, July 17, 2014 Page 876 of 1853

Blaise Item-Level Specifications Report Spider Version 1.6.2

Field	HHINTRO
-------	---------

Description: Intro for Condition 3

Form Pane Label: HHINTRO

SAS Name:

Tag Name: HHINTRO

Inherited Universe:

Universe:

Universe Description:

Question Text:

Thank you for your responses. Next I am going to ask some questions about this household and the people who live here.

Skip Instructions: VERDADD_CP

Last Modified: Thursday, July 17, 2014 Page 877 of 1853

VERADD_CP

Description: Confirm address

Form Pane Label: VERADD CP

SAS Name:

Tag Name: VERADD_CP

Inherited Universe:

Universe:

Universe Description:

Question Text: I have your address listed as...

Read *ddress below

[ADDRESS FILL]

Is that your exact address?

If address is incorrect, first check you are at the right address. Only minor updates should be made.

Type: Length:

Answer List: VERADD_CP

Value:	Mnemonic:	Description:
1	Same	SAME address
2	Changed	Haven't moved, but address has changed

Don't Know Refuse

Skip Instructions: IF CHANGED, NEWADDRESSLINE1_CP . IF SAME GO TO MAILNGSAME_CP

Last Modified: Thursday, July 17, 2014 Page 878 of 1853

Field

NEWADDRESSLINE1_CP

Field

Description: New address line 1

Form Pane Label: New Add Line 1

SAS Name:

Tag Name: NEWADDRESSLINE1_CP

Inherited Universe:

Universe: VERADD_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new house number and street name; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array: 🗌

Skip Instructions: NEWADDRESSLINE2_CP

NEWADDRESSLINE2_CP

Field

Description: New address line 2

Form Pane Label: New Add Line 2

SAS Name:

Tag Name: NEWADDRESSLINE2_CP

Inherited Universe:

Universe: VERADD_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new apt#, suite, etc.; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: NEWADDCITY_CP

NEWADDCITY_CP

Field

Description: New city

Form Pane Label: New City Nme

SAS Name:

Tag Name: NEWADDCITY_CP

Inherited Universe:

Universe: VERADD_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new city name; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: NEWADDSTATE_CP

NEWADDSTATE_CP

Field

Description: New state

Form Pane Label: New State

SAS Name:

Tag Name: NEWADDSTATE1_CP

Inherited Universe:

Universe: VERADD_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new state abbreviation; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: NEWADDZIP5_CP

NEWADDZIP5_CP

Field

Description: New zip code

Form Pane Label: New Zip5

SAS Name:

Tag Name: NEWADDZIP5_CP

Inherited Universe:

Universe: VERADD_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new 5-digit ZIP code; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: NEWADDZIP4_CP

NEWADDZIP4_CP

Field

Description: New Zip code

Form Pane Label: New Zip4

SAS Name:

Tag Name: NEWADDZIP4_CP

Inherited Universe:

Universe: VERADD_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new 4-digit ZIP code; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: MAILINGSAME_CP

MAILINGSAME_CP

Description: Mailing address

Form Pane Label: MAILINGSAME_CP

SAS Name:

Tag Name: MAILINGSAME_CP

Inherited Universe:

Universe:

Universe Description:

Question Text: Is your mailing address the same as your physical address?

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Don't Know Refuse

Skip Instructions: IF YES, SKIP TO HHPHONE; IF NO CONTINE TO VERIFYMAILING_CP

Last Modified: Thursday, July 17, 2014 Page 885 of 1853 Field

VERIFYMAILING_CP

Description: Verify mailing address

Form Pane Label: VERIFYMAILING CP

SAS Name:

Tag Name: VERMAILING_CP

Inherited Universe:

Universe: MAILINGSAME_CP = 2

Universe Description: Mailing address not the same as physical address

+Question Text: I have your mailing address as...

Read *ddress below

[ADDRESS FILL]

Is that correct?

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Don't Know Refuse

Skip Instructions: IF NO, NEWMAILADDRESSLINE1_CP. IF YES GO TO HHPHONE

Field

NEWMAILADDRESSLINE1_CP

Description: New mail address line 1

Form Pane Label: New Mail Line 1

SAS Name:

Tag Name: NEWMAILADDRESSLINE1_CP

Inherited Universe:

Universe: VERIFYMAILING_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new house number and street name; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: NEWMAILADDRESSLINE2_CP

Field

NEWMAILADDRESSLINE2 CP

Field

Description: New mail address line 2

Form Pane Label: New Mail Line 2

SAS Name:

Tag Name: NEWMAILADDRESSLINE2_CP

Inherited Universe:

Universe: VERIFYMAILING_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new apt#, suite, etc.; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: NEWMAILCITY_CP

NEWMAILCITY_CP

Field

Description: New mail city

Form Pane Label: New Mail City

SAS Name:

Tag Name: NEWMAILCITY_CP

Inherited Universe:

Universe: VERIFYMAILING_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new city name; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: NEWMAILSTATE_CP

NEWMAILSTATE_CP

Field

Description: New mail state

Form Pane Label: New Mail State

SAS Name:

Tag Name: NEWMAILSTATE1_CP

Inherited Universe:

Universe: VERIFYMAILING_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new state abbreviation; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: NEWMAILZIP5_CP

NEWMAILZIP5_CP

Field

Description: New mailing zip code

Form Pane Label: New Mail Zip5

SAS Name:

Tag Name: NEWMAILZIP5_CP

Inherited Universe:

Universe: VERIFYMAILING_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new 5-digit ZIP code; otherwise press "Enter" to continue

☐ On Input ☑ On Output

Array:

Skip Instructions: NEWMAILZIP4_CP

NEWMAILZIP4_CP

Field

Description: New Mailing Zip code

Form Pane Label: New Mail Zip4

SAS Name:

Tag Name: NEWMAILZIP4_CP

Inherited Universe:

Universe: VERIFYMAILING_CP eq 2

Universe Description:

OLD ADDRESS [ADDRESS FILL]

If incorrect or mssing, enter new 4-digit ZIP code; otherwise press "Enter" to continue

☐ On Input ※ On Output

Array: 🗌

Skip Instructions: HHPHONE

Last Modified: Thursday, July 17, 2014

Blaise Item-Level Specifications Report Spider Version 1.6.2

Survey: NCVS 2016 Core Changes Section: Control Card

HHPHONE

Field

Description: Phone number

Form Pane Label: HHPHONE

SAS Name:

Tag Name: HHPONE

Inherited Universe:

Universe:

Universe Description:

Question Text. What is the best phone number to use to reach this household?

Recor

phone number

Inter 0 for no phone number

Type: Length:

Don't Know Refuse

Skip Instructions: TENURE

Last Modified: Thursday, July 17, 2014 Page 893 of 1853

Field

TENURE

Control Card.BHousingUnit.TENURE

Description: Are your living quarters owned/being bought, rented, occupied without payment of

rent

Form Pane Label: tenure

SAS Name:

Tag Name: TENURE

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(WEBEC ne 1)

Universe: NEWMAILGQDESCRIPTION_CP = enter or MAILINGSAME_CP = 1 or

VERIFYMAILINGSAME_CP = 1\

AND\

[INCSAM eq 1 or \

(INCSAM eq 0 and INTNMBR (RT2501:6-7) eq 1,3,5,7) or (INCSAM eq 0 and

REPLCE eq 1)] or TENURE eq "empty"

Universe Description: Asked of incoming cases or continuing cases in the 3rd, 5th, or 7th interview period or

replacement households (in any of the 2th through 7th enumeration periods)

Question Text: * Ask or verify:

Are your living quarters...

+ Read answer categories.

Type: Enumerated

Length: 1

Answer List: TENURE

someone in

Survey: NCVS 2016 Core Changes Section: Control Card.BHousingUnit	Blaise Item-Level Specifications Report Spider Version 1.6.2
☐ On Input ※ On Output	
Array: 🗌	

Skip Instructions: STUDENTHOUSING

Last Modified: Thursday, July 17, 2014 Page 895 of 1853

Survey: NCVS 2016 Core Changes Section: Control Card.BHousingUnit

Field

STUDENTHOUSING

Control Card.BHousingUnit.STUDENTHOUSING

Description: Are living quarters used as student housing by a college or university

Form Pane Label: Student housing

SAS Name:

Tag Name: STUDENTHOUSING

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(WEBEC ne 1)

Universe: NEWMAILGQDESCRIPTION_CP = enter or MAILINGSAME_CP = 1 or

VERIFYMAILINGSAME_CP = 1\

\ AND\ \

INCSAM = 0, 1

Universe Description: Asked of incoming and continuing cases (or replacement households) each

enumeration

Question Text: ^APPARENT

(Are ^YOUR_NAME living quarters presently used as student housing by

a college or university?)

Fills: APPARENT

Instructions: If START_CP eq 1,3 fill APPARENT with (the following interviewer instruction

which should be preceded with a blue diamond and in blue text):

"<> If apparent, enter precode without asking."

Else leave APPARENT blank.

Fills: YOUR_NAME

Instructions: If SELFPROXY eq 2 fill YOUR_NAME with "your"

Else fill YOUR_NAME with ^NAME.

Type: Enumerated

Length: 1

Answer List: TYesNo

Value: Mnemonic: Description:

Survey: NCVS 2016 Core Changes Section: Control Card.BHousingUnit

Array:

Special Instructions: Asked of incoming and continuing cases each enumeration

Skip Instructions: TYPEOFHOUSINGUNIT

Blaise Item-Level Specifications Report Spider Version 1.6.2

Survey: NCVS 2016 Core Changes Section: Control Card.BHousingUnit

Last Modified: Thursday, July 17, 2014 Page 880 of 1853

Survey: NCVS 2016 Core Changes Section: Control Card.BHousingUnit

TYPEOFHOUSINGUNIT

Field

Control Card.BHousingUnit.TYPEOFHOUSINGUNIT

Description: Type of housing unit

Form Pane Label: Type HU

SAS Name:

Tag Name: TYPEOFHOUSINGUNIT

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(WEBEC ne 1)

Universe: (INCSAM eq 1) or (INCSAM eq 0 and REPLCE eq 1) or TYPEOFHOUSINGUNIT eq

"empty"

Universe Description: All incoming cases or continuing cases where TYPEOFHOUSINGUNIT is empty

Question Text: + Please select one box that describes the type of housing dwelling unit.

Type: Enumerated

Length: 2

Answer List: TYPEOFHUS

Value:	Mnemonic:	Description:			
1		House, apartment, flat			
2	DU in nontransient hotel, motel, etc.				
3		DU permanent in transient hotel, motel, etc.			
4		DU in rooming house			
5		Mobile home or trailer with no permanent room added			
6		Mobile home or trailer with one or more permanent rooms attached			
7		DU not specified above - Describe			
8		Quarters not DU in rooming or boarding house			
9		Unit not permanent in transient hotel, motel, etc.			
10		Unoccupied site for mobile home, trailer, or tent			
11		Student quarters in college dormitory			
12		Other unit not specified above - Describe			
	□ F □ E	Don't Know Refuse Empty On Input On Output			

Last Modified: Thursday, July 17, 2014

Array:

Survey: NCVS 2016 Core Changes Section: Control Card.BHousingUnit

Special Instructions: Asked only of incoming cases or continuing cases where i_TYPEOFHOUSINGUNIT (input value) is empty

Skip Instructions: If TYPEOFHOUSINGUNIT eq 7 goto TYPEOFHOUSINGUNITSPEC7

Elseif TYPEOFHOUSINGUNIT eq 12 goto TYPEOFHOUSINGUNITSPEC12

Else goto LANDLINE

Last Modified: Friday, August 17, 2007 Page 891 of 1853

TYPEOFHOUSINGUNITSPEC7

Skip Instructions: LANDLINE

Field

Control Card.BHousingUnit.TYPEOFHOUSINGUNITSPEC7

Description:	Type of housing unit - Specify other "Housing Unit
_	HU - specify TYPEOFHOUSINGUNITSPEC7 (WEBEC ne 1 and SKIPMID ne 1) AND (WEBEC ne 1)
Universe:	TYPEOFHOUSINGUNIT eq 7
Universe Description:	
Question Text:	Please specify the other type of "Dwelling Unit".
Type: Length:	•
 	□ Don't Know ☑Refuse □ Empty
[☐ On Input ☑ On Output
Array:	

Field

TYPEOFHOUSINGUNITSPEC12

Control Card.BHousingUnit.TYPEOFHOUSINGUNITSPEC12

Description: Type of housing unit - Specify other "Other Unit" Form Pane Label: Other unit - specify **SAS Name: Tag Name:** TYPEOFHOUSINGUNITSPEC12 Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND (WEBEC ne 1) Universe: TYPEOFHOUSINGUNIT eq 12 **Universe Description:** Question Text: + Please specify the other type of "Other Unit". Type: String Length: 35 ☐ Don't Know ⊠Refuse ☐ Empty On Input ☑ On Output Array:

Last Modified: Thursday, July 17, 2014

Skip Instructions: LANDLINE

LANDLNE

Description: Does home have a landline

Form Pane Label: LANDLINE

SAS Name:

Tag Name: LANDLINE

Inherited Universe:

Universe: It

Universe Description:

Question Text:

Is there a landline telephone in this home that residents answer?

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Skip Instructions: INTERNETACCESS

INTERNETACCESS

Description: Does home have a landline

Form Pane Label: INTERNET Access

SAS Name:

Tag Name: INTERNETAccess

Inherited Universe:

Universe: It

Universe Description:

Question Text:

Do you have access to the internet in this household?

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Skip Instructions: NUMBEROFUNITS

Survey: NCVS 2016 Core Changes Section: Control Card.BHousingUnit

NUMBEROFUNITS

Field

Control Card.BHousingUnit.NUMBEROFUNITS

Description: Number of units in this structure

Form Pane Label: Number of units

SAS Name:

Tag Name: NUMBEROFUNITS

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(WEBEC ne 1)

Universe: (INCSAM eq 1) or (INCSAM eq 0 and REPLCE eq 1) or NUMBEROFUNITS eq

"empty"

Universe Description:

Question Text: + Observe or ask:

(How many dwelling units are in this structure?)

Type: Enumerated

Length: 1

Answer List: NUMBER_OF_UNITS

Value:	Mnemonic:	Description:	
1	1	1	
2	2	2	
3	3	3	
4	4	4	
5	5-9	5-9	
6	10+	10+	
7	Trailer	Mobile home/trailer	
8	Other	Only OTHER units	

☐ Refuse ☐ Empty
☐ On Input ☑ On Output

Array:

Special Instructions: Asked only of incoming cases or continuing cases where NUMBEROFUNITS is

empty

Skip Instructions: If NUMBEROFUNITS eq 1,7 goto GATEDWALLEDCOMMUNITY Else goto DIRECTENTRANCETOUNIT

Last Modified: Thursday, July 17, 2014 Page 897 of 1853

Survey: NCVS 2016 Core Changes Section: Control Card.BHousingUnit

DIRECTENTRANCETOUNIT

Field

Control Card.BHousingUnit.DIRECTENTRANCETOUNIT

Description: Does unit have direct entrance

Form Pane Label: Direct entrance

SAS Name:

Tag Name: DIRECTENTRANCETOUNIT

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(WEBEC ne 1)

Universe: ((INCSAM = 1) or (INCSAM eq 0 and REPLCE eq 1) and NUMBEROFUNITS in (2..6)

or 8)) or\

(NUMBEROFUNITS in (2..6) or 8 and DIRECTENTRANCETOUNIT = "empty")

Universe Description:

Question Text: + Observe or ask:

(Does the unit have an outside entrance, patio doors, or windows, etc., on the ground level - or outside stairs leading directly to this unit?)

Type: Enumerated

Length: 1

Answer List: TYes No Dk

Value:	Mnemonic:	Description	n:						
1		Yes							
2		No							
3		Don't know	1						
		☐ Don't Know☐ Refuse☐ Empty☐ On Input☐ On Output☐							
	Array: [
Specia	Instructions:	Asked only DIRECTENTRAN		incoming DUNIT is emp	cases	or	continuing	cases	where
		Should Q text be	shade	ed (i.e. option	al)?				

Last Modified: Thursday, July 17, 2014 Page 898 of 1853

Skip Instructions: GATEDWALLEDCOMMUNITY

Last Modified: Thursday, July 17, 2014 Page 899 of 1853

Survey: NCVS 2016 Core Changes Section: Control Card.BHousingUnit

GATEDWALLEDCOMMUNITY

Field

Control Card.BHousingUnit.GATEDWALLEDCOMMUNITY

50111101 00	ara.brioasingomi	.OATEDWALLEDOO	AVIIVIOIVII I					
	Description: Is	unit in a gated or wal	lled communit	у				
	ted Universe: (V	atewall ATEDWALLEDCOMN VEBEC ne 1 and SKI VEBEC ne 1)		ND				
	Universe : (I	NCSAM = 1) ATEDWALLEDCOM	or (INCSA MUNITY = 'er	•	0 a	and REPLO	CE eq	1) or
Universe	Description:							
Q	uestion Text: •	Ask if unsure						
	n a	s this unit in a gated on-residents or requirecess?) humerated		_			-	roval to
Value:	Mnemonic:	Description:						
1	Yes	Yes						
2	No	No						
	X	Don't Know Refuse Empty On Input On Output						
	Array: 🗌							
Special	Instructions: A	sked only of ATEDWALLEDCOM	incoming MUNITY is en	cases	or	continuing	cases	where
Skip	Instructions: If	NUMBEROFUNITS in	n (26) or 8 go	oto RESTF	RICTED	DACCESS		

2.00 goto 1.1.1.00 12.1._.1.02

Else goto HHROSTER_FNAME

Field

RESTRICTEDACCESS

Control Card.BHousingUnit.RESTRICTEDACCESS

	3
Description:	Does unit have restricted access
Form Pane Label: SAS Name:	Restrict access
_	RESTRICTEDACCESS (WEBEC ne 1 and SKIPMID ne 1) AND (WEBEC ne 1)
Universe:	((INCSAM = 1) or (INCSAM eq 0 and REPLCE eq 1)) and DIRECTENTRANCETOUNIT \ or (NUMBEROFUNITS in (26) or 8 and RESTRICTEDACCESS = "empty")
Universe Description:	
Question Text:	+ Ask if unsure:
	(Is this unit in a building that requires a special entry system such as entry codes, key cards, or security guard approval to access?)
Type: Length:	Enumerated 1
Answer List:	TYesNo
/alue: Mnemonic:	Description:
Yes	Yes
No	No
	□ Don't Know □ Refuse □ Empty
	☐ On Input ☑On Output
Array:	
Special Instructions:	Asked only of cases that are multiunits

 $\textbf{Skip Instructions:} \ \mathsf{HHROSTER_FNAME}$

Survey: NCVS 2016 Core Changes Section: Control Card Blaise Item-Level Specifications Report Spider Version 1.6.2

BDemoTableBlock

Control Card.BDemoTable

Description: Builds household roster/updates household roster/select household respondent and

reference person

Tab Name: HH roster

Fly Over Name: Universe Type: If

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe:

Universe Description:

Array:

Block Instructions

Last Modified: Thursday, June 18, 2009 Page 900 of 1853

Block

BPreDemoTable

Control Card.BDemoTable.BPreDemoTable

Description: This table should be filled horizontally asking HHROSTER_FNAME through

HHMEMBER for Line 1 before proceeding to Line 2, Line 3, etc. Exit table by entering

"999".

Tab Name: PreDemos Table **Fly Over Name:** PreDemos Table

Universe Type: While

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\
\
INCSAM eq 1 [when building the HH roster] or \
\
(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]
AND \
(NAMECHECK eq 2) or \

(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \
(MEMBER eq 1 AND SEX eq 'empty') or \

(MEMBER eq 1 AND RELATIONSHIP eq 'empty'))

Universe Description: All members of incoming (new) households or new members of continuing households or members/nonmembers in continuing households that require change to nonmembers/members on the household roster or all members of continuing households (for which no roster was provided on input) or a roster where one or more household members are missing demographic information (i.e. SEX or RELATIONSHIP are empty on input)

Array:

Block Instructions:

HHROSTER FNAME

Field

Control Card.BDemoTable.BPreDemoTable.HHROSTER_FNAME

Description: First name of person being added to the household roster

Form Pane Label: First name

SAS Name:

Tag Name: HHROSTER_FNAME

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\

\ | | INI

AND \

INCSAM eq 1 [when building the HH roster] or $\$

(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]

(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \
(MEMBER eq 1 AND SEX eq 'empty') or \

(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: (INCSAM eq 1 and RESTRICTEDACCESS) or\

(INCSAM eq 0 and HHLDCOVERAGE eq 1 and NROSIZE It MAXPER

Universe Description: When an incoming case, HHROSTER_FNAME will be on path from RESTRICTEDACCESS or it will be on path when any of the inherited universe criteria

are met (for a continuing case).

Question Text: ^COLLECT NAME

- + Enter first name on this screen.
- * ^MEM_NONMEM
- + Enter 999 to leave the table.

Fills: COLLECT_NAME

Instructions: If INCSAM eq 1 or if (INCSAM eq 0 and BLANKROSTER eq 1) fill

COLLECT_NAME with "What are the names of all people living or staying ^HERE_THERE? Start with the name of the person or one of the people who

^OWNS_RENTS this home."

Else fill COLLECT_NAME with "What is the name of the person/people that

is/are new to the household?"

Fills: MEM NONMEM

Instructions: If INCSAM eq 0 fill MEM_NONMEM with (the interviewer instruction) "To change

a non-member already listed on this roster to a member use the up/down arrow to go to MEMBERCHANGES and enter the reason why this person is now a

member."

Elseif INCSAM eq 1 fill MEM_NONMEM with (the interviewer instruction) "To change a non-member already listed on this roster to a member use the up/down arrow to go to HHMEMBER and enter a 1."

Type: Length:	
	□ Don't Know ☑Refuse □ Empty □ On Input ☑On Output
Store Instructions:	Store 01 in L_NO for the first person added to the household roster, 02 in L_NO for the second person added to the household roster, and so forth up to L_NO eq 30.
	Store L_NO for the last person added to the roster in HIGHLINENO
	Store 21 in RELATIONSHIP for L_NO eq 01.
	Store L_NO of reference person (RELATIONSHIP eq 21) in SUM_REFPER
Array:	
Skip Instructions:	If HHROSTER_FNAME eq 999 and INCSAM eq 0 and RESPLINE ne empty and LASTMARK It 16 and MEMBER (for RESPLINE) ne 1 goto HHR_CK
	Elseif HHROSTER_FNAME eq 999 and INCSAM eq 0 and MEMBER ne 1 (for Reference Person/L_NO whose REL eq 21) and there is at least one other person on the roster with MEMBER eq 1 goto REFPER_CK

Elseif HHROSTER_FNAME eq 999 and INCSAM eq 0 and MEMBER (for Reference Person/L_NO whose REL eq 21) ne 1 and there are no persons on the roster with

Elseif HHROSTER_FNAME eq 999 and INCSAME eq 0 and no L_NO has a REL eq 21 (no household member is selected as the Reference Person) goto REFPER_CK

Elseif HHROSTER_FNAME eq 999 and INCSAM eq 0 and two Line Numbers have a REL eq 21 (there are two persons selected as the Reference Person) goto

TWOREFPER_CK

MEMBER eq 1 goto HHLDCOVERAGE

Elseif HHROSTER_FNAME eq 999 and MEMBER eq 1,2 (for the L_NO where 999 entered) goto NAME_CHECK

Elseif HHROSTER_FNAME eq 999 goto HHLDCOVERAGE

Else goto HHROSTER_LNAME

Last Modified: Tuesday, October 23, 2007

Check

NAME CHECK

Control Card.BDemoTable.BPreDemoTable.NAME_CHECK

Description: This edit is to prevent FR's from acidentally typing "999" over existing persons.

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\
\
INCSAM eq 1 [when building the HH roster] or \
\
(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]

AND \
(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or\

(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or \
(BLANKROSTER eq 1) or \
(MEMBER eq 1 AND SEX eq 'empty') or \
(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: HHROSTER_FNAME eq 999 and MEMBER eq 1,2

Universe Description: Existing person on household roster (either member or nonmember) with 999 entered in their HHROSTER_FNAME item

Text: • You can only enter 999 on a blank line - not over an existing person.

- **+** ^IFNEEDTODELETE
- ◆ Select "Close" to return to HHROSTER_FNAME to restore ^FIRSTNAME to the household roster.

Check Instructions: Display the following interviewer instruction only when INCSAM eq 0... "If you need to delete this person from the roster, use arrow key to goto MEMBERCHANGES and enter the reason why this person is no longer a member."

Type: Hard

Skip Instructions: HHROSTER_FNAME

Fills: IFNEEDTODELETE

Instructions: If INCSAM eq 0 fill IFNEEDTODELETE with the interviewer instruction "<>If you

need to delete this person from the roster, use arrow key to go to

MEMBERCHANGES and enter the reason why this person is no longer a

member.[n]"

Else leave IFNEEDTODELETE blank.

Fills: FIRSTNAME

Instructions: Fill FIRSTNAME with (person's first name from whose name was typed over

with 999) HHLDROSTER_FNAME.

Last Modified: Thursday, April 8, 2010 Page 926 of 1853

Check

REFPER CK

Control Card.BDemoTable.BPreDemoTable.REFPER_CK

Description: Hard edit check to identify situation where there is an invalid or no reference person.

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\
\

INCSAM eq 1 [when building the HH roster] or \
\

(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]

AND \

(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \
(MEMBER eq 1 AND SEX eq 'empty') or \
(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: HHROSTER_FNAME eq 999 and \

((L_NO whose REL eq 21 and has a MEMBER ne 1 AND there is at least one other person on the roster with MEMBER eq 1) or (no household member has a REL eq 21))

Universe Description: Attempting to exit the pre-demos table without a valid reference person because the reference person is not a household member or no one has been selected as the Reference Person.

Text: * You need to select a reference person who is a household member.

- * Move to the "RELATION" column and enter 21 for the reference person.
- If necessary, update the relationships of all household members to the reference person.

Check Instructions:

Type: Hard

Skip Instructions: HHROSTER_FNAME

TWOREFPER_CK

Check

Control Card.BDemoTable.BPreDemoTable.TWOREFPER_CK

Description: Hard edit check to identify situation where two persons are selected as the reference person.

```
Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\
\
INCSAM eq 1 [when building the HH roster] or \
\
(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]
AND \
(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \
(MEMBER eq 1 AND SEX eq 'empty') or \
(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))
```

Universe: HHROSTER FNAME eq 999 and there are two Line Numbers whose REL eq 21

Universe Description: Attempting to exit the pre-demos table without a valid reference person because there are two people selected as the Reference Person.

Text: + You cannot have 2 people selected as the reference person.

- * Move to the "RELATION" column and enter 21 for the reference person.
- If necessary, update the relationships of all household members to the reference person.

Check Instructions:

Type: Hard

Skip Instructions: HHROSTER_FNAME

Check HHR_CK

Control Card.BDemoTable.BPreDemoTable.HHR CK

Description: Hard edit check for when RESPLINE is a line number for a person whose MEMBER ne 1

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\
\
INCSAM eq 1 [when building the HH roster] or \
\
(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]
AND \
(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \
(MEMBER eq 1 AND SEX eq 'empty') or \
(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: HHROSTER_FNAME eq 999 and INCSAM eq 0 and RESPLINE ne empty and LASTMARK It 16 and (MEMBER (for RESPLINE) ne 1)

Universe Description: Continuing case with a household respondent who is a nonmember

Text: * The household respondent is not a household member. Please select a household respondent who is a household member.

Check Instructions: This item has not worked in the instrument, so it is being removed from the instrument and replaced with item VALIDHHR_CK in the DemosTable which is a more appropriate place to deal with the issue of an invalid HHR.

Once the edit check VALIDHHR_CK is introduced to the instrument, this edit check should be deleted.

Type: Hard

Skip Instructions: HHROSTER_FNAME

HHROSTER_LNAME

Field

Control Card.BDemoTable.BPreDemoTable.HHROSTER_LNAME

Description:	Last name of person being added to the household roster
Form Pane Label:	Last name
SAS Name:	
_	HHROSTER_LNAME
Inherited Universe:	(WEBEC ne 1 and SKIPMID ne 1) AND
	(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\
	INCSAM eq 1 [when building the HH roster] or \
	\
	(INCSAM eq 0 [when adding people to the household roster, or when
	verifying/changing the membership of members/nonmembers on the household roster]
	AND \
	(NAMECHECK eq 2) or \
	(HHLDCOVERAGE eq 1) or\
	(BLANKROSTER eq 1) or \
	• /
	(MEMBER eq 1 AND SEX eq 'empty') or \
	(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))
Universe:	HHROSTER_FNAME ne 999
Universe Description:	
Question Text:	^COLLECT_NAME
	Enter last name on this screen.
Fills:	COLLECT_NAME
	If INCSAM eq 1 or if (INCSAM eq 0 and BLANKROSTER eq 1) fill
mon donono.	COLLECT_NAME with "What are the names of all people living or staying
	^HERE_THERE? Start with the name of the person or one of the people who
	^OWNS RENTS this home."
	-
	Else fill COLLECT_NAME with "What is the name of the person/people that
	is/are new to the household?"
Type:	String
Length:	-
Longtii.	
	□ Don't Know
	☑ Bon trailow ☑ Refuse
	Empty

Survey: NCVS 2016 Core Changes
Section: Control Card.BDemoTable.BPreDemoTable

On Input
Son Output

Store Instructions: Store HHROSTER_FNAME and HHROSTER_LNAME in NAME (separate with a space)
If INCSAM eq 0 store 1 in NEWPERS
If INCSAM eq 0 and L_NO (of person whose name changed) eq RESPLINE store
NAME in RESPNAME

Skip Instructions: SEX

Array: 🗌

Last Modified: Tuesday, April 6, 2010 Page 931 of 1853

SEX Field

Control Card.BDemoTable.BPreDemoTable.SEX

Description: Gender

Form Pane Label: Sex

SAS Name:

Tag Name: SEX

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\

\

INCSAM eq 1 [when building the HH roster] or \

١

(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]

AND \

(NAMECHECK eq 2) or \

(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \

(MEMBER eq 1 AND SEX eq 'empty') or \

(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: INCSAM eq 1 or \

INCSAM eq 0 and SEX eq 'empty'

Universe Description:

Question Text:

^AREYOU_IS_C ^NONHHRNAME_CC male or female?

Fills: AREYOU IS C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

AREYOU_IS_C with "Are you"
Else fill AREYOU IS C with "Is"

Fills: NONHHRNAME_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO)

Else leave NONHHRNAME_CC blank

Type: Enumerated

Length: 1

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable.BPreDemoTable

Answer List: Sex

Value:	Mnemonic:	Description:	
1		Male	
2		Female	
		on't Know efuse mpty	
	XOr XOr	n Input n Output	

Store Instructions: If SEX eq 1 store "M" in SEX_C

Elseif SEX eq 2 store "F" in SEX_C

Array: 🗌

 $\textbf{Skip Instructions:} \ \textbf{If L_NO eq SUM_REFPER (if L_NO is the reference person) goto \ \textbf{HHMEMBER}}$

Else goto RELATIONSHIP

Last Modified: Tuesday, April 6, 2010

RELATIONSHIP Field

Control Card.BDemoTable.BPreDemoTable.RELATIONSHIP

Description: Relationship to reference person

Form Pane Label: Relation

SAS Name:

Tag Name: RELATIONSHIP

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\

INCSAM eq 1 [when building the HH roster] or \

(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]

AND \

(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \

(MEMBER eq 1 AND SEX eq 'empty') or \

(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: SEX and L_NO ne SUM_REFPER or\

RELATIONSHIP eq 'empty'

Universe Description:

Question Text: + ^NEWREFPERRVW

What is **YOUR_NAME_CC^NMS_CC** relationship to **REFPERSON?**

Fills: NEWREFPERRVW

Instructions: If INCSAM eq 0 and NEWREFPER fill NEWREFPERRVW with "Review the

relationships of other household members to the new reference person and

update these relationships if necessary".

Else leave NEWREFPERRVW blank.

Fills: YOUR_NAME_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOUR_NAME_CC with "your"

Else fill YOUR_NAME_CC with ^NAME. (fill with the first and last name of

L_NO)

Fills: NMS_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill NMS_CC with "'s"

Else leave NMS_CC blank.

Fills: REFPERSON

Instructions: If RESPLINE (or SUM_HHRESP) = SUM_REFPER fill REFPERSON with "you"

Else fill REFPERSON with NAME where L_NO eq SUM_REFPER (or can use

REL_REF eq 21)

(the fill should display the first and last name of the reference person if the HHR is not the same person as the reference person, or "you" if the HHR is the same person as the reference person)

Type: Enumerated

Length: 2

Answer List: RELATIONSHIP

Value:	Mnemonic:	Description:	
11		Husband	
12		Wife	
13		Son	
14		Daughter	
15		Father	
16		Mother	
17		Brother	
18		Sister	
19		Other relative	
20		Nonrelative	

☐ Don't Know ☒Refuse ☐ Empty
☐ On Input ☑ On Output

Array: 🗌

Skip Instructions: If RELATIONSHIP eq 11 and RELATIONSHIP eq 11 (for another person) or if

RELATIONSHIP eq 12 and RELATIONSHIP eq 12 (for another person) goto

SPOUSE_CHECK

Elseif RELATIONSHIP eq 11 and RELATIONSHIP eq 12 (for another person) or

Last Modified: Tuesday, April 6, 2010

RELATIONSHIP eq 12 and RELATIONSHIP eq 11 (for another person) goto HUSBWIFE_CHECK

Elseif RELATIONSHIP eq 15 and RELATIONSHIP eq 15 (for another person) or if RELATIONSHIP eq 16 and RELATIONSHIP eq 16 (for another person) goto PARENT_CHECK

Elseif RELATIONSHIP eq 12, 14, 16, or 18 and SEX eq 1 goto MALE_CHECK Elseif RELATIONSHIP eq 11, 13, 15, or 17 and SEX eq 2 goto FEMALE_CHECK Else goto HHMEMBER

Last Modified: Tuesday, April 6, 2010 Page 936 of 1853

Check

SPOUSE CHECK

Control Card.BDemoTable.BPreDemoTable.SPOUSE CHECK

Description: More than one "husband" selected as relationship to reference person or more than one "wife" selected as relationship to reference person.

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND (INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\ INCSAM eq 1 [when building the HH roster] or \ (INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster] AND \ (NAMECHECK eq 2) or \ (HHLDCOVERAGE eq 1) or\ (BLANKROSTER eq 1) or \ (MEMBER eq 1 AND SEX eq 'empty') or \ (MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: RELATIONSHIP eq 11 and RELATIONSHIP eq 11 (for another person) or RELATIONSHIP eq 12 and RELATIONSHIP eq 12 (for another person)

Universe Description: More than one "husband" selected as relationship to reference person or more than one "wife" selected as relationship to reference person and both persons have a MEMBER eq 1.

> Text: * You entered more than one ^HUSBANDWIFE as the relationship to the reference person. Go back to RELATIONSHIP and correct the relationship if necessary.

Check Instructions:

Type: Soft

Skip Instructions: If "SUPPRESS" and RELATIONSHIP eq 11 and RELATIONSHIP eq 12 (for another person) or RELATIONSHIP eq 12 and RELATIONSHIP eq 11 (for another person) goto HUSBWIFE CHECK

> Elseif "SUPPRESS" and RELATIONSHIP eq 15 and RELATIONSHIP eq 15 (for another person) or if RELATIONSHIP eq 16 and RELATIONSHIP eq 16 (for another person) goto PARENT_CHECK

Elseif "SUPPRESS" and RELATIONSHIP eq 12, 14, 16, or 18 and SEX eq 1 goto MALE_CHECK

Elseif "SUPPRESS" and RELATIONSHIP eq 11, 13, 15, or 17 and SEX eq 2 goto FEMALE CHECK

Elseif "SUPPRESS" goto HHMEMBER

Else goto RELATIONSHIP ['goto' or 'close' are selected]

Fills: HUSBANDWIFE

Instructions: If RELATIONSHIP or CHNG_REL eq 11 fill HUSBANDWIFE with "husband" Elseif RELATIONSHIP or CHNG_REL eq 12 fill HUSBANDWIFE with "wife"

Last Modified: Tuesday, April 6, 2010 Page 938 of 1853

Check

HUSBWIFE CHECK

Control Card.BDemoTable.BPreDemoTable.HUSBWIFE_CHECK

Description: Husband (or wife) selected as relationship to reference person when there is already a wife (or husband) selected as relationship to reference person for another person.

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\
\\

INCSAM eq 1 [when building the HH roster] or \
\\

(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]

AND \

(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \
(MEMBER eq 1 AND SEX eq 'empty') or \
(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: RELATIONSHIP eq 11 and RELATIONSHIP eq 12 (for another person) or RELATIONSHIP eq 12 and RELATIONSHIP eq 11 (for another person)

Universe Description: Husband selected as relationship to reference person and Wife already is a relationship for another person or wife selected as relationship to reference person and husband already is a relationship for another person

Text: • You entered ^HUSBANDWIFE when another person on the roster is listed as the ^HUSBWIFEALREADY of the reference person. Go back to RELATIONSHIP and correct.

Check Instructions:

Type: Hard

Skip Instructions: RELATIONSHIP

Fills: HUSBANDWIFE

Instructions: If RELATIONSHIP or CHNG_REL eq 11 fill HUSBANDWIFE with "husband" Elseif RELATIONSHIP or CHNG_REL eq 12 fill HUSBANDWIFE with "wife"

Fills: HUSBWIFEALREADY

Instructions: If RELATIONSHIP or CHNG_REL eq 11 fill HUSBWIFEALREADY with "wife"

Elseif RELATIONSHIP or CHNG_REL eq 12 fill HUSBWIFEALREADY with

"husband"

PARENT_CHECK Check

Control Card.BDemoTable.BPreDemoTable.PARENT_CHECK

Description: More than one "father" or more than one "mother" selected as relationship to refernce

person

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\
\
INCSAM eq 1 [when building the HH roster] or \

(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster] AND \backslash

(NAMECHECK eq 2) or \

(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \

(MEMBER eq 1 AND SEX eq 'empty') or \

(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: RELATIONSHIP eq 15 and RELATIONSHIP eq 15 (for another person) or if RELATIONSHIP eq 16 and RELATIONSHIP eq 16 (for another person)

Universe Description: More than one "father" or more than one "mother" selected as relationship to reference person

Text: * You entered more than one ^FATHERMOTHER as a relationship to the reference person. Verify that RELATIONSHIP is correct.

Check Instructions:

Type: Soft

Skip Instructions: RELATIONSHIP

Fills: FATHERMOTHER

Instructions: If RELATIONSHIP or CHNG_REL eq 15 fill FATHERMOTHER with "father"

Elseif RELATIONSHIP or CHNG_REL eq 16 fill FATHERMOTHER with "mother"

Check

MALE CHECK

Control Card.BDemoTable.BPreDemoTable.MALE_CHECK

```
Description: Male selected for a "wife", "daughter", "mother" or "sister" relationship to reference person
```

```
Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\

INCSAM eq 1 [when building the HH roster] or \

(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]

AND \

(NAMECHECK eq 2) or \

(HHLDCOVERAGE eq 1) or\

(BLANKROSTER eq 1) or \

(MEMBER eq 1 AND SEX eq 'empty') or \

(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))
```

Universe: SEX eq 1 and RELATIONSHIP eq 12, 14, 16, or 18\

Universe Description: Male selected for a "wife", "daughter", "mother" or "sister" relationship to reference person

Text: RELATIONSHIP: AREL DIS SEX: ASEX DIS

+ The sex entered is inconsistent with the relationship selected.

Check Instructions:

Type: Soft

Skip Instructions: If "SUPPRESS" and RELATIONSHIP eq 11, 13, 15, or 17 and SEX eq 2 (for any

person) goto FEMALE_CHECK

Elseif "SUPPRESS" goto HHMEMBER

Else goto RELATIONSHIP ['goto' or 'close' are selected]

Fills: REL_DIS

Instructions: If RELATIONSHIP = 11 fill REL_DIS with "Husband"

If RELATIONSHIP = 12 fill REL_DIS with "Wife"

If RELATIONSHIP = 13 fill REL_DIS with "Son"

If RELATIONSHIP = 14 fill REL_DIS with "Daughter"

If RELATIONSHIP = 15 fill REL_DIS with "Father"

If RELATIONSHIP = 16 fill REL_DIS with "Mother"

If RELATIONSHIP = 17 fill REL_DIS with "Brother"

If RELATIONSHIP = 18 fill REL_DIS with "Sister"

If RELATIONSHIP = 19 fill REL_DIS with "Other relative"

If RELATIONSHIP = 20 fill REL_DIS with "Nonrelative"

Fills: SEX_DIS

Instructions: If SEX eq 1 fill SEX_DIS with "Male"

Elseif SEX eq 2 fill SEX_DIS with "Female"

Last Modified: Tuesday, April 6, 2010 Page 942 of 1853

Check

FEMALE CHECK

Control Card.BDemoTable.BPreDemoTable.FEMALE_CHECK

Description: Female selected for a "husband", "son", "father" or "brother" relationship to reference person.

```
Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\
\
INCSAM eq 1 [when building the HH roster] or \
\
(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]
AND \
(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or\
(MEMBER eq 1 AND SEX eq 'empty') or \
(MEMBER eq 1 AND RELATIONSHIP eq 'empty'))))
```

Universe: SEX eg 2 and RELATIONSHIP eg 11, 13, 15, or 17\

Universe Description: Female selected for a "husband", "son", "father" or "brother" relationship to reference person

+ The sex entered is inconsistent with the relationship selected.

Check Instructions:

Type: Soft

Skip Instructions: If "SUPPRESS" goto HHMEMBER

Else goto RELATIONSHIP ['goto' or 'close' are selected]

Fills: REL DIS

Instructions: If RELATIONSHIP = 11 fill REL_DIS with "Husband"

If RELATIONSHIP = 12 fill REL_DIS with "Wife"

If RELATIONSHIP = 13 fill REL_DIS with "Son"

If RELATIONSHIP = 14 fill REL_DIS with "Daughter"

If RELATIONSHIP = 15 fill REL_DIS with "Father"

If RELATIONSHIP = 16 fill REL_DIS with "Mother"

If RELATIONSHIP = 17 fill REL_DIS with "Brother"

If RELATIONSHIP = 18 fill REL_DIS with "Sister"

If RELATIONSHIP = 19 fill REL_DIS with "Other relative"

If RELATIONSHIP = 20 fill REL_DIS with "Nonrelative"

Fills: SEX_DIS

Instructions: If SEX eq 1 fill SEX_DIS with "Male"

Elseif SEX eq 2 fill SEX_DIS with "Female"

Last Modified: Tuesday, April 6, 2010 Page 944 of 1853

Field HHMEMBER

Control Card.BDemoTable.BPreDemoTable.HHMEMBER

Description: Household membership status of person

Form Pane Label: HH member

SAS Name:

Tag Name: HHMEMBER

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\

\

INCSAM eq 1 [when building the HH roster] or \

١

(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]

AND \

(NAMECHECK eq 2) or $\$

(HHLDCOVERAGE eq 1) or\
(BLANKROSTER eq 1) or \

(MEMBER eq 1 AND SEX eq 'empty') or \

(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: HHROSTER_LNAME

Universe Description:

Question Text: ^DO_DOES_C_CC ^YOU_NAME_CC usually live ^HERE_THERE?

+ If "No", probe for usual residence elsewhere.

Fills: DO DOES C CC

Instructions: If L NO (of the person collecting demographic info for) eq RESPLINE fill

DO DOES C CC with "Do"

Else fill DO_DOES_C_CC with "Does".

Fills: YOU_NAME_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOU_NAME_CC with "you"

Else fill YOU_NAME_CC with ^NAME. (fill with the first and last name of L_NO)

Fills: HERE_THERE

Instructions: If MODE eq 0 (CAPI) AND INTTYP eq 1 (Personal Visit) fill HERE_THERE with

"here"

Else fill HERE_THERE with "there".

Type: Enumerated

Length: 1

Answer List: TYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No
		Don't Know
		Refuse
	E	Empty
	\Box	On Input
⊠On Output		
		'
Store	Instructions: If H	HMEMBER eq 1 store 1 in MEMBER
	Els	seif HHMEMBER eq 2 store 2 in MEMBER and 0 in SELFPROXY
		·
	Array: □	
	-	
Skin	Instructions: If IN	JCSAM eg 1 and HHMEMRER eg 1 and NROSIZE eg MAXPER goto

Skip Instructions: If INCSAM eq 1 and HHMEMBER eq 1 and NROSIZE eq MAXPER goto

ROS2BIGOVER30

Elseif goto HHROSTER_FNAME (for the next empty row)
Elseif INCSAM eq 1 and HHMEMBER eq 2 goto HSEMEMURE

Elseif INCSAM eq 0 and HHMEMBER eq 1 and NROSIZE eq MAXPER goto

ROS2BIGOVER30

Elseif INCSAM eq 0 and HHMEMBER eq 1 and L_NO ne HIGHLINENO goto

MEMBERCHANGES (for next person)

Elseif INCSAM eq 0 and HHMEMBER eq 2 goto HSEMEMURE

Last Modified: Tuesday, April 6, 2010

Field HSEMEMURE

Control Card.BDemoTable.BPreDemoTable.HSEMEMURE

Description: Usual place of residence elsewhere

Form Pane Label: Usual res elsewhere

SAS Name:

Tag Name: HSEMEMURE

Inherited Universe: (WEBEC ne 1 and SKIPMID ne 1) AND

(INCSAM eq 0 and REPLCE eq 1 [for replacement households] or\

\

INCSAM eq 1 [when building the HH roster] or \

١

(INCSAM eq 0 [when adding people to the household roster, or when verifying/changing the membership of members/nonmembers on the household roster]

AND \

(NAMECHECK eq 2) or \
(HHLDCOVERAGE eq 1) or \
(BLANKROSTER eq 1) or \

(MEMBER eq 1 AND SEX eq 'empty') or \

(MEMBER eq 1 AND RELATIONSHIP eq 'empty')))

Universe: HHMEMBER eq 2 and MEMBER ne 3

Universe Description:

Question Text: **^DO_DOES_C_CC ^YOU_NAME_CC** have a usual place of residence elsewhere?

Fills: DO_DOES_C_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

DO DOES C CC with "Do"

Else fill DO DOES C CC with "Does".

Fills: YOU NAME CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOU_NAME_CC with "you"

Else fill YOU_NAME_CC with ^NAME. (fill with the first and last name of L_NO)

Type: Enumerated

Length: 1

Answer List: TYesNo

Blaise Item-Level Specifications Report Spider Version 1.6.2

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable.BPreDemoTable

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No
	⊠Re □ En □ Or	npty Input
	<u> X</u> On	Output
Store		EMEMURE eq 1 store 2 in MEMBER and 2 in HHMEMBER store 1 in MEMBER and 1 in HHMEMBER

Skip Instructions: If INCSAM eq 1 and NROSIZE eq MAXPER goto ROS2BIGOVER30

Elseif INCSAM eq 1 goto HHROSTER_FNAME (for the next empty row)

Elseif INCSAM eq 0 and NROSIZE eq MAXPER goto ROS2BIGOVER30

Elseif INCSAM eq 0 and L_NO ne HIGHLINENO goto MEMBERCHANGES (for next

person)

Array: 🗌

Field

HHLDCOVERAGE

Control Card.BDemoTable.HHLDCOVERAGE

Description: Household coverage question

Form Pane Label: hhld coverage

SAS Name:

Tag Name: HHLDCOVERAGE

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: INCSAM eq 0,1 (all cases)

Universe Description:

Question Text: Have I missed anyone else living or staying ^HERE_THERE such as any babies, any lodgers, or anyone who is away at present traveling or in the hospital?

L NO NAME

^L NO ^NAME

Fills: HERE_THERE

Instructions: If MODE eq 0 (CAPI) AND INTTYP eq 1 (Personal Visit) fill HERE_THERE with

"here"

Else fill HERE THERE with "there".

Fills: L NO

Instructions: Fill L_NO based on the variable L_NO from the instrument

Fills: NAME

Instructions: Fill NAME with the variable NAME (combines FNAME<>LNAME).

Type: Enumerated

Length: 1

Answer List: TYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable	Blaise Item-Level Specifications Report Spider Version 1.6.2	
☐ Don't Know ☐ Refuse ☐ Empty		
☐ On Input ☑ On Output		
Array: 🗌		
Special Instructions: The displayed roster in the info par	ne should only display persons with MEMBER eq 1.	
ENTIREHHURE	o HHROSTER_FNAME d (all people on the roster have) MEMBER eq 2 goto	
Elseif HHLDCOVERAGE eg 2 and	I INCSAM ea 1 aoto PICK1STHHR	

Else goto AGECHECK

Field

ENTIREHHURE

Control Card.BDemoTable.ENTIREHHURE

Description: Screen to identify to interviewer that all people in the household have a usual

residence elsewhere

Form Pane Label: URE SAS Name:

Tag Name: ENTIREHHURE

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: All people on the roster have MEMBER eq 2 and HHLDCOVERAGE eq 2

Universe Description:

Question Text: + All people on the household roster have a usual residence elsewhere.

- + Enter 1 to exit this case.
- ◆ Then, reenter this case to code it a Noninterview (Type B Entire Household URE) via START_CP.

Type: Enumerated

Length: 1

Answer List: Enter_1_ To_Continue

Value:	Mnemonic:	Description:	
1		Enter 1 to Continue	
	□R	on't Know efuse mpty	
		n Input n Output	
	Array: 🗌		

Last Modified: Thursday, February 25, 2010

Skip Instructions: VERIFY

PICK1STHHRESP

Field

Control Card.BDemoTable.PICK1STHHRESP

Description: Screen to select the household respondent for the INSAM=1 interview

Form Pane Label: Pick HHR

SAS Name:

Tag Name: PICK1STHHRESP

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: INCSAM eq 1

Universe Description: All incoming cases after HHLDCOVERAGE eq 2 (since we need to select a

household respondent)

Question Text: * Enter the line number for the person with whom you are speaking.

* This person should be at least 18 years of age and knowledgeable about the household.

LN NAME

Fills: L_NO

Instructions: Fill L NO based on the variable L NO from the instrument

Fills: NAME

Instructions: Fill NAME with the variable NAME (combines FNAME<>LNAME).

Type: Enumerated

Length: 2

Answer List: Pick1stHHR_LNS

Value:	Mnemonic:	Description:	
01		Line number 01	
02		Line number 02	
03		Line number 03	
04		Line number 04	
05		Line number 05	
06		Line number 06	
07		Line number 07	

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable

08	Line number 08
09	Line number 09
10	Line number 10
11	Line number 11
12	Line number 12
13	Line number 13
14	Line number 14
15	Line number 15
16	Line number 16
17	Line number 17
18	Line number 18
19	Line number 19
20	Line number 20
21	Line number 21
22	Line number 22
23	Line number 23
24	Line number 24
25	Line number 25
26	Line number 26
27	Line number 27
28	Line number 28
29	Line number 29
30	Line number 30
	☐ Don't Know ☐ Refuse ☐ Empty

☐ Empty
☐ On Input
☐ On Output

Store Instructions: Store PICK1STHHRESP (line number selected in PICK1STHHRESP) in RESPLINE and RESPONDENTLINE and PERTALKINGTOLN

Store NAME (of the line number selected in PICK1STHHRESP) in RESPNAME and RESPONDENTNAME and PERTALKINGTO

Special Instructions: Limit the roster diplayed in this question to persons with:

MEMBER eq 1

(Since MEMBER is the only HHR eligibility requirement known at this point, MEMBER eq 1 should be used to determine the the answer list for this field).

Array:

Skip Instructions: If PICK1STHHRESP gt HIGHLNO or PICK1STHHRESP eq L_NO for a person with MEMBER ne 1 goto PICKHHRESP_CK

Elseif PICKHHRESP eq 01-30 display a soft edit check "Are you sure this is the person you want to select to be the household respondent?"

Else goto BIRTHDAYMO

Last Modified: Thursday, February 25, 2010 Page 954 of 1853

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable

Check

PICKHHRESP_CK

Control Card.BDemoTable.PICKHHRESP_CK

Description: Error message because selected an invalid line number when trying to select the first

HHR (L_NO is not a member or is higher than highest roster L_NO)

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: PICK1STHHRESP eq L_NO for a person with MEMBER ne 1 or \

PICK1STHHRESP gt HIGHLNO or \

PICK_PROXYPERHHR eq L_NO for a person with MEMBER ne 1 or \

PICK_PROXYPERHHR gt HIGHLNO

Universe Description: Line number selected is for a person who is not a household member or line number

is out of range

Text: + ^PICKHHRERROR

Check Instructions:

Type: Hard

Skip Instructions: If PICK_PROXYPERHHR goto PICK_PROXYPERHHR

Else goto PICK1STHHRESP

Fills: PICKHHRERROR

Instructions: If PICK1STHHRESP or PICK PROXYPERHHR eq L NO for a person with

MEMBER ne 1 fill PICKHHRERROR with (the FR instruction) "Invalid line

number. Person selected is not a household member."

Elseif PICK1STHHRESP or PICK_PROXYPERHHR gt HIGHLNO fill

PICKHHRERROR with (the FR instruction) "Invalid line number. Please select a

valid line number."

ROS2BIGOVER30

Field

Control Card.BDemoTable.ROS2BIGOVER30

Description: Roster is now over 30 people

Form Pane Label: ros2bigover30

SAS Name:

Tag Name: ROS2BIGOVER30

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: NEWREFPER eq 31 and NROSIZE eq MAXPER or\

HHMEMBER and NROSIZE eq MAXPER or\

HHLDCOVERAGE eq 1 and NROSIZE eq MAXPER

Universe Description:

Question Text: + There are more than 30 people in the household roster for this household.

Are there any other people living or staying **^HERE_THERE** who have not been listed?

Fills: HERE_THERE

Instructions: If MODE eq 0 (CAPI) AND INTTYP eq 1 (Personal Visit) fill HERE_THERE with

"here"

Else fill HERE_THERE with "there".

Type: Enumerated

Length: 1

Answer List: TYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No
	⊠R □ E	Oon't Know Refuse Empty
	∐ (⊠ (On Input On Output
	Array: 🗌	

Skip Instructions: If ROS2BIGOVER30 eq 1 goto ROS2BIGHOWMANY

Elseif ROS2BIGOVER30 eq 2 and NEWREFPER goto NEWREFPER Else goto HHLDCOVERAGE

Last Modified: Thursday, February 25, 2010 Page 957 of 1853

ROS2BIGHOWMANY

Field

Control Card.BDemoTable.ROS2BIGHOWMANY

Description: How many more people to add?

Form Pane Label: ros2bighowmany

SAS Name:

Tag Name: ROS2BIGHOWMANY

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: ROS2BIGOVER30 = 1

Universe Description:

Question Text: * Record the number of additional people living or staying here.

◆ These additional people are not added to the household roster so you will not

conduct an NCVS interview for them.

How many others?

Type: Integer
Length: 2

Min: 1
Max: 99

Don't Know
Refuse
Empty

On Input
On Output

Skip Instructions: If NEWREFPER goto NEWREFPER

Else goto HHLDCOVERAGE

Last Modified: Thursday, February 25, 2010

Page 958 of 1853

Block

BDemoDetailed

Control Card.BDemoTable.BDemoDetailed

Description:	
Tab Name:	
Fly Over Name:	
Universe Type:	lf
Inherited Universe: \	WEBEC ne 1 and SKIPMID ne 1
Universe:	
Universe Description:	
Array: [
Block Instructions:	

Last Modified: Tuesday, October 23, 2007 Page 959 of 1853

Last Modified: Thursday, July 17, 2014 Page 961 of 1853

BRTHDATEMO Field

Control Card.BDemoTable.BDemoDetailed.BRTHDATEMO

Description: Person's date of birth-month screen

Form Pane Label: Birth mo.

SAS Name:

Tag Name: BRTHDATEMO

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: INCSAM eq 1 or\

(INCSAM eq 0 and REPLCE eq 1)or\

AGECHECK eq 2 or\
VFYAGE eq 2 or\

INCSAM eq 0 and BRTHDATEYR (for current L_NO) eq 9998, 9999, or 'empty'

Universe Description: Incoming case to collect date of birth or when code previous birthdate is not correct at

AGECHECK or VFYAGE or when a new person added to a continuing household or

when birth year was previously collected as DK or RF.

Question Text: What is ^YOUR_NAME_CC^NMS_CC date of birth?

+ Enter month on this screen.

Fills: YOUR_NAME_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOUR_NAME_CC with "your"

Else fill YOUR_NAME_CC with ^NAME. (fill with the first and last name of

L_NO)

Fills: NMS_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NMS_CC with "'s"

Else leave NMS_CC blank.

Type: Enumerated

Length: 2

Answer List: Birth_Month

Value:	Mnemonic:	Description:
1		January
2		February

3	March	
4	April	
5	May	
6	June	
7	July	
8	August	
9	September	
10	October	
11	November	
12	December	

☑ Don't Know ☑ Refuse ☐ Empty

X On InputX On Output

Array: 🗌

Skip Instructions: BRTHDATEDY

Page 964 of 1853

BRTHDATEDY Field

Control Card.BDemoTable.BDemoDetailed.BRTHDATEDY

Description: Person's date of birth-day screen

Form Pane Label: Birth day

SAS Name:

Tag Name: BRTHDATEDY

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: INCSAM eq 1 or\

(INCSAM eq 0 and REPLCE eq 1) or\

AGECHECK eq 2 or \
VFYAGE eq 2 or\

INCSAM eq 0 and BRTHDATEYR (for current L_NO) eq 9998, 9999, or 'empty'

Universe Description: Incoming case to collect date of birth or when code previous birthdate is not correct at

AGECHECK or VFYAGE or when a new person added to a continuing household or

when birth year was previously collected as DK or RF.

Question Text: What is ^YOUR NAME CC^NMS CC date of birth?

+ Enter day on this screen

Fills: YOUR_NAME_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOUR_NAME_CC with "your"

Else fill YOUR_NAME_CC with ^NAME. (fill with the first and last name of

L_NO)

Fills: NMS_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NMS_CC with "'s"

Else leave NMS_CC blank.

Type: Integer Length: 2

> Min: 1 Max: 31

> > ☑Don't Know

Last Modified: Thursday, July 17, 2014

⊠On	Input
XOn	Output

Array: 🗌

Skip Instructions: IF BRTHDATEDY gt 31 goto BRTHDATEDY_CK

Elseif BRTHDATEMO eq 2 and BRTHDATEDY in (30, 31) goto BRTHDATEDY_CK

Elseif BRTHDATEMO in (4, 6, 9, 11) AND BRTHDATEDY eq 31 goto

BRTHDATEDY_CK

Else goto BRTHDATEYR

Last Modified: Tuesday, November 6, 2007

BRTHDATEDY_CK

Check

Control Card.BDemoTable.BDemoDetailed.BRTHDATEDY_CK

Description: Error message when enter an invalid day when collecting the birth date information.

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: BRTHDATEDY gt 31 or\

BRTHDATEMO eq 2 and BRTHDATEDY in (30, 31) or\
BRTHDATEMO in (4, 6, 9, 11) AND BRTHDATEDY eq 31

Universe Description: Day entered in BRTHDATEDY is invalid because greater than 31 or the month entered

in BRTHDATEMO does not have as many days as the entry in BRTHDATEDY

Text: + Invalid entry.

Check Instructions:

Type: Hard

Skip Instructions: BRTHDATEDY

Last Modified: Thursday, July 17, 2014 Page 966 of 1853

Field

BRTHDATEYR

Control Card.BDemoTable.BDemoDetailed.BRTHDATEYR

Description: Person's date of birth-year screen

Form Pane Label: Birth yr

SAS Name:

Tag Name: BRTHDATEYR

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: INCSAM eq 1 or\

(INCSAM eq 0 and REPLCE eq 1) or\

AGECHECK eq 2 or\
VFYAGE eq 2 or \

INCSAM eq 0 and BRTHDATEYR (for current L_NO) eq 9998, 9999, or 'empty'

Universe Description: Incoming case to collect date of birth or when code previous birthdate is not correct at

AGECHECK or VFYAGE or when a new person added to a continuing household or

when birth year was previously collected as DK or RF.

Question Text: What is ^YOUR NAME CC^NMS CC date of birth?

+ Enter year on this screen

+ If year is less than 1890, enter 1890

Fills: YOUR NAME CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOUR NAME CC with "your"

Else fill YOUR_NAME_CC with ^NAME. (fill with the first and last name of

L_NO)

Fills: NMS CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NMS_CC with "'s"

Else leave NMS_CC blank.

Type: Integer Length: 4

Min: 1890 Max: 2100

☑Don't Know ☑Refuse

Blaise Item-Level Specifications Report Spider Version 1.6.2

☐ Empty
⊠On Input ⊠On Output
Store Instructions: Store BRTHDATEMO, BRTHDATEDY, and BRTHDATEYR into one new variable called BIRTHDATE.
Create the calculated age (from CASES)
Setdate date
If bmo eq DK
Store 6 in BRTHDATEMO
Store ({current}YEAR - BRTHDATEYR) in AGE If BRTHDATEMO gt MONTH
Subtract <1> from AGE
If BRTHDATEMO eq MONTH
Subtract <1> from AGE
Store AGE in A_AGE_I(L_NO)
If AGE ge 97
Store 96 in AGE
If AGE It 1
Store 0 in AGE
Array:

Special Instructions: Maximum value for year should be updated each year to equal the current year (found in Survey Cycle Indicator 1 on RT 4001:9-12).

Skip Instructions: If BIRTHDATE gt TODAY (date pulled from instrument) goto BRTHDATEYR_CK

Elseif BRTHDATEYR in (1890..2006) goto VFYAGE

Elseif BRTHDATEYR eq DK goto ESTAGE Elseif BRTHDATEYR eq RF goto AGERNG

Check

BRTHDATEYR_CK

Control Card.BDemoTable.BDemoDetailed.BRTHDATEYR_CK

Description: Error message when enter an invalid year when collecting the birth date information.

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: BRTHDATEYR gt TODAY or\

BRTHDATEYR It 1890 or\
BRTHDATEYR gt max value

Universe Description: Year entered in BRTHDATEYR is invalid because greater than today's date or less

than the min value or greater than the max value allowed

Text: + ^BRTHDATEYRCK

Check Instructions:

Type: Hard

Skip Instructions: BRTHDATEYR

Fills: BRTHDATEYRCK

Instructions: If BRTHDATEYR gt TODAY fill BRTHDATEYRCK with "Invalid entry. Birthdate

entered is in the future."

Elseif BRTHDATEYR It 1890 fill BRTHDATEYRCK with "Invalid year; year

cannot be prior to 1890."

Elseif BRTHDATEYR gt max value fill BRTHDATEYRCK with "Invalid year."

VFYAGE Field

Control Card.BDemoTable.BDemoDetailed.VFYAGE

Description: Verifies date entered in BRTHDATEMO, BRTHDATEDY, and BRTHDATEYR

Form Pane Label: Vfy age

SAS Name:

Tag Name: VFYAGE

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: BRTHDATEYR is a valid year (i.e. 1890 to current year)

Universe Description: Entry in BRTHDATEYR is valid, that is between the min and max allowed value in

BRTHDATYR (as well as not a date in the future)

Question Text: That would make ^YOU_NAME_CC ^AGE_NO ^YEAR_YEARS

old^AS_OF_LAST_MONTH Is that correct?

Fills: YOU NAME CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOU_NAME_CC with "you"

Else fill YOU_NAME_CC with ^NAME. (fill with the first and last name of L_NO)

Fills: AGE NO

Instructions: If AGE eq 0 fill AGE_NO with "less than 1"

Elseif AGE ge 97 fill AGE_NO with "older than 96"

Else fill AGE NO with the variable AGE

Fills: YEAR_YEARS

Instructions: IF AGE le 1 fill YEAR_YEARS with "year"

Else fill YEAR_YEARS with "years"

Fills: AS_OF_LAST_MONTH

Instructions: If BMO eq INTMO fill AS_OF_LAST_MONTH with " as of last month."

Else fill AS_OF_LAST_MONTH with "."

Type: Enumerated

Length: 1

Answer List: TYesNo

Value:	Mnemonic	: Description:
1	Yes	Yes
2	No	No
		☐ Don't Know ☐ Refuse ☐ Empty
		☐ On Input ☑On Output

Store Instructions: If VFYAGE eq 1 store calculated AGE in TAGE

If VFYAGE eq 1 and AGE It 12 store 1 in AGER and 5 in MARITAL

Elseif VFYAGE eq 1 and AGE in (12,13) store 2 in AGER and 5 in MARITAL

Elseif VFYAGE eq 1 and AGE in (14,15) store 3 in AGER

Elseif VFYAGE eq 1 and AGE in (16,17) store 4 in AGER

Elseif VFYAGE eq 1 and 18 <= AGE <= 65 store 5 in AGER

Elseif VFYAGE eq 1 and AGE gt 65 store 6 in AGER

Array:

Special Instructions: This item verifies the computed age. If birthdate is changed, age is computed again.

If INCSAM eq 0 then AGE in store instructions is I AGE from the input file.

Skip Instructions: If VFYAGE eq 1 and AGER ge 3 goto MARITAL

Elseif VFYAGE eq 1 and AGER eq 2 and INTNMBR in (1,3,5,7) goto

EDUCATIONATTAIN

Elseif VFYAGE eq 1 and AGER eq 2 and EDUCATIONATTAIN eq 'empty' goto

EDUCATIONATTAIN

Elseif VFYAGE eg 1 and AGER eg 2 and INTNMBR in (2,4,6) goto

ATTENDINGSCHOOL

Elseif VFYAGE eq 1 and AGER eq 1 and SP_ORIGIN eq DK, RF, 'empty' goto

SP ORIGIN

Elseif VFYAGE eq 1 and AGER eq 1 and RACEWHITE eq DK, RF goto RACE Elseif VFYAGE eq 1 and AGER eq 1 and (RACEWHITE and RACEBLACK and

RACEAMINDIAN and RACEASIAN and RACENATVHI and RACEOTHER) all eq

'empty' goto RACE

Elseif VFYAGE eq 1 and AGER eq 1 and L_NO It HIGHLNO and BRTHDATEYR (for next person) is DK,RF or 'empty' goto BRTHDATEMO

Elseif VFYAGE eq 1 and AGER eq 1 and L_NO It HIGHLNO goto AGECHECK (for next person)

Elseif VFYAGE eq 1 and AGER eq 1 and L NO eq HIGHLNO goto ROSTERREVIEW Elseif VFYAGE eq 2 goto BRTHDATEMO

Last Modified: Tuesday, October 23, 2007

ESTAGE Field

Control Card.BDemoTable.BDemoDetailed.ESTAGE

Description: Estimates person's age when BRTHDATEYR equals DK

Form Pane Label: Est age

SAS Name:

Tag Name: ESTAGE

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: BRTHDATEYR eq DK

Universe Description:

Question Text: Even though you don't know ^YOUR_NAME_CC^NMS_CC exact birthdate,

^AGE_GUESS ^HE_SHE_WAS_ON ^HIS_HER ^LAST_BDAY

Fills: YOUR NAME CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOUR_NAME_CC with "your"

Else fill YOUR NAME CC with ^NAME. (fill with the first and last name of

L_NO)

Fills: NMS_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NMS_CC with "'s"

Else leave NMS_CC blank.

Fills: AGE_GUESS

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

AGE_GUESS with "what is your approximate age?"

Else fill AGE_GUESS with "what is your best guess as to how old".

Fills: HE_SHE_WAS_ON

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE and SEX

eg 1 fill HE SHE WAS ON with "he was on"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE and

SEX eq 2 fill HE_SHE_WAS_ON with "she was on"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE and SEX ne 1 or 2 fill HE_SHE_WAS_ON with "^NAME was on" (fill ^NAME with the

first and last name of L NO collecting demographic information for)

Else leave HE_SHE_WAS_ON blank

Fills: HIS HER

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE AND SEX

eq 1 fill HIS_HER with "his"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND

SEX eq 2 fill HIS_HER with "her"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND SEX ne 1, 2 fill HIS_HER with ^NAME (fill NAME with the first and last name of

L NO)

Else leave HIS_HER blank

Fills: LAST_BDAY

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

LAST_BDAY with "last birthday?" Else leave LAST_BDAY blank

Type: Integer
Length: 2

Min: 0
Max: 96

Don't Know
Refuse
Empty

On Input

Store Instructions: Store ESTAGE in TAGE

⊠On Output

If ESTAGE It 12 store 1 in AGER and 5 in MARITAL

Elseif ESTAGE in (12,13) store 2 in AGER and 5 in MARITAL

Elseif ESTAGE in (14,15) store 3 in AGER Elseif ESTAGE in (16,17) store 4 in AGER Elseif 18 <= ESTAGE <= 65 store 5 in AGER Elseif 65 < ESTAGE <=96 store 6 in AGER

Array: □

Skip Instructions: If ESTAGE eq DK, RF goto AGERNG

Elseif AGER ge 3 goto MARITAL

Elseif AGER eq 2 and INTNMBR in (1,3,5,7) goto EDUCATIONATTAIN

Elseif AGER eq 2 and EDUCATIONATTAIN eq 'empty' goto EDUCATIONATTAIN

Elseif AGER eq 2 goto ATTENDINGSCHOOL

Elseif AGER eq 1 and SP_ORIGIN eq DK, RF, 'empty' goto SP_ORIGIN

Elseif AGER eq 1 and RACEWHITE eq DK,RF goto RACE

Elseif AGER eq 1 and (RACEWHITE and RACEBLACK and RACEAMINDIAN and RACEASIAN and RACENATVHI and RACEOTHER) all eq 'empty' goto RACE Elseif AGER eq 1 and L_NO It HIGHLNO AND BRTHDATEYR (for next person) eq DK,RF or 'empty' goto BRTHDATEMO Elseif AGER eq 1 and L_NO It HIGHLNO goto AGECHECK (for next person) Else goto ROSTERREVIEW

Last Modified: Tuesday, November 6, 2007 Page 974 of 1853

Field AGERNG

Control Card.BDemoTable.BDemoDetailed.AGERNG

Description: Age range for person when estimated age is not known respondent's year of birth is

refused

Form Pane Label: Age rng

SAS Name:

Tag Name: AGERNG

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: ESTAGE eq DK, RF\

BRTHDATEYR eq RF

Universe Description:

Question Text: ^AGE_RANGE

+ Read appropriate age categories.

Fills: AGE_RANGE

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

AGE_RANGE with "Are you between 18 and 65 years old? 66 or older?

Are you..."

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE fill

AGE RANGE with "Is ^HE SHE CC a child, a teenager, or an adult?

Is ^HE_SHE_CC..."

Type: Enumerated

Length: 1

Answer List: Age_Range

Value:	Mnemonic:	Description:
1		[bold]0 - 11 years old?[n]
2		[bold]12 - 13 years old?[n]
3		[bold]14 - 15 years old?[n]
4		[bold]16 - 17 years old?[n]
5		[bold]18 - 24 years old?[n]
6		[bold]25 - 34 years old?[n]
7		[bold]35 - 49 years old?[n]
8		[bold]50 - 65 years old?[n]
9		[bold]66 years old or older?[n]

Section: Control Card.BDemo I able.BDemoDetailed Spider Version 1.6.2 D 0 n Κ n 0 x R е u s е **Empty** On Input x On Output Store Instructions: If AGERNG eq 1 store 1 in AGER and 5 in MARITAL Elseif AGERNG eq 2 store 2 in AGER and 5 in MARITAL Elseif AGERNG eq 3 store 3 in AGER Elseif AGERNG eq 4 store 4 in AGER Elseif AGERNG eq 5 store 5 in AGER Elseif AGERNG eq 6 store 5 in AGER Elseif AGERNG eq 7 store 5 in AGER Elseif AGERNG eq 8 store 5 in AGER Elseif AGERNG eq 9 store 6 in AGER Array:

Skip Instructions:

If AGERNG = DK or RF, go to AGEGRP

If 0 – 11 years old, go to SP_ORIGIN

If 12-17 years old, go to HHPARENT

If 18+ go to MARITAL

AGEGRP Field

Description: Age category

Form Pane Label: AGEGRP

SAS Name:

Tag Name: AGEGRP

Inherited Universe:

Universe: AGERNG = DK or RF

Universe Description: Age range not known

Question Text: +

Is [HE/SHE] a child, a teenager, or an adult? Is [HE/SHE]///

*read categories

:

Answer List: AGEGRP

Value:	Mnemonic:	Description:
0	Child	Child 0-11 years pld
12	Youth	Youth 12-17 years old
18	Adult	Adult 18 years or older

Store Instructions: If AGEGRP eq 0 store 1 in AGER and 5

in MARITAL Elseif AGEGRP eq 12 store 2 in AGER and 5 in MARITAL Elseif AGEGRP eq 18 store 5 in AGER

Elseif AGERNG eq 4 store 4 in AGER AGERNG eq RF store 8 in AGER Elseif AGERNG eq DK store 9 in AGER

Skip instructions: If 0 – 11 years old, go to SP_ORIGIN

If 12-17 years old, go to HHPARENT

If 18+ go to MARITAL

HHPARENT Field

Description: Does child have parent in household

Form Pane Label: HHPARENT

SAS Name:

Tag Name: HHPARENT

Inherited Universe:

Universe: AGE 12-17

Universe Description: Household member age 12-17

Question Text: +

Does ^NONHHRNAME_CC have [another parent/guardian/a parent/guardian or parents/guardians] in this household [other than REFPRESON]?

Reminder: a parent or guardian can be a role, rather than a relationship. The parent or guardian should be knowledgeable about the youth and be responsible for making decisions on activities like school permissions, where to live, etcetera.

Fills: NONHHRNAME CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO) Else leave NONHHRNAME_CC blank Fills: If person already identified as son/daughter of HHMEM then "another parent" else "a parent or parents"

Fills: [other than REFPERSON]

If refperson identied as parent to youth, display name in refperson "other than [name/you]"

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Skip instructions: IF YES AND REFPERSON IDENTITIFED AS PARENT1, GO TO HHPARENTWHO2

IF YES AND PARENT1 NOT IDENTIFED, GO TO HHPARENTWHO1

HHPARENTWHO1	Field

Description: Who is parent

Form Pane Label: HHPARENTWHO1

SAS Name:

Tag Name: HHPARENTWHO1

Inherited Universe:

Universe:

Universe Description: YOUTH has a parent in the household who is NOT the refperson

Question Text:

Who in this household are/is ^NONHHRNAME_CC's parent(s) or legal

guardian(s)?

DISPLAY HH ROSTER EXCEPT ANYONE UNDER 18

ENTER FIRST PARENT ON THIS SCREEN; ENTER SECOND PARENT ON

NEXT SCREEN IF APPLICABLE

Fills: NONHHRNAME_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO) Else leave NONHHRNAME_CC blank

Type: Length:

Enter line item for PARENT1

Skip instructions: HHPARENTWHO2

HHPARENTWHO2 Field

Description: Who is parent

Form Pane Label: HHPARENTWHO1

SAS Name:

Tag Name: HHPARENTWHO1

Inherited Universe:

Universe:

Universe Description: YOUTH has a parent in the household

Question Text: +

Who in this household is 'NONHHRNAME_CC's other parent or legal

guardian?

DISPLAY HH ROSTER EXCEPT ANYONE UNDER 18; DO NOT DISPLAY

REFPERSON

; ENTER SECOND PARENT ON THIS SCEEN, IF APPLICABLE

Fills: NONHHRNAME_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO) Else leave NONHHRNAME_CC blank

Type: Length:

Enter line item for PARENT2;

31 – No other parent

[this option only displays when the youth is not son or daughter of RefPerson]

Skip instructions: HHPARENTCONF

HHPARENTCONF Field

Description: Confirm parents

Form Pane Label: HHPARENTCONF

SAS Name:

Tag Name: HHPARENTCONF

Inherited Universe:

Universe: HHPARENT = 1

Universe Description:

Question Text:

IF ANY PARENTS IN HH: Just to confirm, [you/PARENT1 NAME] [and] [PARENT2 NAME] [are/is] the parent(s) or guardian(s) of [YOUTH NAME].

Is that correct?

IF NO PARENTS IN HH: Just to confirm, [YOUTH NAME] does not have a

parent or guardian living in this household. Is that correct?

Type: Length:

Answer List: HHPARENTCONF

Value:	Mnemonic:	Description:
1	Correct	Correct
2	Not correct	Not correct

Skip instructions: IF NOT CORRECT, GO BACK TO HHPARENTWHO1; IF CORRECT, GO TO MARITAL;

Field MARITAL

Control Card.BDemoTable.BDemoDetailed.MARITAL

Description: Enter new marital status for person

Form Pane Label: marital

SAS Name:

Tag Name: MARITAL

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: AGER ge 3

Universe Description:

Question Text: * Enter new marital status for ^NAME CC

LAST REPORTED AS: ^MARITAL

+ If in doubt, ask:

(^AREYOU_IS_C ^NONHHRNAME_CC now married, widowed, divorced, separated or ^HAVE_YOU_HAS_HE_SHE_CC never been married?)

Fills: NAME CC

Instructions: Fill NAME CC with ^NAME. So fill NAME CC based on the name associated

with L NO (of the person collecting demographic info for).

Fills: MARITAL

Instructions: If MARITAL (from input) eq 1 fill MARITAL with "Married"

Elseif MARITAL (from input) eq 2 fill MARITAL with "Widowed"
Elseif MARITAL (from input) eq 3 fill MARITAL with "Divorced"
Elseif MARITAL (from input) eq 4 fill MARITAL with "Separated"
Elseif MARITAL (from input) eq 5 fill MARITAL with "Never Married"
Elseif MARITAL (from input) eq 9 fill MARITAL with "Don't know"
Elseif MARITAL (from input) eq 8 fill MARITAL with "Refused"

Else fill MARITAL with "Not Answered"

Fills: AREYOU IS C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

AREYOU_IS_C with "Are you"
Else fill AREYOU_IS_C with "Is"

Fills: NONHHRNAME_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO) Else leave NONHHRNAME_CC blank

Fills: HAVE YOU HAS HE SHE CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

HAVE_YOU_HAS_HE_SHE_CC with "have you"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE and

SEX eq 1 fill HAVE_YOU_HAS_HE_SHE_CC with "has he"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE and

SEX eq 2 fill HAVE_YOU_HAS_HE_SHE_CC with "has she"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE and SEX ne 1 or 2 fill HAVE_YOU_HAS_HE_SHE_CC with "has ^NAME" (fill ^NAME

with the first and last name of L_NO)

Type: Enumerated

Length: 1

Answer List: MARITAL

Value:	Mnemonic:	Description:
1		Married
2		Widowed
3		Divorced
4		Separated
5		Never married

☑Don't Know
⊠Refuse
☐ Empty

⊠On Input ⊠On Output

Array: 🗌

Skip Instructions: If AGER eq 5, 8, 9 goto ARMEDFORCES

Elseif INTNMBR in (1,3,5,7) goto EDUCATIONATTAIN

Elseif EDUCATIONATTAIN is 'empty' goto EDUCATIONATTAIN

Else goto ATTENDINGSCHOOL

Field

ARMEDFORCES

Control Card.BDemoTable.BDemoDetailed.ARMEDFORCES

Description: Currently in armed forces

Form Pane Label: Military

SAS Name:

Tag Name: ARMEDFORCES

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: AGER eq 5, 8, 9\

Universe Description:

Question Text: LAST REPORTED AS: ^MILITARY

^AREYOU_IS_C ^NONHHRNAME_CC now in the Armed Forces?

Fills: MILITARY

Instructions: If MILITARY (from input) eq 1 fill MILITARY with "Yes"

If MILITARY (from input) eq 2 fill MILITARY with "No"

If MILITARY (from input) eq 9 fill MILITARY with "Don't know" If MILITARY (from input) eq 8 fill MILITARY with "Refused"

Else fill MILITARY with "Not Answered"

Fills: AREYOU_IS_C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

AREYOU_IS_C with "Are you" Else fill AREYOU_IS_C with "Is"

Fills: NONHHRNAME CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO)

Else leave NONHHRNAME_CC blank

Type: Enumerated

Length: 1

Answer List: TYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes

2	No	No
		Empty
		☑ On Input ☑ On Output
	_	ray: □

Skip Instructions: If INTNMBR in (1,3,5,7) goto EDUCATIONATTAIN

Elseif EDUCATIONATTAIN is 'empty' goto EDUCATIONATTAIN

Else goto ATTENDINGSCHOOL

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable.BDemoDetailed

Field

EDUCATIONATTAIN

Control Card.BDemoTable.BDemoDetailed.EDUCATIONATTAIN

Description: Highest grade/level of education completed

Form Pane Label: Education

SAS Name:

Tag Name: EDUCATIONATTAIN

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: AGER ge 2 AND EDUCATIONATTAIN eq 'empty' or \

AGER ge 2 AND INTNMBR in (1,3,5,7)

Universe Description:

Flash Card: H_EDUCATION

Question Text: <BOOK ICON>

LAST REPORTED AS: ^EDUCATIONATTAIN

What is the highest level of school **^YOU_NAME_CC** completed or the highest degree **^YOU_HE_SHE_CC** received?

Fills: EDUCATIONATTAIN

Instructions: If EDUCATIONATTAIN (from input) eq 1 fill EDUCATIONATTAIN with "1st grade"

If EDUCATIONATTAIN (from input) eq 2 fill EDUCATIONATTAIN with "2nd

grade"

If EDUCATIONATTAIN (from input) eq 3 fill EDUCATIONATTAIN with "3rd

grade"

If EDUCATIONATTAIN (from input) eq 4 fill EDUCATIONATTAIN with "4th

grade"

If EDUCATIONATTAIN (from input) eq 5 fill EDUCATIONATTAIN with "5th

grade"

If EDUCATIONATTAIN (from input) eq 6 fill EDUCATIONATTAIN with "6th

grade"

If EDUCATIONATTAIN (from input) eq 7 fill EDUCATIONATTAIN with "7th

grade"

If EDUCATIONATTAIN (from input) eq 8 fill EDUCATIONATTAIN with "8th

grade"

If EDUCATIONATTAIN (from input) eq 9 fill EDUCATIONATTAIN with "9th

grade"

If EDUCATIONATTAIN (from input) eq 10 fill EDUCATIONATTAIN with "10th

grade"

If EDUCATIONATTAIN (from input) eq 11 fill EDUCATIONATTAIN with "11th

grade"

If EDUCATIONATTAIN (from input) eq 12 fill EDUCATIONATTAIN with "12th grade (no diploma)"

If EDUCATIONATTAIN (from input) eq 13 fill EDUCATIONATTAIN with "High school graduate (Diploma or equivalent)"

If EDUCATIONATTAIN (from input) eq 14 fill EDUCATIONATTAIN with "Some college (No Degree)"

If EDUCATIONATTAIN (from input) eq 15 fill EDUCATIONATTAIN with "Associate's degree"

If EDUCATIONATTAIN (from input) eq 16 fill EDUCATIONATTAIN with "Bachelor's degree (e.g. BA, AB, BS)"

If EDUCATIONATTAIN (from input) eq 17 fill EDUCATIONATTAIN with "Master's degree (e.g. MA, MS, Meng, MSW, MBA)"

If EDUCATIONATTAIN (from input) eq 18 fill EDUCATIONATTAIN with "Professional School degree (e.g. MD, DDS, DVM, LLB, JD)"

If EDUCATIONATTAIN (from input) eq 19 fill EDUCATIONATTAIN with "Doctorate degree (PhD, EdD)"

If EDUCATIONATTAIN (from input) eq 20 fill EDUCATIONATTAIN with "Never attended, preschool, kindergarten"

If EDUCATIONATTAIN (from input) eq 98 fill EDUCATIONATTAIN with "Refused"

If EDUCATIONATTAIN (from input) eq 99 fill EDUCATIONATTAIN with "Don't know"

Else fill EDUCATIONATTAIN with "Not answered"

Fills: YOU_NAME_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOU_NAME_CC with "you"

Else fill YOU_NAME_CC with ^NAME. (fill with the first and last name of L_NO)

Fills: YOU HE SHE CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill YOU_HE_SHE_CC with "you"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND SEX eq 1 fill YOU_HE_SHE_CC with "he"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND SEX eq 2 fill YOU HE SHE CC with "she"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND SEX is blank fill YOU_HE_SHE_CC with ^NAME. (fill with the first and last name of L_NO)

Type: Enumerated

Length: 2

Answer List: EDUCATION_ATTAIN

Value:	Mnemonic:	Description:
1		1st grade
2		2nd grade
3		3rd grade
4		4th grade
5		5th grade
6		6th grade
7	,	7th grade
8		8th grade
9		9th grade
10		10th grade
11	,	11th grade
12		12th grade (No diploma)
13		High school graduate (Diploma or equivalent)
14		Some college (No Degree)
15		Associate's degree
16		Bachelor's degree (e.g. BA, AB, BS)
17		Master's degree (e.g. MA, MS, Meng, MSW, MBA)
18		Professional School degree (e.g. MD, DDS, DVM, LLB, JD)
19		Doctorate degree (PhD, EdD)
20		Never attended, preschool, kindergarten

☑Don't Know ☑Refuse ☐ Empty
XOn Input XOn Output

Array:

Skip Instructions: If ((TAGE eq 12 and EDUCATIONATTAIN ne 6,7,8,DK,RF) OR

(TAGE eq 13 and EDUCATIONATTAIN ne 7,8,9,DK,RF) OR (TAGE eq 14 and EDUCATIONATTAIN ne 8,9,10,DK,RF) OR (TAGE eq 15 and EDUCATIONATTAIN ne 9,10,11,DK,RF) OR (TAGE eq 16 and EDUCATIONATTAIN ne 10,11,12,13,DK,RF) OR (TAGE eq 17 and EDUCATIONATTAIN ne 11,12,13,14,DK,RF) OR

(TAGE eq 18 and EDUCATIONATTAIN ne 12,13,14,15,DK,RF)) goto

EDUCATION CK

Else goto ATTENDINGSCHOOL

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable.BDemoDetailed

Last Modified: Tuesday, November 6, 2007

ATTENDINGSCHOOL

Field

Control Card.BDemoTable.BDemoDetailed.ATTENDINGSCHOOL

Description: Currently enrolled/attending school

Form Pane Label: Attending school

SAS Name:

Tag Name: ATTENDINGSCHOOL

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: AGER ge 2

Universe Description:

Question Text: LAST REPORTED AS: *ATTENDINGSCHOOL

^AREYOU_IS_C ^NONHHRNAME_CC currently attending or

^REGULAR_SCHOOL enrolled either full-time or part-time in a college or

university, trade, or vocational school?

Fills: ATTENDINGSCHOOL

Instructions: If ATTENDINGSCHOOL (from input) eq 1 fill ATTENDINGSCHOOL with "Regular

school"

If ATTENDINGSCHOOL (from input) eq 2 fill ATTENDINGSCHOOL with

"College/University"

If ATTENDINGSCHOOL (from input) eq 3 fill ATTENDINGSCHOOL with "Trade

school"

If ATTENDINGSCHOOL (from input) eq 4 fill ATTENDINGSCHOOL with

"Vocational school"

If ATTENDINGSCHOOL (from input) eq 5 fill ATTENDINGSCHOOL with "Not

enrolled in any school"

If ATTENDINGSCHOOL (from input) eq 8 fill ATTENDINGSCHOOL with

"Refused"

If ATTENDINGSCHOOL (from input) eq 9 fill ATTENDINGSCHOOL with "Don't

know"

Else fill ATTENDINGSCHOOL with "Not answered"

Fills: AREYOU_IS_C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

AREYOU_IS_C with "Are you" Else fill AREYOU_IS_C with "Is"

Fills: NONHHRNAME CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO) Else leave NONHHRNAME_CC blank

Fills: REGULAR_SCHOOL

Instructions: If EDUCATIONATTAIN It 13 or eq 20 and AGE It 20 fill REGULAR_SCHOOL with

"enrolled in a regular school such as elementary or high school or"

Else leave REGULAR_SCHOOL blank

(If INTVNMBR eq 2, 4, 6 then EDUCATIONATTAIN comes from input else if INTVNMBR eq 1, 3, 5, 7 OR NEWPERS eq 1 then EDUCATIONATTAIN comes

from the instrument)

Type: Enumerated

Length: 1

Answer List: ATTEND_SCHOOL

Value:	Mnemonic:	Description:
1		Regular school
2		College/University
3		Trade school
4		Vocational school
5		None of the above schools

☑Don't Know ☑Refuse ☐Empty
XOn Input XOn Output

Array:

Skip Instructions:

IF ATTENDINGSCHOOL = 1 OR 5 AND AGE LE 18 GO TO HOMESCHOOL

IF ATTENDINGSCHOOL = 2 GO TO LIVEONCAMPUS

IF ATTENDINGSCHOOL = 3 OR 4 GO TO ONLINESCHOOL

Last Modified: Tuesday, November 6, 2007

HOMESCHOOL Field

Description: Homeschooled

Form Pane Label: HOMESCHOOL

SAS Name:

Tag Name: HOMESCHOOL

Inherited Universe:

Universe: ATTENDINGSCHOOL = 1 OR 5 AND AGE LE 18

Universe Description: ANSWERED "REGUALR SCHOOL" OR "NONE OF THESE" IN ATTENDINGSCHOOL AND 18 YEARS

OLD OR YOUNGER

Question Text:

AREYOU_IS_C ^NONHHRNAME_CC home schooled?

Fills: AREYOU_IS_C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill AREYOU_IS_C with "Are you"

Else fill AREYOU_IS_C with "Is"

Fills: NONHHRNAME_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO) Else leave NONHHRNAME_CC blank

Type: Length:

Answer List: TYESNO

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Skip Instructions: SP_ORIGIN

LIVEONCAMPUS

Description: Lives on campus when not at HH

Form Pane Label: LIVEONCAMPUS

SAS Name:

Tag Name: LIVEONCAMPUS

Inherited Universe:

Universe: ATTENDINGSCHOOL = 2

Universe Description: ANSWERED "COLLEGE/UNIVERSITY" IN ATTENDINGSCHOOL

Question Text: +

DOYOU_DOES_C ^NONHHRNAME_CC live on campus when not staying here?

Fills: DOYOU_DOES_C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill AREYOU_IS_C with "Do you"

Else fill AREYOU_IS_C with "Does"

Fills: NONHHRNAME CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO) Else leave NONHHRNAME_CC blank

Type: Length:

Answer List: LIVEONCAMPUS

Value:	Mnemonic:	Description:
1	Campus Student	Campus Student
2	Not Campus Student	Not Campus Student

Skip Instruction: ONLINESCHOOL

ONLINESCHOOL

Field

Description: Goes to school online

Form Pane Label: ONLINESCHOOL

SAS Name:

Tag Name: ONLINESCHOOL

Inherited Universe:

Universe: ATTENDINGSCHOOL = 2, 3, or 4 and AGE 18+

Universe Description: ANSWERED "COLLEGE/UNIVERSITY" OR "TRADE SCHOOL" OR "VOCATIONAL SCHOOL" IN

ATTENDINGSCHOOL AND 18 YEARS OLD OR OLDER

Question Text:

DOYOU_DOES_C ^NONHHRNAME_CC go to a school, or does {he/she} attend online?

Fills: DOYOU DOES C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill AREYOU_IS_C with "Do you"

Else fill AREYOU IS C with "Does"

Fills: NONHHRNAME CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO) Else leave NONHHRNAME_CC blank

Fills: DISPLAY: "he" if SEX = 1, "she" if SEX=2, else display [person name]

Type: Length:

Answer List: ONLINESCHOOL

Value:	Mnemonic:	Description:
1	Goes to school	Goes to school
2	Attends online	Attends online
3	Both	Both

Skip instructions: SP_ORIGIN

Last Modified: Tuesday, November 6, 2007 Page 991 of 1853

SP ORIGIN Field

Control Card.BDemoTable.BDemoDetailed.SP_ORIGIN

Description: Hispanic origin

Form Pane Label: Sp. origin

SAS Name:

Tag Name: SP_ORIGIN

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: ORIGIN eq 'empty' OR \

ORIGIN eq DK, RF (on input)

Universe Description:

Flash Card: H_ORIGIN

Question Text: <BOOK ICON>

^AREYOU_IS_C ^NONHHRNAME_CC Spanish, Hispanic, or Latino?

Fills: AREYOU_IS_C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

AREYOU_IS_C with "Are you" Else fill AREYOU_IS_C with "Is"

Fills: NONHHRNAME_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO)

Else leave NONHHRNAME CC blank

Type: Enumerated

Length: 1

Answer List: TYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

☑Don't Know

⊠Refuse

XOn	Input
X On	Output

Array: 🗌

Skip Instructions: If RACEWHITE eq DK, RF goto RACE

Elseif (RACEWHITE and RACEBLACK and RACEAMINDIAN and RACEASIAN and

RACENATVHI AND RACEOTHER) all eq 'empty' goto RACE

Elseif L_NO It HIGHLNO AND BIRTHDATEYR (for next person) eq DK,RF or 'empty'

goto BRTHDATEMO (for next person)

Elseif L_NO It HIGHLNO goto AGECHECK (for next person)

Else goto ROSTERREVIEW

Last Modified: Thursday, February 4, 2016

RACE Field

Control Card.BDemoTable.BDemoDetailed.RACE

Description: Race

Form Pane Label: Race

SAS Name:

Tag Name: RACE

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: RACE eq DK, RF, or 'empty'

Universe Description:

Flash Card: H_RACE
Question Text: <BOOK ICON>

*

+ Do not probe.

+

Please choose one or more races that **^YOU_NAME_CC ^CONSIDER_CONSIDERS ^YOURSELF_HIMSELF_HERSELF_CC** to be.

Fills: YOU NAME CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOU NAME CC with "vou"

Else fill YOU_NAME_CC with ^NAME. (fill with the first and last name of L_NO)

Fills: YOURSELF_HIMSELF_HERSELF_CC

Instructions: If L NO (of the person collecting demographic info for) eg RESPLINE fill

YOURSELF HIMSELF HERSELF CC with "yourself"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND

SEX eq 1 fill YOURSELF_HIMSELF_HERSELF_CC with "himself"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND

SEX eq 2 fill YOURSELF_HIMSELF_HERSELF_CC with "herself"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND SEX ne 1 or 2 fill YOURSELF_HIMSELF_HERSELF_CC with ^NAME. (fill with the

first and last name of L_NO)

Fills: CONSIDER CONSIDERS

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

CONSIDER_CONSIDERS with "consider" Elseif L_NO (of the person collecting

demographic info for) ne RESPLINE fill CONSIDER CONSIDERS with

"considers"

Type: Set

Max Number of Values:

Length: 1

Answer List: Race

Value:	Mnemonic:	Description:
1		White [BOLD]
2		Black or African American [BOLD]
3	Am Ind/AK Nat	American Indian or Alaska Native [BOLD]
4		Asian [BOLD]
5		Native Hawaiian or Other Pacific Islander [BOLD]
6		Other - Specify

X Refuse

☐ Empty

☑ On Input

☑ On Output

Array:

Special Instructions: This is an Editing/Coding instrument item.

(May need to display the entire pre-demos grid for the Editing/Coding instrument, and

shade all items except RACE and RACE_SPECIFY.

Although "RACE" is part of the editing/coding instrument, this specific screen/grid is not 03-10-06.

Skip Instructions: If RACE eq 6 goto RACE_SPECIFY

Elseif L_NO It HIGHLNO and BRTHDATEYR (for next person) eq DK,RF or 'empty'

goto BRTHDATEMO (for next person)

Elseif L_NO It HIGHLNO goto AGECHECK (for next person)

Else goto ROSTERREVIEW

RACE_SPECIFY

Field

Control Card.BDemoTable.BDemoDetailed.RACE_SPECIFY

Description: Oth	er Race Specify
Form Pane Label: Rad SAS Name: Tag Name: RAG	
Inherited Universe: WE	BEC ne 1 and SKIPMID ne 1
Universe: RAG	CE eq 6 and RACE_I ne 6
Jniverse Description:	
Question Text: + S	Specify the other race for this person.
Type: Stri	ng
Length: 35	
<u>□</u> R	Don't Know Refuse Empty
	on Input On Output
Array: 🗌	
(Ma	s ITEM is a non editable field in the Editing/Coding instrument. ay need to display the entire pre-demos grid for the Editing/Coding instrument, and ade all items except RACE)
Older In admiration of 161	NO KUROLINO A LIBRITURATEVO (CARLA CARLA C

Skip Instructions: If L_NO It HIGHLNO and BRTHDATEYR (for the next person) eq DK,RF or 'empty'

goto BRTHDATEMO (for next person)

Elseif L_NO It HIGHLNO goto AGECHECK (for next person)

Else goto ROSTERREVIEW

Field

ROSTERREVIEW

Control Card.BDemoTable.ROSTERREVIEW

Description: Proceed or change something

Form Pane Label: Roster review

SAS Name:

Tag Name: ROSTERREVIEW

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: INCSAM eq 0,1

Universe Description:

Question Text: * Review all categories

+ Is this information correct?

Fills: L NO

Instructions: Fill L_NO based on the variable L_NO from the instrument

Fills: NAME

Instructions: Fill NAME with the variable NAME (combines FNAME<>LNAME).

Fills: REL

Instructions: If RELREF eq 11 fill REL with "Husband"

Elseif RELREF eq 12 fill REL with "Wife"
Elseif RELREF eq 13 fill REL with "Son"
Elseif RELREF eq 14 fill REL with "Daughtr"
Elseif RELREF eq 15 fill REL with "Father"
Elseif RELREF eq 16 fill REL with "Mother"
Elseif RELREF eq 17 fill REL with "Brother"
Elseif RELREF eq 18 fill REL with "Sister"
Elseif RELREF eq 19 fill REL with "Oth Rel"
Elseif RELREF eq 20 fill REL with "Non Rel"
Elseif RELREF eq 21 fill REL with "Ref Per"

Fills: AGS

Instructions: If AGE eq RF or AGERNG eq RF fill AGS with "Ref"

If AGE eq DK or AGERNG eq DK fill AGS with "DK"

If AGERNG eq 1 fill AGS with "0-11"

If AGERNG eq 2 fill AGS with "12-13"
If AGERNG eq 3 fill AGS with "14-15"
If AGERNG eq 4 fill AGS with "16-17"
If AGERNG eq 5 fill AGS with "18-65"
If AGERNG eq 6 fill AGS with "66+"
Else fill AGS with (the variable) AGE

Fills: SEX_C

Instructions: If SEX eq 1 fill SEX_C with "M"

Elseif SEX eq 2 fill SEX_C with "F"

Else fill SEX_C with "D"

Fills: MARITAL

Instructions: If MARITAL (from input) eq 1 fill MARITAL with "Married"

Elseif MARITAL (from input) eq 2 fill MARITAL with "Widowed"
Elseif MARITAL (from input) eq 3 fill MARITAL with "Divorced"
Elseif MARITAL (from input) eq 4 fill MARITAL with "Separated"
Elseif MARITAL (from input) eq 5 fill MARITAL with "Never Married"
Elseif MARITAL (from input) eq 9 fill MARITAL with "Don't know"
Elseif MARITAL (from input) eq 8 fill MARITAL with "Refused"

Else fill MARITAL with "Not Answered"

Fills: PNEED

Instructions: If PELIG eq 1 fill PNEED with "NEED SELF"

Elseif PELIG eq 3 fill PNEED with "NEED PROXY" Elseif PELIG eq 4 fill PNEED with "Partial-Int"

If PELIG eg 5 and NONINTFLAG eg 1 fill PNEED with "Ref by other"

Elseif PELIG eq 5 fill PNEED with "REFUSED"
Elseif PELIG eq 6 fill PNEED with "DONE-Int"
Elseif PELIG eq 7 fill PNEED with "DONE-Nonint"
Elseif PELIG eq 8 fill PNEED with "Under 12"

Elseif DELUNDEL eq 1 fill PNEED with "*Moved Out" Elseif DELUNDEL eq 2 fill PNEED with "*Deleted" Elseif DELUNDEL eq 3 fill PNEED with "*Deceased" Elseif PELIG eq 9 fill PNEED with "Nonmember"

Type: Enumerated

Length: 1

Answer List: TYesNo

Value: Mnemonic: Description:

1	Yes	Yes
2	No	No
		☐ Don't Know ☐ Refuse ☐ Empty
		☐ On Input ☐ On Output
Store I	nstructions:	: If ROSTERREVIEW eq 1 store 1 in ROS_FLG If ROSTERREVIEW eq 2 reset ROSTERREVIEW
		The following instructions in the brackets are not needed since these store are done elsewhere:
		[If ROSTERREVIEW eq 1 AND PELIG eq 1 store 2 in SELFPROXY If ROSTERREVIEW eq 1 AND MEMBER eq 1 AND AGER eq 1 store 8 in PELIG Elseif ROSTERREVIEW eq 1 AND MEMBER eq 1 AND AGER ge 2 store 1 in PELIG Elseif ROSTERREVIEW eq 1 AND MEMBER eq 2 AND DELUNDEL eq 1 store 9 in PELIG
		Elseif ROSTERREVIEW eq 1 AND MEMBER eq 3 AND DELUNDEL eq 3 store 9 in PELIG
		Elseif ROSTERREVIEW eq 1 AND MEMBER eq 2 store 9 in PELIG]
		Store the total number of people on the roster with PELIG eq 1 in TOTPELIG
	Array:	
Skip I	nstructions:	: If ROSTERREVIEW eq 1 and MEMBER ne 1 (for Reference Person/L_NO whose REL eq 21) goto EXITCCREFPER_CK
		Elseif ROSTERREVIEW eq 1 and no L_NO (with a MEMBER eq 1) has a REL eq 21 (no one is selcted as the Reference Person) goto EXITCCREFPER_CK
		Elseif ROSTERREVIEW eq 1 and two line numbers have a REL eq 21 (there are two persons selected as the Reference Person) goto EXITCCTWOREFPER_CK
		Elseif ROSTERREVIEW eq 1 goto BUSINESS
		Else goto WHOTOCHANGE

EXITCCREFPER_CK

Check

Page 996 of 1853

Control Card.BDemoTable.EXITCCREFPER_CK

Description: Hard edit check to identify situation where there is an invalid or no reference person.

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: ROSTERREVIEW eq 1 and \

((the Line Number whose REL eq 21 and has a MEMBER ne 1) or (no one has a REL

eq 21))

Universe Description: Attempting to exit the DemoTable (Control Card) without a valid reference person

because the Reference Person is not a household member or no one has been

selected as the Reference Person.

Text: * You need to select a reference person who is a household member.

- Move to the HHLDCOVERAGE screen and enter 1 to modify the household roster.
- ◆ Then move to the "RELATION" column and enter 21 for the reference person.
- If necessary, update the relationships of all household members to the reference person.

Check Instructions:

Type: Hard

Skip Instructions: ROSTERREVIEW

Last Modified: Tuesday, April 6, 2010

Check

EXITCCTWOREFPER_CK

Control Card.BDemoTable.EXITCCTWOREFPER_CK

Description: Hard edit check to identify situation where two persons are selected as the reference

person.

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: ROSTERREVIEW eq 1 and there are two Line Numbers whose REL eq 21

Universe Description: Attempting to exit the DemosTable (Control Card) without a valid reference person

because there are two people selected as the Reference Person.

Text: * You cannot have 2 people selected as the reference person.

◆ Move to the HHLDCOVERAGE screen and enter 1 to modify the household roster.

♦ Then move to the "RELATION" column and enter 21 for the reference person.

• If necessary, update the relationships of all household members to the reference person.

Check Instructions:

Type: Hard

Skip Instructions: ROSTERREVIEW

VALIDHHR CK

Check

Control Card.BDemoTable.VALIDHHR_CK

Description: Hard edit check for when RESPLINE is a line number for a person who is not an eligible

Household Respondent. It should be onpath after FR completes the BDemoDetailed

block and before exiting out of the Control Card block.

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: (RESPLINE AND \

MEMBER eq 2 or\

MEMBER eq 1 AND (AGE It 17 or AGER Ie 3) or\
MEMBER eq 1 AND AGE eq 17 AND REL ne 11 or 12)\

Universe Description: FR has completed collecting/updating the demographic information for the household

and the HHR is not valid because they are not a household member or not eligible (i.e.

under 18 and do not meet the requirements).

Text: • You have not selected a valid household respondent. The current household respondent is either not a member or does not meet the age requirements to be the household respondent.

◆ Click on the "Suppress" button andreturn to question 'Pick HHResp' and select a valid Household Respondent

Check Instructions: These specs may need to be modified based on the functionality in the instrument.

When the FR completes updating the roster in the "BDemoDetailed" block and RESPLINE is not valid, this hard edit check should appear. I think ideally, the "Goto" button would take the respondent to the New_HHR tab to select a valid HHR.

However, if this is not possible then we'll need to modify the FR instructions to inform them that they will need to manually click on the New_HHR tab to fix this error.

04.24.09 modified specs to have the FR manually goto New_HHR Tab.

Type: Hard

Skip Instructions: The FR will need to go back to 'Pick HHResp' in order to fix the problem.

If "Close" or "Goto" buttons are selected, return to ROSTERREVIEW

Block

BDemoChangeControl Card.BDemoTable.BDemoChange

Description: Change Membership, Name, Relationship, Sex, or Add/Delete/Undelete People - Household Roster
Tab Name: Fly Over Name: Universe Type: If
Inherited Universe: WEBEC ne 1 and SKIPMID ne 1
Universe:
niverse Description:
Array:
Block Instructions:

WHOTOCHANGE Field

Control Card.BDemoTable.BDemoChange.WHOTOCHANGE

Description: Who needs change?

Form Pane Label: Who to change

SAS Name:

Tag Name: WHOTOCHANGE

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: ROSTERREVIEW eq 2

Universe Description:

Question Text: * Enter the line number of the person requiring a change.

Type: Enumerated

Length: 2

Answer List: NAMECHECK_LNS

Value:	Mnemonic:	Description:
01		^L_NO ^NAME
02		^L_NO ^NAME
03		^L_NO ^NAME
04		^L_NO ^NAME
05		^L_NO ^NAME
06		^L_NO ^NAME
07		^L_NO ^NAME
08		^L_NO ^NAME
09		^L_NO ^NAME
10		^L_NO ^NAME
11		^L_NO ^NAME
12		^L_NO ^NAME
13		^L_NO ^NAME
14		^L_NO ^NAME
15		^L_NO ^NAME
16		^L_NO ^NAME
17		^L_NO ^NAME
18		^L_NO ^NAME
19		^L_NO ^NAME
20		^L_NO ^NAME

21	^L_NO ^NAME	
22	^L_NO ^NAME	
23	^L_NO ^NAME	
24	^L_NO ^NAME	
25	^L_NO ^NAME	
26	^L_NO ^NAME	
27	^L_NO ^NAME	
28	^L_NO ^NAME	
29	^L_NO ^NAME	
30	^L_NO ^NAME	
	☐ Don't Know ☐ Refuse ☐ Empty	

Array:

☐ On Input ☐ On Output

Special Instructions: The answer list should only consist of persons with MEMBER eq 1.

Need to add edit check for an invalid line number.

Skip Instructions: If WHOTOCHANGE gt HIGHLINENO display error "Invalid line number" Elseif WHOTOCHANGE in (01..30) goto WHATFIX

WHATFIX Field

Control Card.BDemoTable.BDemoChange.WHATFIX

Description: Type of change needed for the line number entered in WHOTOCHANGE

Form Pane Label: What fix

SAS Name:

Tag Name: WHATFIX

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WHOTOCHANGE eq 01-30

Universe Description:

Question Text: HOUSEHOLD RESPONDENT: ^HHR

REFERENCE PERSON: *REFPERSON NAME

+ What change is needed?

LN NAME REL AGE SEX MARITAL ^L NO ^NAME ^REL ^AGS ^SEX C ^MARITAL

Fills: HHR

Instructions: Fill HHR with the value in the variable RESPNAME

Fills: REFPERSON_NAME

Instructions: Fill REFPERSON_NAME with name of reference person (L_NO eq

SUM_REFPER or can use REL_REF eq 21)

Fills: L_NO

Instructions: Fill L_NO based on the variable L_NO from the instrument

Fills: NAME

Instructions: Fill NAME with the variable NAME (combines FNAME<>LNAME).

Fills: REL

Instructions: If RELREF eq 11 fill REL with "Husband"

Elseif RELREF eq 12 fill REL with "Wife"
Elseif RELREF eq 13 fill REL with "Son"
Elseif RELREF eq 14 fill REL with "Daughtr"
Elseif RELREF eq 15 fill REL with "Father"
Elseif RELREF eq 16 fill REL with "Mother"

Elseif RELREF eq 17 fill REL with "Brother"
Elseif RELREF eq 18 fill REL with "Sister"
Elseif RELREF eq 19 fill REL with "Oth Rel"
Elseif RELREF eq 20 fill REL with "Non Rel"
Elseif RELREF eq 21 fill REL with "Ref Per"

Fills: AGS

Instructions: If AGE eq RF or AGERNG eq RF fill AGS with "Ref"

If AGE eq DK or AGERNG eq DK fill AGS with "DK"

If AGERNG eq 1 fill AGS with "0-11"
If AGERNG eq 2 fill AGS with "12-13"
If AGERNG eq 3 fill AGS with "14-15"
If AGERNG eq 4 fill AGS with "16-17"
If AGERNG eq 5 fill AGS with "18-65"
If AGERNG eq 6 fill AGS with "66+"
Else fill AGS with (the variable) AGE

Fills: SEX C

Instructions: If SEX eq 1 fill SEX_C with "M"

Elseif SEX eq 2 fill SEX C with "F"

Else fill SEX C with "D"

Fills: MARITAL

Instructions: If MARITAL (from input) eq 1 fill MARITAL with "Married"

Elseif MARITAL (from input) eq 2 fill MARITAL with "Widowed"
Elseif MARITAL (from input) eq 3 fill MARITAL with "Divorced"
Elseif MARITAL (from input) eq 4 fill MARITAL with "Separated"
Elseif MARITAL (from input) eq 5 fill MARITAL with "Never Married"
Elseif MARITAL (from input) eq 9 fill MARITAL with "Don't know"
Elseif MARITAL (from input) eq 8 fill MARITAL with "Refused"

Else fill MARITAL with "Not Answered"

Type: Set

Max Number of Values:

Length: 2

Answer List: RV_WHATFIX

Value:	Mnemonic:	Description:
1	Name	Name
2	Relationship	Relationship

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable.BDemoChange

3	Date of Birth	Date of Birth
4	Sex	Sex
5	Marital	Marital Status
	☐ Refi ☐ Em _l	
	Array: 🗌	

Skip Instructions: (NEED TO CORRECT THIS BASED ON ANSWER LIST TO WHATFIX)

If WHATFIX eq 1 goto CHNG_NAMEFIRST
If WHATFIX eq 2 and WHOTOCHANGE eq SUM_REFPER display error "Can't change the reference person's relationship"

Else goto CHNG_REL

If WHATFIX eq 3 goto CHNG_BRTHDATEMO

If WHATFIX eq 4 goto CHNG_SEX

If WHATFIX eq 5 and WHOTOCHANGE eq L_NO for person with AGER le 2 display error message "Person is 14 years old or younger; can't change their marital status" Elseif WHATFIX eq 5 goto CHNG_MARITAL

Else goto ROSTERREVIEW

Field

CHNG_NAMEFIRST

Control Card.BDemoTable.BDemoChange.CHNG_NAMEFIRST

Description:	Change first name of person\ \
Form Pane Label:	First name
SAS Name:	
-	CHNG_NAMEFIRST
innerited Universe:	WEBEC ne 1 and SKIPMID ne 1
Universe:	WHATFIX eq 1
Universe Description:	
Question Text:	OLD FIRST NAME: *OLDFIRSTNAME OLD LAST NAME: *OLDLASTNAME
	+ Enter corrected first name.
	Press the enter key if no change to first name.
	OLDFIRSTNAME FILL OLDFIRSTNAME with FNAME
	OLDLASTNAME Fill OLDLASTNAME with LNAME
Type: Length:	•
	☐ Don't Know ☐ Refuse ☑ Empty
	☐ On Input 区 On Output
Store Instructions:	If CHNG_NAMEFIRST eq "empty" store ^OLDFIRSTNAME in CHNG_NAMEFIRST
Array:	
Special Instructions:	Display first and last names but grey out last name on this screen (and first name on screen to correct last name screen, ie, the screen following this one)
Skip Instructions:	CHNG NAMELAST

CHNG_NAMELAST

Field

Control Card.BDemoTable.BDemoChange.CHNG_NAMELAST

Description: Change last name of person

Form Pane Label: Last name

SAS Name:

Tag Name: CHNG_NAMELAST

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WHATFIX eq 1

Universe Description:

Question Text: FIRST NAME: ^OLDFIRSTNAME

OLD LAST NAME: ^OLDLASTNAME

+ Enter corrected last name.

+ Press the enter key if no change to last name.

Fills: OLDFIRSTNAME

Instructions: Fill OLDFIRSTNAME with FNAME

Fills: OLDLASTNAME

Instructions: Fill OLDLASTNAME with LNAME

Type: String
Length: 20

Don't Know
Refuse
Empty

On Input
On Output

Store Instructions: If CHNG_LASTNAME eq "empty" store ^OLDLASTNAME in CHNG_NAMELAST Store CHNG_NAMEFIRST and CHNG_NAMELAST in NAME

If WHOTOCHANGE eq RESPLINE store NAME in RESPNAME (see special instructions for more information about creating the variable name)

NOT SURE ABOUT THIS STORE, MAY HAVE BEEN LEFT OVER FROM CASES

IF HHLDCOVERAGE eq "empty" then reset NAMECHECK

Blaise Item-Level Specifications Report Spider Version 1.6.2

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable.BDemoChange

A =====	
Arrav:	

Special Instructions: Display first and last but grey out first name on this screen (and last name on previous screen to correct first name screen)

Make NAME from CHNG_NAMEFIRST and CHNG_NAMELAST (separate with a space)

Skip Instructions: If WHATFIX eq 2 and WHOTOCHANGE eq SUM_REFPER display error "Can't

change the reference person's relationship"

Else goto CHNG_REL

Elseif WHATFIX eq 3 goto CHNG_BRTHDATEMO

Elseif WHATFIX eq 4 goto CHNG_SEX

If WHATFIX eq 5 and WHOTOCHANGE eq L_NO for person with AGER le 2 display error message "Person is 14 years old or younger; can't change their marital status"

Elseif WHATFIX eq 5 goto CHNG_MARITAL

Else goto ANY_OTHERCHNG

Last Modified: Tuesday, November 6, 2007

CHNG REL Field

Control Card.BDemoTable.BDemoChange.CHNG_REL

Description: Change relationship

Form Pane Label: Relation

SAS Name:

Tag Name: CHNG_REL

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WHATFIX eq 2

Universe Description:

Question Text: + Ask if necessary.

What is ^YOUR_NAME_CC^NMS_CC relationship to ^REFPERSON?

Fills: YOUR_NAME_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOUR_NAME_CC with "your"

Else fill YOUR_NAME_CC with ^NAME. (fill with the first and last name of

L_NO)

Fills: NMS_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NMS CC with "'s"

Else leave NMS_CC blank.

Fills: REFPERSON

Instructions: If RESPLINE (or SUM_HHRESP) = SUM_REFPER fill REFPERSON with "you"

Else fill REFPERSON with NAME where L_NO eq SUM_REFPER (or can use

REL_REF eq 21)

(the fill should display the first and last name of the reference person if the HHR is not the same person as the reference person, or "you" if the HHR is the same

person as the reference person)

Type: Enumerated

Length: 2

Answer List: RELATIONSHIP

Value:	Mnemonic:	Description:	
11		Husband	
12		Wife	
13		Son	
14		Daughter	
15		Father	
16		Mother	
17		Brother	
18		Sister	
19		Other relative	
20		Nonrelative	
	□ F	on't Know efuse mpty	

Store Instructions: Store CHNG_REL in RELATIONSHIP

☐ On Input ☑ On Output

Array: 🗌

Skip Instructions: If RELATIONSHIP eq 11 and RELATIONSHIP eq 11 (for another person) or if RELATIONSHIP eq 12 and RELATIONSHIP eq 12 (for another person) goto

CHG_SPOUSE_CHECK

Elseif RELATIONSHIP eq 15 and RELATIONSHIP eq 15 (for another person) or if RELATIONSHIP eq 16 and RELATIONSHIP eq 16 (for another person) goto CHG_PARENT_CHECK

Elseif WHATFIX eq 3 goto CHNG_BDAYMO

Elseif WHATFIX eq 4 goto CHNG_SEX

Elseif WHATFIX eq 5 and WHOTOCHANGE eq L_NO (for person with AGER le 2) display error message "Person is 14 years old or younger; can't change their marital status"

Elseif WHATFIX eq 5 goto CHNG_MARITAL

Else goto ANY_OTHERCHNG

CHG_SPOUSE_CHECK

Check

Control Card.BDemoTable.BDemoChange.CHG_SPOUSE_CHECK

Description: More than one "husband" selected as relationship to reference person or more than one "wife" selected as relationship to reference person.

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: CHNG_REL eq 11 and RELATIONSHIP eq 11(for another person) or CHNG_REL eq

12 and RELATIONSHIP eq 12(for another person)

Universe Description: More than one "husband" selected as relationship to reference person or More than

one "wife" selected as relationship to reference person.

Text: + You entered more than one ^HUSBANDWIFE as a relationship to the reference

person. Go back to CHG_REL and correct the relationship if necessary.

Check Instructions:

Type: Soft

Skip Instructions: If "SUPPRESS" and RELATIONSHIP eq 11 and RELATIONSHIP eq 11 (for another

person) or if RELATIONSHIP eq 12 and RELATIONSHIP eq 12 (for another person)

goto CHG_HUSBWIFE_CHECK

Elseif "SUPPRESS" and RELATIONSHIP eq 15 and RELATIONSHIP eq 15 (for

another person) or if RELATIONSHIP eq 16 and RELATIONSHIP eq 16 (for another

person) goto CHG PARENT CHECK

Elseif "SUPPRESS" and WHATFIX eq 3 goto CHNG_BRTHDATEMO

Elseif "SUPPRESS" and WHATFIX eq 4 goto CHNG_SEX

Elseif "SUPPRESS" and WHATFIX eq 5 and WHOTOCHANGE eq L_NO (for person with ACER lo 2) display error massage "Person is 14 years old or younger; con't shape

with AGER le 2) display error message "Person is 14 years old or younger; can't change

their marital status"

Elseif "SUPPRESS" and WHATFIX eq 5 goto CHNG_MARITAL

Elseif "SUPPRESS" goto ANY OTHERCHNG

Else goto CHG_REL ['goto' is selected]

Fills: HUSBANDWIFE

Instructions: If RELATIONSHIP or CHNG_REL eq 11 fill HUSBANDWIFE with "husband"

Elseif RELATIONSHIP or CHNG_REL eq 12 fill HUSBANDWIFE with "wife"

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable.BDemoChange

Check

CHG_HUSBWIFE_CHECK

Control Card.BDemoTable.BDemoChange.CHG_HUSBWIFE_CHECK

Description: Husband (or wife) changed as relationship to reference person when there is already a wife (or husband) selected as relationship to reference person for another person.

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: CHG_RELATIONSHIP eq 11 and RELATIONSHIP eq 12 (for another person) or CHG_RELATIONSHIP eq 12 and RELATIONSHIP eq 11 (for another person)

Universe Description: Husband changed as relationship to reference person and Wife already is a relationship for another person or wife changed as relationship to reference person and husband already is a relationship for another person

Text: • You entered ^HUSBANDWIFE when another person on the roster is listed as the ^HUSBWIFEALREADY of the reference person. Go back to CHNG_REL and correct.

Check Instructions:

Type: Hard

Skip Instructions: CHNG_REL

Fills: HUSBANDWIFE

Instructions: If RELATIONSHIP or CHNG_REL eq 11 fill HUSBANDWIFE with "husband"

Elseif RELATIONSHIP or CHNG REL eq 12 fill HUSBANDWIFE with "wife"

Fills: HUSBWIFEALREADY

Instructions: If RELATIONSHIP or CHNG_REL eq 11 fill HUSBWIFEALREADY with "wife"

Elseif RELATIONSHIP or CHNG_REL eq 12 fill HUSBWIFEALREADY with

"husband"

CHG_PARENT_CHECK

Check

Control Card.BDemoTable.BDemoChange.CHG_PARENT_CHECK

Description: More than one "father" or more than one "mother" selected as relationship to refernce

person

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: RELATIONSHIP eq 15 and RELATIONSHIP eq 15 (for another person) or if

RELATIONSHIP eq 16 and RELATIONSHIP eq 16 (for another person)

Universe Description: More than one "father" or more than one "mother" selected as relationship to refernce

person

Text: • You entered more than one ^FATHERMOTHER as a relationship to the reference

person. Verify that CHG_REL is correct.

Check Instructions:

Type: Soft

Skip Instructions: CHG REL

Fills: FATHERMOTHER

Instructions: If RELATIONSHIP or CHNG_REL eq 15 fill FATHERMOTHER with "father"

Elseif RELATIONSHIP or CHNG_REL eq 16 fill FATHERMOTHER with "mother"

Field

CHNG_BRTHDATEMO

Control Card.BDemoTable.BDemoChange.CHNG_BRTHDATEMO

Description: Person's date of birth-month screen

Form Pane Label: Birth mo.

SAS Name:

Tag Name: CHNG_BRTHDATEMO

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WHATFIX eq 3

Universe Description:

Question Text: + Ask if necessary.

+ Enter month on this screen.

+ Press the enter key if no change to month.

OLD BIRTHDATE (Month): ^OLDBIRTHMONTH

(What is **YOUR_NAME_CC^NMS_CC** date of birth?)

Fills: OLDBIRTHMONTH

Instructions: Fill OLDBIRTHMONTH with BIRTHDATEMO

Fills: YOUR_NAME_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOUR_NAME_CC with "your"

Else fill YOUR_NAME_CC with ^NAME. (fill with the first and last name of

L NO)

Fills: NMS_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NMS_CC with "'s"

Else leave NMS CC blank.

Type: Enumerated

Length: 2

Answer List: Birth_Month

Value:	Mnemonic:	Description:
1		January

2	February	
3	March	
4	April	
5	May	
6	June	
7	July	
8	August	
9	September	
10	October	
11	November	
12	December	
	☐ Don't Know ☐ Refuse ☒ Empty	
	☐ On Input ☒ On Output	

Store Instructions: Store CHNG_BRTHDATEMO in BRTHDATEMO

Array: 🗌

Skip Instructions: CHNG_BRTHDATEDY

Field

CHNG BRTHDATEDY

Control Card.BDemoTable.BDemoChange.CHNG_BRTHDATEDY

Description: Change person's date of birth-day screen

Form Pane Label: Birth day

SAS Name:

Tag Name: CHNG_BRTHDATEDY

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WHATFIX eq 3

Universe Description:

Question Text: + Ask if necessary.

Enter day on this screen.

+ Press the enter key if no change to day.

OLD BIRTHDATE (Day): ^OLDBIRTHDAY

What is ^YOUR_NAME_CC^NMS_CC date of birth?

Fills: OLDBIRTHDAY

Instructions: Fill OLDBIRTHDAY with BIRTHDATEDY

Fills: YOUR_NAME_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOUR_NAME_CC with "your"

Else fill YOUR_NAME_CC with ^NAME. (fill with the first and last name of

L NO)

Fills: NMS_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NMS_CC with "'s"

Else leave NMS CC blank.

Type: Integer Length: 2

Min: 1 Max: 31 Survey: NCVS 2016 Core Changes Blaise Item-Level Specifications Report Section: Control Card.BDemoTable.BDemoChange Spider Version 1.6.2 ☐ Don't Know Refuse ▼ Empty On Input ✓ On Output **Store Instructions:** Store CHNG_BRTHDATEDY in BRTHDATEDY Array: 🗌 Skip Instructions: IF CHNG_BRTHDATEDY gt 31 display error message (edit check) "Invalid entry". Elseif CHNG_BRTHDATEMO eq 2 and CHNG_BRTHDATEDY in (30, 31) display error message (edit check) "Invalid entry". Elseif CHNG_BRTHDATEMO in (4, 6, 9, 11) AND CHNG_BRTHDATEDY eq 31 display error message "Invalid entry" Else goto CHNG_BRTHDATEYR

Field

CHNG BRTHDATEYR

Control Card.BDemoTable.BDemoChange.CHNG_BRTHDATEYR

Description: Change person's date of birth-year screen

Form Pane Label: Birth yr

SAS Name:

Tag Name: CHNG_BRTHDATEYR

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WHATFIX eq 3

Universe Description:

Question Text: + Ask if necessary.

+ Enter year on this screen.

+ If year is less than 1890, enter 1890.

+ Press the enter key if no change to year.

OLD BIRTHDATE (Year): *OLDBIRTHYEAR

What is ^YOUR_NAME_CC^NMS_CC date of birth?

Fills: OLDBIRTHYEAR

Instructions: Fill OLDBIRTHYEAR with BIRTHDATEYR

Fills: YOUR_NAME_CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

YOUR_NAME_CC with "your"

Else fill YOUR NAME CC with ^NAME. (fill with the first and last name of

L_NO)

Fills: NMS CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NMS CC with "'s"

Else leave NMS CC blank.

Type: Integer Length: 4

> Min: 1890 Max: 2100

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable.BDemoChange Blaise Item-Level Specifications Report Spider Version 1.6.2

	☐ Don't Know ☐ Refuse ☑ Empty
	☐ On Input ☑On Output
Store Instructions:	Store CHNG_BRTHDATEYR in BRTHDATEYR Store BRTHDATEMO, BRTHDATEDY, and BRTHDATEYR in BIRTHDATE.
	Create the calculated age (from CASES) Setdate date Make BRTHDATEMO from BRTHDATEMO:0 Make BRTHDATEDY from BRTHDATEDY:0
	Store ({int}YEAR - {int}BRTHDATEYR) in AGE If {int}BRTHDATEMO gt MONTH Subtract <1> from AGE
	If {int}BRTHDATEMO eq MONTH and {int}BRTHDATEDY gt DAY Subtract <1> from AGE
	Store AGE in A_AGE_I(L_NO)
	If AGE ge 97 Store 96 in AGE If AGE It 1 Store 0 in AGE
Array:	
Special Instructions:	Maximum value for year should be updated each year to equal the current year (found in Survey Cycle Indicator 1 on RT 4001:9-12).
Skip Instructions:	If BIRTHDATE gt TODAY (date pulled from instrument) display error "Invalid entry. Birthdate entered is in the future". Elseif CHNG_BRTHDATEYR lt 1890 display error "Invalid year; year cannot be prior to 1890"
	Elseif WHATFIX eq 4 goto CHNG_SEX Elseif WHATFIX eq 5 and WHOTOCHANGE eq L_NO (for person with AGER le 2)

display error message "Person is 14 years old or younger; can't change their marital

Last Modified: Monday, September 24, 2007

status"

Elseif WHATFIX eq 5 goto CHNG_MARITAL

Else goto ANY_OTHERCHNG

Field CHNG_SEX

Control Card.BDemoTable.BDemoChange.CHNG_SEX

Description: Change gender (sex)

Form Pane Label: Sex SAS Name:

Tag Name: CHNG_SEX

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WHATFIX eq 4

Universe Description:

Question Text: + Ask if necessary.

^AREYOU_IS_C ^NONHHRNAME_CC male or female?

Fills: AREYOU_IS_C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

AREYOU_IS_C with "Are you" Else fill AREYOU_IS_C with "Is"

Fills: NONHHRNAME_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO)

Else leave NONHHRNAME_CC blank

Type: Enumerated

Length: 1

Answer List: Sex

Value:	Mnemonic:	Description:
1		Male
2		Female
	□ R □ E	on't Know efuse mpty In Input On Output

Store Instructions: If CHNG_SEX eq 1 then store 1 in SEX

and store "M" in SEX_C

Elseif CHNG_SEX eq 2 then store 2 in SEX

and store "F" in SEX_C

Array: 🗌

Skip Instructions: If SEX eq 1 and RELATIONSHIP eq 12, 14, 16, or 18 goto CHG_MALE_CHECK

Elseif SEX eq 2 and RELATIONSHIP eq 11, 13, 15, or 17 goto CHG_FEMALE_CHECK Elseif WHATFIX eq 5 and WHOTOCHANGE eq L_NO (for person with AGER le 2) display error message "Person is 14 years old or younger; can't change their marital status"

Elseif WHATFIX eq 5 goto CHNG_MARITAL

Else goto ANY_OTHERCHNG

Last Modified: Tuesday, September 25, 2007

Check

CHG MALE CHECK

Control Card.BDemoTable.BDemoChange.CHG_MALE_CHECK

Description: Male selected for a "wife", "daughter", "mother" or "sister" relationship to reference

person

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: SEX eq 1 and RELATIONSHIP eq 12, 14, 16, or 18\

Universe Description: Male selected for a "wife", "daughter", "mother" or "sister" relationship to reference

person

Text: RELATIONSHIP: AREL DIS SEX: ASEX DIS + The sex entered is inconsistent

with the relationship selected.

Check Instructions:

Type: Soft

Skip Instructions: If "SUPRESS" and RELATIONSHIP eq 11, 13, 15, or 17 and SEX eq 2 goto

CHG_FEMALE_CHECK

Elseif "SUPRESS" and WHATFIX eq 5 and WHOTOCHANGE eq L_NO (for person with AGER le 2) display error message "Person is 14 years old or younger; can't change

their marital status"

Elseif "SUPRESS" and WHATFIX eq 5 goto CHNG_MARITAL

Elseif "SUPRESS" goto ANY_OTHERCHNG Else goto CHNG_SEX ['goto' is selected]

Fills: REL DIS

Instructions: If RELATIONSHIP = 11 fill REL_DIS with "Husband"

If RELATIONSHIP = 12 fill REL_DIS with "Wife"

If RELATIONSHIP = 13 fill REL_DIS with "Son"

If RELATIONSHIP = 14 fill REL_DIS with "Daughter"

If RELATIONSHIP = 15 fill REL_DIS with "Father"

If RELATIONSHIP = 16 fill REL_DIS with "Mother"

If RELATIONSHIP = 17 fill REL_DIS with "Brother"

If RELATIONSHIP = 18 fill REL_DIS with "Sister"

If RELATIONSHIP = 19 fill REL_DIS with "Other relative"
If RELATIONSHIP = 20 fill REL_DIS with "Nonrelative"

Fills: SEX DIS

Instructions: If SEX eq 1 fill SEX DIS with "Male"

Elseif SEX eq 2 fill SEX_DIS with "Female"

CHG FEMALE CHECK

Check

Control Card.BDemoTable.BDemoChange.CHG_FEMALE_CHECK

Description: Female selected for a "husband", "son", "father" or "brother" relationship to reference

person.

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: SEX eq 2 and RELATIONSHIP eq 11, 13, 15, or 17\

Universe Description: Female selected for a "husband", "son", "father" or "brother" relationship to reference

person

Text: RELATIONSHIP: 'REL DIS SEX: 'SEX DIS + The sex entered is inconsistent

with the relationship selected.

Check Instructions:

Type: Soft

Skip Instructions: If "SUPRESS" and WHATFIX eq 5 and WHOTOCHANGE eq L_NO (for person with

AGER le 2) display error message "Person is 14 years old or younger; can't change

their marital status"

Elseif "SUPRESS" and WHATFIX eq 5 goto CHNG_MARITAL

Elseif "SUPRESS" goto ANY_OTHERCHNG Else goto CHNG_SEX ['goto' is seleceted]

Fills: REL_DIS

Instructions: If RELATIONSHIP = 11 fill REL DIS with "Husband"

If RELATIONSHIP = 12 fill REL_DIS with "Wife"

If RELATIONSHIP = 13 fill REL_DIS with "Son"

If RELATIONSHIP = 14 fill REL_DIS with "Daughter"

If RELATIONSHIP = 15 fill REL_DIS with "Father"

If RELATIONSHIP = 16 fill REL_DIS with "Mother"

If RELATIONSHIP = 17 fill REL_DIS with "Brother"

If RELATIONSHIP = 18 fill REL_DIS with "Sister"

If RELATIONSHIP = 19 fill REL_DIS with "Other relative"

If RELATIONSHIP = 20 fill REL_DIS with "Nonrelative"

Fills: SEX_DIS

Instructions: If SEX eq 1 fill SEX DIS with "Male"

Elseif SEX eq 2 fill SEX_DIS with "Female"

Field

CHNG MARITAL

Control Card.BDemoTable.BDemoChange.CHNG_MARITAL

Description: Change marital status

Form Pane Label: Marital

SAS Name:

Tag Name: CHNG_MARITAL

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WHATFIX = 5 and AGER gt 2

Universe Description:

Question Text: + Ask if necessary:

(^AREYOU_IS_C ^NONHHRNAME_CC now married, widowed, divorced, separated or ^HAVE_YOUHESHE_CC never been married?)

Fills: AREYOU IS C

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

AREYOU_IS_C with "Are you" Else fill AREYOU_IS_C with "Is"

Fills: NONHHRNAME_CC

Instructions: If L_NO (of the person collecting demographic info for) ne RESPLINE fill

NONHHRNAME_CC with ^NAME (fill with the first and last name of L_NO)

Else leave NONHHRNAME_CC blank

Fills: HAVE YOUHESHE CC

Instructions: If L_NO (of the person collecting demographic info for) eq RESPLINE fill

HAVE_YOUHESHE_CC with "have you"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND

SEX eq 1 fill HAVE YOUHESHE CC with "has he"

Elseif L NO (of the person collecting demographic info for) ne RESPLINE AND

SEX eq 2 fill HAVE_YOUHESHE_CC with "has she"

Elseif L_NO (of the person collecting demographic info for) ne RESPLINE AND

SEX ne 1 or 2 fill HAVE_YOUHESHE_CC with "has ^NAME" (fill ^NAME with the

first and last name of L_NO collecting demographic information for)

Type: Enumerated

Length: 1

Survey: NCVS 2016 Core Changes Section: Control Card.BDemoTable.BDemoChange

Answer List: MARITAL

Married
Widowed
Divorced
Separated
Never married

☐ Refuse
☐ Empty
☐ On Input
☒ On Output

☐ Don't Know

Store Instructions: Store CHNG_MARITAL in MARITAL

Array: 🗌

Skip Instructions: ANY_OTHERCHNG

Last Modified: Friday, November 4, 2005

Field

ANY OTHERCHNG

Control Card.BDemoTable.BDemoChange.ANY_OTHERCHNG

Description:

Form Pane Label: SAS Name:

Tag Name: ANY_OTHERCHNG

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: WHATFIX eq 1-5

Universe Description:

Question Text: * Please review your changes. To correct, back up using the arrow keys.

LN NAME REL AGE SEX MARITAL ^L NO ^NAME ^REL ^AGS ^SEX C ^MARITAL

Fills: L_NO

Instructions: Fill L_NO based on the variable L_NO from the instrument

Fills: NAME

Instructions: Fill NAME with the variable NAME (combines FNAME<>LNAME).

Fills: REL

Instructions: If RELREF eq 11 fill REL with "Husband"

Elseif RELREF eq 12 fill REL with "Wife"
Elseif RELREF eq 13 fill REL with "Son"
Elseif RELREF eq 14 fill REL with "Daughtr"
Elseif RELREF eq 15 fill REL with "Father"
Elseif RELREF eq 16 fill REL with "Mother"
Elseif RELREF eq 17 fill REL with "Brother"
Elseif RELREF eq 18 fill REL with "Sister"
Elseif RELREF eq 19 fill REL with "Oth Rel"
Elseif RELREF eq 20 fill REL with "Non Rel"
Elseif RELREF eq 21 fill REL with "Ref Per"

Fills: AGS

Instructions: If AGE eq RF or AGERNG eq RF fill AGS with "Ref"

If AGE eq DK or AGERNG eq DK fill AGS with "DK"

If AGERNG eq 1 fill AGS with "0-11"

If AGERNG eq 2 fill AGS with "12-13"
If AGERNG eq 3 fill AGS with "14-15"
If AGERNG eq 4 fill AGS with "16-17"
If AGERNG eq 5 fill AGS with "18-65"
If AGERNG eq 6 fill AGS with "66+"
Else fill AGS with (the variable) AGE

Fills: SEX_C

Instructions: If SEX eq 1 fill SEX_C with "M"

Elseif SEX eq 2 fill SEX_C with "F"

Else fill SEX_C with "D"

Fills: MARITAL

Instructions: If MARITAL (from input) eq 1 fill MARITAL with "Married"

Elseif MARITAL (from input) eq 2 fill MARITAL with "Widowed"
Elseif MARITAL (from input) eq 3 fill MARITAL with "Divorced"
Elseif MARITAL (from input) eq 4 fill MARITAL with "Separated"
Elseif MARITAL (from input) eq 5 fill MARITAL with "Never Married"
Elseif MARITAL (from input) eq 9 fill MARITAL with "Don't know"
Elseif MARITAL (from input) eq 8 fill MARITAL with "Refused"

Else fill MARITAL with "Not Answered"

Type: Enumerated

Length: 1

Answer List: Enter_1_ To_Continue

Value:	Mnemonic:	Description:	
1		Enter 1 to Continue	
		Don't Know Refuse Empty	
		On Input On Output	
	Array: ☐		

Last Modified: Thursday, January 29, 2015

Skip Instructions: ROSTERREVIEW

Blaise Item-Level Specifications Report Spider Version 1.6.2

BUSINESS

BNCVS1.Business at Sample Address.BUSINESS

Description: Does anyone in household run a business from the sample address

Form Pane Label: Business at address

SAS Name:

Tag Name: BUSINESS

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe:

Universe Description:

Question Text: Does anyone in this household operate a business from this address?

Type: Enumerated

Length: 1

Answer List: TYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Refuse Empty	
	☐ On Input

☑ On Output

Don't Know

Array:

Skip Instructions: If BUSINESS = 1 goto BUSINESSSIGN

Else if CONDITION = 1 OR 2 go to Contact1_2

Else if CONDITION = 3 go to Contact3

Last Modified: Thursday, January 29, 2015

Page 1027 of 1853

_		
ᆮ	iΔ	ıa

BUSINESSSIGN

BNCVS1.Business at Sample Address.BUSINESSSIGN

Description: Is there a sign on the premises that indicates a business is run from sample address

Form Pane Label: Sign on premises

SAS Name:

Tag Name: BUSINESSSIGN

Inherited Universe: WEBEC ne 1 and SKIPMID ne 1

Universe: BUSINESS = 1

Universe Description:

Question Text: ^OBSERVEASK

Is there a sign on the premises or some other indication to the general public that a business is operated

from this address?

Fills: OBSERVEASK

Instructions: If START_CP eq 2 fill OBSERVEASK with "Ask:"

Elseif START_CP eq 1,3 fill OBSERVEASK with "Fill by observation:"

Type: Enumerated

Length: 1

Answer List: Yes_No_Business

Value:	Mnemonic:	Description:
1		Yes (Recognizable business)
2	No (Unrecognizable business)	
	I	Don't Know Refuse Empty ☐ ☐ On Input ☑ On Output
	Array:	

Skip Instructions: if CONDITION = 1 OR 2 go to Contact1_2

If CONDITION = 3 go to Contact3

Last Modified: Thursday, January 29, 2015

Page 1028 of 1853

Survey: NCVS 2016 Core Changes

Blaise Item-Level Specifications Report
Section: BNonEnglish

Spider Version 1.6.2

CONTACT1 2

Description: Intro before collecting contact info from conditions 1 and 2

Form Pane Label: CONTACT1_2

SAS Name:

Tag Name: CONTACT1_2

Inherited Universe:

Universe:

Universe Description:

Question Text: Thank you. Based on the answers you've provided, it looks like you, [LIST ALL NONHHRNAME_CC AGE 12+] are eligible to participate in this study. Let me tell you a little more about it. The study is called the National Survey of Crime and Safety and is sponsored by the Bureau of Justice Statistics at the US Department of Justice. It asks for information about people's perceptions of community safety, their local police, and their experiences with victimization and crime in the past year. The results will be used to help improve the way the government measures crime.

I'd like to get contact information for you and the other adults in your household in case we need to follow-up to complete [your/each person's] survey .

*Display roster and collect information for one household member at a time.

Instuctions: Enter email address

Skip instructions: TEXTMESS

Last Modified: Thursday, January 29, 2015 Page 1029 of 1853

Survey: NCVS 2016 Core Changes Section: BNonEnglish Blaise Item-Level Specifications Report Spider Version 1.6.2

CONTACT3

Description: Intro before collecting contact info from condition 3

Form Pane Label: CONTACT3

SAS Name:

Tag Name: CONTACT3
Inherited Universe:

Universe:

Universe Description:

Question Text: Thank you. Based on the answers you've provided, it looks like you, [LIST ALL NONHHRNAME_CC AGE 12+] are eligible to participate in this study. Let me tell you a little more about it. The study is called the National Survey of Crime and Safety and is sponsored by the Bureau of Justice Statistics at the US Department of Justice. It asks for information about people's perceptions of community safety, their local police, and their experiences with victimization and crime in the past year. The results will be used to help improve the way the government measures crime.

In about three months, we will send you, **[LIST ALL NONHHRNAME_CC AGE 12+]** an invitation to participate in the full study.

I'd like to collect the best contact information for [all adults/you]. We can either email the link to the survey, send it through a text message to a cell phone, or print it in a letter that gets mailed.

*Display roster and collect information for one household member at a time.

Skip instructions: EMAILADDRESS

Last Modified: Thursday, January 29, 2015 Page 1030 of 1853

Blaise Item-Level Specifications Report Spider Version 1.6.2

Survey: NCVS 2016 Core Changes Section: BNonEnglish

EMAILADDRESS

Description: Email address

Form Pane Label: Email Address

SAS Name:

Tag Name: EMAILADDRESS

Inherited Universe:

Universe: AGE 18+ ONLY

Universe Description:

Can I please have [your/ NONHHRNAME_CC AGE 18+'s] email address?

Enter 0 for no email address

Fills: [NONHHRNAME_CC AGE 18+] - Name in roster age 18 and over other than HHRESP

*Display roster and collect information for one household member at a time.

Skip Instructions: TEXTMESS

Blaise Item-Level Specifications Report Spider Version 1.6.2

Survey: NCVS 2016 Core Changes Section: BNonEnglish

TEXTMESS

Description: Phone number for texting

Form Pane Label: TEXTMESS

SAS Name:

Tag Name: TEXTMESS Inherited Universe:

Universe:

Universe Description:

Can I please have [your/ALL NONHHRNAME_CC AGE 18+'s] cell phone number?

Fills: [ALL NONHHRNAME_CC AGE 18+] – All names in roster age 18 and over other than HHRESP Display if more than one person in HH

Enter 0 for no cell phone number

*Display roster and collect information for one household member at a time.

Skip instructions: If condition 1 or 2 skip to TEXTPERMIS

If condition 3: PREFERMETH

Survey: NCVS 2016 Core Changes

Blaise Item-Level Specifications Report
Section: BNonEnglish

Spider Version 1.6.2

TEXTPERMIS

Description: Permission to text

Form Pane Label: TEXTPERMIS

SAS Name:

Tag Name: TEXTPERMIS

Inherited Universe:

Universe: CONDITION 1 or 2, AGE 18+ ONLY

Universe Description:

Can we contact [you/ALL NONHHRNAME_CC AGE 18+] by text on this number?

Fills: [ALL NONHHRNAME_CC AGE 18+] – All names in roster age 18 and over other than HHRESP Display if more than one person in HH

*Display roster and collect information for one household member at a time.

**Only display text message if phone number given in TEXTMESS

Answer List: Contact Method

Value:	Mnemonic:	Description:
1		Yes, may send text
2		No/DK

Skip Instructions: Go to CONTCOMP

Survey: NCVS 2016 Core Changes Section: BNonEnglish

PREFERMETH

Description: What contact method preferred

Form Pane Label: CONTACT3

SAS Name:

Tag Name: CONTACT3

Inherited Universe:

Universe: CONDITION 3, AGE 18+ ONLY

Universe Description:

Which method should we use to send [you/ALL NONHHRNAME_CC AGE 18+] a survey invitation?

Fills: [ALL NONHHRNAME_CC AGE 18+] – All names in roster age 18 and over other than HHRESP Display if more than one person in HH

*Display roster and collect information for one household member at a time.

If necessary, read response options
If no email or phone, select mail

*Only display email if email given in CONTACT3

*Only display text message if phone number given in TEXTMESS

Answer List: Contact Method

Value:	Mnemonic:	Description:	
1		Email	
2		Text message	
	3	Mail	

Skip Instructions: If parent of youth is available, go to parent consent, else go to CLOSE3

Blaise Item-Level Specifications Report Spider Version 1.6.2

Survey: NCVS 2016 Core Changes Section: BNonEnglish

CLOSE3

Description: Closing screen

Form Pane Label: CLOSE3

SAS Name:

Tag Name: CLOSE3 Inherited Universe:

Universe: CONDITION 3, AGE 18+ ONLY

Universe Description:

Question Text: Thank you. In about two months, you will receive an invitation from Westat to participate in the main part of this study, which is a web-based questionnaire about your experiences and attitudes towards crime and safety. You will receive a link to a website address with a unique password that is only for you. (IF OTHERS SELECTED FOR STUDY: Each person in your household will receive a separate invitation.) We look forward to your participation!

Type: Enumerated

Length: 1

Answer List:

Value:	Mnemonic:	Description:
1		Enter 1 to Continue

Last Modified: Thursday, January 29, 2015 Page 1035 of 1853

Blaise Item-Level Specifications Report

Survey: NCVS 2016 Core Changes

Section: BNonEnglish Spider Version 1.6.2

Last Modified: Thursday, January 29, 2015 Page 1036 of 1853 Survey: NCVS 2016 Core Changes Section: BNonEnglish Blaise Item-Level Specifications Report Spider Version 1.6.2

ContComp

Description: Contact complete

Form Pane Label: ContComp

SAS Name:

Tag Name: Cont Comp Inherited Universe:

Universe:

Universe Description:

Question Text: Enter 1 to Continue

Type: Enumerated

Length: 1

Answer List:

Value:	Mnemonic:	Description:
1		Enter 1 to Continue

Survey: NCVS 2016 Core Changes Section: BNonEnglish Blaise Item-Level Specifications Report Spider Version 1.6.2 Field