



Data Items by Diagnosis Year 1995-2017

Item #	Record ID and Demographic Section—(Name and [Number])	Required Status 1995–2017	New Changed	Foot note
10	Record Type	Y		
20	Patient ID Number (unique)	Y		
40	Registry ID	Y		
50	NAACCR Record Version	Y		
80	Address at Dx—State	Y		
89	County at DX Analysis	Y	New	<u>28</u>
90	County at Dx Reported	Y	Name Change	<u>1</u>
94	County at Dx GeoCode 1990	Y		
95	County at Dx GeoCode 2000	Y		
96	County at Dx GeoCode 2010	Y		
3300	Rural-Urban Continuum/Beale Code 1993	Y		<u>1</u>
3310	Rural-Urban Continuum/Beale Code 2003	Y		<u>1</u>
3312	Rural-Urban Continuum/Beale Code 2013	Y		<u>1</u>
100	Address at Dx—Postal Code	Y		
110	Census Tract 1970/80/90	Y		
120	Census Cod Sys 1970/80/90	Y		
130	Census Tract 2000	Y		<u>2</u>
135	Census Tract 2010	Y		<u>2</u>
145	Census Tract Poverty Indicator	Y		<u>21</u>
364	Census Tr Cert 1970/80/90	Y		
365	Census Tr Certainty 2000	Y		<u>2</u>
367	Census Tr Certainty 2010	Y		<u>2</u>
160	Race 1	Y		
161	Race 2	Y		
190	Spanish/Hispanic Origin	Y		
191	NHIA Derived Hisp Origin	Y		<u>3</u>
192	IHS Link	Y		<u>4</u>

193	Race--NAPIIA	Y		3
220	Sex	Y		
230	Age at Diagnosis	Y		
240	Date of Birth	Y		
241	Date of Birth Flag	Y		
252	Birthplace State	Y		
254	Birthplace Country	Y		
Item #	Cancer Identification Section—(Name and [Number])	Required Status		
		1995–2017		
380	Sequence Number—Central	Y		
390	Date of Diagnosis	Y		
391	Date of Diagnosis Flag	Y		
400	Primary Site	Y		
410	Laterality	Y		
440	Grade	Y		
490	Diagnostic Confirmation	Y		
500	Type of Reporting Source	Y		
501	Casefinding Source	As available		19
522	Histologic Type ICD-O-3	Y		5
523	Behavior Code ICD-O-3	Y		5
630	Primary Payer at DX	As available		
Item #	Treatment First Course Section—(Name and [Number])	Required Status		
		1995–2017		
1260	Date of Initial Rx—SEER	Y		6
1261	Date of Initial Rx Flag	Y		6
1270	Date of 1st Crs Rx—COC	Y		6
1271	Date of 1st Crs Rx Flag	Y		6
1290	Rx Summ—Surg Primary Site	Y		7
1292	Rx Summ—Scope Reg LN Sur	Y		7
1294	Rx Summ—Surg Oth Reg/Dis	Y		7
1340	Reason for No Surgery	Y		7
1360	RX Summ—Radiation	Y		7
1380	RX Summ—Surg/Rad Seq	Y		7
1390	Rx Summ—Chemo	Y		7
1400	Rx Summ—Hormone	Y		7
1410	Rx Summ—BRM	Y		7
1420	Rx Summ—Other	Y		7

1570	Rad—Regional Rx Modality	Y		7
1639	RX Summ—Systemic/Sur Seq	Y		7
3250	RX Summ--Transplant/Endocr	Y		7
1285	RX Summ--Treatment Status	Y		7
Item #	Stage/Prognostic Factors Section—(Name and [Number])	Required Status 1995–2017		
820	Regional Nodes Positive	Y		18
830	Regional Nodes Examined	Y		18
759	SEER Summary Stage 2000	Y		8
760	SEER Summary Stage 1977	Y		8
756	Tumor Size Summary	Y		9
2800	CS Tumor Size	Y		9
2810	CS Extension	Y		10
2820	CS Tumor Size/Ext Eval	Y		10
2830	CS Lymph Nodes	Y		10
2840	CS Lymph Nodes Eval	Y		11
2850	CS Mets at DX	Y		10
2860	CS Mets Eval	Y		10
2880	CS Site-Specific Factor 1 for:			
	C50 (breast)	Y		12
	C70.0-C70.9, C71.0-C71.9, C72.0-C72.9, C75.1-C75.3 (brain, CNS)	Y		22
	C34 (lung)	Y		13
	C384 (pleura)	Y		13
	C692 with 9510/3, 9511/3, 9512/3, 9513/3 (retinoblastoma)	Y		13
2890	C619 (prostate)	As Available		
	CS Site-Specific Factor 2 for:			
	C50 (breast)	Y		12
	C54, C55 (corpus uteri)	Y		13
2900	CS Site-Specific Factor 3 for C619 (prostate)	Y		13
2862	CS Site-Specific Factor 8			
	C50 (breast)	Y		12
	C619 (prostate)	As Available		
2863	CS Site-Specific Factor 9 for C50 (breast)	Y		12
2864	CS Site-Specific Factor 10 for C619 (prostate)	As Available		
2865	CS Site-Specific Factor 11 for C50 (breast)	Y		12
2867	CS Site-Specific Factor 13 for C50 (breast)	Y		12

2868	CS Site-Specific Factor 14 for C50 (breast)	Y		12
2869	CS Site-Specific Factor 15 for breast (C50)	Y		23
2879	CS Site-Specific Factor 25	Y		24
2937	CS Version Input Current	Y		
3020	Derived SS2000	Y		13
				17
3769	Over-ride CS 20	Y		17
3000	Derived AJCC-6 Stage Grp	As available		14
3430	Derived AJCC-7 Stage Grp	As available		14
880	TNM Path T	Y		25
890	TNM Path N	Y		25
900	TNM Path M	Y		25
910	TNM Path Stage Group	Y		25
920	TNM Path Descriptor	Y		25
940	TNM Clin T	Y		25
950	TNM Clin N	Y		25
960	TNM Clin M	Y		25
970	TNM Clin Stage Group	Y		25
980	TNM Clin Descriptor	Y		25
1060	TNM Edition	Y		25
3650	NPCR Derived Clin Stage Group	Y		25
3655	NPCR Derived Path Stage Group	Y		25
Item #	Follow-Up/Recurrence/Death Section—(Name and [Number])	Required Status		
		1995–2017		
1750	Date of Last Contact	Y		
1751	Date of Last Contact Flag	Y		
1760	Vital Status	Y		
1784	Survival Months Active Followup	As available	New	26
1787	Survival Months Presumed Alive	As available	New	26
1790	Follow-Up Source	As available		15
1791	Follow-Up Source Central	Y		15
1910	Cause of Death	Y		
1920	ICD Revision Number	Y		
Item #	Over-Rides/Conversion/System Admin. Section—(Name and [Number])	Required Status		
		1995–2017		
1990	Over-Ride Age/Site/Morph	Y		

2000	Over-Ride SeqNo/DxConf	Y		
2010	Over-Ride Site/Lat/Sequence Number	Y		
2020	Over-Ride Surg/Dxconf	Y		
2030	Over-Ride Site/Type	Y		
2040	Over-Ride Histology	Y		
2050	Over-Ride Report Source	Y		
2060	Over-Ride Ill-define Site	Y		
2070	Over-Ride Leuk, Lymphoma	Y		
2071	Over-Ride Site/Behavior	Y		
2074	Over-Ride Site/Lat/Morph	Y		
Item #	NPCR Site-Specific Field	Required Status 1995–2017		
9980	EDP MDE Link	Y		16
9981	EDP MDE Link Date	Y		16
9960	Height	As available		14
				20
9961	Weight	As available		14
				20
9965	Tobacco Use Cigarettes	As available		14
				20
9966	Tobacco Use Smoke	As available		14
				20
9967	Tobacco Use Smokeless	As available		14
				20
9968	Tobacco Use NOS	As available		14
				20
9990	IHS Purchased/Referred Care Delivery Area (PRCDA)	Y	New	27
9991	Urban Indian Health Organization (UIHO)	Y	New	27
9992	Urban Indian Health Organization (UIHO) Facility	Y	New	27

NOTE 1: Code “999” for unknown and invalid. Do not include cases with code “998” in the submission file. **If State law precludes the registry from identifying specific counties on a file of individual records, recode all valid county codes to “000” and convert county codes to the derived Rural Urban Continuum variables. The Rural Urban Continuum variables are required only if County at Dx Reported is not submitted.** See Submission Specifications document for more details.

90	County at Dx Reported	Y		
3300	Rural-Urban Continuum/Beale Code 1993	Y		
3310	Rural-Urban Continuum/Beale Code 2003	Y		
3312	Rural-Urban Continuum/Beale Code 2013	Y		
NOTE 2: Census Tract 2000 [130] is recommended for reportable cases diagnosed in 1998-2002 and required for reportable cases diagnosed in 2003 and later. Census Tract 2010 [135] is required for reportable cases diagnosed in 2010 and later.				
130	Census Tract 2000	Y		
135	Census Tract 2010	Y		
365	Census Tr Certainty 2000	Y		
367	Census Tr Certainty 2010	Y		
NOTE 3: Report the results from the NAACCR*Prep Program. See the Submission Specifications document and/or Attachment 1 for more details. Please note that code 9, unknown, is not a valid code for the NHIA data item.				
191	NHIA Derived Hisp Origin	Y		
193	Race--NAPIIA	Y		
NOTE 4: Report the results of cases submitted for IHS linkage using codes 0 or 1. See the Submission Specifications document for further details.				
192	IHS Link	Y		
NOTE 5: For reportable cases diagnosed in 2001 or later, data are to be coded using the ICD-O-3 manual and submitted with these original ICD-O-3 values. For reportable cases diagnosed before 2001, data are to be coded using the ICD-O-2 manual. Prior to submission, convert these ICD-O-2 codes to ICD-O-3 codes.				
522	Histologic Type ICD-O-3	Y		
523	Behavior Code ICD-O-3	Y		
NOTE 6: Submit either the SEER or COC field; for reportable cases diagnosed prior to 2006, submit as available.				
1260	Date of Initial Rx—SEER	Y		
1261	Date of Initial Rx Flag	Y		
1270	Date of 1st Crs Rx—COC	Y		
1271	Date of 1st Crs Rx Flag	Y		
NOTE 7: For reportable cases diagnosed prior to 2006, submit as available. Report the following treatment information for diagnosis years and primary sites indicated below. CCRs should consolidate all treatment data before submission to CDC.			DX Yr Req	Primary Site(s)
1285	RX Summ--Treatment Status	Y	2010-2017	All sites
1290	Rx Summ—Surg Primary Site	Y	2001-2017	All sites

1292	Rx Summ—Scope Reg LN Sur	Y	2001-2017	All sites
1294	Rx Summ—Surg Oth Reg/Dis	Y	2001-2017	All sites
1340	Reason for No Surgery	Y	2001-2017	All sites
1360	RX Summ—Radiation	Y	2006-2011	All sites
		Y	2012-2014	Breast, Colon, Rectum
		Y	2015-2017	All sites
1380	RX Summ—Surg/Rad Seq	Y	2006-2011	All sites
		Y	2012-2014	Breast, Colon, Rectum
		Y	2015-2017	All sites
1390	Rx Summ—Chemo	Y	2006-2011	All sites
		Y	2012-2014	Breast, Colon, Rectum
		Y	2015-2017	All sites
1400	Rx Summ—Hormone	Y	2006-2011	All sites
		Y	2012-2014	Breast, Colon, Rectum
		Y	2015-2017	All sites
1410	Rx Summ—BRM	Y	2006-2011	All sites
		Y	2012-2014	Breast, Colon, Rectum
		Y	2015-2017	All sites
1420	Rx Summ—Other	Y	2006-2011	All sites
		Y	2012-2014	Breast, Colon, Rectum
		Y	2015-2017	All sites
1570	Rad—Regional Rx Modality	Y	2006-2011	All sites
		Y	2012-2014	Breast, Colon, Rectum
		Y	2015-2017	All sites
1639	RX Summ—Systemic/Sur Seq	Y	2006-2011	All sites
		Y	2012-2014	Breast, Colon,

				Rectum
		Y	2015-2017	All sites
3250	RX Summ--Transplant/Endocr	Y	2006-2011	All sites
		Y	2012-2014	Breast, Colon, Rectum
		Y	2015-2017	All sites
NOTE 8: For reportable cases diagnosed prior to 2001, code using SEER Summary Staging Guide 1977. For reportable cases diagnosed in 2001-2003 and 2015 and later, code using SEER Summary Staging Manual 2000. Report Summary Stage 2000 as available for diagnosis years 2004-2014.				
759	SEER Summary Stage 2000	Y		
760	SEER Summary Stage 1977	Y		
NOTE 9: For reportable cases diagnosed 2008-2015, CS Tumor Size [2800] is required. For cases diagnosed prior to 2008, submit as available. Tumor Size Summary [756] is required to be submitted for reportable cases diagnosed 2016 and forward.				
756	Tumor Size Summary	Y		
2800	CS Tumor Size	Y		
NOTE 10: Required to be submitted for reportable cases diagnosed 2010-2015. Submit as available for reportable cases diagnosed 2004-2009.				
2810	CS Extension	Y		
2820	CS Tumor Size/Ext Eval	Y		
2830	CS Lymph Nodes	Y		
2850	CS Mets at DX	Y		
2863	CS Site-Specific Factor 9 for C50 (breast)	Y		
NOTE 11: Required to be submitted for reportable cases diagnosed 2011-2015. Submit as available for cases diagnosed 2004-2010.				
2840	CS Lymph Nodes Eval	Y		
2860	CS Mets Eval	Y		
NOTE 12: Required to be submitted for reportable cases diagnosed 2010 and later. Submit SSF 1 and SSF 2 as available for reportable cases diagnosed 2004-2009.				
2880	CS Site-Specific Factor 1 for:			
	C50 (breast)	Y		
2890	CS Site-Specific Factor 2 for:			
	C50 (breast)	Y		
2862	CS Site-Specific Factor 8			
	C50 (breast)	Y		
2865	CS Site-Specific Factor 11 [2865] for C50 (breast)	Y		

2867	CS Site-Specific Factor 13 [2867] for C50 (breast)	Y		
2868	CS Site-Specific Factor 14 [2868] for C50 (breast)	Y		
NOTE 13: Required to be submitted for reportable cases diagnosed 2004-2015.				
2880	CS Site-Specific Factor 1 for:			
	C34 (lung)	Y		
	C384 (pleura)	Y		
	C692 with 9510/3, 9511/3, 9512/3, 9513/3 (retinoblastoma)	Y		
2890	CS Site-Specific Factor 2 for C54, C55 (corpus uteri)	Y		
2900	CS Site-Specific Factor 3 for C619 (prostate)	Y		
3020	Derived SS2000	Y		
NOTE 14: Submit as available for reportable cases diagnosed 2004-2017.				
3000	Derived AJCC-6 Stage Grp	As available		
3430	Derived AJCC-7 Stage Grp	As available		
9960	Height	As available		
9961	Weight	As available		
9965	Tobacco Use Cigarettes	As available		
9966	Tobacco Use Smoke	As available		
9967	Tobacco Use Smokeless	As available		
9968	Tobacco Use NOS	As available		
NOTE 15: For reportable cases diagnosed 2006 and later, Follow-Up Source Central [1791] is required. For cases diagnosed prior to 2006, Follow-Up Source [1790] submit as available.				
1790	Follow-Up Source	As available		
1791	Follow-Up Source Central	Y		
NOTE 16: For linkage results of reportable breast, cervical, and colorectal cancer cases. Report the EDP MDE Link Variable and EDP MDE Link Date in the columns for the appropriate NAACCR Record layout version as specified in the 2017 NPCR-CSS Submission Specifications.				
9980	EDP MDE Link	Y		
9981	EDP MDE Link Date	Y		
NOTE 17: Over-Ride CS 20 [3769] is designated as a flag to identify cases directly coded using SEER Summary Stage 2000 [759]. Use code 1 to indicate when SEER Summary Stage 2000 is directly coded, rather than derived using the Collaborative Staging Data Collection System. Otherwise, "Over-Ride CS 20" must be blank.				
3769	Over-ride CS 20	Y		
3020	Derived SS2000	Y		

NOTE 18: For reportable COLORECTAL CANCER CASES ONLY; submit Regional Nodes Positive [820] and Regional Nodes Examined [830] as available for diagnosis years 1995-2011. For diagnosis year 2012 and later, Regional Nodes Positive [820] and Regional Nodes Examined [830] are required for all sites .				
820	Regional Nodes Positive	Y		
830	Regional Nodes Examined	Y		
NOTE 19: For reportable cases diagnosed 2012 forward, submit as available.				
501	Casefinding Source	As available		
NOTE 20: Report the following data items in the columns for the appropriate NAACCR Record layout version as specified in the 2017 NPCR-CSS Submission Specifications.				
9960	Height	As available		
9961	Weight	As available		
9965	Tobacco Use Cigarettes	As available		
9966	Tobacco Use Smoke	As available		
9967	Tobacco Use Smokeless	As available		
9968	Tobacco Use NOS	As available		
NOTE 21: Required to be submitted for reportable cases diagnosed 2014 and forward. Submit as available for reportable cases diagnosed prior to 2014.				
145	Census Tract Poverty Indicator	Y		
NOTE 22: Required to be submitted for reportable cases diagnosed 2011 and forward. Submit as available for reportable cases diagnosed 2004-2010.				
2880	CS Site-Specific Factor 1 for:			
	C70.0-C70.9, C71.0-C71.9, C72.0-C72.9, C75.1-C75.3 (brain, CNS)	Y		
NOTE 23: Required to be submitted for reportable cases diagnosed 2011 and forward. Submit as available for reportable cases diagnosed 2010.				
2869	CS Site-Specific Factor 15 for breast (C50)	Y		
NOTE 24: Required to be submitted for reportable cases diagnosed 2010 and forward.				
2879	CS Site-Specific Factor 25	Y		
NOTE 25: Required to be submitted for reportable cases diagnosed 2016 and forward. Submit as available for reportable cases diagnosed 2015.				
880	TNM Path T	Y		
890	TNM Path N	Y		
900	TNM Path M	Y		
910	TNM Path Stage Group	Y		
920	TNM Path Descriptor	Y		
940	TNM Clin T	Y		
950	TNM Clin N	Y		

960	TNM Clin M	Y		
970	TNM Clin Stage Group	Y		
980	TNM Clin Descriptor	Y		
1060	TNM Edition	Y		
3650	NPCR Derived Clin Stage Group	Y		
3655	NPCR Derived Path Stage Group	Y		
NOTE 26: Submit Survival Months Active Follow-up only if active follow-up is conducted on all cases. Submit Survival Months Presumed Alive only if linkage with the NDI is conducted and match results included in the submission file.				
1784	Survival Months Active Follow-up	As available		
1787	Survival Months Presumed Alive	As available		
NOTE 27: Report the results derived using NAACCR*Prep in columns 1370-1372.				
9990	IHS Purchased/Referred Care Delivery Area (PRCDA)	Y		
9991	Urban Indian Health Organization (UIHO)	Y		
9992	Urban Indian Health Organization (UIHO) Facility	Y		
NOTE 28: Report the results for County at DX Analysis as derived using NAACCR Prep in columns 2355-2357.				