



## Appendix A: Indoor Environmental Quality Measurement form for ENERGY STAR Building Verification Site Visit

**Instructions:** The LP (or his/her representative) must use this form to record measurements taken during the ENERGY STAR building verification site visit. Forms should be kept on file for two years. Should an ENERGY STAR application be selected for an audit, you will be required to submit this form as supporting documentation. Please attach additional notes pages if necessary.

Property Name: \_\_\_\_\_

Property Address: \_\_\_\_\_

LP Name: \_\_\_\_\_ Site visit date: \_\_\_\_\_

**Information on person conducting the site visit:**

Name: \_\_\_\_\_ Title: \_\_\_\_\_ Organization: \_\_\_\_\_

### Outdoor Air Ventilation

The LP must verify that the property meets the minimum ventilation rates according to *ANSI/ASHRAE Standard 62.1, Ventilation for Acceptable Indoor Air Quality*.

**Select the method used (check all that apply)**

- For mechanically ventilated buildings, the LP must confirm minimum outdoor ventilation rates by any of the following;
  - direct airflow measurements per *ANSI/ASHRAE Standard 62.1, Section 6.2, the Ventilation Rate Procedure, or*
  - CO<sub>2</sub> concentration measurements per *ASHRAE 62.1 Appendix C, and ASTM D6245 Standard Guide for Using Indoor CO<sub>2</sub> Concentrations to Evaluate Indoor Air Quality and Ventilation, or*
  - detailed airflow calculations derived from as-built equipment specifications, and physical inspection of system operation and control
- For naturally ventilated buildings, the LP must follow *ASHRAE 62.1, Section 6.4, Natural Ventilation Procedure* to confirm the minimum outdoor air opening and space configuration requirements.
- Dwelling units in multifamily housing shall use *ASHRAE 62.2, Ventilation and Acceptable Indoor Air Quality in Residential Buildings*. Hospitals and Senior Care Communities may use *ASHRAE Standard 62.1, or ANSI/ASHRAE/ASHE Standard 170: Ventilation of Health Care Facilities - 2013*.
- For building occupancy types not covered by these standards, buildings with physical constraints that make it infeasible to provide these minimum outdoor air rates, as well as spaces that are inaccessible to the LP (e.g. individual apartments) the LP must use their professional judgement to confirm that outdoor air ventilation has not been compromised in pursuit of energy conservation.

Description of verification method and documentation of measurement results:

Property Name: \_\_\_\_\_

**Thermal Environmental Conditions**

The LP must verify that the property meets the acceptable thermal environmental conditions according *ANSI/ASHRAE Standard 55, Thermal Environmental Conditions for Human Occupancy*. Temperature measurements are not required for Data Centers.

Location	Space Function	Date and Time	Specific Location	Dry bulb Temp. (°F)	Relative Humidity (%)	Air Speed (ft/min) (optional)	Notes and Observations

Property Name: \_\_\_\_\_

**Indoor Lighting Conditions**

The LP must verify that the property meets the acceptable minimum illumination levels as recommended by the *Illuminating Engineering Society of North America (IESNA) Lighting Handbook*. Horizontal and/or vertical illumination measurements must be taken. Both measurements are not required.

Location	Space Function	Date and Time	Specific Location	Horizontal Illumination (fc)	Vertical Illumination (fc)	Notes and Observations

I verify that the measurements on this form are accurate and taken in accordance with the requirements described in the ENERGY STAR Licensed Professional’s Guide.

LP Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Property Name: \_\_\_\_\_

**Notes Section (optional)**

Please use this section to document your notes about the site visit.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2060-0347). Responses to this collection of information are voluntary (Section 103(g) Clean Air Act). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information is estimated to average 15 minutes per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.