



Appendix A: Indoor Environmental Quality Measurement form for ENERGY STAR Building Verification Site Visit

Instructions: The LP (or his/her representative) must use this form to record measurements taken during the ENERGY STAR building verification site visit. Forms should be kept on file for two years. Should an ENERGY STAR application be selected for an audit, you will be required to submit this form as supporting documentation. Please attach additional notes pages if necessary.

Property Name: _____

Property Address: _____

LP Name: _____ Site visit date: _____

Information on person conducting the site visit:

Name: _____ Title: _____ Organization: _____

Outdoor Air Ventilation

The LP must verify that the property meets the minimum ventilation rates according to *ANSI/ASHRAE Standard 62.1, Ventilation for Acceptable Indoor Air Quality*.

Select the method used (check all that apply)

- For mechanically ventilated buildings, the LP must confirm minimum outdoor ventilation rates by any of the following;
- direct airflow measurements per *ANSI/ASHRAE Standard 62.1, Section 6.2, the Ventilation Rate Procedure, or*
 - CO₂ concentration measurements per *ASHRAE 62.1 Appendix C, and ASTM D6245 Standard Guide for Using Indoor CO₂ Concentrations to Evaluate Indoor Air Quality and Ventilation, or*
 - detailed airflow calculations derived from as-built equipment specifications, and physical inspection of system operation and control
- For naturally ventilated buildings, the LP must follow *ASHRAE 62.1, Section 6.4, Natural Ventilation Procedure* to confirm the minimum outdoor air opening and space configuration requirements.
- Dwelling units in multifamily housing shall use *ASHRAE 62.2, Ventilation and Acceptable Indoor Air Quality in Residential Buildings*. Hospitals and Senior Care Communities may use *ASHRAE Standard 62.1, or ANSI/ASHRAE/ASHE Standard 170: Ventilation of Health Care Facilities - 2013*.
- For building occupancy types not covered by these standards, buildings with physical constraints that make it infeasible to provide these minimum outdoor air rates, as well as spaces that are inaccessible to the LP (e.g. individual apartments) the LP must use their professional judgement to confirm that outdoor air ventilation has not been compromised in pursuit of energy conservation.

Description of verification method and documentation of measurement results:

Property Name: _____

Indoor Lighting Conditions

The LP must verify that the property meets the acceptable minimum illumination levels as recommended by the *Illuminating Engineering Society of North America (IESNA) Lighting Handbook*. Horizontal and/or vertical illumination measurements must be taken. Both measurements are not required.

Location	Space Function	Date and Time	Specific Location	Horizontal Illumination (fc)	Vertical Illumination (fc)	Notes and Observations

I verify that the measurements on this form are accurate and taken in accordance with the requirements described in the ENERGY STAR Licensed Professional’s Guide.

LP Signature: _____

Date: _____

Property Name: _____

Notes Section (optional)

Please use this section to document your notes about the site visit.

The public reporting and recordkeeping burden for this collection of information is estimated to average 15 minutes per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.